2017 Trends Report for Mississippi Behavioral Risk Factor Surveillance System Survey September 4, 2018



Mississippi Behavioral Risk Factor Surveillance System Trend Report 2011 - 2020

Note: Unless otherwise indicated, the denominator is the total sample population except that all respondents answering "Unknown" or who refused to answer a question is excluded from the denominator. Gray areas indicate that the question was not used.

Indicator	Rates	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Health Status						÷					
Report that general health is fair or poor	Crude	24.0	23.4	24.4	22.3	23.4	23.3	25.7			
	Age Adj	23.4	22.1	22.9	21.0	22.4	21.9	23.9			
Report that physical health was not good	Crude	17.7	21.4	18.5	19.7	17.0	20.3	20.4			
for more than 7 days in past 30 days	Age Adj	17.5	17.3	17.8	19.0	16.5	16.5	18.7			
Report that mental health was not good	Crude	17.6	21.3	16.7	19.8	18.0	20.0	19.4			
for more than 7 days in past 30 days	Age Adj	17.9	18.6	17.5	20.5	18.9	17.2	20.2			
Report poor physical/mental health prevented usual											
activities for more than 7 days in past 30 days	Crude	32.4	30.8	32.4	28.5	29.5	27.6	25.2			
(Denominator: Total Sample)	Age Adj	30.1	29.9	31.6	28.2	29.3	27.2	31.3			
Report poor physical/mental health prevented usual											
activities for more than 7 days in past 30 days	Crude	59.6	59.3	61.4	54.5	53.6	59.6	63.4			
(Denominator: Excludes those with zero days of poor											
physical/mental health)	Age Adj	59.3	58.6	61.2	52.6	53.1	56.0	63.7			
Cigarette Smoking	-										
Report that they are current cigarette smokers	Crude	26.0	24.0	24.9	23.0	22.6	22.8	22.3			
Report that they are current eigarcue smokers	Age Adj	26.4	24.4	26.8	24.0	24.6	23.4	23.8			
High school education or less	Crude	37.8	38.6	38.9	35.4	34.2	36.2	37.6			
	Age Adj	39.8	43.0	45.6	38.7	40.1	39.9	42.0			
Blacks	Crude	23.0	22.4	23.8	20.4	22.4	20.1	19.6			
	Age Adj	22.1	21.9	24.6	20.1	23.4	20.5	20.2			
Report they are former cigarette smokers	Crude	21.3	20.8	21.5	21.9	21.2	23.6	21.6			
Report they are former ergarette smokers	Age Adj	20.8	19.8	19.8	20.6	19.6	22.5	20.3			
Daily smokers who report they have quit smoking	Crude	61.3	62.3	65.9	63.8	68.2	62.8	56.3			
for one day or more in the past 12 months	Age Adj	60.8	61.0	65.8	62.4	67.7	63.1	57.3			
Quit ratio: Ever smokers who are former	Crude	45.0	46.5	46.4	48.8	48.4	50.8	49.3			
smokers	Age Adj	42.9	43.2	40.6	44.5	42.8	47.3	43.4			

Indicator	Rates	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Alcohol use during the past month											
Report acute (binge) drinking	Crude	14.3	12.1	12.4	12.8	11.9	12.4	12.5			
Report acute (blige) drinking	Age Adj	14.9	12.9	13.5	13.7	12.8	12.7	14.1			
Report chronic drinking	Crude	4.7	4.6	4.2	4.3	4.6	4.7	5.0			
	Age Adj	4.8	4.8	4.4	4.4	4.8	4.0	5.3			
Physical activity/exercise										-	-
Report no physical activity in the past 30 days	Crude	36.0	30.8	38.2	31.6	36.8	30.2	33.2			
Report no physical activity in the past 50 days	Age Adj	36.1	30.6	36.5	31.3	35.8	29.4	31.8			
Income less than \$20,000	Crude	43.8	43.9	52.9	55.5	56.2	56.5	56.3			
	Age Adj	44.3	46.3	45.4	45.3	43.1	43.1	42.4			
65+ year olds (No age adjustment)	Crude	40.9	38.3	45.4	38.3	42.9	60.7	62.2			
Body weight (BMI)											
Respondents with healthy weight $(18 \le BMI < 25)$	Crude	29.0	29.2	29.1	27.6	28.2	26.8	27.6			
Respondents with heating weight (10 SDMI <23)	Age Adj	28.8	29.3	27.7	27.6	26.0	26.3	26.6			
Respondents who are overweight $(BMI \ge 25)$	Crude	68.9	68.9	69.3	70.7	70.1	71.2	69.8			
	Age Adj	69.1	69.1	70.6	70.8	72.5	71.9	71.2			
White Males	Crude	73.5	72.5	74.9	73.7	74.4	75.3	74.7			
white wates	Age Adj	73.3	72.6	74.7	73.8	77.0	76.0	75.8			
White Females	Crude	59.0	59.4	58.2	63.5	58.8	60.6	59.4			
white remaies	Age Adj	58.4	58.1	58.8	62.9	56.4	60.7	59.3			
Black Males	Crude	67.5	69.8	69.0	73.1	74.3	74.1	74.9			
Black Wales	Age Adj	69.8	71.2	72.8	73.9	76.6	75.5	77.1			
Black Females	Crude	79.2	78.6	78.7	79.3	78.2	81.3	76.6			
Diack Tennales	Age Adj	79.7	79.3	78.8	79.2	76.5	81.7	78.3			
Respondents who are obese $(BMI \ge 30)$	Crude	35.0	34.6	35.2	35.5	35.7	37.4	37.5			
Respondents who are obese (BMI 250)	Age Adj	35.3	35.0	36.7	36.2	38.0	38.2	38.9			
White Males	Crude	32.0	30.4	33.1	33.9	33.2	33.6	34.3			
white males	Age Adj	32.2	30.2	34.3	35.4	36.1	34.8	36.8			
White Females	Crude	29.4	29.9	29.3	30.3	28.7	30.9	32.4			
wind reliates	Age Adj	30.0	30.1	31.7	30.6	30.3	31.6	33.1			
Black Males	Crude	32.6	36.0	35.9	33.8	35.5	39.4	39.8			
DIACK MAIES	Age Adj	34.2	37.0	38.6	34.6	36.4	40.5	40.2			
Black Females	Crude	51.8	49.2	48.3	51.8	51.0	53.6	49.9			
DIACK FEIIIAIES	Age Adj	51.8	49.5	47.9	51.0	53.6	54.2	51.6			

Indicator	Rates	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Those at risk of developing type 2 diabetes	Crude	25.9	25.3	26.3	25.1	26.5	24.5	25.8			
because of weight or lack of exercise	Age Adj	26.1	24.8	27.1	24.8	27.8	24.3	26.2			
Cholesterol awareness				-			-	•		<u> </u>	
Report that they have ever had a blood cholesterol test *	Crude	74.7		77.9		78.5		89.3			
	Age Adj	73.8		77.1		77.1		88.3			
Those tested who have had blood cholesterol checked	Crude	53.6		59.2		61.4		64.6			
within the past year	Age Adj	52.8		58.0		59.4		62.1			
Report blood cholesterol checked within the past 2 years	Crude	62.3		66.8		68.7		74.9			
Report blood cholesterol checked within the past 2 years	Age Adj	61.6		66.5		67.4		72.3			
	Crude	67.9		70.9		72.7		81.2			
Report blood cholesterol checked within the past 5 years	Age Adj	67.6		70.8		71.8		80.1			
Report being told by a health professional that they have	Crude	30.3		31.7		29.4		32.6			
high blood cholesterol	Age Adj	29.3		30.7		27.8		30.6			
Diabetes								•		<u> </u>	
Report being told by a doctor that they have diabetes	Crude	12.3	12.5	12.9	13.0	14.7	13.7	14.3			
	Age Adj	11.6	11.8	12.3	12.1	14.5	12.5	13.0			
Those with diabetes who have had two or more visits to	Crude		79.6		74.0		74.2				
health professional for diabetes in the past year	Age Adj		70.8		70.1		69.9				
Those with diabetes who have had at least four visits to a health professional for their diabetes in past year	Crude		46.2		40.9		43.7				
hearth professional for their thabetes in past year	Age Adj		38.6		37.9		36.3				
Those with diabetes who have had two or more foot exams by a professional in the past year	Crude		49.9		44.6		47.1				
exams by a professional in the past year	Age Adj		44.0		39.4		36.9				
Those with diabetes who have had at least four foot exams by a health professional in past year	Crude		23.2		20.4		25.0				
	Age Adj		22.6		15.8		18.6				
Those with diabetes who have had a dilated eye exam in	Crude		59.2		61.6		58.8			┟────┤	
the past year	Age Adj		55.8		57.2		55.1				
Those with diabetes who have had a dilated eye exam in	Crude		75.7		74.1		73.9				
the past 2 years	Age Adj		73.4		69.7		72.6				

Indicator	Rates	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Breast Cancer Screening (Age Adjustment Not Applicabl	e)										
Report that they have ever had a mammogram (Women											
40+)	Crude		89.3		90.0		90.6				
Income less than \$10,000	Crude		80.4		82.5		84.4				
Less than a high school education	Crude		84.0		86.9		91.5				
Women 70+ years of age	Crude		94.3		94.1		94.9				
Black women	Crude		87.6		86.9		91.2				
Report having a mammogram in past 2 years (<i>Women 40</i> +)	Crude		66.1		63.9		67.5				
Income less than \$10,000	Crude		50.6		52.3		55.8				
Less than a high school education	Crude		54.7		51.0		55.5				
Women 70+ years of age	Crude		63.0		66.0		59.5				
Black women	Crude		44.2		47.0		48.2				
Report having a screening mammogram within the past year (<i>Women 50-59</i>)	Crude		53.5		51.2		48.6				
Report having a screening mammogram in the past year (<i>Women 60-69</i>)	Crude		58.7		55.5		63.0				
Report having screening mammogram in the past 2 years (<i>Women 50-59</i>)	Crude		72.0		64.5		64.9				
Report having screening mammogram in the past 2 years (<i>Women 60-69</i>)	Crude		72.3		68.9		73.8				
Cervical Cancer Screening											
Report that they have ever had a pap smear test (Women	Crude		92.8		89.6		90.9				
18+ years of age who have never had a hysterectomy)	Age Adj		94.2		89.9		92.2				
Income less than \$10,000	Crude Age Adj		87.9 87.7		89.6 86.0		88.0 88.6				
Less than a high school education	Crude		95.3		87.6		88.3				
	Age Adj		90.6		86.2		89.1				
Women aged 70+ years of age (Age adjustment not applicable)	Crude		91.0		86.2		89.4				

Indicator	Rates	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Report that they have had a pap smear test in the past 3											
years (Women 18+ years of age who have never had a	Crude		76.7		77.4		84.5				
hysterectomy	Age Adj		76.6		76.0		82.9				
Income loss than \$10,000	Crude		64.9		77.1		80.0				
Income less than \$10,000	Age Adj		59.1		69.6		76.3				
Less than a high school education	Crude		65.3		70.5		74.6				
Less than a high school education	Age Adj		63.5		65.9		75.8				
Women aged 70+ years of age											
(Age adjustment not applicable)	Crude		52.1		45.6		49.3				
Women 18-64	Crude		79.5		80.6		87.8				
women 18-04	Age Adj		79.8		80.7		82.9				
Colorectal Cancer Screening (Age 50+: Age adjustment	not applical	le)									
Report ever having had a colonosopy/sigmoidoscopy											
exam	Crude		60.3		62.9		63.8				
Within the past year	Crude		15.5		15.9		14.4				
Within the past 2 years	Crude		25.1		24.8		24.0				
Within the past 5 years	Crude		45.8		46.6		44.6				
Hypertension awareness											
Report being told by a health professional that they have	Crude	39.2		40.2		42.4		40.9			
high blood pressure	Age Adj	38.4		38.3		40.3		38.2			
Immunization											
Report having had a flu vaccination	Crude	35.6	34.0	37.3	37.1	40.4	37.2	35.5			
within the past 12 months	Age Adj	34.6	32.7	34.7	35.2	37.6	35.5	32.8			
Persons 65+ years of age (Age adjustment not applicable)	Crude	65.4	62.4	63.0	66.7	63.3	61.7	55.1			
	Crude	28.2	29.0	30.1	28.7	29.1	30.8	37.3			
Report ever having had a pneumonia vaccination	Age Adj	26.2	27.0	25.7	25.9	24.6	27.8	31.3			
Persons 65+ years of age (Age adjustment not applicable)	Crude	69.0	65.8	66.2	67.2	65.3	65.6	71.8			

Indicator	Rates	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Health care access											
Report that they have no kind of health care coverage	Crude	30.7	27.3	28.1	23.0	21.6	20.1	20.8			
(Age 18-64)	Age Adj	31.2	27.6	28.4	23.5	22.1	17.5	21.4			
Report being unable to see doctor in past 12 months	Crude	23.4	21.7	21.7	19.5	18.8	19.1	18.2			
because of cost	Age Adj	23.9	25.7	23.0	20.5	19.8	20.1	19.5			
Chronic Diseases											
Ever Diagnosed With Depression	Crude	18.9	18.4	19.2	19.9	18.2	19.0	20.7			
	Age Adj	18.9	18.5	20.3	20.1	19.2	18.9	21.6			
Ever Diagnosed With Heart Attack	Crude	5.4	5.4	5.1	4.9	5.6	5.7	5.4			
Ever Diagnosed with Heart Attack	Age Adj	5.1	5.0	4.3	4.4	5.0	5.0	4.6			
Ever Diagnosed With Coronary Artery Disease	Crude	4.6	5.1	4.9	4.7	4.9	5.9	5.6			
Ever Diagnosed with Coronary Thery Disease	Age Adj	4.3	4.7	4.1	4.3	4.6	5.2	4.2			
Ever Diagnosed With Stroke	Crude	4.0	4.3	4.5	4.5	4.5	5.0	4.7			
	Age Adj	3.8	4.0	3.8	4.2	3.4	4.5	4.0			
Ever Diagnosed With Asthma	Crude	12.4	11.7	12.6	12.6	12.2	12.7	13.1			
	Age Adj	12.4	11.5	12.6	12.8	12.9	12.7	13.1			
Ever Diagnosed With Arthritis	Crude	29.1	30.8	30.0		28.6	31.3	29.7			
Ever Diagnosed with Arthritis	Age Adj	27.9	28.8	27.4	27.1	26.0	29.0	26.6			

*In 2017 the question was changed from "Have you ever had your cholesterol checked?" to "How long has it been since you had your cholesterol checked?"