DISTRICT: I

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 243,891 | 20,228 | 9,959 | 10,269 | 3,894 |
| | 148,301 | 10,340 | 5,124 | 5,216 | 2,05(|
| | 95,590 | 9,888 | 4,835 | 5,053 | 1,838 |

| | ALL RACES | | | | WHITE | | | | NONWHITE | | | |
|--|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 910 | 31 | 368 | 511 | 280 | 2 | 97 | 181 | 630 | 29 | 271 | 330 |
| TEENAGE IMMATURE BIRTHS TEENAGE PREMATURE BIRTHS | 93 151 | 9 | 35 71 | 49 74 | 20 29 | 0 | 6 10 | 14 19 | 73 122 | 9 | 29 61 | 35 55 |
| TEENAGE PREMATORE BIRTHS TEENAGE ILLEGITIMATE BIRTHS | 765 | 31 | 330 | 404 | 151 | 2 | 62 | 87 | 614 | 29 | 268 | 317 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 236 | 0 | 55 | 181 | 51 | 0 | 4 | 47 | 185 | 0 | 51 | 134 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 272 | 0 | 65 | 207 | 68 | 0 | 10 | 58 | 204 | 0 | 55 | 149 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 67 | 2 | 34 | 31 | 11 | 0 | 5 | 6 | 56 | 2 | 29 | 25 |
| TEENAGE FERTILITY RATE | 45.0 | 3.1 | 85.6 | (15-19) | 27.1 | 0.4 | 53.3 | (15-19) | 63.7 | 6.0 | 118.9 | (15-19) |
| TEENAGE FETAL DEATHS** | 8 | 0 | 3 | 5 | 1 | 0 | 1 | 0 | 7 | 0 | 2 | 5 |
| TEENAGE FETAL DEATH RATIO | 8.8 | 0.0 | 8.2 | 9.8 | 3.6 | 0.0 | 10.3 | | 11.1 | 0.0 | 7.4 | 15.2 |
| TEENAGE INDUCED TERMINATIONS# | 191 | 18 | 85 | 88 | 104 | 6 | 51 | 47 | 86 | 12 | 34 | 40 |
| TEENAGE INDUCED TERMINATION RATIO | 209.9 | 580.6 | 231.0 | 172.2 | 371.4 | 3000 | 525.8 | 259.7 | 136.5 | 413.8 | 125.5 | 121.2 |
| TEENAGE PREGNANCIES# | 1,109 | 49 | 456 | 604 | 385 | 8 | 149 | 228 | 723 | 41 | 307 | 375 |
| TEENAGE PREGNANCY RATE | 54.8 | 4.9 | 103.2 | (15-19) | 37.2 | 1.6 | 72.3 | (15-19) | 73.1 | 8.5 | 135.0 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 11 | 2 | 6 | _ 3 | _ 2 | 0 | 1 | _ 1 | 9 | 2 | 5 | 2 |
| INFANT MORTALITY RATE, TEEN MOMS | 12.1 | 64.5 | 16.3 | 5.9 | 7.1 | 0.0 | 10.3 | 5.5 | 14.3 | 69.0 | 18.5 | 6.1 |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

^{*} ACCORDING TO THE KESSNER INDEX

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DISTRICT: II

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 309,366 | 22,786 | 10,766 | 12,020 | 4,356 |
| | 243,417 | 16,332 | 7,745 | 8,587 | 3,15(|
| | 65,949 | 6,454 | 3,021 | 3,433 | 1,206 |

| | ALL RACES | | | | WHITE | | | | NONWHITE | | | |
|--------------------------------------|-----------|-------|----------|----------|-------|-------|-------|---------|----------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 868 | 22 | 327 | 519 | 525 | 7 | 183 | 335 | 343 | 15 | 144 | 184 |
| TEENAGE IMMATURE BIRTHS | 96 | 1 | 32 | 63 | 37 | 0 | 11 | 26 | 59 | 1 | 21 | 37 |
| TEENAGE PREMATURE BIRTHS | 139 | 9 | 47 | 83 | 64 | 2 | 20 | 42 | 75 | 7 | 27 | 41 |
| TEENAGE ILLEGITIMATE BIRTHS | 579 | 22 | 249 | 308 | 243 | 7 | 107 | 129 | 336 | 15 | 142 | 179 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 211 | 3 | 49 | 159 | 109 | 0 | 20 | 89 | 102 | 3 | 29 | 70 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 259 | 3 | 60 | 196 | 139 | 0 | 24 | 115 | 120 | 3 | 36 | 81 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 62 | 5 | 26 | 31 | 16 | 0 | 6 | 10 | 46 | 5 | 20 | 21 |
| TEENAGE FERTILITY RATE | 38.1 | 2.0 | 70.4 | (15-19) | 32.1 | 0.9 | 60.3 | (15-19) | 53.1 | 5.0 | 95.5 | (15-19) |
| TEENAGE FETAL DEATHS** | 9 | 0 | 1 | 8 | 4 | 0 | 1 | 3 | 5 | 0 | 0 | 5 |
| TEENAGE FETAL DEATH RATIO | 10.4 | 0.0 | 3.0 | 15.4 | 7.6 | 0.0 | 5.5 | 9.0 | 14.6 | 0.0 | 0.0 | 27.2 |
| | | | | | | | | | | | | |
| TEENAGE INDUCED TERMINATIONS# | 145 | 6 | 50 | 89 | 85 | 2 | 32 | 51 | 59 | 4 | 17 | 38 |
| TEENAGE INDUCED TERMINATION RATIO | 167.0 | 272.7 | 152.9 | 171.5 | 161.9 | 285.7 | 174.9 | 152.2 | 172.0 | 266.7 | 118.0 | 206.5 |
| TEENAGE PREGNANCIES# | 1,022 | 28 | 378 | 616 | 614 | 9 | 216 | 389 | 407 | 19 | 161 | 227 |
| TEENAGE PREGNANCY RATE | 44.8 | 2.6 | | (15-19) | 37.6 | 1.2 | | (15-19) | 63.1 | 6.3 | | (15-19) |
| | | | | | | | | | | | | |
| INFANT DEATHS TO TEENAGE MOTHERS | 6 | 1 | 2 6.1 | 3 5.8 | 2 | 0 | _ 1 | 1 | 4 | 1 | 1 | 2 |
| INFANT MORTALITY RATE, TEEN MOMS | 6.9 | 45.5 | 6.1 | 5.8 | 3.8 | 0.0 | 5.5 | 3.0 | 11.7 | 66.7 | 6.9 | 10.9 |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

^{*} ACCORDING TO THE KESSNER INDEX

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DISTRICT: III

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 256,349 | 23,461 | 11,566 | 11,895 | 4,275 |
| | 98,210 | 6,653 | 3,146 | 3,507 | 1,069 |
| | 158,139 | 16,808 | 8,420 | 8,388 | 3,206 |

| | ALL RACES | | | | | WHITE | | | | NONWHITE | | | |
|--|--------------|---------------|---------------|---------------|--------------|---------------|---------------|----------|--------------|---------------|---------------|---------------|--|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | |
| | | | | | | | | | | | | | |
| TEENAGE BIRTHS | 1,257 | 68 | 597 | 592 | 166 | 2 | 57 | 107 | 1,091 | 66 | 540 | 485 | |
| TEENAGE IMMATURE BIRTHS | 155 | 19 | 72 | 64 | 18 | 1 | 9 | 8 | 137 | 18 | 63 | 56 | |
| TEENAGE PREMATURE BIRTHS TEENAGE ILLEGITIMATE BIRTHS | 254 1,158 | 20 68 | 123 575 | 111 515 | 19 79 | 7 | 35 | 12 42 | 235 1,079 | 19 66 | 117 540 | 99 473 | |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 362 | 2 | 122 | 238 | 38 | 0 | 33 | 30 | 324 | 2 | 114 | 208 | |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 412 | 3 | 136 | 273 | 52 | 0 | 11 | 41 | 360 | 3 | 125 | 232 | |
| TEENS WITH INADEQUATE* PRENATAL CARE | 132 | 10 | 64 | 58 | 7 | ĺ | 2 | 4 | 125 | 9 | 62 | 54 | |
| TEENAGE FERTILITY RATE | 53.6 | 5.9 | 100.0 | (15-19) | 25.0 | 0.6 | 46.8 | (15-19) | 64.9 | 7.8 | 122.2 | (15-19) | |
| TEENAGE FETAL DEATHS** | 16 | 2 | 6 | 8 | 2 | 0 | 1 | 1 | 14 | 2 | 5 | 7 | |
| TEENAGE FETAL DEATH RATIO | 12.7 | 29.4 | 10.0 | | 12.0 | 0.0 | 17.5 | 9.3 | 12.8 | 30.3 | 9.2 | 14.4 | |
| TEENAGE INDUCED TERMINATIONS# | 190 | 20 | 71 | 99 | 50 | 1 | 21 | 28 | 140 | 19 | 50 | 71 | |
| TEENAGE INDUCED TERMINATION RATIO | 151.2 | 294.1 | 118.9 | 167.2 | 301.2 | 500.0 | 368.4 | 261.7 | 128.3 | 287.9 | 92.6 | 146.4 | |
| TEENAGE PREGNANCIES# | 1,463 | 90 | 674 | 699 | 218 | 3 | 79 | 136 | 1,245 | 87 | 595 | 563 | |
| TEENAGE PREGNANCY RATE | 62.4 | 7.8 | 115.4 | (15-19) | 32.8 | 1.0 | 61.3 | (15-19) | 74.1 | 10.3 | 138.0 | (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 20 | 5 | 10 | 5 | 1 | 0 | 1 | 0 | 19 | 5 | 9 | 5 | |
| INFANT MORTALITY RATE, TEEN MOMS | 15.9 | 73.5 | 16.8 | 8.4 | 6.0 | 0.0 | 17.5 | 0.0 | 17.4 | 75.8 | 16.7 | 10.3 | |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

^{*} ACCORDING TO THE KESSNER INDEX

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DISTRICT: IV

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 242,066 | 19,539 | 9,122 | 10,417 | 3,647 |
| | 145,308 | 9,955 | 4,449 | 5,506 | 1,765 |
| | 96,758 | 9,584 | 4,673 | 4,911 | 1,880 |

| | ALL RACES | | | | | WHITE | | | | NONWHITE | | | |
|--------------------------------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------|--------------|---------------|---------------|---------------|--|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | |
| | | | | | | | | | | | | | |
| TEENAGE BIRTHS | 774 | 24 | 304 | 446 | 242 | 2 | 80 | 160 | 532 | 22 | 224 | 286 | |
| TEENAGE IMMATURE BIRTHS | 73 | 3 | 30 | 40 | 14 | 0 | 5 | 9 | 59 | 3 | 25 | 31 | |
| TEENAGE PREMATURE BIRTHS | 123 | 5 | 57 | 61 | 29 | 0 | 10 | 19 | 94 | 5 | 47 | 42 | |
| TEENAGE ILLEGITIMATE BIRTHS | 627 | 24 | 276 | 327 | 115 | 2 | 53 | 60 | 512 | 22 | 223 | 267 | |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 159 | 0 | 28 | 131 | 36 | 0 | 3 | 33 | 123 | 0 | 25 | 98 | |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 204 | 1 | 41 | 162 | 52 | 0 | 9 | 43 | 152 | 1 | 32 | 119 | |
| TEENS WITH INADEQUATE* PRENATAL CARE | 73 | 2 | 34 | 37 | 8 | 0 | 4 | 4 | 65 | 2 | 30 | 33 | |
| TEENAGE FERTILITY RATE | 39.6 | 2.6 | 72.0 | (15-19) | 24.3 | 0.4 | 43.6 | (15-19) | 55.5 | 4.7 | 103.8 | (15-19) | |
| TEENAGE FETAL DEATHS** | 11 | 0 | 3 | 8 | 2 | 0 | 0 | 2 | 9 | 0 | 3 | 6 | |
| TEENAGE FETAL DEATH RATIO | 14.2 | 0.0 | 9.9 | 17.9 | 8.3 | 0.0 | 0.0 | 12.5 | 16.9 | 0.0 | 13.4 | 21.0 | |
| TEENAGE INDUCED TERMINATIONS# | 148 | 13 | 52 | 83 | 60 | 0 | 25 | | 88 | 13 | 27 | 48 | |
| TEENAGE INDUCED TERMINATION RATIO | 191.2 | 541.7 | 171.0 | 186.1 | 247.9 | 0.0 | 312.5 | 218.8 | 165.4 | 590.9 | 120.5 | 167.8 | |
| TEENAGE PREGNANCIES# | 933 | 37 | 359 | 537 | 304 | 2 | 105 | 197 | 629 | 35 | 254 | 340 | |
| TEENAGE PREGNANCY RATE | 47.8 | 4.0 | 86.0 | (15-19) | 30.5 | 0.4 | 54.8 | (15-19) | 65.6 | 7.5 | 121.0 | (15-19) | |
| INFANT DEATHS TO TEENAGE MOTHERS | 6 | 0 | 3 | 3 | 0 | 0 | 0 | | 6 | 0 | 3 | 3 | |
| INFANT MORTALITY RATE, TEEN MOMS | 7.8 | 0.0 | 9.9 | 6.7 | 0.0 | 0.0 | 0.0 | 0.0 | 11.3 | 0.0 | 13.4 | 10.5 | |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

^{*} ACCORDING TO THE KESSNER INDEX

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DISTRICT: V

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 570,535 | 45,838 | 22,282 | 23,556 | 8,868 |
| | 314,256 | 20,880 | 10,395 | 10,485 | 3,731 |
| | 256,279 | 24,958 | 11,887 | 13,071 | 5,135 |

| | ALL RACES | | | | WHITE | | | | NONWHITE | | | |
|--------------------------------------|-----------|-------|-------|---------|-------|-------|-------|---------|----------|-------|-------|---------|
| | ALL | AGES | AGES | AGES | ALL | AGES | AGES | | ALL | AGES | AGES | AGES |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 | TEENS | 10-14 | 15-17 | 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 1,677 | 69 | 675 | 933 | 358 | 5 | 122 | 231 | 1,319 | 64 | 553 | 702 |
| TEENAGE IMMATURE BIRTHS | 243 | 9 | 91 | 143 | 36 | 0 | 11 | 25 | 207 | 9 | 80 | 118 |
| TEENAGE PREMATURE BIRTHS | 328 | 17 | 119 | 192 | 47 | 0 | 13 | 34 | 281 | 17 | 106 | 158 |
| TEENAGE ILLEGITIMATE BIRTHS | 1,484 | 69 | 625 | 790 | 194 | 5 | 75 | 114 | 1,290 | 64 | 550 | 676 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 436 | 2 | 116 | 318 | 53 | 0 | 11 | 42 | 383 | 2 | 105 | 276 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 539 | 3 | 152 | 384 | 79 | 0 | 17 | 62 | 460 | 3 | 135 | 322 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 184 | 10 | 85 | 89 | 34 | 1 | 17 | 16 | 150 | 9 | 68 | 73 |
| TEENAGE FERTILITY RATE | 36.6 | 3.1 | 68.3 | (15-19) | 17.1 | 0.5 | 33.7 | (15-19) | 52.8 | 5.4 | 96.0 | (15-19) |
| TEENAGE FETAL DEATHS** | 19 | 1 | 6 | 12 | 2 | 0 | 1 | 1 | 17 | 1 | 5 | 11 |
| TEENAGE FETAL DEATH RATIO | 11.3 | 14.5 | 8.9 | 12.9 | 5.6 | 0.0 | 8.2 | 4.3 | 12.9 | 15.6 | 9.0 | |
| TEENAGE INDUCED TERMINATIONS# | 449 | 25 | 147 | 277 | 147 | 6 | 51 | 90 | 302 | 19 | 96 | 187 |
| TEENAGE INDUCED TERMINATION RATIO | 267.7 | 362.3 | 217.8 | 296.9 | 410.6 | 1200 | 418.0 | 389.6 | 229.0 | 296.9 | 173.6 | 266.4 |
| TEENAGE PREGNANCIES# | 2,145 | 95 | 828 | 1,222 | 507 | 11 | 174 | 322 | 1,638 | 84 | 654 | 900 |
| TEENAGE PREGNANCY RATE | 46.8 | 4.3 | 87.0 | (15-19) | 24.3 | 1.0 | 47.3 | (15-19) | 65.6 | 7.1 | 118.9 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 17 | 1 | 6 | 10 | 7 | 0 | 2 | 5 | 10 | 1 | 4 | 5 |
| INFANT MORTALITY RATE, TEEN MOMS | 10.1 | 14.5 | 8.9 | 10.7 | 19.6 | 0.0 | 16.4 | 21.6 | 7.6 | 15.6 | 7.2 | 7.1 |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

^{*} ACCORDING TO THE KESSNER INDEX

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DISTRICT: VI

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 227,735 | 17,734 | 8,747 | 8,987 | 3,560 |
| | 141,369 | 9,243 | 4,562 | 4,681 | 1,781 |
| | 86,366 | 8,491 | 4,185 | 4,306 | 1,779 |

| | ALL RACES | | | | WHITE | | | | NONWHITE | | | |
|--|---|-----------------------------------|--|--|------------------------------------|----------------------------|-----------------------------------|-----------------------------------|--|-----------------------------------|--|---|
| | ALL | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL | AGES 10-14 | AGES 15-17 | AGES | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| | TEENS | 10-14 | 15-17 | 18-19 | TEENS | | | | 1 E E N S | | 15-17 | 18-19 |
| TEENAGE BIRTHS TEENAGE IMMATURE BIRTHS TEENAGE PREMATURE BIRTHS TEENAGE ILLEGITIMATE BIRTHS TEENS WHO HAD PREVIOUS LIVE BIRTHS TEENS WHO HAD PREVIOUS PREGNANCIES TEENS WITH INADEQUATE* PRENATAL CARE | 749 82 123 582 163 197 58 | 25 3 8 25 0 0 5 | 287 32 42 246 29 40 24 | 437 47 73 311 134 157 29 | 252 22 25 107 40 57 | 1 1 1 1 0 0 | 84 6 7 46 2 6 3 | 167 15 17 60 38 51 | 497 60 98 475 123 140 51 | 24 2 7 24 0 0 5 | 203 26 35 200 27 34 21 | 270 32 56 251 96 106 25 |
| TEENAGE FERTILITY RATE | 42.2 | 2.8 | 80.6 | (15-19) | 27.3 | 0.2 | 53.6 | (15-19) | 58.5 | 5.7 | 109.8 | (15-19) |
| TEENAGE FETAL DEATHS** TEENAGE FETAL DEATH RATIO | 14 18.7 | 40.0 | 6 20.9 | 7 16.0 | 6 23.8 | 0.0 | 23.8 | 4 24.0 | 8 16.1 | 41.7 | 4 19.7 | 3 11.1 |
| TEENAGE INDUCED TERMINATIONS# TEENAGE INDUCED TERMINATION RATIO | 121 161.5 | 9 360.0 | 59 205.6 | 53 121.3 | 62 246.0 | 5 5000 | 26 309.5 | | 59 118.7 | 4 166.7 | 33 162.6 | |
| TEENAGE PREGNANCIES# TEENAGE PREGNANCY RATE | 884 49.8 | 35 4.0 | 352 94.5 | 497 (15-19) | 320 34.6 | 6 1.3 | 112 67.1 | 202 (15-19) | 564 66.4 | 29 6.9 | 240 124.2 | 295 (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS INFANT MORTALITY RATE, TEEN MOMS | 14 18.7 | 0.0 | 4 13.9 | 10 22.9 | 6 23.8 | 0.0 | 23.8 | 4 24.0 | 8 16.1 | 0.0 | 2 9.9 | 6 22.2 |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

^{*} ACCORDING TO THE KESSNER INDEX

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DISTRICT: VII

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 170,590 | 14,433 | 7,140 | 7,293 | 2,389 |
| | 91,175 | 6,339 | 3,155 | 3,184 | 1,035 |
| | 79,415 | 8,094 | 3,985 | 4,109 | 1,352 |

| | ALL RACES | | | WHITE | | | | NONWHITE | | | | |
|--|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 513 | 15 | 209 | 289 | 132 | 1 | 36 | 95 | 381 | 14 | 173 | 194 |
| TEENAGE IMMATURE BIRTHS | 53 | 0 | 27 | 26 | 8 | 0 | 0 | 8 | 45 | 0 | 27 | 18 |
| TEENAGE PREMATURE BIRTHS | 79 | 3 | 38 | 38 | 9 | 0 | 1 | 8 | 70 | 3 | 37 | 30 |
| TEENAGE ILLEGITIMATE BIRTHS TEENS WHO HAD PREVIOUS LIVE BIRTHS | 414 106 | 15 | 190 | 209 85 | 51 16 | | 23 | 27 16 | 363 90 | 14 | 167 21 | 182 69 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 137 | 0 | 21 35 | 102 | 24 | 0 | 3 | | 113 | 0 | 32 | 81 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 46 | 1 | 17 | 28 | 5 | Ő | 2 | 21 3 | 41 | 1 | 15 | 25 |
| TEENAGE FERTILITY RATE | 35.5 | 2.1 | 68.3 | (15-19) | 20.8 | 0.3 | 41.1 | (15-19) | 47.1 | 3.5 | 89.3 | (15-19) |
| TEENAGE FETAL DEATHS** | 9 | 0 | 4 | 5 | 2 | 0 | 0 | 2 | 7 | 0 | 4 | 3 |
| TEENAGE FETAL DEATH RATIO | 17.5 | 0.0 | 19.1 | 17.3 | 15.2 | 0.0 | 0.0 | 21.0 | 18.4 | 0.0 | 23.1 | 15.5 |
| TEENAGE INDUCED TERMINATIONS# | 49 | 4 | 13 | 32 | 14 | 1 | 7 | 6 | 35 | 3 | 6 | 26 |
| TEENAGE INDUCED TERMINATION RATIO | 95.5 | 266.7 | 62.2 | 110.7 | 106.1 | 1000 | 194.4 | 63.2 | 91.9 | 214.3 | 34.7 | 134.0 |
| TEENAGE PREGNANCIES# | 571 | 19 | 226 | 326 | 148 | 2 | 43 | 103 | 423 | 17 | 183 | 223 |
| TEENAGE PREGNANCY RATE | 39.6 | 2.7 | 75.7 | (15-19) | 23.3 | 0.6 | 45.8 | (15-19) | 52.3 | 4.3 | 98.8 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 5 9.7 | 0 | 4 | 1 | 0.0 | 0.0 | 0.0 | 0 | 5 | 0 | 4 | 1 |
| INFANT MORTALITY RATE, TEEN MOMS | 9.7 | 0.0 | 19.1 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 13.1 | 0.0 | 23.1 | 5.2 |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

^{*} ACCORDING TO THE KESSNER INDEX

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DISTRICT: VIII

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 262,501 | 21,128 | 10,339 | 10,789 | 4,008 |
| | 184,414 | 12,980 | 6,435 | 6,545 | 2,401 |
| | 78.087 | 8,148 | 3,904 | 4,244 | 1,607 |

| | ALL RACES | | | | | WHI | TE | | NONWHITE | | | |
|--|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| | | | 210 | | 2.7.0 | | 100 | 0.45 | 450 | 1.0 | 106 | 055 |
| TEENAGE BIRTHS TEENAGE IMMATURE BIRTHS | 844 85 | 23 | 319 35 | 502 45 | 372 23 | 4 | 123 9 | 245 13 | 472 62 | 19 | 196 26 | 257 32 |
| TEENAGE PREMATURE BIRTHS | 119 | 5 | 50 | 64 | 37 | 1 | 12 | 24 | 82 | 4 | 38 | 40 |
| TEENAGE ILLEGITIMATE BIRTHS | 617 | 22 | 259 | 336 | 160 | 3 | 67 | 90 | 457 | 19 | 192 | 246 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 227 | 0 | 54 | 173 | 73 | Ö | 8 | 65 | 154 | 0 | 46 | 108 |
| TEENS WHO HAD PREVIOUS PREGNANCIES | 258 | 0 | 59 | 199 | 87 | 0 | 10 | 77 | 171 | 0 | 49 | 122 |
| TEENS WITH INADEQUATE* PRENATAL CARE | 59 | 1 | 25 | 33 | 13 | 0 | 4 | 9 | 46 | 1 | 21 | 24 |
| TEENAGE FERTILITY RATE | 39.9 | 2.2 | 76.1 | (15-19) | 28.6 | 0.6 | 56.2 | (15-19) | 57.9 | 4.9 | 106.7 | (15-19) |
| TEENAGE FETAL DEATHS** | 5 | 0 | 1 | 4 | 3 | 0 | 0 | 3 | 2 | 0 | 1 | 1 |
| TEENAGE FETAL DEATH RATIO | 5.9 | 0.0 | 3.1 | 8.0 | 8.1 | 0.0 | 0.0 | | 4.2 | 0.0 | 5.1 | 3.9 |
| TEENAGE INDUCED TERMINATIONS# | 90 | 3 | 23 | 64 | 51 | 1 | 12 | 38 | 39 | 2 | 11 | 26 |
| TEENAGE INDUCED TERMINATION RATIO | 106.6 | 130.4 | 72.1 | 127.5 | 137.1 | 250.0 | 97.6 | 155.1 | 82.6 | 105.3 | 56.1 | 101.2 |
| TEENAGE PREGNANCIES# | 939 | 26 | 343 | 570 | 426 | 5 | 135 | 286 | 513 | 21 | 208 | 284 |
| TEENAGE PREGNANCY RATE | 44.4 | 2.5 | 84.6 | (15-19) | 32.8 | 0.8 | 64.3 | (15-19) | 63.0 | 5.4 | 115.9 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 8 | 0 | 3 | 5 | 3 | 0 | _ 1 | 2 | 5 | 0 | 2 | 3 |
| INFANT MORTALITY RATE, TEEN MOMS | 9.5 | 0.0 | 9.4 | 10.0 | 8.1 | 0.0 | 8.1 | 8.2 | 10.6 | 0.0 | 10.2 | 11.7 |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

^{*} ACCORDING TO THE KESSNER INDEX

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DISTRICT: IX

| RACE | TOTAL | FEMALES | FEMALES | FEMALES | TOTAL |
|----------------------|------------|---------|---------|---------|--------|
| | POPULATION | AGES | AGES | AGES | LIVE |
| | ALL AGES | 10-19 | 10-14 | 15-19 | BIRTHS |
| TOTAL WHITE NONWHITE | 412,246 | 31,511 | 15,672 | 15,839 | 5,981 |
| | 326,850 | 23,012 | 11,535 | 11,477 | 4,45: |
| | 85,396 | 8,499 | 4,137 | 4,362 | 1,528 |

| | ALL RACES | | | | | WHI | TE | | NONWHITE | | | |
|---|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|--------------|---------------|---------------|---------------|
| | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 | ALL TEENS | AGES 10-14 | AGES 15-17 | AGES 18-19 |
| | | | | | | | | | | | | |
| TEENAGE BIRTHS | 1,153 | 21 | 411 | 721 | 763 | 7 | 262 | 494 | 390 | 14 | 149 | 227 |
| TEENAGE IMMATURE BIRTHS | 113 | 2 | 38 | 73 | 59 | 1 | 21 | 37 | 54 | 1 | 17 | 36 |
| TEENAGE PREMATURE BIRTHS | 163 | 4 | 63 | 96 | 73 | 2 | 26 | 45 | 90 | 2 | 37 | 51 |
| TEENAGE ILLEGITIMATE BIRTHS | 842 | 20 | 347 | 475 | 471 | 6 | 199 | 266 | 371 | 14 | 148 | 209 |
| TEENS WHO HAD PREVIOUS LIVE BIRTHS | 254 339 | 2 | 46 72 | 206 265 | 140 204 | 1 | 16 34 | 123 169 | 114 135 | 1 | 30 38 | 83 96 |
| TEENS WHO HAD PREVIOUS PREGNANCIES TEENS WITH INADEQUATE* PRENATAL CARE | 154 | 2 | 7.2 6.5 | 265 80 | 72 | 7 | 31 | 39 | 82 | 7 | 34 | 41 |
| TEENS WITH INADEQUATE FRENATAL CARE | 134 | 9 | 03 | 00 | 12 | ۷ | 31 | 39 | 02 | , | 34 | 41 |
| TEENAGE FERTILITY RATE | 36.6 | 1.3 | 71.5 | (15-19) | 33.2 | 0.6 | 65.9 | (15-19) | 45.9 | 3.4 | 86.2 | (15-19) |
| TEENAGE FETAL DEATHS** | 8 | 0 | 2 | 6 | 3 | 0 | 1 | 2 | 5 | 0 | 1 | 4 |
| TEENAGE FETAL DEATH RATIO | 6.9 | 0.0 | 4.9 | 8.3 | 3.9 | 0.0 | 3.8 | 4.0 | 12.8 | 0.0 | 6.7 | 17.6 |
| | | | | | | | | | | | | |
| TEENAGE INDUCED TERMINATIONS# | 174 | 8 | 61 | 105 | 99 | 3 | 41 | 55 | 75 | 5 | 20 | 50 |
| TEENAGE INDUCED TERMINATION RATIO | 150.9 | 381.0 | 148.4 | 145.6 | 129.8 | 428.6 | 156.5 | 111.3 | 192.3 | 357.1 | 134.2 | 220.3 |
| TEENAGE PREGNANCIES# | 1,335 | 29 | 474 | 832 | 865 | 10 | 304 | 551 | 470 | 19 | 170 | 281 |
| TEENAGE PREGNANCY RATE | 42.4 | 1.8 | 82.4 | (15-19) | 37.6 | 0.9 | 74.5 | (15-19) | 55.3 | 4.6 | 103.4 | (15-19) |
| INFANT DEATHS TO TEENAGE MOTHERS | 11 | 0 | 1 | 10 | 8 | 0 | 1 | 7 | 3 | 0 | 0 | 3 |
| INFANT MORTALITY RATE, TEEN MOMS | 9.5 | 0.0 | 2.4 | 13.9 | 10.5 | 0.0 | 3.8 | 14.2 | 7.7 | 0.0 | 0.0 | 13.2 |

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

^{*} ACCORDING TO THE KESSNER INDEX

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN