## Mississippi Behavioral Risk Factor Surveillance System Trend Report, 1998-2007

<u>Note</u>: Unless otherwise indicated the denominator is the total sample population except that all respondents answering "unknown" or who failed to answer a question are excluded from the denominator.

Indicator	Rates	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Health status		-	-	-	-	-	-		-	-	
	Actual	21.0	20.9	20.2	23.0	25.2	23.1	23.0	23.7	27.5	21.4
Report that general health is fair or poor	Age Adjusted	21.1	20.9	20.3	23.1	24.8	23.2	23.1	23.7	22.4	21.1
Report that physical health was not good	Actual	14.1	13.1	12.6	15.8		15.3	16.9	15.9	15.6	15.1
for more than 7 days during past 30 days	Age Adjusted	14.3	13.4	13.0	16.1		15.6	17.2	16.1	15.7	15.0
Report that mental health was not	Actual	12.1	13.2	14.1	13.7		15.9	16.5	16.6	18.1	16.6
good for more than 7 days during past 30 days	Age Adjusted	11.7	13.2	13.3	13.8		15.9	16.3	16.6	18.0	16.6
Report poor physical/mental health prevented	Actual	7.4	8.3	7.9	9.5		10.1	10.8	11.1	11.0	10.3
usual activities for more than 7 days in past 30 days ( <i>Denominator: Total Sample</i> )	Age Adjusted	7.5	8.1	8.0	9.6		10.2	10.9	11.2	11.0	10.3
Report poor physical/mental health prevented usual activities for more than 7 days in past 30	Actual	16.7	17.3	17.0	20.3		19.1	20.4	20.9	21.1	19.6
days (Denominator: Excludes those with zero days of poor physical/mental health)	Age Adjusted	14.2	17.9	18.1	20.9		19.6	21.0	21.5	21.6	19.8
Cigarette smoking											-
Depart they are expressed a construction	Actual	24.2	23.4	23.5	25.4	27.4	25.6	24.6	23.7	25.1	24.0
Report they are current cigarette smokers	Age Adjusted	24.5	23.4	23.6	25.4	27.2	25.7	24.6	23.7	25.1	23.5
Tich school advantion on loss	Actual	30.1	30.3	32.2	31.2	36.3	34.7	31.4	28.8	35.5	36.2
High school education or less	Age Adjusted	36.2	37.1	37.1	35.8	41.2	38.9	32.5	32.2	41.7	39.9
	Actual	21.2	18.3	18.3	20.3	24.7	22.2	20.7	19.5	24.8	22.5
Blacks	Age Adjusted	22.1	17.9	18.8	19.8	24.3	22.1	20.1	20.0	24.7	22.3

Indicator	Rates	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Report that they are former cigarette smokers	Actual	21.9	20.6	20.5	20.9	20.0	20.7	19.3	20.8	21.1	21.3
Report that they are former cigarette smokers	Age Adjusted	22.1	20.0	20.8	21.2	20.2	20.7	19.4	19.1	20.6	21.1
Daily smokers who report that they have quit	Actual	51.0	54.6	46.7	51.5	53.9	51.7	48.9	51.7	55.1	51.4
smoking for 1 day or more in the past 12 months	Age Adjusted	52.1	54.7	47.0	49.9	52.0	50.2	48.0	52.0	54.1	49.6
Quit ratio (Ever smokers who are former	Actual	47.5	46.9	46.5	45.1	42.2	44.6	44.0	46.7	45.7	47.0
smokers)	Age Adjusted	46.3	44.5	46.1	44.3	42.0	43.2	43.0	44.7	43.9	44.6
Alcohol use during the past month											
Denset couts (hinse) drinking	Actual		10.9		11.7	12.4	11.4	10.5	9.9	9.3	11.2
Report acute (binge) drinking	Age Adjusted		11.5		11.5	12.3	11.3	10.3	9.9	9.4	11.3
	Actual		3.3		4.5	4.6	4.7	4.1	3.7	4.0	3.5
Report chronic drinking	Age Adjusted		3.5		4.4	4.6	4.7	4.1	3.7	4.0	3.6
Physical activity/exercise											
Densed as a basis of a dividual in the most 20 dame	Actual	33.8		33.4	33.4		30.4	31.4	32.5	31.4	31.9
Report no physical activity in the past 30 days	Age Adjusted	34.1		33.6	33.6		30.4	31.4	32.5	31.3	31.4
65+ year olds (No age adjustment)	Actual	40.2		43.1	42.1		40.8	43.4	40.5	39.0	38.9
I 1 1 #20.000	Actual	44.0		42.3	45.3		44.6	48.5	43.6	42.1	44.9
Income less than \$20,000	Age Adjusted	45.0		43.7	46.1		44.4	48.5	43.7	42.3	45.1
Report that they meet do not moderate physical	Actual				61.7		71.0		70.7		71.2
activity recommendations	Age Adjusted				62.4		70.1		70.7		71.1
Report that they do not meet vigorous physical	Actual				81.4		79.7		79.1		80.3
activity recommendations	Age Adjusted				81.7		80.0		79.3		80.2

Indicator	Rates	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Report that they do not meet recommendations	Actual				61.7		59.7		60.0		60.4
for physical activity	Age Adjusted				62.4		60.0		60.2		60.3
In some lass that $^{\circ}20.000$	Actual				70.5		70.2		68.5		67.7
Income less that \$20,000	Age Adjusted				71.8		68.9		68.1		66.9
Report using physical activity/exercise to lose weight or maintain weight	Actual	39.5		40.7			46.3				
(Denominator: Total Sample)	Age Adjusted	39.5		40.6			46.4				
Report using physical activity/exercise to lose	Actual	52.4		54.6			62.5				
or maintain weight. (Denominator: Those trying to lose or maintain weight)	Age Adjusted	52.3		54.2			62.2				
Body weight and weight control				•							
Deenendente whetere events the (DML 25.0)	Actual	59.1	62.3	61.8	61.1	63.1	62.3	65.5	67.3	66.7	68.2
Respondents who are overweight ( $BMI \ge 25.0$ )	Age Adjusted	59.8	62.0	62.1	61.5	63.6	62.9	66.1	67.8	67.0	68.5
Respondents who are obese $(BMI \ge 30)$	Actual	22.9	23.4	25.0	25.4	26.8	27.0	29.5	30.9	31.5	32.6
Respondents who are obese ( $BMI \ge 50$ )	Age Adjusted	23.1	23.2	25.3	25.7	27.0	27.3	29.9	31.2	31.7	32.8
Report they are dieting to lose or maintain	Actual	54.5		55.6			51.5				
weight (Denominator : Total Sample)	Age Adjusted	55.0		55.8			51.9				
Report they are dieting to lose or maintain	Actual	71.5		74.1			69.9				
weight (Denominator : Those trying to lose or maintain weight)	Age Adjusted	71.7		74.3			70.0				
Report using physical activity/exercise to lose	Actual	39.5		40.7			46.3				
or maintain weight. (Denominator: Total sample)	Age Adjusted	39.5		40.6			46.4				
Report using physical activity/exercise to lose	Actual	52.4		54.6			62.5				
or maintain weight. (Denominator: Those trying to lose or maintain weight)	Age Adjusted	52.3		54.2			62.2				

Indicator	Rates	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
At risk of developing diabetes		-	-	-	-	-	-	-	-		
Those at risk of developing type 2 diabetes	Actual	24.4		26.1	24.3	24.5	23.8	24.6	25.8	27.1	27.8
because of weight or lack of exercise	Age Adjusted	25.3		26.8	24.7	24.4	23.8	24.5	25.4	26.4	26.7
Diet/Nutrition											
Report that they eat fruits/vegetables 5 or more	Actual	15.6		18.5		19.1	17.8		16.5		18.0
times per day	Age Adjusted	15.6		18.5		19.1	17.7		16.5		18.0
Cholesterol awareness											
Report that they have ever had a blood	Actual		72.9		73.8		74.1		73.5		76.5
cholesterol test	Age Adjusted		71.4		74.2		74.4		73.9		76.3
Those tested who have had blood cholesterol	Actual		49.0		51.8		52.1		50.4		55.1
checked within the past year	Age Adjusted		47.9		52.0		52.3		50.7		55.1
Report blood cholesterol checked within the	Actual		60.9		62.4		61.7		60.7		64.3
past 2 years	Age Adjusted		59.7		62.7		62.0		61.2		64.4
Report blood cholesterol checked within the	Actual		67.0		69.2		68.0		67.5		70.6
past 5 years	Age Adjusted		65.7		68.6		68.6		68.1		70.8
Report being told by a health professional that	Actual		22.5		22.8		24.5		27.6		29.5
they have high blood cholesterol	Age Adjusted		22.4		23.0		24.6		27.4		28.8
Diabetes											
Report being told by a doctor	Actual	7.7	8.3	7.6	9.3	8.6	11.0	9.6	9.7	10.9	11.0
that they have diabetes	Age Adjusted	7.7	8.0	7.7	9.3	8.0	11.0	9.6	9.7	10.7	10.9
Those with diabetes who have had two or more	Actual	75.7		80.7		80.4		81.2		79.0	
visits to a health professional for diabetes in the past year	Age Adjusted	68.6		79.6		81.0		75.0		69.6	

Indicator	Rates	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Those with diabetes who have had at least four	Actual	46.8		51.0		51.0		54.2		51.3	
visits to a health professional for their diabetes in past year	Age Adjusted	43.1		49.8		42.9		49.9		46.4	
Those with diabetes who have had two or more	Actual	38.4		38.6		55.4		48.4		50.8	
foot exams by a health professional in past year	Age Adjusted	32.4		38.4		46.4		43.4		50.6	
Those with diabetes who have had at least four	Actual	24.8		19.7		28.0		27.4		30.5	
foot exams by a health professional in past year	Age Adjusted	19.6		21.4		25.4		20.3		32.6	
Those with diabetes who have had	Actual	54.8		56.5		66.5		58.5		64.3	
a dilated eye exam within the past year	Age Adjusted	53.3		47.6		62.8		54.6		62.3	
Those with diabetes who have had	Actual	68.1		66.3		80.3		74.0		78.6	
a dilated eye exam within the past 2 years	Age Adjusted	63.3		55.7		80.9		68.9		75.5	
Mammography screening (Age Adjustment No	ot Applicable)	_								_	
Report that they have ever had a CBE and mammogram ( <i>Women 40+</i> )	Actual	73.1	72.6	77.7	78.1	77.9	78.0	79.3	79.1	81.6	
Income less than \$10,000	Actual	74.9	56.2	62.8	69.9	60.6	61.4	68.8	64.3	71.7	
Less than a high school education	Actual	55.9	61.2	61.6	66.4	66.7	70.8	70.5	68.3	72.7	
Women 70+ years of age	Actual	63.7	69.3	80.9	72.6	74.4	75.1	72.7	77.5	79.2	
Black women	Actual	67.1	63.7	67.8	71.2	69.4	69.6	74.2	72.9	75.0	
Report having a CBE and mammogram in past 2 years ( <i>Women 50+</i> )	Actual	58.4	56.6	61.6	60.9	62.3	58.4	59.6	60.9	59.3	
Income less than \$10,000	Actual	45.6	40.0	45.7	52.6	44.1	39.6	41.6	41.7	46.1	
Less than a high school education	Actual	41.7	38.2	42.8	47.9	50.7	43.5	45.4	49.8	45.9	
Women aged 70+ years of age	Actual	47.7	49.8	57.7	53.5	53.7	50.0	46.6	53.2	52.5	
Black women	Actual	56.5	47.4	54.9	55.1	56.5	50.6	53.6	61.4	56.8	
Report having a screening mammogram within the past year ( <i>Women 50-59</i> )	Actual	53.5	51.1	58.5	60.9	55.8	58.7	56.9	53.4	52.1	

Indicator	Rates	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Report having a screening mammogram within the past 2 years ( <i>Women 50-59</i> )	Actual	71.9	65.6	73.1	75.2	72.8	72.0	70.8	70.6	69.7	
Report having screening mammogram within the past year ( <i>Women 60-69</i> )	Actual	48.4	49.7	49.0	55.5	60.7	54.6	57.9	60.7	57.2	
Report having a screening mammogram within the past 2 years ( <i>Women 60-69</i> )	Actual	69.3	68.6	67.1	69.8	73.7	70.5	74.1	74.0	71.5	
Pap smear screening											
Report that they have ever had a pap smear test	Actual	93.3	94.6	95.5	96.5	90.1	94.8	95.0	95.9	95.0	
(Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	93.7	95.1	95.2	96.7	90.7	94.8	95.4	96.1	95.4	
Income loss than \$10,000	Actual	93.5	93.6	86.9	92.9	84.1	88.6	90.9	91.9	95.5	
Income less than \$10,000	Age Adjusted	92.9	95.6	88.1	95.0	84.7	91.6	92.2	92.9	95.9	
The device the stratest strates	Actual	85.7	87.8	86.8	94.9	86.7	90.1	93.3	90.8	91.2	
Less than a high school education	Age Adjusted	90.5	92.1	87.3	96.3	88.2	91.0	94.4	93.3	93.9	
Women aged 70+ years of age (Age Adjustment not Applicable)	Actual	86.8	85.0	85.6	91.9	82.1	87.2	87.0	91.2	92.5	
Report that they have had a pap smear test	Actual	83.4	83.0	87.0	86.3	82.7	84.4	82.5	82.7	82.4	
in the past 3 years (Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	82.4	80.9	84.3	84.2	80.3	82.4	80.7	80.7	80.5	
	Actual	77.5	70.7	68.1	79.1	72.5	68.4	68.5	74.2	75.7	
Income less than \$10,000	Age Adjusted	75.4	70.0	68.6	76.8	72.4	73.0	70.7	74.9	74.6	
	Actual	62.3	66.4	71.6	70.0	69.5	73.1	69.8	68.3	72.2	
Less than a high school education	Age Adjusted	69.3	74.9	69.5	72.2	74.0	75.5	70.5	71.3	74.9	
Women aged 70+ years of age (Age Adjustment Not Applicable)	Actual	63.9	52.6	75.5	64.4	46.1	52.9	50.0	50.8	54.5	
NU 10. 61	Actual	86.5	87.4	89.5	89.3	86.4	85.1	86.3	85.7	85.5	
Women age 18 to 64	Age Adjusted	86.4	86.2	87.2	88.5	85.2	85.6	85.9	85.1	85.0	

Indicator	Rates	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Colorectal cancer screening: Persons aged 50-	+ years of age (A	ge Adju	stment.	Not App	olicable	)	-	-	-	-	
Report ever having had a sigmoidoscopy/proctoscopy exam	Actual		36.4		40.8	42.9	45.1	46.8		50.4	
Within the past year	Actual		12.5		13.4	13.4	13.1	13.4		14.5	
Within the past 2 years	Actual		18.9		21.6	21.9	22.7	23.2		24.2	
Within the past 5 years	Actual		27.0		31.9	33.4	35.6	36.5		40.0	
Hypertension awareness											
Report being told by a health professional that	Actual		35.0		31.4		33.4		33.3		33.7
they have high blood pressure	Age Adjusted		33.8		31.7		33.6		33.5		33.3
Report having blood pressure taken by a health	Actual		89.4								
professional in the past year	Age Adjusted		89.3								
Report having pressure taken by a health	Actual		96.0								
professional in the past 2 years	Age Adjusted		96.0								
Report having blood pressure taken by a health	Actual		98.3								
professional in the past 5 years	Age Adjusted		98.3								

Indicator	Rates	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
mmunization											
Report having had a flu vaccination within the past 12 months	Actual		31.3		29.2	30.6	33.1	33.6	29.0	32.7	37.4
	Age Adjusted		30.6		29.0	30.7	32.8	33.6	28.7	32.7	37.0
Persons 65+ years of age (Age adjustment not applicable)	Actual		62.9		61.8	63.0	69.0	66.9	61.7	65.8	69.8
Report ever having had a pneumonia	Actual		17.0		21.2	19.9	24.6	24.3	25.6	26.5	26.0
vaccination	Age Adjusted		16.5		20.6	19.8	24.0	24.0	24.9	25.7	25.0
Persons aged 65+ years of age (Age adjustment not applicable)	Actual		49.3		55.7	58.9	61.8	64.5	65.7	68.7	65.3
Health care access											
Report that they have no kind of health care	Actual	18.8	16.9	19.3	18.7	22.8	19.1	20.2	18.5	21.0	19.3
coverage	Age Adjusted	18.6	17.4	19.0	18.6	22.5	19.0	20.1	18.5	20.6	19.3
Report being unable to see doctor in past 12	Actual	15.6	14.4	16.2			18.5	20.0	18.5	19.0	18.5
months because of cost	Age Adjusted	15.6	14.5	16.2			18.6	20.1	18.7	19.0	18.5