VIEWS II Integration:

VIEWS II is a new system enhancement for certifiers that will review the Cause of Death sections I and II for incorrect spelling and abbreviations for common medical terms.

When VIEWS flags a possible incorrect spelling, the word is underlined in red.

Cause of Death Part I?


Enter the immediate cause of death in the first box, followed by the interval or length of time between the onset of that condition and death. Then, in the following boxes, sequentially list the diseases/conditions/events, if any, that led to the immediate cause, followed by the interval between the onset of each condition and death. The UNDERLYING CAUSE OF DEATH (which is the disease, condition, or event that BEGAN the process resulting in death), should be entered in the LAST box completed, again followed by the interval between the onset of that condition and death.

Immediate Cause of Death (a): (Final disease or condition resulting in death)	MYACARDAL INFARCTON	
Interval Between Onset and Death:	UNKNOWN	
Due To, or as a Consequence Of:	HYPERTENSON	?
Interval Between Onset and Death:		
Due To, or as a Consequence Of:		?
Interval Between Onset and Death:		1

Click on the word for the suggestion box to appear. Choose from the list to correct the error. If you do not choose to change the error, the red underline will remain, but you will be able to save and sign the case.

Cause of Death Part I?

Enter the immediate cause of death in the first box, followed by the interval or length of time between the onset of that condition and death. Then, in the following boxes, sequentially list the diseases/conditions/events, if any, that led to the immediate cause, followed by the interval between the onset of each condition and death. The UNDERLYING CAUSE OF DEATH (which is the disease, condition, or event that BEGAN the process resulting in death), should be entered in the LAST box completed, again followed by the interval between the onset of that condition and death.



Cause of Death Part I?

Enter the immediate cause of death in the first box, followed by the interval or length of time between the onset of that condition and death. Then, in the following boxes, sequentially list the diseases/conditions/events, if any, that led to the immediate cause, followed by the interval between the onset of each condition and death. The UNDERLYING CAUSE OF DEATH (which is the disease, condition, or event that BEGAN the process resulting in death), should be entered in the LAST box completed, again followed by the interval between the onset of that condition and death.

Immediate Cause of Death (a): (Final disease or condition resulting in death)	MYOCARDIAL	INFARCTON	
Interval Between Onset and Death:	UNKNOWN		

Known medical abbreviations will be underlined in green. The suggestion box will offer to change the abbreviation to the full word.

Cause of Death Part II			
Other Significant Conditions:			2
Postmortem Examination Performed:	NO		
Postmortem Examination Findings Available:	NO		
Did Tobacco Use Contribute to Death:	YES 🗸		
If Female:		Ŧ	

Select the term to replace or click for the box to disappear.

Cause of Deat	h Part II			
Other Significant Conditions:	COPD, DIABETES, ESRD			×?
Postmortem I Postmorter	COPD is a known abbreviation. Please select the correct term from the provided list:			
Did Tobacco U	CHRONIC OBSTRUCTIVE PULMONARY DISEASE			
, i	It Female:)	*	

VIEWS may flag words as possible spelling errors with no suggestions. Click for the box to disappear. The red underline will still appear, but you will be able to save and sign the case.

Due To, or as a Consequence Of:	HYPERPERMEABLE INTESTINES	×	?
Interval Between Onset and Death:	Possible spelling error. Please choose from the following:		
	No suggestions.		
Due To, or as a Consequence Of:	DEMENTIA	1	?
Interval Between Onset and Death:			