

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>393</u>	<u>205</u>	<u>188</u>	<u>11.7</u>	<u>13.6</u>	<u>10.2</u>
HEART DISEASES	121	60	61	360.4	398.6	329.4
MALIGNANT NEOPLASMS	79	43	36	235.3	285.6	194.4
CEREBROVASCULAR DISEASE	24	11	13	71.5	73.1	70.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	11	9	59.6	73.1	48.6
ACCIDENTS	20	11	9	59.6	73.1	48.6
SEPTICEMIA	12	5	7	35.7	33.2	37.8
INFLUENZA AND PNEUMONIA	12	7	5	35.7	46.5	27.0
ALZHEIMERS DISEASE	11	11	0	32.8	73.1	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	3	6	26.8	19.9	32.4
DIABETES MELLITUS	6	2	4	17.9	13.3	21.6
SUICIDE	6	4	2	17.9	26.6	10.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	1	4	14.9	6.6	21.6
HOMICIDE	5	2	3	14.9	13.3	16.2
PARKINSONS DISEASE	4	3	1	11.9	19.9	5.4
AORTIC ANEURYSM AND DISSECTION	4	1	3	11.9	6.6	16.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	8.9	13.3	5.4
HIV DISEASE	2	1	1	6.0	6.6	5.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	6.0	-	10.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.0	-	5.4
ANEMIAS	1	0	1	3.0	-	5.4
MENINGITIS	1	0	1	3.0	-	5.4
INFECTIONS OF KIDNEY	1	1	0	3.0	6.6	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	2.1	-	3.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	22	15	7	65.5	99.6	37.8
ALL OTHER CAUSES	21	11	10	62.6	73.1	54.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>393</u>	<u>205</u>	<u>188</u>	<u>194</u>	<u>95</u>	<u>99</u>	<u>199</u>	<u>110</u>	<u>89</u>
UNDER 1	5	2	3	3	1	2	2	1	1
(NEONATAL)	3	1	2	2	0	2	1	1	0
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	2	5	4	1	3	3	1	2
25-34	8	4	4	4	2	2	4	2	2
35-44	23	14	9	13	11	2	10	3	7
45-54	23	8	15	13	3	10	10	5	5
55-64	56	19	37	34	10	24	22	9	13
65-74	53	35	18	30	18	12	23	17	6
75-84	114	65	49	54	28	26	60	37	23
85 AND OVER	103	56	47	38	21	17	65	35	30
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 33,573 WHITE 15,054 NONWHITE 18,519

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>419</u>	<u>377</u>	<u>42</u>	<u>12.1</u>	<u>12.4</u>	<u>9.9</u>
HEART DI SEASES	140	127	13	403.1	416.4	307.1
MALI GNANT NEOPLASMS	67	60	7	192.9	196.7	165.4
CEREBROVASCULAR DI SEASE	48	43	5	138.2	141.0	118.1
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	22	21	1	63.3	68.8	23.6
ACCI DENTS	21	19	2	60.5	62.3	47.2
ALZHEIMERS DI SEASE	16	15	1	46.1	49.2	23.6
I NFLUENZA AND PNEUMONIA	12	12	0	34.5	39.3	-
SEPTI CEMI A	9	8	1	25.9	26.2	23.6
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	7	5	2	20.2	16.4	47.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	3	3	17.3	9.8	70.9
PNEUMONI TIS DUE TO SOLIDS & LI QUI DS	5	4	1	14.4	13.1	23.6
SUI CI DE	5	5	0	14.4	16.4	-
PARKI NSONS DI SEASE	4	3	1	11.5	9.8	23.6
CONDI TIONS ORIG I N PERI NATAL PERI OD	4	3	1	8.4	7.6	13.2
DI ABETES MELLI TUS	2	2	0	5.8	6.6	-
AORTI C ANEURYSM AND DI SSECTI ON	2	2	0	5.8	6.6	-
PEPTI C ULCER	2	2	0	5.8	6.6	-
CHRONI C LI VER DI SEASE AND CI RRRHOSI S	2	2	0	5.8	6.6	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	2	2	0	5.8	6.6	-
VIRAL HEPATI TIS	1	0	1	2.9	-	23.6
I N SI TU, BENI GN & UNSPECI FI ED NEOPLASMS	1	1	0	2.9	3.3	-
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	1	0	2.9	3.3	-
HOMI CI DE	1	1	0	2.9	3.3	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	8	7	1	23.0	23.0	23.6
ALL OTHER CAUSES	31	29	2	89.2	95.1	47.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATI ON FIGURES ARE 2002 ESTI MATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>419</u>	<u>377</u>	<u>42</u>	<u>201</u>	<u>178</u>	<u>23</u>	<u>218</u>	<u>199</u>	<u>19</u>
UNDER 1	7	6	1	5	4	1	2	2	0
(NEONATAL)	5	4	1	4	3	1	1	1	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	4	4	0	0	0	0
25-34	5	4	1	4	3	1	1	1	0
35-44	9	8	1	3	3	0	6	5	1
45-54	26	20	6	19	15	4	7	5	2
55-64	44	34	10	34	27	7	10	7	3
65-74	76	70	6	43	38	5	33	32	1
75-84	128	119	9	44	43	1	84	76	8
85 AND OVER	120	112	8	45	41	4	75	71	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 34,733 WHI TE 30,500 NONWHI TE 4,233

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>136</u>	<u>86</u>	<u>50</u>	<u>10.1</u>	<u>11.4</u>	<u>8.4</u>
HEART DISEASES	42	27	15	312.2	358.6	253.3
MALIGNANT NEOPLASMS	37	24	13	275.1	318.7	219.6
INFLUENZA AND PNEUMONIA	7	4	3	52.0	53.1	50.7
ACCIDENTS	7	5	2	52.0	66.4	33.8
CEREBROVASCULAR DISEASE	6	3	3	44.6	39.8	50.7
SEPTICEMIA	5	5	0	37.2	66.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	4	0	29.7	53.1	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	29.7	26.6	33.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	22.3	13.3	33.8
VIRAL HEPATITIS	1	0	1	7.4	-	16.9
HIV DISEASE	1	0	1	7.4	-	16.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.4	13.3	-
ANEMIAS	1	0	1	7.4	-	16.9
DIABETES MELLITUS	1	1	0	7.4	13.3	-
MENINGITIS	1	0	1	7.4	-	16.9
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	7.4	13.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.4	-	16.9
<u>ALL OTHER CAUSES</u>	<u>13</u>	<u>8</u>	<u>5</u>	<u>96.6</u>	<u>106.2</u>	<u>84.4</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>136</u>	<u>86</u>	<u>50</u>	<u>75</u>	<u>43</u>	<u>32</u>	<u>61</u>	<u>43</u>	<u>18</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	4	1	3	2	1	2	2	0
25-34	0	0	0	0	0	0	0	0	0
35-44	4	1	3	3	1	2	1	0	1
45-54	9	4	5	7	4	3	2	0	2
55-64	15	7	8	10	5	5	5	2	3
65-74	27	20	7	21	14	7	6	6	0
75-84	38	24	14	18	9	9	20	15	5
85 AND OVER	36	26	10	11	8	3	25	18	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION:

TOTAL 13,451
 WHITE 7,530
 NONWHITE 5,921

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>264</u>	<u>172</u>	<u>92</u>	<u>13.4</u>	<u>14.7</u>	<u>11.4</u>
HEART DISEASES	68	51	17	344.3	435.3	211.6
MALIGNANT NEOPLASMS	43	24	19	217.7	204.9	236.5
CEREBROVASCULAR DISEASE	25	17	8	126.6	145.1	99.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	16	2	91.1	136.6	24.9
INFLUENZA AND PNEUMONIA	13	11	2	65.8	93.9	24.9
ACCIDENTS	11	8	3	55.7	68.3	37.3
DIABETES MELLITUS	10	4	6	50.6	34.1	74.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	4	4	40.5	34.1	49.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	5	1	30.4	42.7	12.4
ALZHEIMERS DISEASE	5	4	1	25.3	34.1	12.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	0	4	20.2	-	49.8
HOMICIDE	4	3	1	20.2	25.6	12.4
CONDITIONS ORIGIN IN PERINATAL PERIOD	3	0	3	11.7	-	22.4
AORTIC ANEURYSM AND DISSSECTION	2	0	2	10.1	-	24.9
CHOLELITHIASIS/GALLBLADDER DYSORDER	2	2	0	10.1	17.1	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	10.1	-	24.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.1	8.5	-
ANEMIAS	1	0	1	5.1	-	12.4
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	5.1	-	12.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	5.1	-	12.4
SUICIDE	1	0	1	5.1	-	12.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	3	4	35.4	25.6	49.8
<u>ALL OTHER CAUSES</u>	<u>28</u>	<u>19</u>	<u>9</u>	<u>141.8</u>	<u>162.2</u>	<u>112.0</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>264</u>	<u>172</u>	<u>92</u>	<u>132</u>	<u>93</u>	<u>39</u>	<u>132</u>	<u>79</u>	<u>53</u>
UNDER 1	6	0	6	2	0	2	4	0	4
(Neonatal)	4	0	4	2	0	2	2	0	2
(Postneonatal)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	2	0	2	2	0	2	0	0	0
35-44	10	4	6	7	3	4	3	1	2
45-54	19	11	8	9	8	1	10	3	7
55-64	18	12	6	15	10	5	3	2	1
65-74	46	23	23	21	13	8	25	10	15
75-84	71	54	17	44	35	9	27	19	8
85 AND OVER	88	67	21	30	24	6	58	43	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 19,748 WHITE 11,715 NONWHITE 8,033

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>87</u>	<u>59</u>	<u>28</u>	<u>11.0</u>	<u>11.8</u>	<u>9.6</u>
HEART DI SEASES	31	25	6	390.7	498.8	205.3
MALI GNANT NEOPLASMS	22	15	7	277.2	299.3	239.5
ACCI DENTS	8	4	4	100.8	79.8	136.8
CEREBROVASCULAR DI SEASE	5	1	4	63.0	20.0	136.8
DI ABETES MELLI TUS	3	3	0	37.8	59.8	-
INFLUENZA AND PNEUMONIA	3	1	2	37.8	20.0	68.4
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	3	3	0	37.8	59.8	-
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	2	1	1	25.2	20.0	34.2
HOMI CIDE	2	0	2	25.2	-	68.4
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	0	1	12.6	-	34.2
PARKI NSONS DI SEASE	1	1	0	12.6	20.0	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	1	0	1	12.6	-	34.2
SUI CIDE	1	1	0	12.6	20.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	12.6	20.0	-
ALL OTHER CAUSES	3	3	0	37.8	59.8	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>87</u>	<u>59</u>	<u>28</u>	<u>45</u>	<u>29</u>	<u>16</u>	<u>42</u>	<u>30</u>	<u>12</u>
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	1	3	2	1	1	2	0	2
25-34	0	0	0	0	0	0	0	0	0
35-44	5	2	3	2	1	1	3	1	2
45-54	7	3	4	4	1	3	3	2	1
55-64	9	6	3	6	5	1	3	1	2
65-74	18	15	3	12	9	3	6	6	0
75-84	20	17	3	11	9	2	9	8	1
85 AND OVER	21	14	7	6	3	3	15	11	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION:

TOTAL 7,935
 WHI TE 5,012
 NONWHI TE 2,923

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>414</u>	<u>147</u>	<u>267</u>	<u>10.4</u>	<u>11.1</u>	<u>10.0</u>
HEART DI SEASES	154	61	93	386.6	459.8	350.0
MALI GNANT NEOPLASMS	92	28	64	230.9	211.1	240.8
CEREBROVASCULAR DI SEASE	27	8	19	67.8	60.3	71.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	16	3	13	40.2	22.6	48.9
ACCI DENTS	15	5	10	37.6	37.7	37.6
DI ABETES MELLI TUS	10	1	9	25.1	7.5	33.9
INFLUENZA AND PNEUMONIA	10	3	7	25.1	22.6	26.3
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	10	7	3	25.1	52.8	11.3
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	7	1	6	17.6	7.5	22.6
HOMI CIDE	7	0	7	17.6	-	26.3
SEPTI CEMI A	5	1	4	12.6	7.5	15.0
CHOLELI THI ASI S/GALLBLADDER DI SORDER CONDI TIONS ORIG IN PERI NATAL PERI OD	3	0	3	7.5	-	11.3
MALNUTRI TION/NUTRI TIONAL DEFI CIENCY	3	1	2	5.0	6.8	4.4
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	2	0	2	5.0	-	7.5
SUI CIDE	2	1	1	5.0	7.5	3.8
ALZHEIMERS DI SEASE	1	1	0	2.5	7.5	-
AORTI C ANEURYSM AND DI SSECTI ON	1	1	0	2.5	7.5	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	1	1	0	2.5	7.5	-
CHRONI C LI VER DI SEASE AND CI RRHOSI S	1	1	0	2.5	7.5	-
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE	1	1	0	2.5	7.5	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	6	2	4	15.1	15.1	15.0
ALL OTHER CAUSES	38	20	18	95.4	150.8	67.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>414</u>	<u>147</u>	<u>267</u>	<u>191</u>	<u>68</u>	<u>123</u>	<u>223</u>	<u>79</u>	<u>144</u>
UNDER 1	8	1	7	5	1	4	3	0	3
(NEONATAL)	6	1	5	4	1	3	2	0	2
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	1	8	3	0	3	6	1	5
25-34	7	0	7	3	0	3	4	0	4
35-44	21	6	15	10	1	9	11	5	6
45-54	43	10	33	23	3	20	20	7	13
55-64	49	14	35	23	7	16	26	7	19
65-74	67	30	37	36	14	22	31	16	15
75-84	114	50	64	56	24	32	58	26	32
85 AND OVER	94	34	60	31	17	14	63	17	46
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 39,839 WHI TE 13,265 NONWHI TE 26,574

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>158</u>	<u>116</u>	<u>42</u>	<u>10.6</u>	<u>11.1</u>	<u>9.5</u>
HEART DI SEASES	61	43	18	409.4	410.7	406.2
MALI GNANT NEOPLASMS	26	17	9	174.5	162.4	203.1
CEREBROVASCULAR DI SEASE	15	12	3	100.7	114.6	67.7
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	9	9	0	60.4	86.0	-
I NFLUENZA AND PNEUMONIA	7	6	1	47.0	57.3	22.6
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	6	4	2	40.3	38.2	45.1
ACCI DENTS	6	3	3	40.3	28.6	67.7
SEPTI CEMI A	3	3	0	20.1	28.6	-
DI ABETES MELLI TUS	2	1	1	13.4	9.6	22.6
PARKI NSONS DI SEASE	2	2	0	13.4	19.1	-
ALZHEI MERS DI SEASE	2	2	0	13.4	19.1	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	2	1	1	13.4	9.6	22.6
ACUTE BRONCHI TIS AND BRONCHI OLI TIS	2	2	0	13.4	19.1	-
CONDI TIONS ORIG I N PERI NATAL PERI OD	2	1	1	10.4	8.8	12.8
AORTI C ANEURYSM AND DI SSECTI ON	1	1	0	6.7	9.6	-
I NFECTIONS OF KIDNEY	1	1	0	6.7	9.6	-
SUI CI DE	1	1	0	6.7	9.6	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	0	0	0	-	-	-
<u>ALL OTHER CAUSES</u>	<u>10</u>	<u>7</u>	<u>3</u>	<u>67.1</u>	<u>66.9</u>	<u>67.7</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDI TIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTI MATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>158</u>	<u>116</u>	<u>42</u>	<u>67</u>	<u>50</u>	<u>17</u>	<u>91</u>	<u>66</u>	<u>25</u>
UNDER 1	3	2	1	2	2	0	1	0	1
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	1	0	1	0	0	0	1	0	1
35-44	6	2	4	4	2	2	2	0	2
45-54	7	3	4	3	1	2	4	2	2
55-64	17	12	5	10	7	3	7	5	2
65-74	31	26	5	17	16	1	14	10	4
75-84	43	28	15	18	10	8	25	18	7
85 AND OVER	47	43	4	12	12	0	35	31	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 14,900 WHI TE 10,469 NONWHI TE 4,431

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>87</u>	<u>56</u>	<u>31</u>	<u>8.2</u>	<u>8.1</u>	<u>8.3</u>
HEART DISEASES	30	20	10	282.3	290.0	268.0
MALIGNANT NEOPLASMS	24	14	10	225.8	203.0	268.0
ACCIDENTS	7	5	2	65.9	72.5	53.6
INFLUENZA AND PNEUMONIA	6	6	0	56.4	87.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1	47.0	58.0	26.8
DIABETES MELLITUS	4	1	3	37.6	14.5	80.4
ALZHEIMERS DISEASE	3	3	0	28.2	43.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	9.4	-	26.8
CEREBROVASCULAR DISEASE	1	0	1	9.4	-	26.8
AORTIC ANEURYSM AND DISSECTION	1	0	1	9.4	-	26.8
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	9.4	14.5	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	9.1	14.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	9.4	-	26.8
ALL OTHER CAUSES	2	1	1	18.8	14.5	26.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>87</u>	<u>56</u>	<u>31</u>	<u>44</u>	<u>25</u>	<u>19</u>	<u>43</u>	<u>31</u>	<u>12</u>
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	2	1	2	1	1	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	0	3	2	0	2	1	0	1
45-54	5	3	2	4	2	2	1	1	0
55-64	15	7	8	9	4	5	6	3	3
65-74	18	14	4	10	8	2	8	6	2
75-84	17	9	8	8	3	5	9	6	3
85 AND OVER	23	18	5	8	6	2	15	12	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 10,628 WHITE 6,896 NONWHITE 3,732

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>176</u>	<u>122</u>	<u>54</u>	<u>9.0</u>	<u>10.8</u>	<u>6.6</u>
HEART DISEASES	63	46	17	322.7	406.0	207.5
MALIGNANT NEOPLASMS	43	32	11	220.2	282.4	134.3
ACCIDENTS	10	9	1	51.2	79.4	12.2
DIABETES MELLITUS	9	5	4	46.1	44.1	48.8
CEREBROVASCULAR DISEASE	8	4	4	41.0	35.3	48.8
INFLUENZA AND PNEUMONIA	5	3	2	25.6	26.5	24.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	1	4	25.6	8.8	48.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	20.5	26.5	12.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	20.5	8.8	36.6
SEPTICEMIA	3	2	1	15.4	17.6	12.2
INSITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	10.2	17.6	-
ALZHEIMERS DISEASE	2	2	0	10.2	17.6	-
PEPTIC ULCER	2	1	1	10.2	8.8	12.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.2	17.6	-
HOMICIDE	2	1	1	10.2	8.8	12.2
VIRAL HEPATITIS	1	1	0	5.1	8.8	-
HIV DISEASE	1	0	1	5.1	-	12.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	10	7	3	51.2	61.8	36.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>176</u>	<u>122</u>	<u>54</u>	<u>86</u>	<u>61</u>	<u>25</u>	<u>90</u>	<u>61</u>	<u>29</u>
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	4	3	1	1	1	0
25-34	2	0	2	1	0	1	1	0	1
35-44	8	3	5	7	3	4	1	0	1
45-54	12	7	5	8	6	2	4	1	3
55-64	14	8	6	8	5	3	6	3	3
65-74	36	26	10	18	14	4	18	12	6
75-84	51	36	15	26	18	8	25	18	7
85 AND OVER	45	36	9	12	11	1	33	25	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 19,524 WHITE 11,331 NONWHITE 8,193

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>89</u>	<u>66</u>	<u>23</u>	<u>9.2</u>	<u>10.0</u>	<u>7.5</u>
HEART DISEASES	34	29	5	352.2	441.4	162.2
MALIGNANT NEOPLASMS	12	8	4	124.3	121.8	129.8
ACCIDENTS	10	5	5	103.6	76.1	162.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	72.5	106.5	-
CEREBROVASCULAR DISEASE	6	4	2	62.2	60.9	64.9
INFLUENZA AND PNEUMONIA	2	1	1	20.7	15.2	32.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	20.7	15.2	32.4
HIV DISEASE	1	1	0	10.4	15.2	-
DIABETES MELLITUS	1	1	0	10.4	15.2	-
PARKINSONS DISEASE	1	1	0	10.4	15.2	-
ALZHEIMERS DISEASE	1	1	0	10.4	15.2	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.4	-	32.4
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	10.4	15.2	-
PEPTIC ULCER	1	0	1	10.4	-	32.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	10.4	-	32.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.4	-	32.4
<u>ALL OTHER CAUSES</u>	<u>7</u>	<u>6</u>	<u>1</u>	<u>72.5</u>	<u>91.3</u>	<u>32.4</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>89</u>	<u>66</u>	<u>23</u>	<u>39</u>	<u>27</u>	<u>12</u>	<u>50</u>	<u>39</u>	<u>11</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	0	2	1	1	0
25-34	1	1	0	1	1	0	0	0	0
35-44	1	0	1	0	0	0	1	0	1
45-54	4	3	1	2	2	0	2	1	1
55-64	15	9	6	11	6	5	4	3	1
65-74	18	14	4	10	7	3	8	7	1
75-84	19	18	1	7	7	0	12	11	1
85 AND OVER	27	20	7	6	4	2	21	16	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 9,652 WHITE 6,570 NONWHITE 3,082

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>100</u>	<u>18</u>	<u>82</u>	<u>8.5</u>	<u>10.4</u>	<u>8.2</u>
HEART DISEASES	56	11	45	477.2	632.9	450.1
MALIGNANT NEOPLASMS	11	2	9	93.7	115.1	90.0
CEREBROVASCULAR DISEASE	6	1	5	51.1	57.5	50.0
ACCIDENTS	5	0	5	42.6	-	50.0
SEPTICEMIA	3	0	3	25.6	-	30.0
HOMICIDE	3	0	3	25.6	-	30.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	17.0	57.5	10.0
INFLUENZA AND PNEUMONIA	1	0	1	8.5	-	10.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	0	1	8.5	-	10.0
PEPTIC ULCER	1	0	1	8.5	-	10.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	8.5	-	10.0
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	6.0	-	6.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	9	3	6	76.7	172.6	60.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>100</u>	<u>18</u>	<u>82</u>	<u>47</u>	<u>7</u>	<u>40</u>	<u>53</u>	<u>11</u>	<u>42</u>
UNDER 1	3	0	3	0	0	0	3	0	3
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	1	0	1	0	0	0	1	0	1
35-44	7	1	6	5	0	5	2	1	1
45-54	6	1	5	1	0	1	5	1	4
55-64	17	2	15	11	2	9	6	0	6
65-74	15	3	12	10	0	10	5	3	2
75-84	23	7	16	13	4	9	10	3	7
85 AND OVER	26	4	22	6	1	5	20	3	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 11,735 WHITE 1,738 NONWHITE 9,997

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>180</u>	<u>128</u>	<u>52</u>	<u>10.0</u>	<u>11.0</u>	<u>8.2</u>
HEART DI SEASES	66	50	16	367.3	430.2	252.2
MALI GNANT NEOPLASMS	32	24	8	178.1	206.5	126.1
CEREBROVASCULAR DI SEASE	12	5	7	66.8	43.0	110.3
INFLUENZA AND PNEUMONIA	10	7	3	55.6	60.2	47.3
ACCIDENTS	10	6	4	55.6	51.6	63.0
ALZHEIMERS DI SEASE	8	8	0	44.5	68.8	-
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	8	7	1	44.5	60.2	15.8
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	27.8	25.8	31.5
SEPTI CEMIA	2	2	0	11.1	17.2	-
DI ABETES MELLI TUS	2	1	1	11.1	8.6	15.8
PNEUMOCONI OSES & CHEMI CAL EFFECTS	2	2	0	11.1	17.2	-
PNEUMONI TIS DUE TO SOLIDS & LI QUI DS	2	1	1	11.1	8.6	15.8
VI RAL HEPATI TIS	1	1	0	5.6	8.6	-
IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	5.6	8.6	-
PARKI NSONS DI SEASE	1	1	0	5.6	8.6	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.6	8.6	-
CHRONI C LI VER DI SEASE AND CI RRHOSI S	1	1	0	5.6	8.6	-
IN FECTIONS OF KIDNEY	1	0	1	5.6	-	15.8
SUI CIDE	1	1	0	5.6	8.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.6	8.6	-
ALL OTHER CAUSES	13	5	8	72.4	43.0	126.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>180</u>	<u>128</u>	<u>52</u>	<u>78</u>	<u>54</u>	<u>24</u>	<u>102</u>	<u>74</u>	<u>28</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	1	0	1	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	6	4	2	3	2	1	3	2	1
45-54	9	5	4	3	2	1	6	3	3
55-64	25	17	8	14	10	4	11	7	4
65-74	28	17	11	15	9	6	13	8	5
75-84	55	47	8	25	22	3	30	25	5
85 AND OVER	50	34	16	12	6	6	38	28	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 17,968 WHI TE 11,623 NONWHI TE 6,345

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>214</u>	<u>112</u>	<u>102</u>	<u>9.8</u>	<u>12.1</u>	<u>8.1</u>
HEART DISEASES	64	33	31	292.8	357.1	245.7
MALIGNANT NEOPLASMS	59	35	24	269.9	378.8	190.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	6	4	45.8	64.9	31.7
CEREBROVASCULAR DISEASE	8	3	5	36.6	32.5	39.6
SEPTICEMIA	7	5	2	32.0	54.1	15.8
DIABETES MELLITUS	7	2	5	32.0	21.6	39.6
SUICIDE	7	7	0	32.0	75.8	-
INFLUENZA AND PNEUMONIA	6	4	2	27.4	43.3	15.8
CONDITIONS ORIGIN PERINATAL PERIOD	6	0	6	18.6	-	30.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	1	4	22.9	10.8	31.7
ACCIDENTS	5	3	2	22.9	32.5	15.8
HIV DISEASE	2	0	2	9.2	-	15.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	9.2	10.8	7.9
ANEMIAS	2	1	1	9.2	10.8	7.9
HOMICIDE	2	0	2	9.2	-	15.8
VIRAL ENCEPHALITIS	1	1	0	4.6	10.8	-
MENINGITIS	1	1	0	4.6	10.8	-
PARKINSONS DISEASE	1	1	0	4.6	10.8	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	4.6	10.8	-
HYPERPLASIA OF PROSTATE	1	1	0	4.6	10.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	9.2	-	15.8
<u>ALL OTHER CAUSES</u>	<u>15</u>	<u>6</u>	<u>9</u>	<u>68.6</u>	<u>64.9</u>	<u>71.3</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>214</u>	<u>112</u>	<u>102</u>	<u>112</u>	<u>58</u>	<u>54</u>	<u>102</u>	<u>54</u>	<u>48</u>
UNDER 1	7	0	7	3	0	3	4	0	4
(NEONATAL)	7	0	7	3	0	3	4	0	4
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	6	1	5	4	1	3	2	0	2
35-44	3	1	2	1	1	0	2	0	2
45-54	24	15	9	19	12	7	5	3	2
55-64	24	10	14	13	6	7	11	4	7
65-74	43	25	18	24	16	8	19	9	10
75-84	54	29	25	27	13	14	27	16	11
85 AND OVER	49	31	18	18	9	9	31	22	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 21,857 WHITE 9,240 NONWHITE 12,617

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>374</u>	<u>122</u>	<u>252</u>	<u>12.4</u>	<u>14.9</u>	<u>11.5</u>
HEART DI SEASES	108	44	64	358.1	536.3	291.5
MALI GNANT NEOPLASMS	86	34	52	285.2	414.4	236.8
DIABETES MELLITUS	23	7	16	76.3	85.3	72.9
CEREBROVASCULAR DI SEASE	23	4	19	76.3	48.8	86.5
ACCI DENTS	20	6	14	66.3	73.1	63.8
INFLUENZA AND PNEUMONIA	12	3	9	39.8	36.6	41.0
CONDI TIONS ORIG IN PERINATAL PERIOD	12	1	11	23.8	13.0	25.7
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	10	6	4	33.2	73.1	18.2
HOMI CIDE	9	0	9	29.8	-	41.0
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	8	1	7	26.5	12.2	31.9
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	8	1	7	26.5	12.2	31.9
SEPTI CEMI A	7	0	7	23.2	-	31.9
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	3	1	2	9.9	12.2	9.1
SUI CIDE	3	1	2	9.9	12.2	9.1
HIV DI SEASE	2	0	2	6.6	-	9.1
ALZHEI MERS DI SEASE	2	1	1	6.6	12.2	4.6
PEPTI C ULCER	2	2	0	6.6	24.4	-
HERNI A	2	2	0	6.6	24.4	-
COMPLI CATIONS MEDI CAL/SURGI CAL CARE	2	1	1	6.6	12.2	4.6
ANEMI AS	1	0	1	3.3	-	4.6
MALNUTRI TION/NUTRI TIONAL DEFICI ENCY	1	0	1	3.3	-	4.6
MENI NGI TIS	1	0	1	3.3	-	4.6
AORTI C ANEURYSM AND DI SSECTI ON	1	0	1	3.3	-	4.6
PNEUMOCONI OSES & CHEMI CAL EFFECTS	1	1	0	3.3	12.2	-
CHRONI C LI VER DI SEASE AND CI RRRHOSI S	1	0	1	3.3	-	4.6
LEGAL I NTERVENTI ON	1	0	1	3.3	-	4.6
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	4	1	3	13.3	12.2	13.7
ALL OTHER CAUSES	16	2	14	53.0	24.4	63.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDI TIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL</u>	<u>374</u>	<u>122</u>	<u>252</u>	<u>190</u>	<u>59</u>	<u>131</u>	<u>184</u>	<u>63</u>	<u>121</u>
UNDER 1	17	1	16	9	1	8	8	0	8
(NEONATAL)	14	1	13	8	1	7	6	0	6
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	11	0	11	11	0	11	0	0	0
25-34	8	0	8	6	0	6	2	0	2
35-44	22	5	17	15	3	12	7	2	5
45-54	29	7	22	17	5	12	12	2	10
55-64	45	16	29	29	12	17	16	4	12
65-74	42	16	26	26	10	16	16	6	10
75-84	92	38	54	42	18	24	50	20	30
85 AND OVER	104	39	65	31	10	21	73	29	44
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 30,158 WHI TE 8,204 NONWHI TE 21,954

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>274</u>	<u>159</u>	<u>115</u>	<u>9.5</u>	<u>11.5</u>	<u>7.7</u>
HEART DI SEASES	102	57	45	354.1	411.4	300.9
MALI GNANT NEOPLASMS	63	41	22	218.7	295.9	147.1
ACCI DENTS	18	11	7	62.5	79.4	46.8
CEREBROVASCULAR DI SEASE	11	6	5	38.2	43.3	33.4
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	10	6	4	34.7	43.3	26.7
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	8	4	4	27.8	28.9	26.7
I NFLUENZA AND PNEUMONIA	6	3	3	20.8	21.6	20.1
SEPTI CEMIA	4	2	2	13.9	14.4	13.4
CHRONI C LI VER DI SEASE AND CI RRRHOSI S	4	3	1	13.9	21.6	6.7
DI ABETES MELLI TUS	2	1	1	6.9	7.2	6.7
PARKI NSONS DI SEASE	2	1	1	6.9	7.2	6.7
AORTI C ANEURYSM AND DI SSECTI ON	2	1	1	6.9	7.2	6.7
CONDI TIONS ORIG I N PERI NATAL PERI OD	2	1	1	4.9	5.7	4.3
VI RAL ENCEPHALI TIS	1	1	0	3.5	7.2	-
VI RAL HEPATI TIS	1	0	1	3.5	-	6.7
HIV DI SEASE	1	0	1	3.5	-	6.7
ALZHEI MERS DI SEASE	1	1	0	3.5	7.2	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	1	1	0	3.5	7.2	-
PEPTI C ULCER	1	1	0	3.5	7.2	-
CHOLELI THI ASI S/GALLBLADDER DI SORDER	1	1	0	3.5	7.2	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	1	0	1	3.5	-	6.7
SUI CI DE	1	1	0	3.5	7.2	-
HOMI CI DE	1	0	1	3.5	-	6.7
--- NOT I NCLUDED I N RANKI NG ---						
SYMP TOMS, SI GNS, I LL-DEFI NED	3	1	2	10.4	7.2	13.4
<u>ALL OTHER CAUSES</u>	<u>27</u>	<u>15</u>	<u>12</u>	<u>93.7</u>	<u>108.3</u>	<u>80.2</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>274</u>	<u>159</u>	<u>115</u>	<u>136</u>	<u>71</u>	<u>65</u>	<u>138</u>	<u>88</u>	<u>50</u>
UNDER 1	6	1	5	3	1	2	3	0	3
(NEONATAL)	3	1	2	2	1	1	1	0	1
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	3	1	2	0	0	0	3	1	2
25-34	5	2	3	4	2	2	1	0	1
35-44	6	3	3	3	1	2	3	2	1
45-54	21	8	13	15	7	8	6	1	5
55-64	43	21	22	28	10	18	15	11	4
65-74	59	33	26	36	18	18	23	15	8
75-84	72	49	23	36	24	12	36	25	11
85 AND OVER	58	41	17	11	8	3	47	33	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 28,808 WHI TE 13,854 NONWHI TE 14,954

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>254</u>	<u>186</u>	<u>68</u>	<u>12.9</u>	<u>14.8</u>	<u>9.4</u>
HEART DI SEASES	87	66	21	441.0	526.6	291.9
MALI GNANT NEOPLASMS	45	32	13	228.1	255.3	180.7
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	21	19	2	106.4	151.6	27.8
CEREBROVASCULAR DI SEASE	20	16	4	101.4	127.7	55.6
ACCI DENTS	17	7	10	86.2	55.8	139.0
I NFLUENZA AND PNEUMONIA	7	6	1	35.5	47.9	13.9
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	5	4	1	25.3	31.9	13.9
SUI CI DE	5	2	3	25.3	16.0	41.7
SEPTI CEMI A	4	3	1	20.3	23.9	13.9
ALZHEIMERS DI SEASE	4	4	0	20.3	31.9	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	20.3	23.9	13.9
HOMI CI DE	3	3	0	15.2	23.9	-
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	2	2	0	10.1	16.0	-
CONDI TIONS ORIG I N PERI NATAL PERI OD	2	0	2	6.9	-	13.5
DI ABETES MELLI TUS	1	0	1	5.1	-	13.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.1	-	13.9
ATHEROSCLEROSI S	1	1	0	5.1	8.0	-
AORTI C ANEURYSM AND DI SSECTI ON	1	1	0	5.1	8.0	-
PEPTI C ULCER	1	1	0	5.1	8.0	-
CHRONI C LI VER DI SEASE AND CI RRHOSI S	1	0	1	5.1	-	13.9
I NFECTIONS OF KIDNEY	1	1	0	5.1	8.0	-
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE	1	1	0	5.1	8.0	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	1	1	0	5.1	8.0	-
<u>ALL OTHER CAUSES</u>	<u>19</u>	<u>13</u>	<u>6</u>	<u>96.3</u>	<u>103.7</u>	<u>83.4</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>254</u>	<u>186</u>	<u>68</u>	<u>155</u>	<u>113</u>	<u>42</u>	<u>99</u>	<u>73</u>	<u>26</u>
UNDER 1	4	0	4	0	0	0	4	0	4
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	7	4	3	5	3	2	2	1	1
25-34	4	3	1	2	1	1	2	2	0
35-44	9	3	6	7	2	5	2	1	1
45-54	13	5	8	9	4	5	4	1	3
55-64	26	15	11	17	9	8	9	6	3
65-74	44	39	5	32	28	4	12	11	1
75-84	86	69	17	55	45	10	31	24	7
85 AND OVER	59	48	11	27	21	6	32	27	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 19,728 WHI TE 12,533 NONWHI TE 7,195

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>822</u>	<u>703</u>	<u>119</u>	<u>6.9</u>	<u>7.0</u>	<u>6.5</u>
MALIG NANT NEOPLASMS	217	187	30	183.2	186.7	163.8
HEART DI SEASES	191	169	22	161.2	168.8	120.1
ACCI DENTS	49	41	8	41.4	40.9	43.7
CEREBROVASCULAR DI SEASE	47	45	2	39.7	44.9	10.9
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	44	42	2	37.1	41.9	10.9
DI ABETES MELLI TUS	41	32	9	34.6	32.0	49.1
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	31	25	6	26.2	25.0	32.8
SEPTI CEMI A	17	13	4	14.4	13.0	21.8
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	17	12	5	14.4	12.0	27.3
SUI CI DE	16	16	0	13.5	16.0	-
INFLUENZA AND PNEUMONIA	15	15	0	12.7	15.0	-
CHRONI C LI VER DI SEASE AND CI RRHOSI S	13	12	1	11.0	12.0	5.5
ALZHEI MERS DI SEASE	10	7	3	8.4	7.0	16.4
CONDI TIONS ORIG IN PERINATAL PERI OD	9	5	4	5.0	3.3	13.9
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	8	6	2	6.8	6.0	10.9
IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	5	3	2	4.2	3.0	10.9
PARKI NSONS DI SEASE	5	5	0	4.2	5.0	-
AORTI C ANEURYSM AND DI SSECTI ON	4	4	0	3.4	4.0	-
HI V DI SEASE	3	3	0	2.5	3.0	-
HOMI CI DE	3	2	1	2.5	2.0	5.5
VI RAL HEPATI TIS	2	2	0	1.7	2.0	-
ANEMI AS	2	1	1	1.7	1.0	5.5
PEPTI C ULCER	2	2	0	1.7	2.0	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	2	1	1	1.7	1.0	5.5
ATHEROSCLEROSI S	1	1	0	0.8	1.0	-
HYPERPLASI A OF PROSTATE	1	1	0	0.8	1.0	-
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE	1	0	1	0.8	-	5.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	3	2	1	2.5	2.0	5.5
<u>ALL OTHER CAUSES</u>	<u>63</u>	<u>49</u>	<u>14</u>	<u>53.2</u>	<u>48.9</u>	<u>76.4</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL</u>	<u>822</u>	<u>703</u>	<u>119</u>	<u>432</u>	<u>371</u>	<u>61</u>	<u>390</u>	<u>332</u>	<u>58</u>
UNDER 1	14	9	5	11	6	5	3	3	0
(NEONATAL)	13	8	5	10	5	5	3	3	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	13	11	2	11	10	1	2	1	1
25-34	21	18	3	11	11	0	10	7	3
35-44	45	40	5	32	29	3	13	11	2
45-54	84	69	15	45	38	7	39	31	8
55-64	117	96	21	72	61	11	45	35	10
65-74	172	154	18	97	83	14	75	71	4
75-84	209	183	26	108	97	11	101	86	15
85 AND OVER	143	119	24	43	34	9	100	85	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 118,458 WHI TE 100,145 NONWHI TE 18,313

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>729</u>	<u>513</u>	<u>216</u>	<u>9.9</u>	<u>10.9</u>	<u>8.1</u>
HEART DISEASES	212	150	62	288.6	319.8	233.4
MALIGNANT NEOPLASMS	134	97	37	182.4	206.8	139.3
CEREBROVASCULAR DISEASE	46	31	15	62.6	66.1	56.5
ACCIDENTS	40	27	13	54.4	57.6	48.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	39	36	3	53.1	76.8	11.3
DIABETES MELLITUS	34	18	16	46.3	38.4	60.2
ALZHEIMERS DISEASE	25	19	6	34.0	40.5	22.6
INFLUENZA AND PNEUMONIA	23	19	4	31.3	40.5	15.0
SEPTICEMIA	15	8	7	20.4	17.0	26.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	10	4	19.0	21.3	15.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	13	11	2	17.7	23.4	7.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	6	1	9.5	12.8	3.8
HOMICIDE	7	2	5	9.5	4.3	18.8
HIV DISEASE	6	2	4	8.2	4.3	15.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	6.8	8.5	3.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	2	3	6.8	4.3	11.3
SUICIDE	5	5	0	6.8	10.7	-
AORTIC ANEURYSM AND DISSECTION	3	3	0	4.1	6.4	-
CONDITIONS ORIGIN PERINATAL PERIOD	3	2	1	2.7	3.4	2.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	2.7	4.3	-
PEPTIC ULCER	2	1	1	2.7	2.1	3.8
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	2.7	4.3	-
TUBERCULOSIS	1	0	1	1.4	-	3.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	1.4	-	3.8
ANEMIAS	1	1	0	1.4	2.1	-
PARKINSONS DISEASE	1	0	1	1.4	-	3.8
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.4	-	3.8
MATERNAL CAUSES	1	0	1	91.4	-	197.2
OPERATIONS OF WAR & THEIR SEQUELAE	1	0	1	1.4	-	3.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	8.2	6.4	11.3
<u>ALL OTHER CAUSES</u>	<u>74</u>	<u>52</u>	<u>22</u>	<u>100.7</u>	<u>110.9</u>	<u>82.8</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>729</u>	<u>513</u>	<u>216</u>	<u>337</u>	<u>232</u>	<u>105</u>	<u>392</u>	<u>281</u>	<u>111</u>
UNDER 1	10	4	6	9	4	5	1	0	1
(Neonatal)	5	2	3	5	2	3	0	0	0
(Postneonatal)	5	2	3	4	2	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	3	1	2	2	0	2	1	1	0
10-14	1	0	1	0	0	0	1	0	1
15-24	11	8	3	11	8	3	0	0	0
25-34	16	9	7	8	4	4	8	5	3
35-44	19	13	6	11	8	3	8	5	3
45-54	59	35	24	41	27	14	18	8	10
55-64	90	50	40	53	32	21	37	18	19
65-74	130	90	40	65	45	20	65	45	20
75-84	196	146	50	82	63	19	114	83	31
85 AND OVER	194	157	37	55	41	14	139	116	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 73,465 WHITE 46,901 NONWHITE 26,564

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>87</u>	<u>63</u>	<u>24</u>	<u>10.4</u>	<u>12.1</u>	<u>7.6</u>
HEART DI SEASES	35	26	9	419.2	499.4	286.4
MALI GNANT NEOPLASMS	16	11	5	191.6	211.3	159.1
CEREBROVASCULAR DI SEASE	6	3	3	71.9	57.6	95.4
SUI CI DE	5	5	0	59.9	96.0	-
DI ABETES MELLI TUS	3	2	1	35.9	38.4	31.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	3	2	1	35.9	38.4	31.8
SEPTI CEMI A	2	2	0	24.0	38.4	-
HIV DI SEASE	2	0	2	24.0	-	63.6
ACCI DENTS	2	2	0	24.0	38.4	-
IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	12.0	19.2	-
PARKI NSONS DI SEASE	1	0	1	12.0	-	31.8
ALZHEI MERS DI SEASE	1	1	0	12.0	19.2	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	1	1	0	12.0	19.2	-
CHRONI C LI VER DI SEASE AND CI RRRHOSI S	1	1	0	12.0	19.2	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	12.0	19.2	-
HOMI CI DE	1	0	1	12.0	-	31.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	0	0	0	-	-	-
<u>ALL OTHER CAUSES</u>	<u>6</u>	<u>5</u>	<u>1</u>	<u>71.9</u>	<u>96.0</u>	<u>31.8</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>87</u>	<u>63</u>	<u>24</u>	<u>55</u>	<u>39</u>	<u>16</u>	<u>32</u>	<u>24</u>	<u>8</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	5	2	3	4	1	3	1	1	0
45-54	7	5	2	5	4	1	2	1	1
55-64	10	5	5	7	4	3	3	1	2
65-74	19	14	5	15	10	5	4	4	0
75-84	25	22	3	15	14	1	10	8	2
85 AND OVER	19	14	5	7	5	2	12	9	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 8,349 WHI TE 5,206 NONWHI TE 3,143

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>204</u>	<u>177</u>	<u>27</u>	<u>10.3</u>	<u>9.9</u>	<u>14.2</u>
MALI GNANT NEOPLASMS	39	34	5	197.0	190.1	262.0
HEART DI SEASES	39	36	3	197.0	201.2	157.2
DI ABETES MELLI TUS	19	13	6	96.0	72.7	314.5
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	19	16	3	96.0	89.4	157.2
CEREBROVASCULAR DI SEASE	18	16	2	90.9	89.4	104.8
ACCI DENTS	12	11	1	60.6	61.5	52.4
CHRONI C LI VER DI SEASE AND CI RRHOSI S	5	5	0	25.2	28.0	-
I NFLUENZA AND PNEUMONI A	4	4	0	20.2	22.4	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	3	2	1	15.2	11.2	52.4
SUI CI DE	3	3	0	15.2	16.8	-
HOMI CI DE	3	3	0	15.2	16.8	-
I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	2	2	0	10.1	11.2	-
CHOLELI THI ASI S/GALLBLADDER DI SORDER	2	2	0	10.1	11.2	-
CONDI TIONS ORIG I N PERI NATAL PERI OD	2	1	1	5.5	3.1	24.4
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TI ES	2	1	1	10.1	5.6	52.4
SEPTI CEMI A	1	0	1	5.0	-	52.4
VI RAL HEPATI TIS	1	0	1	5.0	-	52.4
MENI NGI TIS	1	1	0	5.0	5.6	-
PARKI NSONS DI SEASE	1	1	0	5.0	5.6	-
ALZHEI MERS DI SEASE	1	1	0	5.0	5.6	-
AORTI C ANEURYSM AND DI SSECTI ON	1	1	0	5.0	5.6	-
PNEUMOCO NI OSES & CHEMI CAL EFFECTS	1	1	0	5.0	5.6	-
NEPHRI TIS, NEPHROTI C SYND, NEPHROS I S	1	1	0	5.0	5.6	-
I NFECTI ONS OF KI DNEY	1	1	0	5.0	5.6	-
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE	1	1	0	5.0	5.6	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	1	1	0	5.0	5.6	-
<u>ALL OTHER CAUSES</u>	<u>21</u>	<u>19</u>	<u>2</u>	<u>106.1</u>	<u>106.2</u>	<u>104.8</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>204</u>	<u>177</u>	<u>27</u>	<u>108</u>	<u>95</u>	<u>13</u>	<u>96</u>	<u>82</u>	<u>14</u>
UNDER 1	4	2	2	3	2	1	1	0	1
(NEONATAL)	4	2	2	3	2	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	6	5	1	5	4	1	1	1	0
25-34	3	3	0	1	1	0	2	2	0
35-44	9	8	1	6	6	0	3	2	1
45-54	12	11	1	10	9	1	2	2	0
55-64	24	20	4	13	10	3	11	10	1
65-74	33	28	5	20	19	1	13	9	4
75-84	64	59	5	32	29	3	32	30	2
85 AND OVER	48	41	7	18	15	3	30	26	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 19,797 WHI TE 17,889 NONWHI TE 1,908

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>118</u>	<u>94</u>	<u>24</u>	<u>9.0</u>	<u>9.7</u>	<u>7.0</u>
HEART DI SEASES	42	28	14	320.7	289.3	409.8
MALI GNANT NEOPLASMS	28	27	1	213.8	279.0	29.3
CEREBROVASCULAR DI SEASE	7	7	0	53.4	72.3	-
ACCI DENTS	7	6	1	53.4	62.0	29.3
DI ABETES MELLI TUS	5	2	3	38.2	20.7	87.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	4	4	0	30.5	41.3	-
SEPTI CEMI A	3	1	2	22.9	10.3	58.5
I NFLUENZA AND PNEUMONI A	2	2	0	15.3	20.7	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	2	2	0	15.3	20.7	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSI S	2	1	1	15.3	10.3	29.3
PARKI NSONS DI SEASE	1	1	0	7.6	10.3	-
ALZHEI MERS DI SEASE	1	1	0	7.6	10.3	-
AORTI C ANEURYSM AND DI SSECTI ON	1	1	0	7.6	10.3	-
COMPLI CATIONS MEDI CAL/SURGI CAL CARE	1	0	1	7.6	-	29.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	1	1	0	7.6	10.3	-
<u>ALL OTHER CAUSES</u>	<u>11</u>	<u>10</u>	<u>1</u>	<u>84.0</u>	<u>103.3</u>	<u>29.3</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>118</u>	<u>94</u>	<u>24</u>	<u>62</u>	<u>51</u>	<u>11</u>	<u>56</u>	<u>43</u>	<u>13</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	4	4	0	4	4	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	4	3	1	2	1	1	2	2	0
45-54	9	6	3	8	6	2	1	0	1
55-64	17	14	3	7	4	3	10	10	0
65-74	22	19	3	12	11	1	10	8	2
75-84	34	26	8	17	14	3	17	12	5
85 AND OVER	27	21	6	11	10	1	16	11	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 13,095 WHI TE 9,679 NONWHI TE 3,416

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>320</u>	<u>198</u>	<u>122</u>	<u>14.0</u>	<u>15.0</u>	<u>12.5</u>
HEART DI SEASES	111	66	45	484.4	501.1	461.8
MALI GNANT NEOPLASMS	65	48	17	283.6	364.5	174.4
CEREBROVASCULAR DI SEASE	34	25	9	148.4	189.8	92.4
INFLUENZA AND PNEUMONIA	15	9	6	65.4	68.3	61.6
ACCI DENTS	15	6	9	65.4	45.6	92.4
SEPTI CEMI A	10	4	6	43.6	30.4	61.6
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	9	9	0	39.3	68.3	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	17.4	7.6	30.8
DI ABETES MELLI TUS	3	1	2	13.1	7.6	20.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	8.7	7.6	10.3
AORTI C ANEURYSM AND DI SSECTI ON	2	2	0	8.7	15.2	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	2	0	2	8.7	-	20.5
CHRONI C LI VER DI SEASE AND CI RRHOSI S CONDI TIONS ORIG I N PERI NATAL PERI OD	2	0	2	8.7	-	20.5
HOMI CI DE	2	1	1	7.4	6.9	7.9
VIRAL ENCEPHALI TIS	2	0	2	8.7	-	20.5
IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	4.4	7.6	-
ANEMI AS	1	0	1	4.4	-	10.3
ALZHEI MERS DI SEASE	1	1	0	4.4	7.6	-
SUI CI DE	1	1	0	4.4	7.6	-
--- NOT I NCLUDED I N RANKI NG --- SYMPTOMS, SI GNS, I LL-DEFI NED	2	1	1	8.7	7.6	10.3
<u>ALL OTHER CAUSES</u>	<u>35</u>	<u>20</u>	<u>15</u>	<u>152.7</u>	<u>151.9</u>	<u>153.9</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>320</u>	<u>198</u>	<u>122</u>	<u>151</u>	<u>92</u>	<u>59</u>	<u>169</u>	<u>106</u>	<u>63</u>
UNDER 1	3	2	1	3	2	1	0	0	0
(NEONATAL)	3	2	1	3	2	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	3	0	3	2	0	2	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	0	0	0	1	0	1
15-24	4	1	3	4	1	3	0	0	0
25-34	8	2	6	5	1	4	3	1	2
35-44	15	7	8	6	3	3	9	4	5
45-54	26	17	9	16	9	7	10	8	2
55-64	37	21	16	19	13	6	18	8	10
65-74	48	35	13	25	18	7	23	17	6
75-84	88	57	31	44	29	15	44	28	16
85 AND OVER	86	56	30	27	16	11	59	40	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 22,915 WHI TE 13,170 NONWHI TE 9,745

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>460</u>	<u>430</u>	<u>30</u>	<u>10.3</u>	<u>10.6</u>	<u>7.3</u>
HEART DI SEASES	141	132	9	315.6	325.4	219.2
MALI GNANT NEOPLASMS	102	92	10	228.3	226.8	243.5
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	36	36	0	80.6	88.7	-
CEREBROVASCULAR DI SEASE	31	28	3	69.4	69.0	73.1
ACCIDENTS	29	27	2	64.9	66.6	48.7
CHRONI C LI VER DI SEASE AND CI RRRHOSI S	11	11	0	24.6	27.1	-
ALZHEIMERS DI SEASE	9	9	0	20.1	22.2	-
INFLUENZA AND PNEUMONI A	9	9	0	20.1	22.2	-
SUI CI DE	9	9	0	20.1	22.2	-
DI ABETES MELLI TUS	7	6	1	15.7	14.8	24.4
NEPHRI TIS, NEPHROTI C SYND, NEPHROSI S	6	5	1	13.4	12.3	24.4
SEPTI CEMI A	4	4	0	9.0	9.9	-
HIV DI SEASE	4	3	1	9.0	7.4	24.4
AORTI C ANEURYSM AND DI SSECTI ON	3	3	0	6.7	7.4	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	3	3	0	6.7	7.4	-
PARKI NSONS DI SEASE	2	2	0	4.5	4.9	-
ATHEROSCLEROSI S	2	2	0	4.5	4.9	-
HOMI CI DE	2	2	0	4.5	4.9	-
IN SI TU, BENI GN & UNSPECI FI ED NEOPLASMS	1	1	0	2.2	2.5	-
ANEMI AS	1	1	0	2.2	2.5	-
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	1	0	2.2	2.5	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	1	1	0	2.2	2.5	-
LEGAL I NTERVENTI ON	1	1	0	2.2	2.5	-
COMPLI CATIONS MEDI CAL/SURGI CAL CARE	1	1	0	2.2	2.5	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	6	5	1	13.4	12.3	24.4
<u>ALL OTHER CAUSES</u>	<u>38</u>	<u>36</u>	<u>2</u>	<u>85.1</u>	<u>88.7</u>	<u>48.7</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>460</u>	<u>430</u>	<u>30</u>	<u>237</u>	<u>225</u>	<u>12</u>	<u>223</u>	<u>205</u>	<u>18</u>
UNDER 1	2	2	0	0	0	0	2	2	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	9	9	0	5	5	0	4	4	0
25-34	8	7	1	5	4	1	3	3	0
35-44	21	20	1	7	7	0	14	13	1
45-54	36	33	3	25	22	3	11	11	0
55-64	65	60	5	39	37	2	26	23	3
65-74	79	75	4	51	49	2	28	26	2
75-84	165	153	12	81	78	3	84	75	9
85 AND OVER	72	68	4	23	22	1	49	46	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 44,673 WHI TE 40,567 NONWHI TE 4,106

ELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>1,831</u>	<u>1,459</u>	<u>372</u>	<u>9.6</u>	<u>10.5</u>	<u>7.1</u>
HEART DISEASES	633	510	123	331.5	367.8	235.3
MALIGNANT NEOPLASMS	392	317	75	205.3	228.6	143.5
ACCIDENTS	97	76	21	50.8	54.8	40.2
CEREBROVASCULAR DISEASE	75	56	19	39.3	40.4	36.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	73	61	12	38.2	44.0	23.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	45	35	10	23.6	25.2	19.1
SUICIDE	45	39	6	23.6	28.1	11.5
SEPTICEMIA	39	32	7	20.4	23.1	13.4
INFLUENZA AND PNEUMONIA	37	34	3	19.4	24.5	5.7
ALZHEIMERS DISEASE	28	26	2	14.7	18.8	3.8
HOMICIDE	23	14	9	12.0	10.1	17.2
DIABETES MELLITUS	18	12	6	9.4	8.6	11.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	14	2	8.4	10.1	3.8
AORTIC ANEURYSM AND DISSECTION	12	9	3	6.3	6.5	5.7
HIV DISEASE	11	3	8	5.8	2.2	15.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	10	10	0	5.2	7.2	-
CONDITIONS ORIGIN PERINATAL PERIOD	10	5	5	3.4	2.4	5.6
ATHEROSCLEROSIS	9	6	3	4.7	4.3	5.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	5	2	3.7	3.6	3.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	6	3	3	3.1	2.2	5.7
PARKINSONS DISEASE	6	6	0	3.1	4.3	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	4	2	3.1	2.9	3.8
COMPLICATIONS MEDICAL/SURGICAL CARE	4	2	2	2.1	1.4	3.8
VIRAL HEPATITIS	2	2	0	1.0	1.4	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	1.0	1.4	-
PEPTIC ULCER	2	1	1	1.0	0.7	1.9
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.0	1.4	-
ANEMIAS	1	0	1	0.5	-	1.9
MENINGITIS	1	0	1	0.5	-	1.9
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.5	0.7	-
PNEUMOCOCCI & CHEMICAL EFFECTS	1	1	0	0.5	0.7	-
HERNIA	1	0	1	0.5	-	1.9
MATERNAL CAUSES	1	1	0	33.8	48.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	19	13	6	10.0	9.4	11.5
ALL OTHER CAUSES	196	157	39	102.6	113.2	74.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL</u>	<u>1,831</u>	<u>1,459</u>	<u>372</u>	<u>971</u>	<u>775</u>	<u>196</u>	<u>860</u>	<u>684</u>	<u>176</u>
UNDER 1 (NEONATAL)	21	12	9	14	6	8	7	6	1
(POSTNEONATAL)	11	7	4	6	2	4	5	5	0
1-4	10	5	5	8	4	4	2	1	1
5-9	1	1	0	0	0	0	1	1	0
10-14	2	0	2	0	0	0	2	0	2
15-24	1	0	1	1	0	1	0	0	0
25-34	35	25	10	20	14	6	15	11	4
35-44	51	38	13	32	22	10	19	16	3
45-54	108	66	42	70	44	26	38	22	16
55-64	154	119	35	99	78	21	55	41	14
65-74	249	194	55	147	118	29	102	76	26
75-84	377	312	65	223	188	35	154	124	30
85 AND OVER	484	402	82	242	202	40	242	200	42
UNKNOWN	345	287	58	121	101	20	224	186	38
UNKNOW	3	3	0	2	2	0	1	1	0
2002 POPULATION:	TOTAL	190,936	WHI TE	138,667	NONWHI TE	52,269			

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,132</u>	<u>982</u>	<u>1,150</u>	<u>8.5</u>	<u>11.0</u>	<u>7.2</u>
HEART DISEASES	665	308	357	266.4	344.6	222.8
MALIGNANT NEOPLASMS	395	188	207	158.3	210.4	129.2
CEREBROVASCULAR DISEASE	153	69	84	61.3	77.2	52.4
ACCIDENTS	102	44	58	40.9	49.2	36.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	79	55	24	31.6	61.5	15.0
INFLUENZA AND PNEUMONIA	60	37	23	24.0	41.4	14.4
SEPTICEMIA	51	18	33	20.4	20.1	20.6
HOMICIDE	49	6	43	19.6	6.7	26.8
HIV DISEASE	48	4	44	19.2	4.5	27.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	39	11	28	15.6	12.3	17.5
ALZHEIMERS DISEASE	38	31	7	15.2	34.7	4.4
DIABETES MELLITUS	35	10	25	14.0	11.2	15.6
SUICIDE	24	14	10	9.6	15.7	6.2
CONDITIONS ORIGIN IN PERINATAL PERIOD	23	1	22	6.0	1.0	7.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	17	6	11	6.8	6.7	6.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	12	4	6.4	13.4	2.5
AORTIC ANEURYSM AND DISSECTION	14	7	7	5.6	7.8	4.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	14	5	9	5.6	5.6	5.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	12	5	7	4.8	5.6	4.4
NEOPLASMS	9	8	1	3.6	9.0	0.6
PEPTIC ULCER	8	6	2	3.2	6.7	1.2
ANEMIAS	7	1	6	2.8	1.1	3.7
PARKINSONS DISEASE	6	5	1	2.4	5.6	0.6
CHOLELITHIASIS/GALLBLADDER DISORDER	4	3	1	1.6	3.4	0.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	3	0	1.2	3.4	-
MATERNAL CAUSES	3	0	3	78.7	-	105.5
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	1.2	2.2	0.6
VIRAL HEPATITIS	2	2	0	0.8	2.2	-
INFECTIOUS OF KIDNEY	2	2	0	0.8	2.2	-
LEGAL INTERVENTION	2	0	2	0.8	-	1.2
MENINGOCOCCAL INFECTION	1	0	1	0.4	-	0.6
ATHEROSCLEROSIS	1	1	0	0.4	1.1	-
HERNIA	1	0	1	0.4	-	0.6
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	11	2	9	4.4	2.2	5.6
<u>ALL OTHER CAUSES</u>	<u>235</u>	<u>116</u>	<u>119</u>	<u>94.2</u>	<u>129.8</u>	<u>74.3</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,132</u>	<u>982</u>	<u>1,150</u>	<u>1,070</u>	<u>482</u>	<u>588</u>	<u>1,062</u>	<u>500</u>	<u>562</u>
UNDER 1	39	2	37	23	2	21	16	0	16
(NEONATAL)	28	2	26	16	2	14	12	0	12
(POSTNEONATAL)	11	0	11	7	0	7	4	0	4
1-4	3	0	3	2	0	2	1	0	1
5-9	5	0	5	1	0	1	4	0	4
10-14	8	1	7	5	0	5	3	1	2
15-24	38	13	25	20	5	15	18	8	10
25-34	67	11	56	47	10	37	20	1	19
35-44	112	23	89	69	15	54	43	8	35
45-54	225	92	133	135	62	73	90	30	60
55-64	254	94	160	158	60	98	96	34	62
65-74	369	162	207	212	107	105	157	55	102
75-84	525	314	211	254	149	105	271	165	106
85 AND OVER	487	270	217	144	72	72	343	198	145
UNKNOWN	0	0	0	0	0	0	0	0	0
2002 POPULATION:	TOTAL	249,579	WHITE	89,370	NONWHITE	160,209			

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>267</u>	<u>81</u>	<u>186</u>	<u>12.3</u>	<u>19.5</u>	<u>10.6</u>
HEART DI SEASES	74	28	46	341.8	675.7	262.8
MALI GNANT NEOPLASMS	49	19	30	226.3	458.5	171.4
CEREBROVASCULAR DI SEASE	25	7	18	115.5	168.9	102.8
ACCI DENTS	19	1	18	87.8	24.1	102.8
INFLUENZA AND PNEUMONIA	10	1	9	46.2	24.1	51.4
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	10	6	4	46.2	144.8	22.8
HOMI CIDE	10	1	9	46.2	24.1	51.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	0	7	32.3	-	40.0
SEPTI CEMI A	6	3	3	27.7	72.4	17.1
DI ABETES MELLI TUS	5	1	4	23.1	24.1	22.8
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	5	1	4	23.1	24.1	22.8
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	3	2	1	13.8	48.3	5.7
HIV DI SEASE	2	0	2	9.2	-	11.4
ALZHEI MERS DI SEASE	2	0	2	9.2	-	11.4
SUI CIDE	2	0	2	9.2	-	11.4
VI RAL HEPATI TIS	1	1	0	4.6	24.1	-
PARKI NSONS DI SEASE	1	1	0	4.6	24.1	-
AORTI C ANEURYSM AND DI SSECTI ON	1	1	0	4.6	24.1	-
PEPTI C ULCER	1	0	1	4.6	-	5.7
MATERNAL CAUSES	1	0	1	295.0	-	326.8
CONDI TIONS ORIG I N PERI NATAL PERI OD	1	0	1	3.0	-	3.3
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	1	0	1	4.6	-	5.7
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE	1	0	1	4.6	-	5.7
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	1	0	1	4.6	-	5.7
<u>ALL OTHER CAUSES</u>	<u>29</u>	<u>8</u>	<u>21</u>	<u>133.9</u>	<u>193.0</u>	<u>120.0</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>267</u>	<u>81</u>	<u>186</u>	<u>132</u>	<u>39</u>	<u>93</u>	<u>135</u>	<u>42</u>	<u>93</u>
UNDER 1	6	0	6	3	0	3	3	0	3
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	5	0	5	2	0	2	3	0	3
1-4	2	0	2	1	0	1	1	0	1
5-9	4	0	4	1	0	1	3	0	3
10-14	1	0	1	0	0	0	1	0	1
15-24	3	0	3	2	0	2	1	0	1
25-34	7	1	6	4	0	4	3	1	2
35-44	17	3	14	8	0	8	9	3	6
45-54	26	5	21	20	4	16	6	1	5
55-64	27	5	22	19	3	16	8	2	6
65-74	41	16	25	19	9	10	22	7	15
75-84	59	25	34	28	13	15	31	12	19
85 AND OVER	74	26	48	27	10	17	47	16	31
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 21,651 WHI TE 4,144 NONWHI TE 17,507

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>155</u>	<u>46</u>	<u>109</u>	<u>14.4</u>	<u>15.4</u>	<u>14.0</u>
HEART DI SEASES	45	8	37	418.6	267.2	477.0
MALI GNANT NEOPLASMS	40	17	23	372.1	567.8	296.5
CEREBROVASCULAR DI SEASE	11	3	8	102.3	100.2	103.1
ACCI DENTS	11	4	7	102.3	133.6	90.2
INFLUENZA AND PNEUMONI A	8	4	4	74.4	133.6	51.6
DIABETES MELLI TUS	3	1	2	27.9	33.4	25.8
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	3	3	0	27.9	100.2	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	27.9	-	38.7
CONDI TIONS ORIG IN PERI NATAL PERI OD	3	0	3	14.6	-	17.1
ALZHEIMERS DI SEASE	2	1	1	18.6	33.4	12.9
CHRONI C LI VER DI SEASE AND CI RRRHOSI S	2	1	1	18.6	33.4	12.9
SEPTI CEMI A	1	0	1	9.3	-	12.9
VI RAL HEPATI TIS	1	1	0	9.3	33.4	-
HIV DI SEASE	1	0	1	9.3	-	12.9
IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	0	1	9.3	-	12.9
PEPTI C ULCER	1	0	1	9.3	-	12.9
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	4	1	3	37.2	33.4	38.7
<u>ALL OTHER CAUSES</u>	<u>15</u>	<u>2</u>	<u>13</u>	<u>139.5</u>	<u>66.8</u>	<u>167.6</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDI TIONS ORIG IN PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>155</u>	<u>46</u>	<u>109</u>	<u>70</u>	<u>19</u>	<u>51</u>	<u>85</u>	<u>27</u>	<u>58</u>
UNDER 1	5	0	5	1	0	1	4	0	4
(NEONATAL)	5	0	5	1	0	1	4	0	4
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	4	0	4	1	0	1	3	0	3
35-44	6	2	4	6	2	4	0	0	0
45-54	18	2	16	10	1	9	8	1	7
55-64	22	8	14	14	6	8	8	2	6
65-74	27	12	15	9	3	6	18	9	9
75-84	33	10	23	12	3	9	21	7	14
85 AND OVER	35	11	24	13	3	10	22	8	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 10,750 WHI TE 2,994 NONWHI TE 7,756

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>13</u>	<u>8</u>	<u>5</u>	<u>5.9</u>	<u>10.0</u>	<u>3.6</u>
HEART DISEASES	6	3	3	273.5	375.9	214.9
MALIGNANT NEOPLASMS	3	3	0	136.7	375.9	-
ACCIDENTS	2	1	1	91.2	125.3	71.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	45.6	125.3	-
DIABETES MELLITUS	1	0	1	45.6	-	71.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	0	0	0	-	-	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>13</u>	<u>8</u>	<u>5</u>	<u>8</u>	<u>6</u>	<u>2</u>	<u>5</u>	<u>2</u>	<u>3</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	5	4	1	4	3	1	1	1	0
65-74	0	0	0	0	0	0	0	0	0
75-84	5	3	2	2	2	0	3	1	2
85 AND OVER	3	1	2	2	1	1	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 2,194 WHITE 798 NONWHITE 1,396

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>267</u>	<u>256</u>	<u>11</u>	<u>11.6</u>	<u>12.0</u>	<u>6.6</u>
HEART DI SEASES	81	77	4	352.6	361.4	240.1
MALI GNANT NEOPLASMS	57	54	3	248.1	253.4	180.1
CEREBROVASCULAR DI SEASE	31	30	1	134.9	140.8	60.0
EMPHYSEMA AND OTHER CHRONI C LOWER RESPIRATORY DI SEASES	17	17	0	74.0	79.8	-
ACCI DENTS	13	12	1	56.6	56.3	60.0
ALZHEIMERS DI SEASE	8	8	0	34.8	37.5	-
I NFLUENZA AND PNEUMONI A	8	8	0	34.8	37.5	-
DI ABETES MELLI TUS	7	7	0	30.5	32.8	-
SUI CI DE	5	5	0	21.8	23.5	-
NEPHRI TIS, NEPHROTI C SYND, NEPHROSI S	4	4	0	17.4	18.8	-
SEPTI CEMI A	3	3	0	13.0	14.1	-
AORTI C ANEURYSM AND DI SSECTION	2	2	0	8.7	9.4	-
CHRONI C LI VER DI SEASE AND CI RRHO SI S	2	2	0	8.7	9.4	-
CONDI TIONS ORI G I N PERI NATAL PERI OD	2	0	2	7.6	-	76.9
SALMONELLA I NFECTION	1	1	0	4.4	4.7	-
VI RAL HEPATI TI S	1	1	0	4.4	4.7	-
I N SI TU, BENI GN & UNSPECI FI ED NEOPLASMS	1	1	0	4.4	4.7	-
PARKI NSONS DI SEASE	1	1	0	4.4	4.7	-
PNEUMONI TI S DUE TO SOLI DS & LI QUI DS	1	1	0	4.4	4.7	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	2	2	0	8.7	9.4	-
ALL OTH ER CAUSES	20	20	0	87.0	93.8	-

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>267</u>	<u>256</u>	<u>11</u>	<u>126</u>	<u>120</u>	<u>6</u>	<u>141</u>	<u>136</u>	<u>5</u>
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	2	2	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	5	0	4	4	0	1	1	0
35-44	12	12	0	9	9	0	3	3	0
45-54	16	16	0	10	10	0	6	6	0
55-64	33	32	1	19	18	1	14	14	0
65-74	49	48	1	28	27	1	21	21	0
75-84	67	64	3	27	27	0	40	37	3
85 AND OVER	80	76	4	25	22	3	55	54	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 22,975 WHI TE 21,309 NONWHI TE 1,666

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>1, 193</u>	<u>969</u>	<u>224</u>	<u>9.0</u>	<u>9.7</u>	<u>6.7</u>
HEART DISEASES	310	245	65	232.6	245.3	194.8
MALIG NANT NEOPLASMS	263	224	39	197.4	224.2	116.9
CEREBROVASCULAR DISEASE	101	82	19	75.8	82.1	56.9
ACCIDENTS	86	71	15	64.5	71.1	45.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	72	66	6	54.0	66.1	18.0
ALZHEIMERS DISEASE	34	32	2	25.5	32.0	6.0
INFLUENZA AND PNEUMONIA	26	21	5	19.5	21.0	15.0
SUICIDE	26	24	2	19.5	24.0	6.0
SEPTICEMIA	19	13	6	14.2	13.0	18.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	10	4	10.5	10.0	12.0
HOMICIDE	14	6	8	10.5	6.0	24.0
DIABETES MELLITUS	12	7	5	9.0	7.0	15.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	10	0	7.5	10.0	-
CONDITIONS ORIGIN PERINATAL PERIOD	8	5	3	4.4	3.9	5.6
ATHEROSCLEROSIS	7	7	0	5.2	7.0	-
AORTIC ANEURYSM AND DISSECTION	6	5	1	4.5	5.0	3.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	3	3	4.5	3.0	9.0
HIV DISEASE	5	1	4	3.8	1.0	12.0
PARKINSONS DISEASE	5	5	0	3.8	5.0	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	4	1	3.8	4.0	3.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	5	0	3.8	5.0	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	3	3	0	2.2	3.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	3	2	1	2.2	2.0	3.0
NEOPLASMS	2	2	0	1.5	2.0	-
ANEMIAS	1	0	1	0.8	-	3.0
HERNIA	1	0	1	0.8	-	3.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	13	9	4	9.8	9.0	12.0
ALL OTHER CAUSES	136	107	29	102.0	107.1	86.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL</u>	<u>1, 193</u>	<u>969</u>	<u>224</u>	<u>607</u>	<u>493</u>	<u>114</u>	<u>586</u>	<u>476</u>	<u>110</u>
UNDER 1	13	7	6	5	3	2	8	4	4
(NEONATAL)	9	5	4	4	2	2	5	3	2
(POSTNEONATAL)	4	2	2	1	1	0	3	1	2
1-4	2	2	0	1	1	0	1	1	0
5-9	3	1	2	2	1	1	1	0	1
10-14	5	3	2	3	3	0	2	0	2
15-24	23	14	9	19	11	8	4	3	1
25-34	38	25	13	23	15	8	15	10	5
35-44	58	46	12	39	30	9	19	16	3
45-54	99	70	29	51	34	17	48	36	12
55-64	157	120	37	95	76	19	62	44	18
65-74	258	218	40	163	140	23	95	78	17
75-84	317	276	41	152	133	19	165	143	22
85 AND OVER	220	187	33	54	46	8	166	141	25
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 133,259 WHI TE 99,893 NONWHI TE 33,366

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>187</u>	<u>100</u>	<u>87</u>	<u>10.2</u>	<u>11.8</u>	<u>8.8</u>
HEART DI SEASES	72	44	28	393.7	521.8	284.2
MALI GNANT NEOPLASMS	34	15	19	185.9	177.9	192.8
ACCI DENTS	17	7	10	93.0	83.0	101.5
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	12	3	9	65.6	35.6	91.3
CEREBROVASCULAR DI SEASE	11	7	4	60.2	83.0	40.6
SEPTI CEMI A	7	3	4	38.3	35.6	40.6
I NFLUENZA AND PNEUMONI A	6	4	2	32.8	47.4	20.3
DI ABETES MELLI TUS	3	3	0	16.4	35.6	-
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	3	2	1	16.4	23.7	10.1
ALZHEIMERS DI SEASE	2	1	1	10.9	11.8	10.1
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TI ES	2	1	1	10.9	11.8	10.1
SUI CI DE	2	2	0	10.9	23.7	-
HOMI CI DE	2	0	2	10.9	-	20.3
ATHEROSCLEROSI S	1	0	1	5.5	-	10.1
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	1	0	1	5.5	-	10.1
COMPLI CATIONS MEDI CAL/SURGI CAL CARE	1	0	1	5.5	-	10.1
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	0	0	0	-	-	-
<u>ALL OTHER CAUSES</u>	<u>11</u>	<u>8</u>	<u>3</u>	<u>60.2</u>	<u>94.9</u>	<u>30.4</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>187</u>	<u>100</u>	<u>87</u>	<u>95</u>	<u>47</u>	<u>48</u>	<u>92</u>	<u>53</u>	<u>39</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	0	0	0	1	1	0
15-24	5	3	2	2	1	1	3	2	1
25-34	3	1	2	3	1	2	0	0	0
35-44	8	4	4	4	2	2	4	2	2
45-54	14	7	7	10	7	3	4	0	4
55-64	23	8	15	15	3	12	8	5	3
65-74	35	21	14	22	12	10	13	9	4
75-84	39	19	20	24	13	11	15	6	9
85 AND OVER	57	35	22	15	8	7	42	27	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 18,286 WHI TE 8,433 NONWHI TE 9,853

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>91</u>	<u>17</u>	<u>74</u>	<u>9.4</u>	<u>13.2</u>	<u>8.8</u>
MALIGNANT NEOPLASMS	27	4	23	279.5	309.8	274.8
HEART DISEASES	27	6	21	279.5	464.8	250.9
DIABETES MELLITUS	6	0	6	62.1	-	71.7
CEREBROVASCULAR DISEASE	5	2	3	51.8	154.9	35.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	0	4	41.4	-	47.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	41.4	77.4	35.8
ACCIDENTS	4	1	3	41.4	77.4	35.8
INFLUENZA AND PNEUMONIA IN SITU, BENIGN & UNSPECIFIED	2	1	1	20.7	77.4	11.9
NEOPLASMS	1	0	1	10.4	-	11.9
PARKINSONS DISEASE	1	0	1	10.4	-	11.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.4	-	11.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	10.4	77.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	31.0	77.4	23.9
ALL OTHER CAUSES	5	0	5	51.8	-	59.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>91</u>	<u>17</u>	<u>74</u>	<u>40</u>	<u>10</u>	<u>30</u>	<u>51</u>	<u>7</u>	<u>44</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	2	0	2	0	0	0	2	0	2
35-44	3	0	3	1	0	1	2	0	2
45-54	7	3	4	6	3	3	1	0	1
55-64	19	3	16	11	3	8	8	0	8
65-74	15	1	14	8	0	8	7	1	6
75-84	24	6	18	8	3	5	16	3	13
85 AND OVER	19	3	16	6	1	5	13	2	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 9,661 WHITE 1,291 NONWHITE 8,370

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>129</u>	<u>58</u>	<u>71</u>	<u>9.5</u>	<u>10.3</u>	<u>9.0</u>
HEART DI SEASES	51	21	30	377.2	371.7	381.1
MALI GNANT NEOPLASMS	17	9	8	125.7	159.3	101.6
ACCI DENTS	13	7	6	96.1	123.9	76.2
CEREBROVASCULAR DI SEASE	11	4	7	81.4	70.8	88.9
SEPTI CEMI A	6	2	4	44.4	35.4	50.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	4	3	1	29.6	53.1	12.7
I NFLUENZA AND PNEUMONI A	3	3	0	22.2	53.1	-
SUI CI DE	3	1	2	22.2	17.7	25.4
PARKI NSONS DI SEASE	2	2	0	14.8	35.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	14.8	-	25.4
DI ABETES MELLI TUS	1	0	1	7.4	-	12.7
ALZHEI MERS DI SEASE	1	1	0	7.4	17.7	-
PNEUMONI TIS DUE TO SOLIDS & LI QUI DS	1	0	1	7.4	-	12.7
NEPHRI TIS, NEPHROTIC SYND, NEPHROSI S	1	0	1	7.4	-	12.7
CONDI TIONS ORIG IN PERI NATAL PERIOD	1	0	1	6.4	-	10.1
CONGENI TAL MALFORMATIONS AND CHROMOSOMAL ABNORMALI TIES	1	1	0	7.4	17.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	1	0	1	7.4	-	12.7
<u>ALL OTHER CAUSES</u>	<u>10</u>	<u>4</u>	<u>6</u>	<u>74.0</u>	<u>70.8</u>	<u>76.2</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDI TIONS ORIG IN PERI NATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>129</u>	<u>58</u>	<u>71</u>	<u>68</u>	<u>28</u>	<u>40</u>	<u>61</u>	<u>30</u>	<u>31</u>
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	3	1	2	3	1	2	0	0	0
35-44	7	2	5	6	2	4	1	0	1
45-54	8	3	5	6	2	4	2	1	1
55-64	16	5	11	8	2	6	8	3	5
65-74	31	10	21	22	6	16	9	4	5
75-84	23	10	13	9	5	4	14	5	9
85 AND OVER	37	24	13	11	8	3	26	16	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 13,521 WHI TE 5,649 NONWHI TE 7,872

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>678</u>	<u>525</u>	<u>153</u>	<u>10.4</u>	<u>11.2</u>	<u>8.4</u>
HEART DISEASES	211	165	46	324.4	352.7	251.8
MALIG NANT NEOPLASMS	152	117	35	233.6	250.1	191.6
ACCI DENTS	40	29	11	61.5	62.0	60.2
CEREBROVASCULAR DISEASE	37	28	9	56.9	59.8	49.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	29	26	3	44.6	55.6	16.4
INFLUENZA AND PNEUMONIA	28	26	2	43.0	55.6	10.9
SEPTI CEMIA	21	14	7	32.3	29.9	38.3
DIABETES MELLITUS	15	11	4	23.0	23.5	21.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	9	4	20.0	19.2	21.9
ALZHEIMERS DISEASE	11	8	3	16.9	17.1	16.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	5	2	10.8	10.7	10.9
HYPERTENSION/HYPERTENSIVE RENAL DZ CONDITIONS ORIG IN PERINATAL PERIOD	6	4	2	9.2	8.6	10.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	6	2	4	6.2	3.3	11.4
SUI CI DE	4	2	2	6.1	4.3	10.9
PARKINSONS DISEASE	4	4	0	6.1	8.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	4.6	6.4	-
HOMI CI DE	3	1	2	4.6	2.1	10.9
AORTIC ANEURYSM AND DISSECTION	2	1	1	3.1	2.1	5.5
TUBERCULOSIS	1	0	1	1.5	-	5.5
HIV DISEASE	1	0	1	1.5	-	5.5
ANEMIAS	1	0	1	1.5	-	5.5
MALNUTRI TI ON/NUTRI TIONAL DEFICIENCY	1	1	0	1.5	2.1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	1.5	2.1	-
PEPTIC ULCER	1	1	0	1.5	2.1	-
HERNIA	1	1	0	1.5	2.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.5	2.1	-
COMPLI CATIONS MEDICAL/SURGICAL CARE	1	1	0	1.5	2.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	7	0	10.8	15.0	-
ALL OTHER CAUSES	67	54	13	103.0	115.4	71.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>678</u>	<u>525</u>	<u>153</u>	<u>306</u>	<u>238</u>	<u>68</u>	<u>372</u>	<u>287</u>	<u>85</u>
UNDER 1	10	5	5	6	3	3	4	2	2
(NEONATAL)	5	2	3	2	1	1	3	1	2
(POSTNEONATAL)	5	3	2	4	2	2	1	1	0
1-4	3	2	1	0	0	0	3	2	1
5-9	3	0	3	2	0	2	1	0	1
10-14	1	0	1	0	0	0	1	0	1
15-24	13	10	3	11	10	1	2	0	2
25-34	13	11	2	7	6	1	6	5	1
35-44	22	13	9	16	9	7	6	4	2
45-54	63	45	18	27	20	7	36	25	11
55-64	65	49	16	41	29	12	24	20	4
65-74	128	100	28	68	56	12	60	44	16
75-84	204	165	39	83	66	17	121	99	22
85 AND OVER	153	125	28	45	39	6	108	86	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 65,053 WHI TE 46,784 NONWHI TE 18,269

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>114</u>	<u>66</u>	<u>48</u>	<u>10.8</u>	<u>16.2</u>	<u>7.4</u>
HEART DI SEASES	44	29	15	415.3	711.5	230.1
MALI GNANT NEOPLASMS	18	10	8	169.9	245.3	122.7
ACCI DENTS	11	5	6	103.8	122.7	92.0
CEREBROVASCULAR DI SEASE	8	3	5	75.5	73.6	76.7
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	56.6	73.6	46.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	3	3	0	28.3	73.6	-
SEPTI CEMI A	2	1	1	18.9	24.5	15.3
DI ABETES MELLI TUS	2	0	2	18.9	-	30.7
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	2	2	0	18.9	49.1	-
ANEMI AS	1	1	0	9.4	24.5	-
ALZHEI MERS DI SEASE	1	1	0	9.4	24.5	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	1	0	1	9.4	-	15.3
I NFLUENZA AND PNEUMONI A	1	1	0	9.4	24.5	-
CHOLELI THI ASI S/GALLBLADDER DI SORDER	1	0	1	9.4	-	15.3
CONDI TIONS ORIG IN PERI NATAL PERI OD	1	1	0	7.3	27.0	-
HOMI CI DE	1	0	1	9.4	-	15.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	2	2	0	18.9	49.1	-
<u>ALL OTHER CAUSES</u>	<u>9</u>	<u>4</u>	<u>5</u>	<u>84.9</u>	<u>98.1</u>	<u>76.7</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDI TIONS ORIG IN PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>114</u>	<u>66</u>	<u>48</u>	<u>53</u>	<u>32</u>	<u>21</u>	<u>61</u>	<u>34</u>	<u>27</u>
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	3	1	2	2	0	2	1	1	0
35-44	4	2	2	2	1	1	2	1	1
45-54	10	2	8	7	2	5	3	0	3
55-64	9	7	2	6	6	0	3	1	2
65-74	18	9	9	11	6	5	7	3	4
75-84	29	22	7	14	11	3	15	11	4
85 AND OVER	38	22	16	10	6	4	28	16	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 10,595 WHI TE 4,076 NONWHI TE 6,519

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>343</u>	<u>249</u>	<u>94</u>	<u>8.7</u>	<u>8.7</u>	<u>8.5</u>
HEART DISEASES	97	82	15	245.4	287.8	136.0
MALIGNANT NEOPLASMS	70	47	23	177.1	164.9	208.5
ALZHEIMERS DISEASE	24	19	5	60.7	66.7	45.3
CEREBROVASCULAR DISEASE	18	11	7	45.5	38.6	63.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	14	4	45.5	49.1	36.3
ACCIDENTS	15	9	6	38.0	31.6	54.4
INFLUENZA AND PNEUMONIA	14	12	2	35.4	42.1	18.1
DIABETES MELLITUS	10	5	5	25.3	17.5	45.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	5	1	15.2	17.5	9.1
CONDITIONS ORIGIN PERINATAL PERIOD	5	2	3	10.4	6.8	16.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	10.1	10.5	9.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	7.6	7.0	9.1
HOMICIDE	3	1	2	7.6	3.5	18.1
SEPTICEMIA	2	1	1	5.1	3.5	9.1
HIV DISEASE	2	1	1	5.1	3.5	9.1
PARKINSONS DISEASE	2	2	0	5.1	7.0	-
SUICIDE	2	1	1	5.1	3.5	9.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.5	3.5	-
ANEMIAS	1	1	0	2.5	3.5	-
ATHEROSCLEROSIS	1	1	0	2.5	3.5	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.5	3.5	-
DISEASES OF APPENDIX	1	1	0	2.5	3.5	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	2.5	-	9.1
INFECTIONS OF KIDNEY	1	1	0	2.5	3.5	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.5	3.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	5.1	-	18.1
ALL OTHER CAUSES	38	25	13	96.1	87.7	117.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>343</u>	<u>249</u>	<u>94</u>	<u>179</u>	<u>133</u>	<u>46</u>	<u>164</u>	<u>116</u>	<u>48</u>
UNDER 1	7	3	4	3	1	2	4	2	2
(NEONATAL)	7	3	4	3	1	2	4	2	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	2	2	2	1	1	2	1	1
25-34	8	2	6	7	2	5	1	0	1
35-44	13	6	7	8	2	6	5	4	1
45-54	22	13	9	13	10	3	9	3	6
55-64	31	22	9	16	12	4	15	10	5
65-74	52	38	14	33	24	9	19	14	5
75-84	99	81	18	50	43	7	49	38	11
85 AND OVER	105	82	23	45	38	7	60	44	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 39,524 WHITE 28,494 NONWHITE 11,030

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>315</u>	<u>283</u>	<u>32</u>	<u>7.6</u>	<u>8.1</u>	<u>5.2</u>
HEART DI SEASES	97	85	12	235.6	242.6	195.5
MALI GNANT NEOPLASMS	69	64	5	167.6	182.7	81.5
CEREBROVASCULAR DI SEASE	29	24	5	70.4	68.5	81.5
ACCIDENTS	22	20	2	53.4	57.1	32.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DI SEASES	10	10	0	24.3	28.5	-
SEPTI CEMI A	7	7	0	17.0	20.0	-
DI ABETES MELLI TUS	7	5	2	17.0	14.3	32.6
ALZHEI MERS DI SEASE	7	7	0	17.0	20.0	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	6	6	0	14.6	17.1	-
CHRONIC LIVER DI SEASE AND CIRRHOSIS	4	4	0	9.7	11.4	-
HIV DI SEASE	3	3	0	7.3	8.6	-
AORTIC ANEURYSM AND DI SSECTION	3	3	0	7.3	8.6	-
PNEUMONI TIS DUE TO SOLIDS & LI QUI DS	3	2	1	7.3	5.7	16.3
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	3	3	0	7.3	8.6	-
SUI CI DE	3	3	0	7.3	8.6	-
I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	2	1	1	4.8	2.8	16.3
PARKI NSONS DI SEASE	2	2	0	4.8	5.7	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	2	2	0	4.8	5.7	-
CONDI TIONS ORIG I N PERI NATAL PERI OD	2	2	0	3.2	3.8	-
ANEMI AS	1	1	0	2.4	2.8	-
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	1	0	2.4	2.8	-
PNEUMOCO NI OSES & CHEMI CAL EFFECTS	1	1	0	2.4	2.8	-
PEPTI C ULCER	1	1	0	2.4	2.8	-
I NFECTI ONS OF KI DNEY	1	1	0	2.4	2.8	-
HOMI CI DE	1	1	0	2.4	2.8	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	3	3	0	7.3	8.6	-
<u>ALL OTHER CAUSES</u>	<u>25</u>	<u>21</u>	<u>4</u>	<u>60.7</u>	<u>60.0</u>	<u>65.2</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>315</u>	<u>283</u>	<u>32</u>	<u>147</u>	<u>139</u>	<u>8</u>	<u>168</u>	<u>144</u>	<u>24</u>
UNDER 1	6	6	0	6	6	0	0	0	0
(NEONATAL)	3	3	0	3	3	0	0	0	0
(POSTNEONATAL)	3	3	0	3	3	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	6	6	0	4	4	0	2	2	0
25-34	6	5	1	4	3	1	2	2	0
35-44	10	9	1	7	6	1	3	3	0
45-54	22	18	4	9	8	1	13	10	3
55-64	32	30	2	20	20	0	12	10	2
65-74	72	65	7	42	39	3	30	26	4
75-84	83	72	11	29	27	2	54	45	9
85 AND OVER	76	70	6	26	26	0	50	44	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 41,167 WHI TE 35,029 NONWHI TE 6,138

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>987</u>	<u>678</u>	<u>309</u>	<u>12.7</u>	<u>14.7</u>	<u>9.8</u>
HEART DISEASES	315	224	91	405.9	486.1	288.7
MALIGNANT NEOPLASMS	197	132	65	253.9	286.4	206.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	60	49	11	77.3	106.3	34.9
CEREBROVASCULAR DISEASE	57	43	14	73.4	93.3	44.4
ALZHEIMERS DISEASE	55	45	10	70.9	97.6	31.7
ACCIDENTS	29	21	8	37.4	45.6	25.4
INFLUENZA AND PNEUMONIA	24	11	13	30.9	23.9	41.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	24	5	19	30.9	10.8	60.3
DIABETES MELLITUS	23	10	13	29.6	21.7	41.2
HIV DISEASE	14	3	11	18.0	6.5	34.9
SEPTICEMIA	11	7	4	14.2	15.2	12.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	11	11	0	14.2	23.9	-
SUICIDE	10	10	0	12.9	21.7	-
HOMICIDE	10	5	5	12.9	10.8	15.9
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	7	6	1	9.0	13.0	3.2
PARKINSONS DISEASE	6	4	2	7.7	8.7	6.3
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1	5.2	6.5	3.2
VIRAL HEPATITIS	4	2	2	3.5	3.3	3.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	3	0	3.9	6.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	3.9	4.3	3.2
AORTIC ANEURYSM AND DISSECTION	3	3	0	3.9	6.5	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	3.9	6.5	-
ANEMIAS	1	0	1	1.3	-	3.2
MENINGITIS	1	0	1	1.3	-	3.2
PEPTIC ULCER	1	1	0	1.3	2.2	-
MATERNAL CAUSES	1	0	1	87.0	-	183.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	2.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	26	16	10	33.5	34.7	31.7
ALL OTHER CAUSES	80	55	25	103.1	119.3	79.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>987</u>	<u>678</u>	<u>309</u>	<u>473</u>	<u>326</u>	<u>147</u>	<u>514</u>	<u>352</u>	<u>162</u>
UNDER 1	9	4	5	3	2	1	6	2	4
(Neonatal)	4	3	1	1	1	0	3	2	1
(Postneonatal)	5	1	4	2	1	1	3	0	3
1-4	1	1	0	1	1	0	0	0	0
5-9	3	2	1	2	2	0	1	0	1
10-14	2	2	0	2	2	0	0	0	0
15-24	18	10	8	15	9	6	3	1	2
25-34	19	7	12	9	4	5	10	3	7
35-44	39	16	23	25	12	13	14	4	10
45-54	69	36	33	42	24	18	27	12	15
55-64	124	76	48	79	50	29	45	26	19
65-74	159	111	48	90	65	25	69	46	23
75-84	285	218	67	120	95	25	165	123	42
85 AND OVER	259	195	64	85	60	25	174	135	39
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 77,600 WHI TE 46,084 NONWHI TE 31,516

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>147</u>	<u>93</u>	<u>54</u>	<u>10.9</u>	<u>10.3</u>	<u>12.2</u>
HEART DI SEASES	46	33	13	342.0	365.1	294.8
MALI GNANT NEOPLASMS	34	18	16	252.8	199.2	362.8
CEREBROVASCULAR DI SEASE	8	1	7	59.5	11.1	158.7
ACCI DENTS	6	4	2	44.6	44.2	45.4
DI ABETES MELLI TUS	5	3	2	37.2	33.2	45.4
ALZHEIMERS DI SEASE	4	3	1	29.7	33.2	22.7
INFLUENZA AND PNEUMONIA	4	2	2	29.7	22.1	45.4
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	4	4	0	29.7	44.2	-
SUI CI DE	4	2	2	29.7	22.1	45.4
AORTI C ANEURYSM AND DI SSECTION	3	2	1	22.3	22.1	22.7
HOMI CI DE	2	0	2	14.9	-	45.4
SEPTI CEMI A	1	1	0	7.4	11.1	-
PARKI NSONS DI SEASE	1	1	0	7.4	11.1	-
ATHEROSCLEROSI S	1	1	0	7.4	11.1	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	1	0	1	7.4	-	22.7
CHRONI C LI VER DI SEASE AND CI RRHOSI S	1	1	0	7.4	11.1	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	7.4	-	22.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	3	2	1	22.3	22.1	22.7
<u>ALL OTHER CAUSES</u>	<u>18</u>	<u>15</u>	<u>3</u>	<u>133.8</u>	<u>166.0</u>	<u>68.0</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>147</u>	<u>93</u>	<u>54</u>	<u>66</u>	<u>38</u>	<u>28</u>	<u>81</u>	<u>55</u>	<u>26</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	5	3	2	4	2	2	1	1	0
35-44	4	2	2	1	1	0	3	1	2
45-54	12	6	6	6	2	4	6	4	2
55-64	17	9	8	11	7	4	6	2	4
65-74	28	19	9	12	8	4	16	11	5
75-84	43	26	17	24	14	10	19	12	7
85 AND OVER	34	27	7	5	3	2	29	24	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 13,448 WHI TE 9,038 NONWHI TE 4,410

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>264</u>	<u>169</u>	<u>95</u>	<u>12.2</u>	<u>13.8</u>	<u>10.2</u>
HEART DI SEASES	76	51	25	352.8	416.1	269.3
MALI GNANT NEOPLASMS	51	30	21	236.8	244.8	226.2
ACCI DENTS	24	12	12	111.4	97.9	129.2
CEREBROVASCULAR DI SEASE	17	13	4	78.9	106.1	43.1
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	12	10	2	55.7	81.6	21.5
SEPTI CEM I A	8	3	5	37.1	24.5	53.8
NEPHRI TIS, NEPHROTI C SYND, NEPHROSI S	8	3	5	37.1	24.5	53.8
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	6	4	2	27.8	32.6	21.5
CHRONI C LI VER DI SEASE AND CI RRHO SI S	6	4	2	27.8	32.6	21.5
ALZHEI MERS DI SEASE	4	3	1	18.6	24.5	10.8
I NFLUENZA AND PNEUMONI A	4	4	0	18.6	32.6	-
CONDI TIONS ORI G I N PERI NATAL PERI OD	4	4	0	11.5	21.4	-
PARKI NSONS DI SEASE	3	3	0	13.9	24.5	-
AORTI C ANEURYSM AND DI SSECTI ON	2	2	0	9.3	16.3	-
SUI CI DE	2	2	0	9.3	16.3	-
I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	0	1	4.6	-	10.8
ANEMI AS	1	0	1	4.6	-	10.8
DI ABETES MELLI TUS	1	1	0	4.6	8.2	-
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	1	0	4.6	8.2	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	1	0	1	4.6	-	10.8
HOMI CI DE	1	0	1	4.6	-	10.8
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE	1	1	0	4.6	8.2	-
--- NOT I NCLUDED I N RANKI NG --- SYMPTOMS, SI GNS, I LL-DEFI NED	6	5	1	27.8	40.8	10.8
<u>ALL OTHER CAUSES</u>	<u>24</u>	<u>13</u>	<u>11</u>	<u>111.4</u>	<u>106.1</u>	<u>118.5</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>264</u>	<u>169</u>	<u>95</u>	<u>149</u>	<u>94</u>	<u>55</u>	<u>115</u>	<u>75</u>	<u>40</u>
UNDER 1	6	6	0	3	3	0	3	3	0
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	3	3	0	1	1	0	2	2	0
1-4	3	2	1	2	1	1	1	1	0
5-9	2	0	2	0	0	0	2	0	2
10-14	1	0	1	0	0	0	1	0	1
15-24	7	4	3	4	1	3	3	3	0
25-34	3	1	2	2	1	1	1	0	1
35-44	11	5	6	5	3	2	6	2	4
45-54	21	9	12	14	7	7	7	2	5
55-64	42	28	14	31	21	10	11	7	4
65-74	46	30	16	32	21	11	14	9	5
75-84	68	47	21	35	22	13	33	25	8
85 AND OVER	54	37	17	21	14	7	33	23	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 21,540 WHI TE 12,256 NONWHI TE 9,284

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>765</u>	<u>600</u>	<u>165</u>	<u>9.9</u>	<u>10.6</u>	<u>7.9</u>
HEART DISEASES	248	198	50	321.2	351.6	239.1
MALIG NANT NEOPLASMS	151	120	31	195.5	213.1	148.2
CEREBROVASCULAR DISEASE	59	45	14	76.4	79.9	66.9
ACCIDENTS	54	43	11	69.9	76.4	52.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	28	26	2	36.3	46.2	9.6
ALZHEIMERS DISEASE	22	21	1	28.5	37.3	4.8
INFLUENZA AND PNEUMONIA	22	16	6	28.5	28.4	28.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	15	11	4	19.4	19.5	19.1
DIABETES MELLITUS	13	9	4	16.8	16.0	19.1
SUICIDE	12	11	1	15.5	19.5	4.8
SEPTICEMIA	10	10	0	13.0	17.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	4	3	9.1	7.1	14.3
CONDITIONS ORIGIN PERINATAL PERIOD	7	1	6	6.0	1.3	16.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	4	2	7.8	7.1	9.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	2	4	7.8	3.6	19.1
ANEMIAS	4	3	1	5.2	5.3	4.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	5.2	5.3	4.8
HOMICIDE	4	3	1	5.2	5.3	4.8
VIRAL HEPATITIS	3	3	0	3.9	5.3	-
PARKINSONS DISEASE	3	3	0	3.9	5.3	-
HIV DISEASE	2	0	2	2.6	-	9.6
AORTIC ANEURYSM AND DISSECTION	2	2	0	2.6	3.6	-
TUBERCULOSIS	1	1	0	1.3	1.8	-
VIRAL ENCEPHALITIS	1	1	0	1.3	1.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	1.3	-	4.8
ATHEROSCLEROSIS	1	1	0	1.3	1.8	-
PEPTIC ULCER	1	1	0	1.3	1.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	5	2	9.1	8.9	9.6
ALL OTHER CAUSES	71	53	18	91.9	94.1	86.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>765</u>	<u>600</u>	<u>165</u>	<u>353</u>	<u>275</u>	<u>78</u>	<u>412</u>	<u>325</u>	<u>87</u>
UNDER 1	19	9	10	10	5	5	9	4	5
(Neonatal)	12	4	8	6	2	4	6	2	4
(Postneonatal)	7	5	2	4	3	1	3	2	1
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	1	0	1	1	0	0	0	0
15-24	7	5	2	4	3	1	3	2	1
25-34	22	11	11	13	7	6	9	4	5
35-44	38	29	9	17	13	4	21	16	5
45-54	62	40	22	42	29	13	20	11	9
55-64	75	57	18	43	35	8	32	22	10
65-74	122	89	33	70	54	16	52	35	17
75-84	194	168	26	86	73	13	108	95	13
85 AND OVER	223	190	33	66	54	12	157	136	21
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 77,220 WHI TE 56,306 NONWHI TE 20,914

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>437</u>	<u>195</u>	<u>242</u>	<u>11.8</u>	<u>17.9</u>	<u>9.2</u>
HEART DI SEASES	158	75	83	425.9	688.1	316.8
MALI GNANT NEOPLASMS	81	34	47	218.3	311.9	179.4
CEREBROVASCULAR DI SEASE	31	16	15	83.6	146.8	57.2
INFLUENZA AND PNEUMONIA	27	13	14	72.8	119.3	53.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	25	15	10	67.4	137.6	38.2
ACCI DENTS	19	7	12	51.2	64.2	45.8
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	8	2	6	21.6	18.3	22.9
DI ABETES MELLI TUS	6	2	4	16.2	18.3	15.3
HOMI CIDE	6	0	6	16.2	-	22.9
CONDI TIONS ORIG IN PERINATAL PERIOD	5	0	5	8.4	-	11.1
SEPTI CEMIA	4	1	3	10.8	9.2	11.4
ALZHEI MERS DI SEASE	3	2	1	8.1	18.3	3.8
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	3	1	2	8.1	9.2	7.6
SUI CIDE	3	2	1	8.1	18.3	3.8
HIV DI SEASE	2	0	2	5.4	-	7.6
PEPTI C ULCER	2	1	1	5.4	9.2	3.8
VIRAL ENCEPHALI TIS	1	1	0	2.7	9.2	-
IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	2.7	9.2	-
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	0	1	2.7	-	3.8
PARKI NSONS DI SEASE	1	0	1	2.7	-	3.8
ATHEROSCLEROSI S	1	1	0	2.7	9.2	-
AORTI C ANEURYSM AND DI SSECTI ON	1	1	0	2.7	9.2	-
HERNI A	1	1	0	2.7	9.2	-
CHRONI C LIVER DI SEASE AND CI RRHOSI S	1	1	0	2.7	9.2	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	1	0	1	2.7	-	3.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	7	2	5	18.9	18.3	19.1
<u>ALL OTHER CAUSES</u>	<u>38</u>	<u>16</u>	<u>22</u>	<u>102.4</u>	<u>146.8</u>	<u>84.0</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>437</u>	<u>195</u>	<u>242</u>	<u>198</u>	<u>76</u>	<u>122</u>	<u>239</u>	<u>119</u>	<u>120</u>
UNDER 1	9	0	9	5	0	5	4	0	4
(NEONATAL)	6	0	6	3	0	3	3	0	3
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	2	0	2	2	0	2	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	1	6	6	0	6	1	1	0
25-34	7	1	6	7	1	6	0	0	0
35-44	20	4	16	9	2	7	11	2	9
45-54	29	11	18	21	8	13	8	3	5
55-64	47	10	37	27	5	22	20	5	15
65-74	74	37	37	45	22	23	29	15	14
75-84	109	60	49	39	23	16	70	37	33
85 AND OVER	131	71	60	35	15	20	96	56	40
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 37,099 WHI TE 10,900 NONWHI TE 26,199

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>349</u>	<u>251</u>	<u>98</u>	<u>10.4</u>	<u>10.9</u>	<u>9.4</u>
HEART DI SEASES	95	72	23	284.0	312.2	221.5
MALI GNANT NEOPLASMS	68	45	23	203.3	195.1	221.5
EMPHYSEMA AND OTHER CHRONI C LOWER RESPIRATORY DI SEASES	27	24	3	80.7	104.0	28.9
ACCI DENTS	23	14	9	68.8	60.7	86.7
CEREBROVASCULAR DI SEASE	20	14	6	59.8	60.7	57.8
DI ABETES MELLI TUS	18	11	7	53.8	47.7	67.4
I NFLUENZA AND PNEUMONI A	15	12	3	44.8	52.0	28.9
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	14	7	7	41.8	30.3	67.4
ALZHEI MERS DI SEASE	6	6	0	17.9	26.0	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	6	4	2	17.9	17.3	19.3
SEPTI CEMI A	3	3	0	9.0	13.0	-
PARKI NSONS DI SEASE	3	3	0	9.0	13.0	-
CHRONI C LI VER DI SEASE AND CI RRHOSI S	3	3	0	9.0	13.0	-
SUI CI DE	3	2	1	9.0	8.7	9.6
VI RAL HEPATI TIS	2	2	0	6.0	8.7	-
AORTI C ANEURYSM AND DI SSECTI ON	2	2	0	6.0	8.7	-
HERNI A	1	1	0	3.0	4.3	-
CHOLELI THI ASI S/GALLBLADDER DI SORDER	1	1	0	3.0	4.3	-
CONDI TIONS ORI G I N PERI NATAL PERI OD	1	1	0	2.2	3.1	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	1	1	0	3.0	4.3	-
HOMI CI DE	1	0	1	3.0	-	9.6
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	2	1	1	6.0	4.3	9.6
<u>ALL OTHER CAUSES</u>	<u>34</u>	<u>22</u>	<u>12</u>	<u>101.6</u>	<u>95.4</u>	<u>115.6</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>349</u>	<u>251</u>	<u>98</u>	<u>176</u>	<u>128</u>	<u>48</u>	<u>173</u>	<u>123</u>	<u>50</u>
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	2	3	5	2	3	0	0	0
25-34	7	2	5	5	2	3	2	0	2
35-44	9	6	3	4	2	2	5	4	1
45-54	21	14	7	14	11	3	7	3	4
55-64	46	33	13	27	18	9	19	15	4
65-74	61	36	25	41	27	14	20	9	11
75-84	102	81	21	51	44	7	51	37	14
85 AND OVER	92	72	20	25	19	6	67	53	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 33,448 WHI TE 23,065 NONWHI TE 10,383

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>540</u>	<u>362</u>	<u>178</u>	<u>8.8</u>	<u>10.6</u>	<u>6.6</u>
HEART DI SEASES	169	121	48	277.1	355.6	178.1
MALI GNANT NEOPLASMS	119	77	42	195.2	226.3	155.8
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	26	25	1	42.6	73.5	3.7
CEREBROVASCULAR DI SEASE	25	18	7	41.0	52.9	26.0
ACCI DENTS	20	13	7	32.8	38.2	26.0
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	17	5	12	27.9	14.7	44.5
SEPTI CEMI A	15	9	6	24.6	26.4	22.3
DI ABETES MELLI TUS	13	6	7	21.3	17.6	26.0
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	12	10	2	19.7	29.4	7.4
I NFLUENZA AND PNEUMONIA	9	5	4	14.8	14.7	14.8
ALZHEIMERS DI SEASE	6	6	0	9.8	17.6	-
CHRONI C LI VER DI SEASE AND CI RRHOSI S	6	3	3	9.8	8.8	11.1
SUI CI DE	6	5	1	9.8	14.7	3.7
HIV DI SEASE	5	1	4	8.2	2.9	14.8
PARKI NSONS DI SEASE	4	4	0	6.6	11.8	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	4	2	2	6.6	5.9	7.4
HOMI CI DE	3	1	2	4.9	2.9	7.4
AORTI C ANEURYSM AND DI SSECTI ON	2	1	1	3.3	2.9	3.7
PEPTI C ULCER	2	1	1	3.3	2.9	3.7
CONDI TIONS ORIG I N PERI NATAL PERI OD I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	1.6	2.9	-
ANEMI AS	1	1	0	1.6	2.9	-
CHOLELI THI ASI S/GALLBLADDER DI SORDER	1	0	1	1.6	-	3.7
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TI ES	1	1	0	1.6	2.9	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	31	20	11	50.8	58.8	40.8
ALL OTHER CAUSES	40	25	15	65.6	73.5	55.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATI ON FIGURES ARE 2002 ESTI MATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>540</u>	<u>362</u>	<u>178</u>	<u>269</u>	<u>173</u>	<u>96</u>	<u>271</u>	<u>189</u>	<u>82</u>
UNDER 1	5	3	2	1	0	1	4	3	1
(NEONATAL)	4	3	1	1	0	1	3	3	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	8	4	4	5	3	2	3	1	2
25-34	12	8	4	6	4	2	6	4	2
35-44	23	10	13	17	9	8	6	1	5
45-54	41	13	28	28	7	21	13	6	7
55-64	62	41	21	45	29	16	17	12	5
65-74	108	70	38	62	39	23	46	31	15
75-84	131	103	28	61	48	13	70	55	15
85 AND OVER	148	108	40	42	32	10	106	76	30
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 60,978 WHI TE 34,027 NONWHI TE 26,951

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>958</u>	<u>639</u>	<u>319</u>	<u>12.3</u>	<u>13.7</u>	<u>10.2</u>
MALIGNANT NEOPLASMS	293	192	101	376.2	411.0	324.1
HEART DISEASES	221	154	67	283.8	329.7	215.0
CEREBROVASCULAR DISEASE	67	45	22	86.0	96.3	70.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	46	37	9	59.1	79.2	28.9
ALZHEIMERS DISEASE	41	37	4	52.6	79.2	12.8
ACCIDENTS	31	22	9	39.8	47.1	28.9
INFLUENZA AND PNEUMONIA	20	19	1	25.7	40.7	3.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	7	10	21.8	15.0	32.1
DIABETES MELLITUS	16	5	11	20.5	10.7	35.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	12	4	20.5	25.7	12.8
HIV DISEASE	13	0	13	16.7	-	41.7
PARKINSONS DISEASE	12	11	1	15.4	23.6	3.2
HOMICIDE	11	1	10	14.1	2.1	32.1
SEPTICEMIA	8	4	4	10.3	8.6	12.8
SUICIDE	8	8	0	10.3	17.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	6	1	9.0	12.8	3.2
CONDITIONS ORIGIN PERINATAL PERIOD	7	2	5	6.0	3.2	9.3
ANEMIAS	5	1	4	6.4	2.1	12.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	3	1	5.1	6.4	3.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	5.1	2.1	9.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	1	3	5.1	2.1	9.6
AORTIC ANEURYSM AND DISSECTION	3	3	0	3.8	6.4	-
ATHEROSCLEROSIS	2	2	0	2.6	4.3	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	2.6	2.1	3.2
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	2.6	2.1	3.2
VIRAL ENCEPHALITIS	1	1	0	1.3	2.1	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.3	2.1	-
MENINGITIS	1	1	0	1.3	2.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	2	8	12.8	4.3	25.7
ALL OTHER CAUSES	85	59	26	109.2	126.3	83.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>958</u>	<u>639</u>	<u>319</u>	<u>455</u>	<u>287</u>	<u>168</u>	<u>503</u>	<u>352</u>	<u>151</u>
UNDER 1	14	3	11	10	3	7	4	0	4
(Neonatal)	8	2	6	6	2	4	2	0	2
(Postneonatal)	6	1	5	4	1	3	2	0	2
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	17	7	10	12	7	5	5	0	5
25-34	19	8	11	16	8	8	3	0	3
35-44	38	13	25	23	8	15	15	5	10
45-54	71	33	38	43	18	25	28	15	13
55-64	85	50	35	53	30	23	32	20	12
65-74	162	92	70	95	56	39	67	36	31
75-84	275	209	66	117	93	24	158	116	42
85 AND OVER	273	224	49	83	64	19	190	160	30
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 77,872 WHITE 46,709 NONWHITE 31,163

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>310</u>	<u>225</u>	<u>85</u>	<u>12.2</u>	<u>13.3</u>	<u>10.1</u>
HEART DI SEASES	93	70	23	367.3	413.7	273.9
MALI GNANT NEOPLASMS	64	43	21	252.8	254.1	250.1
CEREBROVASCULAR DI SEASE	29	18	11	114.5	106.4	131.0
ACCI DENTS	16	11	5	63.2	65.0	59.5
ALZHEIMERS DI SEASE	13	13	0	51.3	76.8	-
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	12	11	1	47.4	65.0	11.9
I NFLUENZA AND PNEUMONI A	9	8	1	35.5	47.3	11.9
DI ABETES MELLI TUS	7	2	5	27.6	11.8	59.5
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	5	4	1	19.7	23.6	11.9
SEPTI CEMI A	3	2	1	11.8	11.8	11.9
VI RAL HEPATI TIS	3	3	0	11.8	17.7	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	3	1	2	11.8	5.9	23.8
AORTI C ANEURYSM AND DI SSECTI ON	3	3	0	11.8	17.7	-
HOMI CI DE	3	1	2	11.8	5.9	23.8
PARKI NSONS DI SEASE	2	2	0	7.9	11.8	-
ATHEROSCLEROSI S	2	2	0	7.9	11.8	-
SUI CI DE	2	1	1	7.9	5.9	11.9
HIV DI SEASE	1	0	1	4.0	-	11.9
I N SI TU, BENI GN & UNSPECI FI ED NEOPLASMS	1	0	1	4.0	-	11.9
ANEMI AS	1	1	0	4.0	5.9	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	1	1	0	4.0	5.9	-
PEPTI C ULCER	1	1	0	4.0	5.9	-
HERNI A	1	1	0	4.0	5.9	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	5	4	1	19.7	23.6	11.9
<u>ALL OTHER CAUSES</u>	<u>30</u>	<u>22</u>	<u>8</u>	<u>118.5</u>	<u>130.0</u>	<u>95.3</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>310</u>	<u>225</u>	<u>85</u>	<u>164</u>	<u>121</u>	<u>43</u>	<u>146</u>	<u>104</u>	<u>42</u>
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	5	2	3	2	1	1	3	1	2
35-44	15	7	8	15	7	8	0	0	0
45-54	16	11	5	11	8	3	5	3	2
55-64	49	34	15	28	20	8	21	14	7
65-74	57	42	15	37	27	10	20	15	5
75-84	95	76	19	48	39	9	47	37	10
85 AND OVER	69	51	18	21	18	3	48	33	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 25,319 WHI TE 16,922 NONWHI TE 8,397

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>350</u>	<u>188</u>	<u>162</u>	<u>10.0</u>	<u>10.9</u>	<u>9.0</u>
HEART DI SEASES	86	41	45	244.6	238.3	250.6
MALI GNANT NEOPLASMS	78	46	32	221.8	267.3	178.2
ACCI DENTS	26	9	17	73.9	52.3	94.7
CEREBROVASCULAR DI SEASE	23	13	10	65.4	75.6	55.7
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	23	22	1	65.4	127.8	5.6
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	14	8	6	39.8	46.5	33.4
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	11	2	9	31.3	11.6	50.1
DI ABETES MELLI TUS	10	3	7	28.4	17.4	39.0
INFLUENZA AND PNEUMONI A	8	5	3	22.8	29.0	16.7
SEPTI CEMI A	7	5	2	19.9	29.0	11.1
ALZHEI MERS DI SEASE	6	5	1	17.1	29.0	5.6
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	5	4	1	14.2	23.2	5.6
HOMI CI DE	4	1	3	11.4	5.8	16.7
CHRONI C LI VER DI SEASE AND CI RRHOSI S	3	2	1	8.5	11.6	5.6
CONDI TIONS ORIG IN PERI NATAL PERI OD	3	0	3	5.8	-	11.1
PARKI NSONS DI SEASE	2	0	2	5.7	-	11.1
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TI ES	2	1	1	5.7	5.8	5.6
HIV DI SEASE	1	0	1	2.8	-	5.6
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	1	0	2.8	5.8	-
ATHEROSCLEROSI S	1	1	0	2.8	5.8	-
SUI CI DE	1	0	1	2.8	-	5.6
--- NOT I NCLUDED I N RANKI NG --- SYMPTOMS, SI GNS, I LL-DEFI NED	5	3	2	14.2	17.4	11.1
<u>ALL OTHER CAUSES</u>	<u>30</u>	<u>16</u>	<u>14</u>	<u>85.3</u>	<u>93.0</u>	<u>78.0</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>350</u>	<u>188</u>	<u>162</u>	<u>185</u>	<u>97</u>	<u>88</u>	<u>165</u>	<u>91</u>	<u>74</u>
UNDER 1	7	2	5	4	1	3	3	1	2
(NEONATAL)	4	0	4	3	0	3	1	0	1
(POSTNEONATAL)	3	2	1	1	1	0	2	1	1
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	2	4	3	1	2	3	1	2
25-34	12	4	8	11	4	7	1	0	1
35-44	13	3	10	9	3	6	4	0	4
45-54	32	15	17	22	9	13	10	6	4
55-64	59	30	29	33	14	19	26	16	10
65-74	77	48	29	45	31	14	32	17	15
75-84	84	53	31	39	24	15	45	29	16
85 AND OVER	58	31	27	18	10	8	40	21	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 35,163 WHI TE 17,207 NONWHI TE 17,956

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>394</u>	<u>281</u>	<u>113</u>	<u>10.4</u>	<u>10.9</u>	<u>9.4</u>
HEART DI SEASES	129	93	36	341.8	360.5	301.3
MALI GNANT NEOPLASMS	69	47	22	182.8	182.2	184.1
CEREBROVASCULAR DI SEASE	28	19	9	74.2	73.6	75.3
ACCI DENTS	25	19	6	66.2	73.6	50.2
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	20	18	2	53.0	69.8	16.7
I NFLUENZA AND PNEUMONIA	17	15	2	45.0	58.1	16.7
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	14	6	8	37.1	23.2	67.0
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	13	8	5	34.4	31.0	41.8
SEPTI CEMI A	9	5	4	23.8	19.4	33.5
ALZHEIMERS DI SEASE	9	7	2	23.8	27.1	16.7
DI ABETES MELLI TUS	7	2	5	18.5	7.8	41.8
CONDI TIONS ORIG IN PERINATAL PERIOD	4	2	2	8.4	6.6	11.5
SUI CI DE	4	4	0	10.6	15.5	-
HOMI CI DE	3	1	2	7.9	3.9	16.7
ANEMI AS	2	2	0	5.3	7.8	-
AORTI C ANEURYSM AND DI SSECTION	2	2	0	5.3	7.8	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	2	2	0	5.3	7.8	-
CHRONI C LIVER DI SEASE AND CI RRHOSI S	2	1	1	5.3	3.9	8.4
HIV DI SEASE	1	0	1	2.6	-	8.4
ACUTE BRONCHI TIS AND BRONCHI OLI TIS	1	0	1	2.6	-	8.4
PNEUMOCONI OSES & CHEMI CAL EFFECTS	1	1	0	2.6	3.9	-
I NFECTIONS OF KIDNEY	1	1	0	2.6	3.9	-
FEMALE PELVI C I NFLAMMATORY DI SEASE	1	1	0	2.6	3.9	-
--- NOT I NCLUDED I N RANKI NG --- SYMPTOMS, SI GNS, I LL-DEFI NED	2	2	0	5.3	7.8	-
<u>ALL OTHER CAUSES</u>	<u>28</u>	<u>23</u>	<u>5</u>	<u>74.2</u>	<u>89.2</u>	<u>41.8</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDI TIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>394</u>	<u>281</u>	<u>113</u>	<u>176</u>	<u>123</u>	<u>53</u>	<u>218</u>	<u>158</u>	<u>60</u>
UNDER 1	5	2	3	3	1	2	2	1	1
(NEONATAL)	5	2	3	3	1	2	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	10	4	6	6	3	3	4	1	3
35-44	15	8	7	9	4	5	6	4	2
45-54	25	16	9	14	9	5	11	7	4
55-64	53	33	20	38	25	13	15	8	7
65-74	57	45	12	30	23	7	27	22	5
75-84	103	77	26	42	30	12	61	47	14
85 AND OVER	121	93	28	30	25	5	91	68	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 37,746 WHI TE 25,798 NONWHI TE 11,948

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>145</u>	<u>91</u>	<u>54</u>	<u>12.2</u>	<u>14.3</u>	<u>9.8</u>
HEART DI SEASES	50	33	17	421.5	520.3	307.9
MALI GNANT NEOPLASMS	30	20	10	252.9	315.4	181.1
ACCI DENTS	14	8	6	118.0	126.1	108.7
CEREBROVASCULAR DI SEASE	12	9	3	101.2	141.9	54.3
DI ABETES MELLI TUS	5	3	2	42.1	47.3	36.2
ALZHEIMERS DI SEASE	4	3	1	33.7	47.3	18.1
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	33.7	15.8	54.3
SEPTI CEMIA	2	2	0	16.8	31.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	2	2	0	16.8	31.5	-
CHRONIC LIVER DI SEASE AND CIRRHOSIS	2	1	1	16.8	15.8	18.1
SUI CIDE	2	2	0	16.8	31.5	-
MALNUTRI TION/NUTRI TIONAL DEFICI ENCY	1	1	0	8.4	15.8	-
AORTIC ANEURYSM AND DI SSECTION	1	1	0	8.4	15.8	-
INFLUENZA AND PNEUMONIA	1	1	0	8.4	15.8	-
ACUTE BRONCHI TIS AND BRONCHI OLITIS	1	0	1	8.4	-	18.1
PNEUMONI TIS DUE TO SOLIDS & LI QUI DS	1	0	1	8.4	-	18.1
CONDI TIONS ORIG IN PERINATAL PERIOD	1	0	1	6.6	-	11.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	4	1	3	33.7	15.8	54.3
<u>ALL OTHER CAUSES</u>	<u>8</u>	<u>3</u>	<u>5</u>	<u>67.4</u>	<u>47.3</u>	<u>90.6</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDI TIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>145</u>	<u>91</u>	<u>54</u>	<u>69</u>	<u>45</u>	<u>24</u>	<u>76</u>	<u>46</u>	<u>30</u>
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	5	3	2	3	2	1	2	1	1
35-44	7	3	4	4	2	2	3	1	2
45-54	13	5	8	10	3	7	3	2	1
55-64	25	18	7	15	14	1	10	4	6
65-74	26	18	8	14	9	5	12	9	3
75-84	28	18	10	11	8	3	17	10	7
85 AND OVER	37	25	12	10	6	4	27	19	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 11,863 WHI TE 6,342 NONWHI TE 5,521

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>309</u>	<u>200</u>	<u>109</u>	<u>10.6</u>	<u>10.6</u>	<u>10.7</u>
HEART DI SEASES	104	72	32	358.3	382.6	313.4
MALI GNANT NEOPLASMS	54	37	17	186.0	196.6	166.5
CEREBROVASCULAR DI SEASE	26	19	7	89.6	101.0	68.6
ACCI DENTS	15	11	4	51.7	58.4	39.2
INFLUENZA AND PNEUMONI A	13	8	5	44.8	42.5	49.0
SEPTI CEMI A	9	4	5	31.0	21.2	49.0
CHRONI C LI VER DI SEASE AND CI RRHOSI S	9	3	6	31.0	15.9	58.8
ALZHEI MERS DI SEASE	8	5	3	27.6	26.6	29.4
NEPHRI TIS, NEPHROTIC SYND, NEPHROS I S	8	6	2	27.6	31.9	19.6
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	7	6	1	24.1	31.9	9.8
DI ABETES MELLI TUS	6	2	4	20.7	10.6	39.2
PARKI NSONS DI SEASE	2	2	0	6.9	10.6	-
CONDI TIONS ORI G I N PERI NATAL PERI OD	2	0	2	4.5	-	8.4
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TI ES	2	0	2	6.9	-	19.6
HOMI CI DE	2	1	1	6.9	5.3	9.8
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	2	2	0	6.9	10.6	-
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	1	0	3.4	5.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	5	4	1	17.2	21.2	9.8
ALL OTHER CAUSES	33	16	17	113.7	85.0	166.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATI ON FIGURES ARE 2002 ESTI MATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>309</u>	<u>200</u>	<u>109</u>	<u>137</u>	<u>84</u>	<u>53</u>	<u>172</u>	<u>116</u>	<u>56</u>
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	5	4	1	1	1	0	4	3	1
25-34	6	3	3	4	1	3	2	2	0
35-44	17	5	12	12	4	8	5	1	4
45-54	25	15	10	14	10	4	11	5	6
55-64	30	16	14	14	8	6	16	8	8
65-74	70	43	27	37	24	13	33	19	14
75-84	76	56	20	33	25	8	43	31	12
85 AND OVER	75	57	18	18	10	8	57	47	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 29,027 WHI TE 18,818 NONWHI TE 10,209

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>236</u>	<u>170</u>	<u>66</u>	<u>10.7</u>	<u>11.8</u>	<u>8.8</u>
HEART DI SEASES	86	66	20	391.5	457.2	265.5
MALI GNANT NEOPLASMS	39	28	11	177.5	194.0	146.0
CEREBROVASCULAR DI SEASE	27	17	10	122.9	117.8	132.7
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	15	10	5	68.3	69.3	66.4
ACCI DENTS	10	7	3	45.5	48.5	39.8
DI ABETES MELLI TUS	8	5	3	36.4	34.6	39.8
NEPHRI TIS, NEPHROTI C SYND, NEPHROSI S	8	4	4	36.4	27.7	53.1
I NFLUENZA AND PNEUMONI A	6	6	0	27.3	41.6	-
ALZHEI MERS DI SEASE	4	3	1	18.2	20.8	13.3
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	3	3	0	13.6	20.8	-
SEPTI CEMI A	2	1	1	9.1	6.9	13.3
ANEMI AS	2	2	0	9.1	13.8	-
CHRONI C LI VER DI SEASE AND CI RRHOSI S	2	1	1	9.1	6.9	13.3
HIV DI SEASE	1	0	1	4.6	-	13.3
I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	4.6	6.9	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	1	0	1	4.6	-	13.3
SUI CI DE	1	1	0	4.6	6.9	-
COMPLI CATIONS MEDI CAL/SURGI CAL CARE	1	0	1	4.6	-	13.3
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	1	1	0	4.6	6.9	-
ALL OTHER CAUSES	18	14	4	81.9	97.0	53.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>236</u>	<u>170</u>	<u>66</u>	<u>114</u>	<u>77</u>	<u>37</u>	<u>122</u>	<u>93</u>	<u>29</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	3	1	2	2	1	1
25-34	2	1	1	2	1	1	0	0	0
35-44	7	4	3	3	1	2	4	3	1
45-54	16	10	6	8	4	4	8	6	2
55-64	35	21	14	24	13	11	11	8	3
65-74	46	37	9	30	25	5	16	12	4
75-84	66	52	14	30	24	6	36	28	8
85 AND OVER	59	43	16	14	8	6	45	35	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 21,967 WHI TE 14,434 NONWHI TE 7,533

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>112</u>	<u>35</u>	<u>77</u>	<u>9.0</u>	<u>9.7</u>	<u>8.7</u>
HEART DISEASES	40	13	27	321.6	360.3	305.8
MALIGNANT NEOPLASMS	26	6	20	209.0	166.3	226.5
CEREBROVASCULAR DISEASE	9	5	4	72.4	138.6	45.3
INFLUENZA AND PNEUMONIA	6	4	2	48.2	110.9	22.6
SEPTICEMIA	4	0	4	32.2	-	45.3
ACCIDENTS	4	0	4	32.2	-	45.3
DIABETES MELLITUS	3	0	3	24.1	-	34.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	0	3	24.1	-	34.0
HIV DISEASE	1	0	1	8.0	-	11.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	8.0	27.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	8.0	27.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.0	27.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	8.0	-	11.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	8.0	-	11.3
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	5.2	-	7.0
SUICIDE	1	1	0	8.0	27.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
<u>ALL OTHER CAUSES</u>	<u>9</u>	<u>3</u>	<u>6</u>	<u>72.4</u>	<u>83.1</u>	<u>68.0</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>112</u>	<u>35</u>	<u>77</u>	<u>56</u>	<u>17</u>	<u>39</u>	<u>56</u>	<u>18</u>	<u>38</u>
UNDER 1	3	1	2	2	0	2	1	1	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	0	3	1	0	1	2	0	2
35-44	5	0	5	3	0	3	2	0	2
45-54	13	3	10	10	3	7	3	0	3
55-64	15	3	12	12	3	9	3	0	3
65-74	18	6	12	7	1	6	11	5	6
75-84	30	13	17	14	8	6	16	5	11
85 AND OVER	24	9	15	6	2	4	18	7	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 12,438 WHITE 3,608 NONWHITE 8,830

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>291</u>	<u>171</u>	<u>120</u>	<u>6.8</u>	<u>6.8</u>	<u>6.8</u>
HEART DI SEASES	104	64	40	243.3	253.9	228.0
MALI GNANT NEOPLASMS	58	30	28	135.7	119.0	159.6
CEREBROVASCULAR DI SEASE	17	11	6	39.8	43.6	34.2
ACCI DENTS	14	7	7	32.7	27.8	39.9
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	12	9	3	28.1	35.7	17.1
I NFLUENZA AND PNEUMONI A	8	5	3	18.7	19.8	17.1
ALZHEI MERS DI SEASE	7	4	3	16.4	15.9	17.1
HOMI CI DE	6	4	2	14.0	15.9	11.4
DI ABETES MELLI TUS	4	1	3	9.4	4.0	17.1
AORTI C ANEURYSM AND DI SSECTION	4	3	1	9.4	11.9	5.7
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	4	3	1	9.4	11.9	5.7
CONDI TIONS ORIG I N PERI NATAL PERI OD	4	2	2	7.2	7.1	7.3
SEPTI CEMI A	3	1	2	7.0	4.0	11.4
CHRONI C LI VER DI SEASE AND CI RRHOSI S	3	3	0	7.0	11.9	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROS I S	3	0	3	7.0	-	17.1
SUI CI DE	3	2	1	7.0	7.9	5.7
HIV DI SEASE	2	0	2	4.7	-	11.4
I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	2	1	1	4.7	4.0	5.7
MENI NGOCOCCAL I NFECTI ON	1	1	0	2.3	4.0	-
HERNI A	1	0	1	2.3	-	5.7
FEMALE PELVI C I NFLAMMATORY DI SEASE	1	0	1	2.3	-	5.7
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TI ES	1	0	1	2.3	-	5.7
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	5	4	1	11.7	15.9	5.7
<u>ALL OTHER CAUSES</u>	<u>24</u>	<u>16</u>	<u>8</u>	<u>56.1</u>	<u>63.5</u>	<u>45.6</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>291</u>	<u>171</u>	<u>120</u>	<u>145</u>	<u>85</u>	<u>60</u>	<u>146</u>	<u>86</u>	<u>60</u>
UNDER 1	5	2	3	5	2	3	0	0	0
(NEONATAL)	5	2	3	5	2	3	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	4	2	2	1	0	1
25-34	6	1	5	2	1	1	4	0	4
35-44	12	5	7	4	2	2	8	3	5
45-54	24	15	9	14	10	4	10	5	5
55-64	32	14	18	19	11	8	13	3	10
65-74	56	33	23	31	17	14	25	16	9
75-84	80	54	26	40	25	15	40	29	11
85 AND OVER	70	44	26	25	14	11	45	30	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 42,751 WHI TE 25,207 NONWHI TE 17,544

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>341</u>	<u>222</u>	<u>119</u>	<u>9.8</u>	<u>12.5</u>	<u>7.0</u>
HEART DI SEASES	100	65	35	286.4	364.9	204.7
MALI GNANT NEOPLASMS	84	60	24	240.6	336.8	140.4
CEREBROVASCULAR DI SEASE	28	15	13	80.2	84.2	76.0
ACCI DENTS	23	16	7	65.9	89.8	40.9
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	17	14	3	48.7	78.6	17.5
ALZHEIMERS DI SEASE	8	5	3	22.9	28.1	17.5
I NFLUENZA AND PNEUMONIA	8	5	3	22.9	28.1	17.5
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	8	3	5	22.9	16.8	29.2
DI ABETES MELLI TUS	5	2	3	14.3	11.2	17.5
SEPTI CEMIA	4	1	3	11.4	5.6	17.5
SUI CI DE	3	3	0	8.6	16.8	-
PARKINSONS DI SEASE	2	1	1	5.7	5.6	5.8
CHRONI C LI VER DI SEASE AND CI RRRHOSI S	2	1	1	5.7	5.6	5.8
TUBERCULOSI S	1	1	0	2.9	5.6	-
I N SI TU, BENI GN & UNSPECI FI ED NEOPLASMS	1	1	0	2.9	5.6	-
ATHEROSCLEROSI S	1	1	0	2.9	5.6	-
AORTI C ANEURYSM AND DI SSECTI ON	1	1	0	2.9	5.6	-
CONDI TIONS ORIG I N PERI NATAL PERI OD	1	0	1	1.9	-	3.1
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TI ES	1	0	1	2.9	-	5.8
HOMI CI DE	1	0	1	2.9	-	5.8
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE	1	0	1	2.9	-	5.8
--- NOT I NCLUDED I N RANKI NG --- SYMPTOMS, SI GNS, I LL-DEFI NED	4	2	2	11.4	11.2	11.7
<u>ALL OTHER CAUSES</u>	<u>37</u>	<u>25</u>	<u>12</u>	<u>106.0</u>	<u>140.3</u>	<u>70.2</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>341</u>	<u>222</u>	<u>119</u>	<u>157</u>	<u>104</u>	<u>53</u>	<u>184</u>	<u>118</u>	<u>66</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	2	5	4	1	3	3	1	2
25-34	10	7	3	5	4	1	5	3	2
35-44	15	6	9	8	3	5	7	3	4
45-54	34	17	17	19	13	6	15	4	11
55-64	37	28	9	23	20	3	14	8	6
65-74	77	46	31	45	25	20	32	21	11
75-84	84	59	25	32	21	11	52	38	14
85 AND OVER	76	57	19	21	17	4	55	40	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 34,913 WHI TE 17,814 NONWHI TE 17,099

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>501</u>	<u>431</u>	<u>70</u>	<u>9.9</u>	<u>9.9</u>	<u>9.8</u>
HEART DISEASES	132	116	16	261.5	267.7	224.0
MALIGNANT NEOPLASMS	112	99	13	221.9	228.5	182.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	39	37	2	77.3	85.4	28.0
ACCIDENTS	39	32	7	77.3	73.8	98.0
CEREBROVASCULAR DISEASE	26	20	6	51.5	46.2	84.0
DIABETES MELLITUS	16	11	5	31.7	25.4	70.0
SEPTICEMIA	10	8	2	19.8	18.5	28.0
INFLUENZA AND PNEUMONIA	10	8	2	19.8	18.5	28.0
ALZHEIMERS DISEASE	8	7	1	15.8	16.2	14.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	11.9	13.8	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	5	1	11.9	11.5	14.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	9.9	6.9	28.0
CONDITIONS ORIGIN PERINATAL PERIOD	5	3	2	7.4	5.2	18.7
AORTIC ANEURYSM AND DISSSECTION	4	4	0	7.9	9.2	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	5.9	6.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	5.9	4.6	14.0
SUICIDE	3	3	0	5.9	6.9	-
PARKINSONS DISEASE	2	2	0	4.0	4.6	-
ATHEROSCLEROSIS	2	2	0	4.0	4.6	-
HOMICIDE	2	0	2	4.0	-	28.0
HIV DISEASE	1	0	1	2.0	-	14.0
HERNIA	1	1	0	2.0	2.3	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.0	2.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	9	2	21.8	20.8	28.0
<u>ALL OTHER CAUSES</u>	<u>54</u>	<u>49</u>	<u>5</u>	<u>107.0</u>	<u>113.1</u>	<u>70.0</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>501</u>	<u>431</u>	<u>70</u>	<u>249</u>	<u>215</u>	<u>34</u>	<u>252</u>	<u>216</u>	<u>36</u>
UNDER 1	9	5	4	7	3	4	2	2	0
(NEONATAL)	6	3	3	5	2	3	1	1	0
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	7	4	3	4	3	1	3	1	2
25-34	11	10	1	8	8	0	3	2	1
35-44	18	15	3	11	9	2	7	6	1
45-54	31	24	7	19	16	3	12	8	4
55-64	92	74	18	56	42	14	36	32	4
65-74	111	99	12	64	61	3	47	38	9
75-84	124	114	10	55	50	5	69	64	5
85 AND OVER	96	84	12	23	21	2	73	63	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 50,473 WHITE 43,332 NONWHITE 7,141

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>132</u>	<u>105</u>	<u>27</u>	<u>10.8</u>	<u>11.2</u>	<u>9.4</u>
MALI GNANT NEOPLASMS	35	31	4	286.9	332.1	139.6
HEART DI SEASES	35	30	5	286.9	321.4	174.4
ACCI DENTS	10	8	2	82.0	85.7	69.8
SEPTI CEMI A	8	4	4	65.6	42.8	139.6
CEREBROVASCULAR DI SEASE	3	3	0	24.6	32.1	-
INFLUENZA AND PNEUMONIA	3	2	1	24.6	21.4	34.9
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	24.6	21.4	34.9
HOMI CIDE	3	0	3	24.6	-	104.7
DI ABETES MELLI TUS	2	1	1	16.4	10.7	34.9
PARKI NSONS DI SEASE	2	2	0	16.4	21.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	16.4	10.7	34.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	2	2	0	16.4	21.4	-
SUI CIDE	2	2	0	16.4	21.4	-
HIV DI SEASE	1	0	1	8.2	-	34.9
IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	8.2	10.7	-
ALZHEI MERS DI SEASE	1	1	0	8.2	10.7	-
PNEUMONI TIS DUE TO SOLIDS & LI QUI DS	1	1	0	8.2	10.7	-
CHOLELI THI ASI S/GALLBLADDER DI SORDER	1	1	0	8.2	10.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	41.0	42.8	34.9
ALL OTHER CAUSES	12	9	3	98.4	96.4	104.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>132</u>	<u>105</u>	<u>27</u>	<u>67</u>	<u>54</u>	<u>13</u>	<u>65</u>	<u>51</u>	<u>14</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	7	3	4	4	1	3	3	2	1
35-44	10	7	3	7	5	2	3	2	1
45-54	12	11	1	8	8	0	4	3	1
55-64	20	16	4	11	9	2	9	7	2
65-74	20	16	4	9	7	2	11	9	2
75-84	36	31	5	18	16	2	18	15	3
85 AND OVER	24	19	5	7	6	1	17	13	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 12,200 WHI TE 9,334 NONWHI TE 2,866

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>461</u>	<u>262</u>	<u>199</u>	<u>11.8</u>	<u>13.3</u>	<u>10.3</u>
HEART DISEASES	149	93	56	382.2	471.4	290.8
MALIGNANT NEOPLASMS	97	58	39	248.8	294.0	202.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	23	4	69.2	116.6	20.8
DIABETES MELLITUS	23	7	16	59.0	35.5	83.1
CEREBROVASCULAR DISEASE	22	10	12	56.4	50.7	62.3
ACCIDENTS	20	11	9	51.3	55.8	46.7
SEPTICEMIA	17	5	12	43.6	25.3	62.3
INFLUENZA AND PNEUMONIA	11	7	4	28.2	35.5	20.8
SUICIDE	10	5	5	25.6	25.3	26.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	6	0	15.4	30.4	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	15.4	15.2	15.6
HIV DISEASE	5	0	5	12.8	-	26.0
ALZHEIMERS DISEASE	5	1	4	12.8	5.1	20.8
HOMICIDE	4	1	3	10.3	5.1	15.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	7.7	10.1	5.2
AORTIC ANEURYSM AND DISSECTION	3	2	1	7.7	10.1	5.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.1	5.1	5.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	5.1	-	10.4
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	5.1	5.1	5.2
VIRAL ENCEPHALITIS	1	1	0	2.6	5.1	-
VIRAL HEPATITIS	1	1	0	2.6	5.1	-
ANEMIAS	1	0	1	2.6	-	5.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	2.6	-	5.2
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.6	5.1	-
HERNIA	1	1	0	2.6	5.1	-
INFECTIONS OF KIDNEY	1	1	0	2.6	5.1	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	0	1	1.5	-	2.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	5.1	-	10.4
ALL OTHER CAUSES	37	21	16	94.9	106.4	83.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>461</u>	<u>262</u>	<u>199</u>	<u>216</u>	<u>119</u>	<u>97</u>	<u>245</u>	<u>143</u>	<u>102</u>
UNDER 1	5	0	5	2	0	2	3	0	3
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	3	0	3	1	0	1	2	0	2
1-4	2	0	2	0	0	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	10	4	6	10	4	6	0	0	0
25-34	5	3	2	3	2	1	2	1	1
35-44	21	8	13	11	6	5	10	2	8
45-54	39	21	18	27	15	12	12	6	6
55-64	44	22	22	24	12	12	20	10	10
65-74	93	57	36	45	27	18	48	30	18
75-84	130	74	56	63	36	27	67	38	29
85 AND OVER	110	73	37	30	17	13	80	56	24
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 38,987 WHITE 19,727 NONWHITE 19,260

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>268</u>	<u>237</u>	<u>31</u>	<u>9.9</u>	<u>10.3</u>	<u>7.6</u>
MALIGNANT NEOPLASMS	75	69	6	277.4	300.9	146.3
HEART DISEASES	72	61	11	266.4	266.0	268.2
ACCIDENTS	21	19	2	77.7	82.9	48.8
CEREBROVASCULAR DISEASE	17	15	2	62.9	65.4	48.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	14	0	51.8	61.0	-
INFLUENZA AND PNEUMONIA	10	10	0	37.0	43.6	-
DIABETES MELLITUS	8	5	3	29.6	21.8	73.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	6	0	22.2	26.2	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	6	0	22.2	26.2	-
ALZHEIMERS DISEASE	4	3	1	14.8	13.1	24.4
AORTIC ANEURYSM AND DISSECTION	3	2	1	11.1	8.7	24.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	7.4	8.7	-
SEPTICEMIA	1	1	0	3.7	4.4	-
PARKINSONS DISEASE	1	1	0	3.7	4.4	-
ATHEROSCLEROSIS	1	1	0	3.7	4.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.7	4.4	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.7	4.4	-
HOMICIDE	1	1	0	3.7	4.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	7.4	-	48.8
ALL OTHER CAUSES	22	19	3	81.4	82.9	73.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>268</u>	<u>237</u>	<u>31</u>	<u>140</u>	<u>117</u>	<u>23</u>	<u>128</u>	<u>120</u>	<u>8</u>
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	6	4	2	5	3	2	1	1	0
25-34	6	6	0	3	3	0	3	3	0
35-44	9	6	3	5	3	2	4	3	1
45-54	15	11	4	11	7	4	4	4	0
55-64	33	27	6	23	18	5	10	9	1
65-74	61	54	7	39	34	5	22	20	2
75-84	58	56	2	33	31	2	25	25	0
85 AND OVER	77	71	6	18	16	2	59	55	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 27,032 WHITE 22,930 NONWHITE 4,102

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>241</u>	<u>212</u>	<u>29</u>	<u>9.4</u>	<u>9.6</u>	<u>8.0</u>
HEART DI SEASES	69	63	6	268.0	285.0	164.8
MALI GNANT NEOPLASMS	53	42	11	205.8	190.0	302.1
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	19	19	0	73.8	86.0	-
CEREBROVASCULAR DI SEASE	16	11	5	62.1	49.8	137.3
INFLUENZA AND PNEUMONIA	15	13	2	58.3	58.8	54.9
ACCI DENTS	11	11	0	42.7	49.8	-
ALZHEIMERS DI SEASE	7	7	0	27.2	31.7	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	6	5	1	23.3	22.6	27.5
DI ABETES MELLI TUS	4	4	0	15.5	18.1	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	11.6	13.6	-
CONDI TIONS ORIG IN PERINATAL PERIOD	3	3	0	9.2	11.0	-
SUI CI DE	3	3	0	11.6	13.6	-
SEPTI CEMIA	2	2	0	7.8	9.0	-
PNEUMONI TIS DUE TO SOLIDS & LI QUI DS	2	1	1	7.8	4.5	27.5
ANEMI AS	1	1	0	3.9	4.5	-
ATHEROSCLEROSIS	1	1	0	3.9	4.5	-
CHRONI C LIVER DI SEASE AND CIRRHOSIS	1	1	0	3.9	4.5	-
CHOLELI THI ASI S/GALLBLADDER DI SORDER	1	1	0	3.9	4.5	-
HOMI CI DE	1	1	0	3.9	4.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	7.8	9.0	-
ALL OTHER CAUSES	21	18	3	81.6	81.4	82.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>241</u>	<u>212</u>	<u>29</u>	<u>127</u>	<u>112</u>	<u>15</u>	<u>114</u>	<u>100</u>	<u>14</u>
UNDER 1	4	4	0	3	3	0	1	1	0
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	2	2	0	2	2	0
25-34	5	5	0	4	4	0	1	1	0
35-44	10	9	1	6	6	0	4	3	1
45-54	20	13	7	10	7	3	10	6	4
55-64	25	22	3	20	18	2	5	4	1
65-74	37	32	5	22	18	4	15	14	1
75-84	69	63	6	37	34	3	32	29	3
85 AND OVER	67	60	7	23	20	3	44	40	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 25,746 WHI TE 22,105 NONWHI TE 3,641

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>105</u>	<u>37</u>	<u>68</u>	<u>10.7</u>	<u>12.4</u>	<u>10.0</u>
HEART DI SEASES	29	15	14	295.7	500.8	205.6
MALI GNANT NEOPLASMS	25	9	16	254.9	300.5	234.9
ACCI DENTS	9	1	8	91.8	33.4	117.4
CEREBROVASCULAR DI SEASE	7	3	4	71.4	100.2	58.7
DI ABETES MELLI TUS	5	1	4	51.0	33.4	58.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	5	3	2	51.0	100.2	29.4
HOMI CIDE	3	1	2	30.6	33.4	29.4
SEPTI CEMI A	2	0	2	20.4	-	29.4
SUI CIDE	2	1	1	20.4	33.4	14.7
HIV DI SEASE	1	0	1	10.2	-	14.7
I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	0	1	10.2	-	14.7
ANEMI AS	1	0	1	10.2	-	14.7
ALZHEI MERS DI SEASE	1	1	0	10.2	33.4	-
I NFLUENZA AND PNEUMONI A	1	0	1	10.2	-	14.7
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	10.2	-	14.7
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	2	0	2	20.4	-	29.4
<u>ALL OTHER CAUSES</u>	<u>10</u>	<u>2</u>	<u>8</u>	<u>102.0</u>	<u>66.8</u>	<u>117.4</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>105</u>	<u>37</u>	<u>68</u>	<u>53</u>	<u>19</u>	<u>34</u>	<u>52</u>	<u>18</u>	<u>34</u>
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	3	0	3	0	0	0	3	0	3
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	4	1	3	1	1	0
25-34	5	1	4	4	0	4	1	1	0
35-44	7	1	6	6	1	5	1	0	1
45-54	8	1	7	6	1	5	2	0	2
55-64	11	5	6	7	5	2	4	0	4
65-74	17	7	10	9	4	5	8	3	5
75-84	33	14	19	14	6	8	19	8	11
85 AND OVER	14	6	8	3	1	2	11	5	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 9,806 WHI TE 2,995 NONWHI TE 6,811

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>849</u>	<u>693</u>	<u>156</u>	<u>7.0</u>	<u>7.1</u>	<u>6.6</u>
HEART DI SEASES	292	229	63	240.2	233.7	266.9
MALI GNANT NEOPLASMS	176	153	23	144.8	156.2	97.4
ACCI DENTS	58	51	7	47.7	52.0	29.6
CEREBROVASCULAR DI SEASE	47	39	8	38.6	39.8	33.9
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	45	40	5	37.0	40.8	21.2
SEPTI CEMI A	20	15	5	16.4	15.3	21.2
I NFLUENZA AND PNEUMONI A	19	15	4	15.6	15.3	16.9
DI ABETES MELLI TUS	14	11	3	11.5	11.2	12.7
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	13	11	2	10.7	11.2	8.5
SUI CI DE	13	13	0	10.7	13.3	-
AORTI C ANEURYSM AND DI SSECTION	8	8	0	6.6	8.2	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	8	7	1	6.6	7.1	4.2
CONDI TIONS ORIG I N PERI NATAL PERI OD	8	4	4	4.7	2.9	11.8
HOMI CI DE	8	5	3	6.6	5.1	12.7
ALZHEI MERS DI SEASE	7	6	1	5.8	6.1	4.2
I N SI TU, BENI GN & UNSPECI FI ED NEOPLASMS	5	5	0	4.1	5.1	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	5	4	1	4.1	4.1	4.2
HIV DI SEASE	4	0	4	3.3	-	16.9
VI RAL HEPATI TIS	2	2	0	1.6	2.0	-
PARKI NSONS DI SEASE	2	2	0	1.6	2.0	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	2	0	2	1.6	-	8.5
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE	2	2	0	1.6	2.0	-
TUBERCULOSI S	1	1	0	0.8	1.0	-
ANEMI AS	1	0	1	0.8	-	4.2
ATHEROSCLEROSI S	1	0	1	0.8	-	4.2
HERNI A	1	1	0	0.8	1.0	-
CHRONI C LI VER DI SEASE AND CI RRRHOSI S	1	1	0	0.8	1.0	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	9	6	3	7.4	6.1	12.7
<u>ALL OTHER CAUSES</u>	<u>77</u>	<u>62</u>	<u>15</u>	<u>63.3</u>	<u>63.3</u>	<u>63.5</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL</u>	<u>849</u>	<u>693</u>	<u>156</u>	<u>401</u>	<u>333</u>	<u>68</u>	<u>448</u>	<u>360</u>	<u>88</u>
UNDER 1	13	7	6	7	4	3	6	3	3
(NEONATAL)	11	7	4	7	4	3	4	3	1
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	7	4	3	4	2	2	3	2	1
5-9	3	3	0	3	3	0	0	0	0
10-14	8	7	1	4	3	1	4	4	0
15-24	17	13	4	9	6	3	8	7	1
25-34	21	17	4	11	8	3	10	9	1
35-44	38	32	6	19	17	2	19	15	4
45-54	79	62	17	49	39	10	30	23	7
55-64	94	76	18	60	48	12	34	28	6
65-74	178	152	26	107	95	12	71	57	14
75-84	213	179	34	89	77	12	124	102	22
85 AND OVER	178	141	37	39	31	8	139	110	29
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 121,577 WHI TE 97,971 NONWHI TE 23,606

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>287</u>	<u>193</u>	<u>94</u>	<u>10.1</u>	<u>11.4</u>	<u>8.2</u>
HEART DI SEASES	92	54	38	324.6	320.2	331.2
MALI GNANT NEOPLASMS	63	45	18	222.3	266.8	156.9
ACCI DENTS	21	13	8	74.1	77.1	69.7
CEREBROVASCULAR DI SEASE	15	11	4	52.9	65.2	34.8
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	12	11	1	42.3	65.2	8.7
ATHEROSCLEROSI S	9	9	0	31.8	53.4	-
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	8	6	2	28.2	35.6	17.4
INFLUENZA AND PNEUMONI A	6	2	4	21.2	11.9	34.8
DI ABETES MELLI TUS	5	3	2	17.6	17.8	17.4
SUI CI DE	4	4	0	14.1	23.7	-
HIV DI SEASE	3	1	2	10.6	5.9	17.4
CHRONI C LI VER DI SEASE AND CI RRHOSI S	3	3	0	10.6	17.8	-
CONDI TIONS ORIG I N PERI NATAL PERI OD	3	1	2	6.7	3.8	10.9
TUBERCULOSI S	2	1	1	7.0	5.9	8.7
SEPTI CEMI A	2	2	0	7.0	11.9	-
VI RAL HEPATI TIS	2	1	1	7.0	5.9	8.7
ALZHEIMERS DI SEASE	2	2	0	7.0	11.9	-
I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	3.5	5.9	-
ANEMI AS	1	1	0	3.5	5.9	-
PARKI NSONS DI SEASE	1	1	0	3.5	5.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.5	5.9	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	1	0	1	3.5	-	8.7
HOMI CI DE	1	1	0	3.5	5.9	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	7	4	3	24.7	23.7	26.1
ALL OTHER CAUSES	22	15	7	77.6	89.0	61.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATI ON FIGURES ARE 2002 ESTI MATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>287</u>	<u>193</u>	<u>94</u>	<u>148</u>	<u>104</u>	<u>44</u>	<u>139</u>	<u>89</u>	<u>50</u>
UNDER 1	7	4	3	4	2	2	3	2	1
(NEONATAL)	5	2	3	3	1	2	2	1	1
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	2	2	0	1	1	0	1	1	0
5-9	2	1	1	0	0	0	2	1	1
10-14	2	2	0	1	1	0	1	1	0
15-24	6	2	4	3	1	2	3	1	2
25-34	3	1	2	2	1	1	1	0	1
35-44	18	11	7	14	10	4	4	1	3
45-54	32	21	11	21	16	5	11	5	6
55-64	33	20	13	22	14	8	11	6	5
65-74	56	37	19	34	26	8	22	11	11
75-84	57	41	16	24	17	7	33	24	9
85 AND OVER	69	51	18	22	15	7	47	36	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 28,338 WHI TE 16,863 NONWHI TE 11,475

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>61</u>	<u>16</u>	<u>45</u>	<u>9.8</u>	<u>8.6</u>	<u>10.3</u>
MALI GNANT NEOPLASMS	18	4	14	287.9	213.8	319.6
HEART DI SEASES	11	1	10	175.9	53.4	228.2
DI ABETES MELLI TUS	4	0	4	64.0	-	91.3
CEREBROVASCULAR DI SEASE	4	2	2	64.0	106.9	45.6
INFLUENZA AND PNEUMONIA	4	2	2	64.0	106.9	45.6
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	4	2	2	64.0	106.9	45.6
SEPTI CEMI A	2	0	2	32.0	-	45.6
ALZHEI MERS DI SEASE	2	1	1	32.0	53.4	22.8
ACCI DENTS	2	1	1	32.0	53.4	22.8
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	1	0	16.0	53.4	-
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	1	0	1	16.0	-	22.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	3	0	3	48.0	-	68.5
ALL OTHER CAUSES	5	2	3	80.0	106.9	68.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>61</u>	<u>16</u>	<u>45</u>	<u>25</u>	<u>4</u>	<u>21</u>	<u>36</u>	<u>12</u>	<u>24</u>
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	3	2	1	3	2	1	0	0	0
45-54	3	0	3	2	0	2	1	0	1
55-64	6	1	5	2	0	2	4	1	3
65-74	14	2	12	7	0	7	7	2	5
75-84	15	5	10	7	2	5	8	3	5
85 AND OVER	18	6	12	2	0	2	16	6	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 6,252 WHI TE 1,871 NONWHI TE 4,381

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>306</u>	<u>214</u>	<u>92</u>	<u>11.0</u>	<u>11.9</u>	<u>9.4</u>
HEART DISEASES	105	69	36	379.4	385.2	368.8
MALIGNANT NEOPLASMS	48	36	12	173.5	201.0	123.0
ACCIDENTS	30	21	9	108.4	117.2	92.2
CEREBROVASCULAR DISEASE	25	14	11	90.3	78.2	112.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	17	1	65.0	94.9	10.2
INFLUENZA AND PNEUMONIA	10	7	3	36.1	39.1	30.7
ATHEROSCLEROSIS	9	4	5	32.5	22.3	51.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	6	1	25.3	33.5	10.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	4	3	25.3	22.3	30.7
DIABETES MELLITUS	4	2	2	14.4	11.2	20.5
SUICIDE	4	3	1	14.4	16.7	10.2
SEPTICEMIA	3	3	0	10.8	16.7	-
ALZHEIMERS DISEASE	3	3	0	10.8	16.7	-
PARKINSONS DISEASE	1	1	0	3.6	5.6	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.6	5.6	-
PEPTIC ULCER	1	1	0	3.6	5.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.6	5.6	-
HOMICIDE	1	1	0	3.6	5.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	6	3	32.5	33.5	30.7
ALL OTHER CAUSES	19	14	5	68.7	78.2	51.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>306</u>	<u>214</u>	<u>92</u>	<u>154</u>	<u>110</u>	<u>44</u>	<u>152</u>	<u>104</u>	<u>48</u>
UNDER 1	4	3	1	3	2	1	1	1	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	3	3	0	2	2	0	1	1	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	8	6	2	8	6	2	0	0	0
25-34	7	4	3	6	3	3	1	1	0
35-44	15	11	4	10	8	2	5	3	2
45-54	22	15	7	14	8	6	8	7	1
55-64	39	24	15	20	12	8	19	12	7
65-74	50	39	11	31	25	6	19	14	5
75-84	81	57	24	36	30	6	45	27	18
85 AND OVER	78	54	24	25	16	9	53	38	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 27,672 WHITE 17,912 NONWHITE 9,760

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>152</u>	<u>116</u>	<u>36</u>	<u>9.6</u>	<u>9.6</u>	<u>9.5</u>
HEART DI SEASES	54	45	9	339.8	372.1	236.9
MALI GNANT NEOPLASMS	30	24	6	188.8	198.4	157.9
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	10	9	1	62.9	74.4	26.3
ACCI DENTS	10	8	2	62.9	66.1	52.6
ALZHEIMERS DI SEASE	5	5	0	31.5	41.3	-
CEREBROVASCULAR DI SEASE	5	4	1	31.5	33.1	26.3
ATHEROSCLEROSI S	4	2	2	25.2	16.5	52.6
I NFLUENZA AND PNEUMONI A	4	2	2	25.2	16.5	52.6
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	18.9	8.3	52.6
SEPTI CEMI A	2	1	1	12.6	8.3	26.3
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TI ES	2	1	1	12.6	8.3	26.3
HOMI CI DE	2	1	1	12.6	8.3	26.3
VI RAL HEPATI TIS	1	1	0	6.3	8.3	-
ANEMI AS	1	0	1	6.3	-	26.3
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	1	0	6.3	8.3	-
AORTI C ANEURYSM AND DI SSECTI ON	1	1	0	6.3	8.3	-
CHRONI C LI VER DI SEASE AND CI RRHOSI S	1	1	0	6.3	8.3	-
I NFECTIONS OF KIDNEY	1	1	0	6.3	8.3	-
SUI CI DE	1	1	0	6.3	8.3	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	1	0	1	6.3	-	26.3
ALL OTH ER CAUSES	13	7	6	81.8	57.9	157.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>152</u>	<u>116</u>	<u>36</u>	<u>76</u>	<u>61</u>	<u>15</u>	<u>76</u>	<u>55</u>	<u>21</u>
UNDER 1	4	1	3	3	1	2	1	0	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	0	0	0	2	1	1
15-24	4	3	1	3	3	0	1	0	1
25-34	5	3	2	2	2	0	3	1	2
35-44	7	5	2	3	3	0	4	2	2
45-54	11	8	3	8	6	2	3	2	1
55-64	15	12	3	8	8	0	7	4	3
65-74	27	23	4	21	18	3	6	5	1
75-84	29	20	9	12	9	3	17	11	6
85 AND OVER	46	39	7	15	11	4	31	28	3
UNKNOWN	1	0	1	1	0	1	0	0	0

2002 POPULATION: TOTAL 15,893 WHI TE 12,094 NONWHI TE 3,799

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>139</u>	<u>112</u>	<u>27</u>	<u>9.7</u>	<u>10.0</u>	<u>8.9</u>
HEART DISEASES	41	33	8	287.1	293.3	264.0
MALIGNANT NEOPLASMS	30	23	7	210.1	204.4	231.0
ACCIDENTS	11	8	3	77.0	71.1	99.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	10	0	70.0	88.9	-
CEREBROVASCULAR DISEASE	5	4	1	35.0	35.6	33.0
SUICIDE	5	5	0	35.0	44.4	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	4	0	28.0	35.6	-
DIABETES MELLITUS	2	1	1	14.0	8.9	33.0
INFLUENZA AND PNEUMONIA	2	2	0	14.0	17.8	-
CONDITIONS ORIGIN PERINATAL PERIOD	2	1	1	10.1	6.8	20.0
HOMICIDE	2	0	2	14.0	-	66.0
SEPTICEMIA	1	1	0	7.0	8.9	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	7.0	8.9	-
PARKINSONS DISEASE	1	1	0	7.0	8.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	7.0	-	33.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.0	8.9	-
PNEUMOCOSES & CHEMICAL EFFECTS	1	1	0	7.0	8.9	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	7.0	8.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	21.0	26.7	-
ALL OTHER CAUSES	15	12	3	105.0	106.7	99.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>139</u>	<u>112</u>	<u>27</u>	<u>78</u>	<u>56</u>	<u>22</u>	<u>61</u>	<u>56</u>	<u>5</u>
UNDER 1	4	3	1	3	2	1	1	1	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	1	1	0	1	1	0	0	0	0
25-34	7	4	3	4	2	2	3	2	1
35-44	5	3	2	4	2	2	1	1	0
45-54	12	7	5	7	3	4	5	4	1
55-64	12	10	2	6	5	1	6	5	1
65-74	33	28	5	20	16	4	13	12	1
75-84	44	38	6	27	22	5	17	16	1
85 AND OVER	19	17	2	5	3	2	14	14	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 14,280 WHITE 11,250 NONWHITE 3,030

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>323</u>	<u>140</u>	<u>183</u>	<u>9.5</u>	<u>14.9</u>	<u>7.5</u>
HEART DI SEASES	111	41	70	327.5	435.7	286.0
MALI GNANT NEOPLASMS	59	30	29	174.1	318.8	118.5
CEREBROVASCULAR DI SEASE	21	10	11	62.0	106.3	44.9
ACCI DENTS	18	9	9	53.1	95.6	36.8
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	14	6	8	41.3	63.8	32.7
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	11	9	2	32.4	95.6	8.2
INFLUENZA AND PNEUMONIA	9	5	4	26.6	53.1	16.3
SEPTI CEMI A	7	1	6	20.6	10.6	24.5
DI ABETES MELLI TUS	6	3	3	17.7	31.9	12.2
ALZHEIMERS DI SEASE	6	4	2	17.7	42.5	8.2
CONDI TIONS ORIG IN PERINATAL PERIOD	6	0	6	13.0	-	16.0
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	3	0	3	8.8	-	12.2
AORTI C ANEURYSM AND DI SSECTION	3	2	1	8.8	21.2	4.1
HIV DI SEASE	2	0	2	5.9	-	8.2
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	2	0	2	5.9	-	8.2
CHRONI C LIVER DI SEASE AND CI RRHOSIS	2	1	1	5.9	10.6	4.1
HOMI CIDE	2	0	2	5.9	-	8.2
LEGAL I NTERVENTI ON	2	2	0	5.9	21.2	-
VIRAL HEPATI TIS	1	1	0	3.0	10.6	-
MATERNAL CAUSES	1	1	0	216.4	1149.4	-
SUI CIDE	1	1	0	3.0	10.6	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	5	1	4	14.8	10.6	16.3
<u>ALL OTHER CAUSES</u>	<u>31</u>	<u>13</u>	<u>18</u>	<u>91.5</u>	<u>138.2</u>	<u>73.5</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>323</u>	<u>140</u>	<u>183</u>	<u>159</u>	<u>75</u>	<u>84</u>	<u>164</u>	<u>65</u>	<u>99</u>
UNDER 1	10	0	10	5	0	5	5	0	5
(NEONATAL)	8	0	8	4	0	4	4	0	4
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	2	0	2	2	0	2	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	4	1	3	4	1	3	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	11	2	9	6	2	4	5	0	5
35-44	12	6	6	8	5	3	4	1	3
45-54	33	11	22	22	10	12	11	1	10
55-64	40	13	27	24	9	15	16	4	12
65-74	51	20	31	28	13	15	23	7	16
75-84	79	45	34	36	22	14	43	23	20
85 AND OVER	78	41	37	22	12	10	56	29	27
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 33,889 WHI TE 9,410 NONWHI TE 24,479

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>148</u>	<u>70</u>	<u>78</u>	<u>10.3</u>	<u>12.4</u>	<u>8.9</u>
HEART DISEASES	39	23	16	270.6	409.2	182.0
MALIGNANT NEOPLASMS	29	14	15	201.2	249.1	170.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	8	5	90.2	142.3	56.9
ACCIDENTS	13	7	6	90.2	124.6	68.2
CEREBROVASCULAR DISEASE	12	3	9	83.3	53.4	102.4
INFLUENZA AND PNEUMONIA	7	3	4	48.6	53.4	45.5
HOMICIDE	5	1	4	34.7	17.8	45.5
DIABETES MELLITUS	3	0	3	20.8	-	34.1
SEPTICEMIA	2	1	1	13.9	17.8	11.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	13.9	17.8	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	13.9	35.6	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	13.9	-	22.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	6.9	-	11.4
AORTIC ANEURYSM AND DISSECTION	1	0	1	6.9	-	11.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.9	17.8	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	6.9	-	11.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	6.9	-	11.4
<u>ALL OTHER CAUSES</u>	<u>14</u>	<u>6</u>	<u>8</u>	<u>97.1</u>	<u>106.8</u>	<u>91.0</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>148</u>	<u>70</u>	<u>78</u>	<u>67</u>	<u>32</u>	<u>35</u>	<u>81</u>	<u>38</u>	<u>43</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	4	1	3	4	1	3	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	7	3	4	5	2	3	2	1	1
45-54	16	4	12	6	2	4	10	2	8
55-64	16	6	10	10	5	5	6	1	5
65-74	33	17	16	16	8	8	17	9	8
75-84	33	23	10	17	11	6	16	12	4
85 AND OVER	35	16	19	7	3	4	28	13	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 14,411 WHITE 5,620 NONWHITE 8,791

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>252</u>	<u>183</u>	<u>69</u>	<u>9.8</u>	<u>10.4</u>	<u>8.5</u>
HEART DI SEASES	71	51	20	275.7	289.5	245.8
MALI GNANT NEOPLASMS	52	43	9	201.9	244.1	110.6
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	17	13	4	66.0	73.8	49.2
CEREBROVASCULAR DI SEASE	15	9	6	58.2	51.1	73.8
ACCI DENTS	13	12	1	50.5	68.1	12.3
INFLUENZA AND PNEUMONI A	12	10	2	46.6	56.8	24.6
SEPTI CEMI A	7	6	1	27.2	34.1	12.3
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	7	3	4	27.2	17.0	49.2
DI ABETES MELLI TUS	6	3	3	23.3	17.0	36.9
ALZHEIMERS DI SEASE	5	4	1	19.4	22.7	12.3
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	5	4	1	19.4	22.7	12.3
HIV DI SEASE	4	1	3	15.5	5.7	36.9
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	4	3	1	15.5	17.0	12.3
CONDI TIONS ORIG IN PERI NATAL PERI OD	4	0	4	10.6	-	27.4
SUI CI DE	4	3	1	15.5	17.0	12.3
HOMI CI DE	2	1	1	7.8	5.7	12.3
ANEMI AS	1	0	1	3.9	-	12.3
PEPTI C ULCER	1	0	1	3.9	-	12.3
CHRONI C LI VER DI SEASE AND CI RRHOSI S	1	1	0	3.9	5.7	-
COMPLI CATI ONS MEDI CAL/SURGI CAL CARE	1	1	0	3.9	5.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	3	3	0	11.6	17.0	-
ALL OTH ER CAUSES	17	12	5	66.0	68.1	61.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATI ON FI GURES ARE 2002 ESTI MATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>252</u>	<u>183</u>	<u>69</u>	<u>127</u>	<u>93</u>	<u>34</u>	<u>125</u>	<u>90</u>	<u>35</u>
UNDER 1	5	1	4	2	0	2	3	1	2
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	2	0	1	0	1
25-34	8	6	2	6	4	2	2	2	0
35-44	13	12	1	7	7	0	6	5	1
45-54	26	14	12	15	9	6	11	5	6
55-64	25	18	7	18	14	4	7	4	3
65-74	49	34	15	26	18	8	23	16	7
75-84	71	61	10	31	26	5	40	35	5
85 AND OVER	52	35	17	20	13	7	32	22	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 25,751 WHI TE 17,616 NONWHI TE 8,135

SELECTED DEATH STATISTICS, RESIDENTS OF TIPP AH COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>275</u>	<u>241</u>	<u>34</u>	<u>13.1</u>	<u>13.9</u>	<u>9.1</u>
HEART DI SEASES	98	83	15	465.7	479.1	403.2
MALI GNANT NEOPLASMS	49	44	5	232.8	254.0	134.4
CEREBROVASCULAR DI SEASE	22	21	1	104.5	121.2	26.9
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	13	13	0	61.8	75.0	-
ACCI DENTS	10	9	1	47.5	52.0	26.9
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	8	8	0	38.0	46.2	-
DI ABETES MELLI TUS	6	5	1	28.5	28.9	26.9
HYPERTENSION/HYPER TENSIVE RENAL DZ	5	4	1	23.8	23.1	26.9
INFLUENZA AND PNEUMONI A	5	5	0	23.8	28.9	-
CONDI TIONS ORIG IN PERINATAL PERI OD	4	4	0	12.5	16.5	-
SUI CI DE	4	4	0	19.0	23.1	-
SEPTI CEMI A	3	1	2	14.2	5.8	53.8
PARKI NSONS DI SEASE	3	3	0	14.2	17.3	-
MALNUTRI TI ON/NUTRI TI ONAL DEFI CI ENCY	2	1	1	9.5	5.8	26.9
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	2	2	0	9.5	11.5	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	2	2	0	9.5	11.5	-
IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	4.8	5.8	-
ANEMI AS	1	0	1	4.8	-	26.9
ALZHEI MERS DI SEASE	1	1	0	4.8	5.8	-
--- NOT I NCLUDED I N RANKI NG --- SYMPTOMS, SI GNS, I LL-DEFI NED	2	2	0	9.5	11.5	-
<u>ALL OTHER CAUSES</u>	<u>34</u>	<u>28</u>	<u>6</u>	<u>161.6</u>	<u>161.6</u>	<u>161.3</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>275</u>	<u>241</u>	<u>34</u>	<u>134</u>	<u>121</u>	<u>13</u>	<u>141</u>	<u>120</u>	<u>21</u>
UNDER 1	6	6	0	3	3	0	3	3	0
(NEONATAL)	5	5	0	2	2	0	3	3	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	2	0	2	2	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	2	1	1	1	0	2	1	1
25-34	5	3	2	2	2	0	3	1	2
35-44	14	8	6	8	6	2	6	2	4
45-54	21	18	3	15	12	3	6	6	0
55-64	24	20	4	16	14	2	8	6	2
65-74	48	44	4	25	22	3	23	22	1
75-84	78	69	9	39	36	3	39	33	6
85 AND OVER	73	68	5	22	22	0	51	46	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 21,044 WHI TE 17,324 NONWHI TE 3,720

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>265</u>	<u>259</u>	<u>6</u>	<u>13.9</u>	<u>14.2</u>	<u>7.8</u>
HEART DI SEASES	95	95	0	498.7	519.7	-
MALI GNANT NEOPLASMS	49	47	2	257.2	257.1	260.1
ACCI DENTS	15	15	0	78.7	82.0	-
CEREBROVASCULAR DI SEASE	14	13	1	73.5	71.1	130.0
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	14	14	0	73.5	76.6	-
INFLUENZA AND PNEUMONIA	9	9	0	47.2	49.2	-
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	6	6	0	31.5	32.8	-
ALZHEI MERS DI SEASE	5	5	0	26.2	27.4	-
ATHEROSCLEROSI S	5	5	0	26.2	27.4	-
SUI CI DE	5	5	0	26.2	27.4	-
DI ABETES MELLI TUS	3	3	0	15.7	16.4	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	3	3	0	15.7	16.4	-
VI RAL HEPATI TIS	2	2	0	10.5	10.9	-
IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	2	2	0	10.5	10.9	-
PEPTI C ULCER	2	2	0	10.5	10.9	-
CHRONI C LI VER DI SEASE AND CIRRHOSI S	2	2	0	10.5	10.9	-
CONDI TIONS ORIG IN PERI NATAL PERI OD	2	2	0	9.0	9.1	-
SEPTI CEMI A	1	1	0	5.2	5.5	-
PARKI NSONS DI SEASE	1	1	0	5.2	5.5	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	1	0	1	5.2	-	130.0
--- NOT I NCLUDED I N RANKI NG --- SYMPTOMS, SI GNS, I LL-DEFI NED	5	5	0	26.2	27.4	-
<u>ALL OTHER CAUSES</u>	<u>24</u>	<u>22</u>	<u>2</u>	<u>126.0</u>	<u>120.3</u>	<u>260.1</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>265</u>	<u>259</u>	<u>6</u>	<u>131</u>	<u>126</u>	<u>5</u>	<u>134</u>	<u>133</u>	<u>1</u>
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	2	2	0	1	1	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	4	4	0	0	0	0
25-34	6	6	0	6	6	0	0	0	0
35-44	8	7	1	5	4	1	3	3	0
45-54	14	13	1	9	8	1	5	5	0
55-64	31	30	1	15	14	1	16	16	0
65-74	52	51	1	31	30	1	21	21	0
75-84	73	72	1	32	31	1	41	41	0
85 AND OVER	75	74	1	28	28	0	47	46	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 19,050 WHI TE 18,281 NONWHI TE 769

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>116</u>	<u>45</u>	<u>71</u>	<u>12.1</u>	<u>17.1</u>	<u>10.2</u>
HEART DI SEASES	27	10	17	282.0	381.1	244.6
MALI GNANT NEOPLASMS	20	8	12	208.9	304.9	172.6
ACCI DENTS	8	3	5	83.6	114.3	71.9
SEPTI CEMI A	6	3	3	62.7	114.3	43.2
DI ABETES MELLI TUS	5	1	4	52.2	38.1	57.5
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	5	1	4	52.2	38.1	57.5
HIV DI SEASE	4	0	4	41.8	-	57.5
CEREBROVASCULAR DI SEASE	4	2	2	41.8	76.2	28.8
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	4	3	1	41.8	114.3	14.4
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	4	1	3	41.8	38.1	43.2
CONDI TIONS ORIG IN PERINATAL PERI OD	4	2	2	20.0	57.1	12.1
HOMI CIDE	3	0	3	31.3	-	43.2
ALZHEI MERS DI SEASE	2	1	1	20.9	38.1	14.4
MALNUTRI TI ON/NUTRI TI ONAL DEFICI ENCY	1	1	0	10.4	38.1	-
AORTI C ANEURYSM AND DI SSECTION	1	1	0	10.4	38.1	-
INFLUENZA AND PNEUMONI A	1	1	0	10.4	38.1	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	1	0	1	10.4	-	14.4
CHRONI C LIVER DI SEASE AND CI RRHOSI S	1	1	0	10.4	38.1	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TI ES	1	0	1	10.4	-	14.4
SUI CIDE	1	1	0	10.4	38.1	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SI GNS, I LL-DEFI NED	1	0	1	10.4	-	14.4
<u>ALL OTHER CAUSES</u>	<u>12</u>	<u>5</u>	<u>7</u>	<u>125.3</u>	<u>190.5</u>	<u>100.7</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>116</u>	<u>45</u>	<u>71</u>	<u>56</u>	<u>23</u>	<u>33</u>	<u>60</u>	<u>22</u>	<u>38</u>
UNDER 1	5	2	3	3	2	1	2	0	2
(NEONATAL)	4	2	2	3	2	1	1	0	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	0	3	1	0	1	2	0	2
15-24	2	1	1	0	0	0	2	1	1
25-34	3	0	3	1	0	1	2	0	2
35-44	13	0	13	8	0	8	5	0	5
45-54	17	7	10	10	6	4	7	1	6
55-64	16	11	5	12	8	4	4	3	1
65-74	10	5	5	6	4	2	4	1	3
75-84	29	12	17	10	3	7	19	9	10
85 AND OVER	18	7	11	5	0	5	13	7	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 9,575 WHI TE 2,624 NONWHI TE 6,951

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>265</u>	<u>230</u>	<u>35</u>	<u>10.2</u>	<u>10.4</u>	<u>8.6</u>
HEART DI SEASES	107	91	16	410.0	413.4	391.7
MALI GNANT NEOPLASMS	58	50	8	222.2	227.1	195.8
CEREBROVASCULAR DI SEASE	26	22	4	99.6	99.9	97.9
ACCI DENTS	12	12	0	46.0	54.5	-
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	8	8	0	30.6	36.3	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	26.8	27.2	24.5
SUI CI DE	5	5	0	19.2	22.7	-
I NFLUENZA AND PNEUMONI A	4	4	0	15.3	18.2	-
ALZHEIMERS DI SEASE	3	3	0	11.5	13.6	-
AORTI C ANEURYSM AND DI SSECTION	3	3	0	11.5	13.6	-
DI ABETES MELLI TUS	2	2	0	7.7	9.1	-
PARKI NSONS DI SEASE	2	2	0	7.7	9.1	-
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	2	1	1	7.7	4.5	24.5
CHRONI C LI VER DI SEASE AND CIRRHOSI S	2	1	1	7.7	4.5	24.5
SEPTI CEMI A	1	1	0	3.8	4.5	-
HI V DI SEASE	1	0	1	3.8	-	24.5
I N SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	3.8	4.5	-
MALNUTRI TION/NUTRI TIONAL DEFICI ENCY	1	1	0	3.8	4.5	-
CONDI TIONS ORIG I N PERI NATAL PERI OD	1	0	1	2.8	-	19.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	3	3	0	11.5	13.6	-
ALL OTHER CAUSES	16	14	2	61.3	63.6	49.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>265</u>	<u>230</u>	<u>35</u>	<u>143</u>	<u>125</u>	<u>18</u>	<u>122</u>	<u>105</u>	<u>17</u>
UNDER 1	3	2	1	3	2	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	2	0	2	2	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	5	4	1	5	4	1	0	0	0
35-44	10	7	3	9	6	3	1	1	0
45-54	12	10	2	6	6	0	6	4	2
55-64	26	19	7	12	10	2	14	9	5
65-74	60	55	5	37	34	3	23	21	2
75-84	76	69	7	38	35	3	38	34	4
85 AND OVER	71	62	9	31	26	5	40	36	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 26,099 WHI TE 22,014 NONWHI TE 4,085

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHAM COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>179</u>	<u>100</u>	<u>79</u>	<u>11.8</u>	<u>12.1</u>	<u>11.4</u>
HEART DISEASES	66	47	19	435.9	570.2	275.4
MALIGNANT NEOPLASMS	29	11	18	191.5	133.4	260.9
ACCIDENTS	14	5	9	92.5	60.6	130.5
CEREBROVASCULAR DISEASE	12	7	5	79.2	84.9	72.5
INFLUENZA AND PNEUMONIA	8	4	4	52.8	48.5	58.0
DIABETES MELLITUS	6	3	3	39.6	36.4	43.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	4	2	39.6	48.5	29.0
SEPTICEMIA	4	1	3	26.4	12.1	43.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	19.8	-	43.5
CONDITIONS ORIGIN PERINATAL PERIOD	3	2	1	14.0	22.0	8.1
HOMICIDE	3	0	3	19.8	-	43.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	13.2	12.1	14.5
SUICIDE	2	0	2	13.2	-	29.0
PARKINSONS DISEASE	1	1	0	6.6	12.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	6.6	12.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	19.8	24.3	14.5
<u>ALL OTHER CAUSES</u>	<u>16</u>	<u>11</u>	<u>5</u>	<u>105.7</u>	<u>133.4</u>	<u>72.5</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>179</u>	<u>100</u>	<u>79</u>	<u>89</u>	<u>44</u>	<u>45</u>	<u>90</u>	<u>56</u>	<u>34</u>
UNDER 1	4	2	2	2	2	0	2	0	2
(NEONATAL)	3	2	1	2	2	0	1	0	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	6	2	4	3	0	3	3	2	1
35-44	5	2	3	5	2	3	0	0	0
45-54	15	4	11	10	3	7	5	1	4
55-64	15	8	7	10	5	5	5	3	2
65-74	36	23	13	24	15	9	12	8	4
75-84	42	24	18	20	12	8	22	12	10
85 AND OVER	54	35	19	13	5	8	41	30	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 15,141 WHITE 8,243 NONWHITE 6,898

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>521</u>	<u>304</u>	<u>217</u>	<u>10.5</u>	<u>11.4</u>	<u>9.5</u>
HEART DISEASES	166	105	61	335.7	395.5	266.4
MALIGNANT NEOPLASMS	104	59	45	210.3	222.2	196.5
CEREBROVASCULAR DISEASE	39	20	19	78.9	75.3	83.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	36	29	7	72.8	109.2	30.6
ACCIDENTS	23	12	11	46.5	45.2	48.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	5	7	24.3	18.8	30.6
INFLUENZA AND PNEUMONIA	11	3	8	22.2	11.3	34.9
HIV DISEASE	8	1	7	16.2	3.8	30.6
DIABETES MELLITUS	8	2	6	16.2	7.5	26.2
SEPTICEMIA	7	5	2	14.2	18.8	8.7
ALZHEIMERS DISEASE	7	6	1	14.2	22.6	4.4
HOMICIDE	7	2	5	14.2	7.5	21.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	4	1	10.1	15.1	4.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	10.1	18.8	-
PARKINSONS DISEASE	4	4	0	8.1	15.1	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	6.1	-	13.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	6.1	7.5	4.4
SUICIDE	3	2	1	6.1	7.5	4.4
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	6.1	7.5	4.4
ATHEROSCLEROSIS	2	0	2	4.0	-	8.7
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	4.0	3.8	4.4
VIRAL HEPATITIS	1	0	1	2.0	-	4.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	2.0	-	4.4
ANEMIAS	1	0	1	2.0	-	4.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.0	3.8	-
INFECTIONS OF KIDNEY	1	1	0	2.0	3.8	-
CONDITIONS ORIGIN PERINATAL PERIOD	1	1	0	1.4	3.3	-
LEGAL INTERVENTION	1	0	1	2.0	-	4.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	2	4	12.1	7.5	17.5
ALL OTHER CAUSES	50	30	20	101.1	113.0	87.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL</u>	<u>521</u>	<u>304</u>	<u>217</u>	<u>241</u>	<u>143</u>	<u>98</u>	<u>280</u>	<u>161</u>	<u>119</u>
UNDER 1	4	1	3	0	0	0	4	1	3
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	3	1	2	1	0	1	2	1	1
15-24	17	8	9	12	7	5	5	1	4
25-34	10	4	6	7	4	3	3	0	3
35-44	23	6	17	13	3	10	10	3	7
45-54	37	18	19	19	12	7	18	6	12
55-64	51	34	17	28	19	9	23	15	8
65-74	84	46	38	53	32	21	31	14	17
75-84	152	103	49	65	41	24	87	62	25
85 AND OVER	138	82	56	43	25	18	95	57	38
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 49,443 WHI TE 26,548 NONWHI TE 22,895

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>674</u>	<u>267</u>	<u>407</u>	<u>11.0</u>	<u>13.2</u>	<u>9.9</u>
HEART DISEASES	240	107	133	391.4	528.8	323.7
MALIGNANT NEOPLASMS	151	63	88	246.3	311.4	214.2
CEREBROVASCULAR DISEASE	38	15	23	62.0	74.1	56.0
ACCIDENTS	36	11	25	58.7	54.4	60.8
HOMICIDE	24	3	21	39.1	14.8	51.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	8	11	31.0	39.5	26.8
DIABETES MELLITUS	17	6	11	27.7	29.6	26.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	3	14	27.7	14.8	34.1
SEPTICEMIA	13	5	8	21.2	24.7	19.5
INFLUENZA AND PNEUMONIA	12	6	6	19.6	29.6	14.6
ALZHEIMERS DISEASE	8	4	4	13.0	19.8	9.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	1	6	11.4	4.9	14.6
CONDITIONS ORIG IN PERINATAL PERIOD	5	2	3	5.0	8.8	3.9
SUICIDE	5	4	1	8.2	19.8	2.4
PARKINSONS DISEASE	4	4	0	6.5	19.8	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	0	4	6.5	-	9.7
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	4.9	9.9	2.4
HIV DISEASE	2	0	2	3.3	-	4.9
AORTIC ANEURYSM AND DISSECTION	2	0	2	3.3	-	4.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	3.3	9.9	-
TUBERCULOSIS	1	0	1	1.6	-	2.4
VIRAL ENCEPHALITIS	1	0	1	1.6	-	2.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	1.6	-	2.4
ANEMIAS	1	0	1	1.6	-	2.4
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	1.6	-	2.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	1.6	4.9	-
PEPTIC ULCER	1	1	0	1.6	4.9	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	1.6	4.9	-
MATERNAL CAUSES	1	0	1	100.3	-	129.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	8.2	4.9	9.7
ALL OTHER CAUSES	51	17	34	83.2	84.0	82.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE	TOTAL	WHI TE	NON-WHI TE
<u>TOTAL</u>	<u>674</u>	<u>267</u>	<u>407</u>	<u>331</u>	<u>129</u>	<u>202</u>	<u>343</u>	<u>138</u>	<u>205</u>
UNDER 1 (NEONATAL)	14	2	12	8	1	7	6	1	5
(POSTNEONATAL)	6	2	4	3	1	2	3	1	2
1-4	8	0	8	5	0	5	3	0	3
5-9	3	0	3	0	0	0	3	0	3
10-14	4	0	4	2	0	2	2	0	2
15-24	2	0	2	1	0	1	1	0	1
25-34	17	4	13	12	3	9	5	1	4
35-44	24	4	20	16	2	14	8	2	6
45-54	29	7	22	21	5	16	8	2	6
55-64	69	20	49	40	12	28	29	8	21
65-74	94	37	57	57	26	31	37	11	26
75-84	102	49	53	54	28	26	48	21	27
85 AND OVER	159	67	92	72	32	40	87	35	52
UNKNOWN	157	77	80	48	20	28	109	57	52
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 61,315 WHI TE 20,233 NONWHI TE 41,082

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>216</u>	<u>147</u>	<u>69</u>	<u>10.2</u>	<u>11.2</u>	<u>8.5</u>
HEART DI SEASES	68	49	19	320.5	373.9	234.2
MALI GNANT NEOPLASMS	44	28	16	207.4	213.6	197.2
ACCI DENTS	22	16	6	103.7	122.1	74.0
DI ABETES MELLI TUS	10	5	5	47.1	38.2	61.6
CEREBROVASCULAR DI SEASE	10	8	2	47.1	61.0	24.6
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	7	6	1	33.0	45.8	12.3
ALZHEI MERS DI SEASE	6	4	2	28.3	30.5	24.6
SEPTI CEMI A	4	3	1	18.8	22.9	12.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	18.8	22.9	12.3
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	4	3	1	18.8	22.9	12.3
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	3	3	0	14.1	22.9	-
CHRONI C LI VER DI SEASE AND CI RRHOSI S	3	2	1	14.1	15.3	12.3
PARKI NSONS DI SEASE	2	0	2	9.4	-	24.6
I NFLUENZA AND PNEUMONI A	2	2	0	9.4	15.3	-
HOMI CIDE	2	0	2	9.4	-	24.6
HI V DI SEASE	1	0	1	4.7	-	12.3
ATHEROSCLEROSI S	1	0	1	4.7	-	12.3
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	1	0	1	4.7	-	12.3
SUI CIDE	1	0	1	4.7	-	12.3
COMPLI CATIONS MEDI CAL/SURGI CAL CARE	1	1	0	4.7	7.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	2	1	1	9.4	7.6	12.3
<u>ALL OTHER CAUSES</u>	<u>18</u>	<u>13</u>	<u>5</u>	<u>84.8</u>	<u>99.2</u>	<u>61.6</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>216</u>	<u>147</u>	<u>69</u>	<u>108</u>	<u>70</u>	<u>38</u>	<u>108</u>	<u>77</u>	<u>31</u>
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	2	2	0	4	2	2
25-34	7	4	3	6	3	3	1	1	0
35-44	10	5	5	7	3	4	3	2	1
45-54	12	3	9	6	1	5	6	2	4
55-64	25	11	14	15	7	8	10	4	6
65-74	43	31	12	20	17	3	23	14	9
75-84	59	45	14	33	25	8	26	20	6
85 AND OVER	51	42	9	17	11	6	34	31	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 21,219 WHI TE 13,106 NONWHI TE 8,113

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>149</u>	<u>114</u>	<u>35</u>	<u>14.4</u>	<u>14.1</u>	<u>15.6</u>
HEART DI SEASES	50	40	10	484.6	495.8	444.6
MALI GNANT NEOPLASMS	34	25	9	329.6	309.9	400.2
CEREBROVASCULAR DI SEASE	11	8	3	106.6	99.2	133.4
ACCI DENTS	9	7	2	87.2	86.8	88.9
INFLUENZA AND PNEUMONIA	7	5	2	67.8	62.0	88.9
ALZHEIMERS DI SEASE	5	5	0	48.5	62.0	-
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	4	4	0	38.8	49.6	-
DI ABETES MELLITUS	3	1	2	29.1	12.4	88.9
ANEMI AS	2	2	0	19.4	24.8	-
AORTIC ANEURYSM AND DI SSECTION	2	1	1	19.4	12.4	44.5
PNEUMONI TIS DUE TO SOLIDS & LI QUI DS	2	2	0	19.4	24.8	-
HOMI CIDE	2	1	1	19.4	12.4	44.5
SEPTI CEMIA	1	1	0	9.7	12.4	-
HIV DI SEASE	1	0	1	9.7	-	44.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	1	1	0	9.7	12.4	-
CONDI TIONS ORIG IN PERINATAL PERIOD	1	0	1	7.6	-	24.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFINED	1	1	0	9.7	12.4	-
<u>ALL OTHER CAUSES</u>	<u>13</u>	<u>10</u>	<u>3</u>	<u>126.0</u>	<u>123.9</u>	<u>133.4</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDI TIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>149</u>	<u>114</u>	<u>35</u>	<u>58</u>	<u>41</u>	<u>17</u>	<u>91</u>	<u>73</u>	<u>18</u>
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	9	5	4	5	2	3	4	3	1
45-54	6	3	3	3	1	2	3	2	1
55-64	15	9	6	8	6	2	7	3	4
65-74	27	24	3	13	12	1	14	12	2
75-84	29	23	6	10	8	2	19	15	4
85 AND OVER	60	50	10	17	12	5	43	38	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 10,317 WHI TE 8,068 NONWHI TE 2,249

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>169</u>	<u>57</u>	<u>112</u>	<u>16.5</u>	<u>18.0</u>	<u>15.8</u>
HEART DI SEASES	46	13	33	449.7	410.7	467.2
MALI GNANT NEOPLASMS	35	13	22	342.2	410.7	311.5
DI ABETES MELLI TUS	11	2	9	107.5	63.2	127.4
CEREBROVASCULAR DI SEASE	11	5	6	107.5	158.0	85.0
INFLUENZA AND PNEUMONIA	7	5	2	68.4	158.0	28.3
ACCI DENTS	7	2	5	68.4	63.2	70.8
SEPTI CEMI A	4	1	3	39.1	31.6	42.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	39.1	31.6	42.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPI RATORY DI SEASES	4	1	3	39.1	31.6	42.5
NEPHRI TIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	39.1	31.6	42.5
ANEMI AS	3	1	2	29.3	31.6	28.3
ALZHEI MERS DI SEASE	3	3	0	29.3	94.8	-
PNEUMONI TIS DUE TO SOLIDS & LI QUI DS	3	3	0	29.3	94.8	-
HIV DI SEASE	2	0	2	19.6	-	28.3
AORTIC ANEURYSM AND DI SSECTION	2	0	2	19.6	-	28.3
MENI NGOCOCCAL I NFECTION	1	0	1	9.8	-	14.2
ACUTE BRONCHI TIS AND BRONCHI OLI TIS	1	0	1	9.8	-	14.2
CHOLELI THI ASI S/GALLBLADDER DI SORDER	1	1	0	9.8	31.6	-
SUI CI DE	1	1	0	9.8	31.6	-
HOMI CI DE	1	0	1	9.8	-	14.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	0	6	58.7	-	85.0
ALL OTHER CAUSES	12	4	8	117.3	126.4	113.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>169</u>	<u>57</u>	<u>112</u>	<u>90</u>	<u>35</u>	<u>55</u>	<u>79</u>	<u>22</u>	<u>57</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	9	1	8	4	0	4	5	1	4
45-54	13	2	11	9	2	7	4	0	4
55-64	18	7	11	11	5	6	7	2	5
65-74	38	13	25	18	8	10	20	5	15
75-84	37	11	26	25	10	15	12	1	11
85 AND OVER	47	22	25	17	9	8	30	13	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 10,228 WHI TE 3,165 NONWHI TE 7,063

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>210</u>	<u>138</u>	<u>72</u>	<u>10.5</u>	<u>12.6</u>	<u>8.0</u>
HEART DI SEASES	57	36	21	285.0	327.8	232.9
MALI GNANT NEOPLASMS	46	26	20	230.0	236.7	221.8
CEREBROVASCULAR DI SEASE	25	20	5	125.0	182.1	55.4
ACCI DENTS	12	8	4	60.0	72.8	44.4
INFLUENZA AND PNEUMONI A	11	8	3	55.0	72.8	33.3
ALZHEIMERS DI SEASE	5	4	1	25.0	36.4	11.1
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	5	5	0	25.0	45.5	-
SEPTI CEMI A	4	3	1	20.0	27.3	11.1
SUI CI DE	4	3	1	20.0	27.3	11.1
NEPHRI TIS, NEPHROTI C SYND, NEPHROSI S	3	2	1	15.0	18.2	11.1
DI ABETES MELLI TUS	2	2	0	10.0	18.2	-
PARKI NSONS DI SEASE	2	1	1	10.0	9.1	11.1
ATHEROSCLEROSI S	2	0	2	10.0	-	22.2
AORTI C ANEURYSM AND DI SSECTION IN SI TU, BENI GN & UNSPECI FIED NEOPLASMS	1	1	0	5.0	9.1	-
PEPTI C ULCER	1	0	1	5.0	-	11.1
CONDI TIONS ORIG I N PERI NATAL PERI OD	1	0	1	4.4	-	7.9
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	1	1	0	5.0	9.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	5	2	3	25.0	18.2	33.3
ALL OTHER CAUSES	21	14	7	105.0	127.5	77.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATI ON FI GURES ARE 2002 ESTI MATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>210</u>	<u>138</u>	<u>72</u>	<u>102</u>	<u>60</u>	<u>42</u>	<u>108</u>	<u>78</u>	<u>30</u>
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	0	0	0	0	0	0	0	0	0
25-34	9	4	5	3	3	0	6	1	5
35-44	8	3	5	8	3	5	0	0	0
45-54	15	8	7	8	4	4	7	4	3
55-64	25	14	11	10	4	6	15	10	5
65-74	29	19	10	20	11	9	9	8	1
75-84	48	31	17	28	19	9	20	12	8
85 AND OVER	72	57	15	23	16	7	49	41	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 20,001 WHI TE 10,983 NONWHI TE 9,018

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*--		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>170</u>	<u>118</u>	<u>52</u>	<u>12.8</u>	<u>14.6</u>	<u>10.0</u>
HEART DI SEASES	57	40	17	428.2	493.9	326.1
MALI GNANT NEOPLASMS	40	28	12	300.5	345.7	230.2
CEREBROVASCULAR DI SEASE	14	8	6	105.2	98.8	115.1
EMPHYSEMA AND OTHER CHRONI C LOWER RESPIRATORY DI SEASES	12	11	1	90.1	135.8	19.2
ACCI DENTS	9	7	2	67.6	86.4	38.4
I NFLUENZA AND PNEUMONIA	4	2	2	30.0	24.7	38.4
CHRONI C LI VER DI SEASE AND CI RRHOSI S	3	2	1	22.5	24.7	19.2
SUI CI DE	2	2	0	15.0	24.7	-
VI RAL HEPATI TIS	1	1	0	7.5	12.3	-
ANEMI AS	1	0	1	7.5	-	19.2
DI ABETES MELLI TUS	1	0	1	7.5	-	19.2
ALZHEI MERS DI SEASE	1	1	0	7.5	12.3	-
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	1	0	1	7.5	-	19.2
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	1	1	0	7.5	12.3	-
CHOLELI THI ASI S/GALLBLADDER DI SORDER	1	1	0	7.5	12.3	-
NEPHRI TIS, NEPHROTI C SYND, NEPHROS I S	1	1	0	7.5	12.3	-
CONGENI TAL MALFORMATI ONS AND CHROMOSOMAL ABNORMALI TIES	1	0	1	7.5	-	19.2
--- NOT I NCLUDED I N RANKI NG ---						
SYMPTOMS, SI GNS, I LL-DEFI NED	1	1	0	7.5	12.3	-
<u>ALL OTHER CAUSES</u>	<u>19</u>	<u>12</u>	<u>7</u>	<u>142.7</u>	<u>148.2</u>	<u>134.3</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>170</u>	<u>118</u>	<u>52</u>	<u>88</u>	<u>60</u>	<u>28</u>	<u>82</u>	<u>58</u>	<u>24</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	2	1	1	1	1	0	1	0	1
35-44	4	3	1	1	1	0	3	2	1
45-54	14	10	4	8	4	4	6	6	0
55-64	22	11	11	15	8	7	7	3	4
65-74	28	21	7	21	16	5	7	5	2
75-84	49	38	11	23	19	4	26	19	7
85 AND OVER	47	32	15	17	10	7	30	22	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATI ON: TOTAL 13,312 WHI TE 8,099 NONWHI TE 5,213

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 2002

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL OF ALL CAUSES</u>	<u>322</u>	<u>149</u>	<u>173</u>	<u>11.4</u>	<u>11.9</u>	<u>11.0</u>
HEART DI SEASES	110	62	48	390.1	495.6	305.9
MALI GNANT NEOPLASMS	65	23	42	230.5	183.8	267.7
CEREBROVASCULAR DI SEASE	20	14	6	70.9	111.9	38.2
ACCI DENTS	20	11	9	70.9	87.9	57.4
DI ABETES MELLI TUS	18	5	13	63.8	40.0	82.9
SEPTI CEMI A	9	5	4	31.9	40.0	25.5
HYPERTENSI ON/HYPERTENSI VE RENAL DZ	7	0	7	24.8	-	44.6
EMPHYSEMA AND OTHER CHRONI C LOWER RESPI RATORY DI SEASES	7	5	2	24.8	40.0	12.7
HOMI CI DE	5	2	3	17.7	16.0	19.1
NEPHRI TIS, NEPHROTI C SYND, NEPHROSIS	4	1	3	14.2	8.0	19.1
HI V DI SEASE	3	0	3	10.6	-	19.1
I NFLUENZA AND PNEUMONIA	3	0	3	10.6	-	19.1
CONDI TIONS ORIG I N PERI NATAL PERI OD	3	0	3	7.3	-	10.9
SUI CI DE	3	1	2	10.6	8.0	12.7
MALNUTRI TION/NUTRI TIONAL DEFICI ENCY	2	0	2	7.1	-	12.7
ALZHEI MERS DI SEASE	2	1	1	7.1	8.0	6.4
PNEUMONI TIS DUE TO SOLI DS & LI QUI DS	2	1	1	7.1	8.0	6.4
CHRONI C LI VER DI SEASE AND CI RRRHOSI S	2	1	1	7.1	8.0	6.4
TUBERCULOSI S	1	0	1	3.5	-	6.4
VI RAL HEPATI TIS	1	1	0	3.5	8.0	-
ATHEROSCLEROSI S	1	1	0	3.5	8.0	-
AORTI C ANEURYSM AND DI SSECTI ON	1	0	1	3.5	-	6.4
CHOLELI THI ASI S/GALLBLADDER DI SORDER	1	1	0	3.5	8.0	-
--- NOT I NCLUDED I N RANKI NG ---						
SYMP TOMS, SI GNS, I LL-DEFI NED	2	1	1	7.1	8.0	6.4
<u>ALL OTHER CAUSES</u>	<u>30</u>	<u>13</u>	<u>17</u>	<u>106.4</u>	<u>103.9</u>	<u>108.4</u>

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG I N PERI NATAL PERI OD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2002 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE	TOTAL	WHI TE	NON- WHI TE
<u>TOTAL</u>	<u>322</u>	<u>149</u>	<u>173</u>	<u>183</u>	<u>85</u>	<u>98</u>	<u>139</u>	<u>64</u>	<u>75</u>
UNDER 1	7	0	7	6	0	6	1	0	1
(NEONATAL)	3	0	3	3	0	3	0	0	0
(POSTNEONATAL)	4	0	4	3	0	3	1	0	1
1-4	2	0	2	2	0	2	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	10	3	7	8	3	5	2	0	2
25-34	6	3	3	4	3	1	2	0	2
35-44	13	4	9	8	2	6	5	2	3
45-54	34	12	22	22	8	14	12	4	8
55-64	37	18	19	24	13	11	13	5	8
65-74	55	29	26	32	15	17	23	14	9
75-84	80	38	42	47	24	23	33	14	19
85 AND OVER	76	42	34	29	17	12	47	25	22
UNKNOWN	0	0	0	0	0	0	0	0	0

2002 POPULATION: TOTAL 28,199 WHI TE 12,510 NONWHI TE 15,689