DISTRICT: I

RACE	TOTAL POPULATI ON ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMAL AG 15-	SES ·19	TOTAL LI VE BI RTHS								
TOTAL WHI TE NONWHI TE	279, 299 176, 287 103, 012	21, 651 11, 627 10, 024	11, 309 6, 114 5, 195	10, 3 5, 5 4, 8	342 513	4, 212 2, 384 1, 828								
			ALL TEENS	AGES	AGES	 AGES 18-19	ALL TEENS	WHI AGES 10-14	AGES	 AGES 18-19	 ALL TEENS	AGES	AGES	 AGES 18-19
TEENAGE PR TEENAGE IL TEENS WHO TEENS WHO	RTHS MATURE BIRTHS EMATURE BIRTHS LEGITIMATE BIRTI HAD PREVIOUS LIV HAD PREVIOUS PRI INADEQUATE* PRI	VE BIRTHS EGNANCIES	745 81 107 644 171 206 48	20 2 5 20 0 0	261 32 35 242 36 41 24	464 47 67 382 135 165 22	288 19 23 194 39 54	4 0 1 4 0 0	90 9 7 71 7 9	194 10 15 119 32 45	457 62 84 450 132 152 29	16 2 4 16 0 0	171 23 28 171 29 32	37 52 263 103 120
	RTILITY RATE	LIWITHE OTHE	34. 4	1. 8		(15-19)	24. 8	0. 6	,	(15-19)	45. 6	3. 1		(15-19)
	TAL DEATHS** TAL DEATH RATIO		8 10. 7	1 50. 0	3 11. 5	4 8. 6	2 6. 9	0 -	1 11. 1	1 5. 2	6 13. 1	1 62. 5	2 11. 7	_
	DUCED TERMINATION DUCED TERMINATION		10 13. 4	1 50. 0	4 15. 3		7 24. 3	0 -	2 22. 2	5 25. 8	3 6. 6	1 62. 5	2 11. 7	
TEENAGE PR TEENAGE PR	EGNANCIES# EGNANCY RATE		763 35. 2	22 1. 9	268 71. 6	473 (15-19)	297 25. 5	4 0. 6	93 53. 1	200 (15-19)	466 46. 5	18 3. 5	175 92. 8	273 (15-19)
INFANT DEA	THS TO TEENAGE !	MOTHERS	8	0	3	5	3	0	0	3	5	0	3	2

^{*} ACCORDING TO THE KESSNER INDEX.

INFANT MORTALITY RATE, TEEN MOMS

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

10. 7

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP. PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

11. 5

10.8

10.4

15.5

10.9

17. 5

7.4

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

TOTAL

DISTRICT: II

TOTAL

FEMALES

FEMALES

FEMALES

RACE	POPULATI ON ALL AGES	AGES 10-19	AGES 10-14	AG 15-	ES	LI VE BI RTHS								
TOTAL WHI TE NONWHI TE	261, 482	17, 054	8, 346	12, 1 8, 7 3, 4	'08	4, 631 3, 399 1, 232								
				ALL R	ACES			WHI	TE			NONWH	ITE	
			ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES	AGES	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE PRE TEENAGE ILL TEENS WHO H TEENS WHO H	RTHS MATURE BIRTHS EMATURE BIRTHS LEGITIMATE BIRTH HAD PREVIOUS LIV HAD PREVIOUS PRE INADEQUATE* PRE	'E BIRTHS GNANCIES	740 92 146 536 174 216 34	16 3 3 16 0 0	235 31 49 198 30 36 12	489 58 94 322 144 180 21	453 49 71 268 87 116 14	5 0 0 5 0 0	134 17 23 99 14 16 5	314 32 48 164 73 100 9	287 43 75 268 87 100 20	11 3 3 11 0 0	101 14 26 99 16 20	46 158 71
TEENAGE FER	RTILITY RATE		31. 2	1. 4	59. 7	(15-19)	26. 6	0. 6	51. 4	(15-19)	43. 3	3. 4	80. 9	(15-19)
	TAL DEATHS** TAL DEATH RATIO		6 8. 1	0 -	4 17. 0	2 4. 1	4 8. 8	0 -	3 22. 4	1 3. 2	2 7. 0	0 -	1 9. 9	=
	DUCED TERMINATIO DUCED TERMINATIO		21 28. 4	1 62. 5	6 25. 5	14 28. 6	12 26. 5	0 -	3 22. 4	9 28. 7	9 31. 4	1 90. 9	3 29. 7	
TEENAGE PRE TEENAGE PRE	EGNANCIES# EGNANCY RATE		767 32. 4	17 1. 5	245 61. 9	505 (15-19)	469 27. 5	5 0. 6	140 53. 3	324 (15-19)	298 45. 0	12 3. 7	105 83. 8	181 (15-19)
	THS TO TEENAGE M TALITY RATE, TEE		14 18. 9	1 62. 5	5 21. 3	8 16. 4	6 13. 2	0 -	3 22. 4	3 9. 6	8 27. 9	1 90. 9	2 19. 8	

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

TOTAL

DISTRICT: III

TOTAL

FEMALES

FEMALES

FEMALES

RACE	POPULATI ON ALL AGES	AGES 10-19		15-	SES · 19	LI VE BI RTHS								
TOTAL WHI TE NONWHI TE	85, 899	20, 069 4, 928 15, 141	9, 752 2, 289	10, 3 2, 6 7, 6	317 339	3, 719 927								
				ALL R	RACES			WHI	TE			NONWH	IITE	
			ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14		18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE PR TEENAGE IL TEENS WHO TEENS WHO	RTHS MATURE BIRTHS REMATURE BIRTHS LEGITIMATE BIRTH HAD PREVIOUS LIV HAD PREVIOUS PRE I INADEQUATE* PRE	VE BIRTHS EGNANCIES	849 112 157 793 201 248 77	29 5 8 29 1 2 5	305 42 63 293 37 50 25	515 65 86 471 163 196 47	118 6 9 70 26 37 4	0 0 0 0 0 0	34 4 4 22 2 5 0	2 5 48 24 32	731 106 148 723 175 211 73	29 5 8 29 1 2 5	271 38 59 271 35 45 25	431 63 81 423 139 164 43
TEENAGE FE	RTILITY RATE		42. 3	3. 0	79. 5	(15-19)	23. 9	-	44. 7	(15-19)	48. 3	3. 9	91. 4	(15-19)
	TAL DEATHS** TAL DEATH RATIO		10 11. 8	1 34. 5			1 8. 5	0 -	1 29. 4		9 12. 3	1 34. 5	4 14. 8	
	IDUCED TERMINATI(IDUCED TERMINATI(82 96. 6	8 275. 9	38 124. 6		21 178. 0	3 &	6 176. 5	12 142. 8	61 83. 4	5 172. 4	32 118. 1	24 55. 7
	REGNANCIES# REGNANCY RATE		941 46. 9	38 3. 9	348 87. 5	555 (15-19)	140 28. 4	3 1. 3		96 (15-19)	801 52. 9	35 4. 7	307 99. 8	459 (15-19)
	ATHS TO TEENAGE M		14 16. 5	0 -	7 23. 0	7 13. 6	0 -	0 -	0 -	0 -	14 19. 2	0 -	7 25. 8	

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DISTRICT: IV

RACE	TOTAL POPULATI ON ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMAL AG 15-	SES	TOTAL LI VE BI RTHS								
TOTAL WHI TE NONWHI TE	145, 301	18, 872 8, 967 9, 905	9, 095 4, 179 4, 916	9, 7 4, 7 4, 9	' 88	3, 419 1, 735 1, 684								
				ALL R	RACES -			WHI	TE			NONWH	IITE	
			ALL TEENS	AGES 10-14	AGES 15-17		ALL TEENS	AGES 10-14	AGES 15-17		ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE PR TEENAGE IL	MATURE BIRTHS EMATURE BIRTHS LEGITIMATE BIRTI		602 82 125 502	21 5 6 21	230 39 56 208	38 63 273	203 14 42 113	3 1 1 3	67 5 17 45	8 24 65	399 68 83 389	18 4 5 18	163 34 39 163	218 30 39 208
TEENS WHO	HAD PREVIOUS LI' HAD PREVIOUS PRI INADEQUATE* PRI	EGNANCI ES	129 156 42	0 0 3	34 42 20	114	44 53 8	0 0 1	10 13 3	40	85 103 34	0 0 2	24 29 17	61 74 15
TEENAGE FE	RTILITY RATE		31. 9	2. 3	59. 4	(15-19)	22. 6	0. 7	41. 8	(15-19)	40. 3	3. 7	76. 4	(15-19)
	TAL DEATHS** TAL DEATH RATIO		8 13. 3	0 -	4 17. 4		1 4. 9	0 -	0 -		7 17. 5	0 -	4 24. 5	3 13. 8
	DUCED TERMINATION DUCED TERMINATION		104 172. 8	7 333. 3	33 143. 5	64 182. 3	26 128. 1	0 -	7 104. 5	19 142. 8	78 195. 5	7 388. 9	26 159. 5	45 206. 4
TEENAGE PR TEENAGE PR	EGNANCI ES# EGNANCY RATE		714 37. 8	28 3. 1	267 70. 2	419 (15-19)	230 25. 6	3 0. 7	74 47. 4	153 (15-19)	484 48. 9	25 5. 1	193 92. 0	266 (15-19)
	THS TO TEENAGE I		6 10. 0	1 47. 6	5 21. 7		1 4. 9	1 333. 3	0 -		5 12. 5	0 -	5 30. 7	0 -

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

TOTAL

DISTRICT: V

TOTAL

FEMALES

FEMALES

FEMALES

RACE	POPULATION ALL AGES	AGES 10-19	AGES 10-14	AG 15-	SES 19	LI VE BI RTHS								
TOTAL WHI TE NONWHI TE	603, 331 309, 281 294, 050	45, 825 19, 169	22, 628 9, 407	23, 1 9, 7 13, 4	97 '62									
				ALL R	RACES -			WHI	TE			NONWH	IITE	
			ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	
TEENAGE BIRTHS TEENAGE IMMATURE BIRTHS TEENAGE PREMATURE BIRTHS TEENAGE ILLEGITIMATE BIRTHS TEENS WHO HAD PREVIOUS LIVE BIRTHS TEENS WHO HAD PREVIOUS PREGNANCIES TEENS WITH INADEQUATE* PRENATAL CARE			1, 432 203 306 1, 286 391 471 126	48 9 14 48 0 1 10	456 69 115 423 62 85 36	928 125 177 815 329 385 80	371 36 66 248 78 107 17	6 0 0 6 0	118 13 30 87 13 23	23 36 155 65	1, 061 167 240 1, 038 313 364 109	42 9 14 42 0 1 10	338 56 85 336 49 62 31	681 102 141 660 264 301 68
TEENAGE FER	RTILITY RATE		31. 2	2. 1	59. 7	(15-19)	19. 4	0. 6	37. 4	(15-19)	39. 8	3. 2	75. 8	(15-19)
	TAL DEATHS** TAL DEATH RATIO		23 16. 1	2 41. 7	8 17. 5		3 8. 1	0 -	0 -		20 18. 8	2 47. 6	8 23. 7	
	DUCED TERMINATIO DUCED TERMINATIO		396 276. 5	19 395. 8	117 256. 6	260 280. 2	116 312. 7	6 1000. 0	44 372. 9		280 263. 9	13 309. 5	73 216. 0	
TEENAGE PRE	EGNANCI ES# EGNANCY RATE		1, 851 40. 4	69 3. 0		1, 201 (15-19)	490 25. 6	12 1. 3		316 (15-19)	1, 361 51. 0	57 4. 3	419 97. 1	885 (15-19)
	THS TO TEENAGE M TALITY RATE, TEE		23 16. 1	0 -	9 19. 7		5 13. 5	0 -	3 25. 4	2 8. 1	18 17. 0	0 -	6 17. 8	

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP. PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DISTRICT: VI

RACE	TOTAL POPULATI ON ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMAL AG 15-	SES · 19	TOTAL LI VE BI RTHS								
TOTAL WHI TE NONWHI TE	144, 681	17, 673 8, 777 8, 896	9, 032 4, 429 4, 603	8, 6 4, 3 4, 2	541 848	3, 460 1, 808 1, 652								
			 ALL	ALL R AGES		AGES	 ALL	WHI AGES	TE	 AGES	 ALL	NONWH	II TE AGES	
			TEENS			18-19	TEENS			18-19	TEENS			18-19
TEENAGE BI	RTHS MATURE BIRTHS		570 63	17 3	184 17	369 43	218 25	1			352 38	16 2	110 9	
TEENAGE PR	EMATURE BIRTHS LEGITIMATE BIRT	HS	94 465	4 17	32 162	58 286	29 128	0	9	20	65 337	4 16	23 109	38
TEENS WHO	HAD PREVIOUS LI' HAD PREVIOUS PR I INADEQUATE* PR	EGNANCI ES	124 157 37	0 0 4	24 28 16	100 129 17	38 49 12	0 0 0	10 10 8	39	86 108 25	0 0 4	14 18 8	90
TEENAGE FE	RTILITY RATE		32. 2	1. 9	64. 0	(15-19)	24. 8	0. 2	49. 9	(15-19)	39. 6	3. 5	78. 3	(15-19)
	TAL DEATHS** TAL DEATH RATIO		7 12. 3	0 -	3 16. 3		4 18. 3	0 -			3 8. 5	0 -	0 -	
	DUCED TERMINATION	ONS# ON RATIO	107 187. 7	3 176. 5	37 201. 1	67 181. 6	48 220. 2	3 3000. 0		27 188. 8	59 167. 6	0 -		40 177. 0
	EGNANCIES# EGNANCY RATE		684 38. 7	20 2. 2	224 76. 8	440 (15-19)	270 30. 8	4 0. 9		171 (15-19)	414 46. 5	16 3. 5		269 (15-19)
	THS TO TEENAGE TALITY RATE, TE		9 15. 8	0 -	3 16. 3	6 16. 3	5 22. 9	0 -	2 27. 0	3 21. 0	4 11. 4	0 -	1 9. 1	3 13. 3

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP. PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

TOTAL

DISTRICT: VII

TOTAL

EEMVI EC

EEMVI EC

EEMVI EC

RACE	TOTAL POPULATI ON ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMAL AG 15-	SES	TOTAL LI VE BI RTHS								
TOTAL WHI TE NONWHI TE	176, 286 92, 319 83, 967	12, 996 5, 564 7, 432	6, 529 2, 778 3, 751	6, 4 2, 7 3, 6	' 86	2, 469 1, 080 1, 389								
			ALL TEENS	ALL R AGES 10-14	AGES	 AGES 18-19	ALL TEENS	WHI AGES 10-14	AGES		ALL TEENS	NONWH AGES 10-14	HTE AGES 15-17	
TEENAGE PR TEENAGE IL TEENS WHO TEENS WHO	IRTHS MMATURE BIRTHS REMATURE BIRTHS LLEGITIMATE BIRTI HAD PREVIOUS LIV HAD PREVIOUS PRI	VE BIRTHS EGNANCIES	449 65 80 369 94 117 54	12 5 3 12 1 1 1	127 21 24 118 15 19	39 53 239 78 97	151 17 14 78 28 39 9	1 1 0 1 0 0 0	32 7 3 23 2 4	118 9 11 54	298 48 66 291 66 78 45	11 4 3 11 1 1 2	95 14 21 95 13 15	30 42 185 52 62
TEENAGE FE	ERTILITY RATE		34. 5	1. 8	67. 6	(15-19)	27. 1	0. 4	53. 8	(15-19)	40. 1	2. 9	78. 0	(15-19)
	ETAL DEATHS** ETAL DEATH RATIO		5 11. 1	0 -	3 23. 6		0 -	0 -	0 -		5 16. 8	0 -	3 31. 6	
	NDUCED TERMINATION NDUCED TERMINATION		52 115. 8	1 83. 3	20 157. 5		12 79. 5	0 -	2 62. 5		40 134. 2	1 90. 9	18 189. 5	
	REGNANCIES# REGNANCY RATE		506 38. 9	13 2. 0	150 76. 2	343 (15-19)	163 29. 3	1 0. 4	34 58. 1	128 (15-19)	343 46. 2	12 3. 2	116 89. 9	215 (15-19)
	ATHS TO TEENAGE I		4 8. 9	0 -	2 15. 7		2 13. 2	0 -	1 31. 2	1 8. 5	2 6. 7	0 -	1 10. 5	1 5. 2

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DISTRICT: VIII

RACE	TOTAL POPULATI ON ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMAL AG 15-	ES	TOTAL LI VE BI RTHS								
TOTAL WHI TE NONWHI TE	284, 767 195, 937 88, 830	'	6, 019	10, 9 6, 7 4, 2	'01	4, 166 2, 580 1, 586								
			 ALL	ALL R AGES	ACES -	AGES	 ALL	WHI AGES	TE		 ALL	NONWH AGES	HITE AGES	AGES
			TEENS			18-19	TEENS		15-17		TEENS		15-17	
TEENAGE BIF	RTHS MATURE BIRTHS		711 94	14 2	239 33	458 59	373 43	3	106 11		338 51	11 2	133 22	194 27
TEENAGE PRE TEENAGE ILI	EMATURE BIRTHS LEGITIMATE BIRTI		119 524	4 14	53 203	62 307	51 199	1 3	17 71	33 125	68 325	3 11	36 132	29 182
TEENS WHO H	HAD PREVIOUS LIV HAD PREVIOUS PRI INADEQUATE* PRI	EGNANCI ES	153 186 39	0 0 4	27 33 18	126 153 17	78 96 21	0 0 1	10 12 10	84	75 90 18	0 0 3	17 21 8	58 69 7
TEENAGE FER	RTILITY RATE		33. 8	1. 4	63. 6	(15-19)	29. 3	0. 5	55. 2	(15-19)	40. 7	2. 7	77. 0	(15-19)
	TAL DEATHS** TAL DEATH RATIO		9 12. 6	0 -	3 12. 6		3 8. 0	0 -	2 18. 9		6 17. 8	0 -	1 7. 5	5 25. 8
	DUCED TERMINATIO DUCED TERMINATIO		83 116. 7	4 285. 7	24 100. 4	55 120. 1	37 99. 2	0 -	13 122. 6		46 136. 1	4 363. 6	11 82. 7	31 159. 8
TEENAGE PRE	EGNANCIES# EGNANCY RATE		803 38. 2	18 1. 8	266 71. 7	519 (15-19)	413 32. 5	3 0. 5	121 61. 2	289 (15-19)	390 46. 9	15 3. 7	145 88. 3	230 (15-19)
	THS TO TEENAGE I		9 12. 6	0 -	2 8. 4	7 15. 3	5 13. 4	0 -	0 -	5 18. 9	4 11. 8	0 -	2 15. 0	

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DISTRICT: IX

RACE	TOTAL POPULATI ON ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMAL AG 15-	ES	TOTAL LI VE BI RTHS								
TOTAL WHI TE NONWHI TE	453, 418 351, 598 101, 820	32, 391 23, 395 8, 996	16, 556 11, 900 4, 656	15, 8 11, 4 4, 3	95	6, 519 4, 841 1, 678								
				ALL R	ACES -			WHI	TE			NONWH	ITE	
			ALL TEENS	AGES 10-14	AGES 15-17		ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS TEENAGE IMMATURE BIRTHS TEENAGE PREMATURE BIRTHS TEENAGE ILLEGITIMATE BIRTHS TEENS WHO HAD PREVIOUS LIVE BIRTHS TEENS WHO HAD PREVIOUS PREGNANCIES TEENS WITH INADEQUATE* PRENATAL CARE			1, 054 120 156 806 207 258 83	16 2 2 16 0 0 3	348 39 60 302 34 44 25	79 94 488 173	726 67 91 494 125 163 59	4 1 2 4 0 0	220 24 30 175 16 26	502 42 59 315 109 137 42	328 53 65 312 82 95 24	12 1 0 12 0 0 2	128 15 30 127 18 18	188 37 35 173 64 77 13
TEENAGE FEI	RTILITY RATE		32. 5	1. 0	65. 6	(15-19)	31. 0	0. 3	62. 8	(15-19)	36. 5	2.6	72. 8	(15-19)
	TAL DEATHS** TAL DEATH RATIO		10 9. 5	0 -	3 8. 6		7 9. 6	0 -	1 4. 5	6 12. 0	3 9. 1	0 -	2 15. 6	
	DUCED TERMINATIO DUCED TERMINATIO		99 93. 9	3 187. 5	35 100. 6		61 84. 0	0 -	27 122. 7	34 67. 7	37 112. 8	3 250. 0	7 54. 7	27 143. 6
TEENAGE PRI TEENAGE PRI	EGNANCIES# EGNANCY RATE		1, 163 35. 9	19 1. 1	386 72. 2	758 (15-19)	794 33. 9	4 0. 3	248 68. 7	542 (15-19)	368 40. 9	15 3. 2	137 81. 3	216 (15-19)
	THS TO TEENAGE N		6 5. 7	0 -	0 -		3 4. 1	0 -	0 -		3 9. 1	0 -	0 -	

^{*} ACCORDING TO THE KESSNER INDEX.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP. PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH-DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

^{**} SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

[#] FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

^{##} RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.