

(HSWWDTDS)
DISTRICT: I

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I , 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,641	1,719	922	9.3	9.6	8.7
HEART DISEASES	763	507	256	267.6	283.3	241.1
MALIGNANT NEOPLASMS	578	384	194	202.7	214.6	182.7
CEREBROVASCULAR DISEASE	164	99	65	57.5	55.3	61.2
ACCIDENTS	161	106	55	56.4	59.2	51.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	124	101	23	43.5	56.4	21.6
DIABETES MELLITUS	102	61	41	35.8	34.1	38.6
INFLUENZA AND PNEUMONIA	64	48	16	22.4	26.8	15.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	59	27	32	20.7	15.1	30.1
SEPTICEMIA	56	32	24	19.6	17.9	22.6
ALZHEIMERS DISEASE	52	40	12	18.2	22.3	11.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	52	27	25	18.2	15.1	23.5
HOMICIDE	37	10	27	13.0	5.6	25.4
SUICIDE	36	32	4	12.6	17.9	3.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	27	21	6	9.5	11.7	5.6
CONDITIONS ORIG IN PERINATAL PERIOD	25	8	17	5.7	3.2	8.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	20	14	6	7.0	7.8	5.6
HIV DISEASE	10	0	10	3.5	-	9.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	2	8	3.5	1.1	7.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	9	7	2	3.2	3.9	1.9
PARKINSONS DISEASE	9	9	0	3.2	5.0	-
AORTIC ANEURYSM AND DISSECTION	9	8	1	3.2	4.5	0.9
ANEMIAS	8	3	5	2.8	1.7	4.7
CHOLELITHIASIS/GALLBLADDER DISORDER	6	5	1	2.1	2.8	0.9
ATHEROSCLEROSIS	5	4	1	1.8	2.2	0.9
PEPTIC ULCER	5	4	1	1.8	2.2	0.9
VIRAL HEPATITIS	4	4	0	1.4	2.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	0.7	1.1	-
MENINGITIS	2	1	1	0.7	0.6	0.9
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	0.7	1.1	-
HERNIA	1	1	0	0.4	0.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	30	12	18	10.5	6.7	17.0
ALL OTHER CAUSES	209	138	71	73.3	77.1	66.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I , 2003, continued

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,641	1,719	922	1,283	818	465	1,358	901	457
UNDER 1	52	15	37	30	6	24	22	9	13
(NEONATAL)	29	8	21	16	2	14	13	6	7
(POSTNEONATAL)	23	7	16	14	4	10	9	3	6
1-4	7	1	6	3	0	3	4	1	3
5-9	3	1	2	1	1	0	2	0	2
10-14	8	3	5	4	1	3	4	2	2
15-24	51	19	32	35	10	25	16	9	7
25-34	60	28	32	34	18	16	26	10	16
35-44	124	66	58	77	41	36	47	25	22
45-54	244	133	111	149	84	65	95	49	46
55-64	343	217	126	213	140	73	130	77	53
65-74	473	324	149	252	177	75	221	147	74
75-84	710	535	175	312	236	76	398	299	99
85 AND OVER	566	377	189	173	104	69	393	273	120
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	11.9	6.0	19.5
NEONATAL	6.6	3.2	11.0
POSTNEONATAL	5.2	2.8	8.4

2003 POPULATION

TOTAL	285,168
WHITE	178,977
NONWHITE	106,191

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)
DISTRICT: II

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II , 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	3,385	2,812	573	10.0	10.7	7.5
HEART DISEASES	1,091	912	179	322.6	347.9	235.5
MALIGNANT NEOPLASMS	654	545	109	193.4	207.9	143.4
CEREBROVASCULAR DISEASE	257	210	47	76.0	80.1	61.8
ACCIDENTS	240	194	46	71.0	74.0	60.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	205	193	12	60.6	73.6	15.8
INFLUENZA AND PNEUMONIA	89	71	18	26.3	27.1	23.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	84	61	23	24.8	23.3	30.2
ALZHEIMERS DISEASE	79	73	6	23.4	27.8	7.9
DIABETES MELLITUS	70	50	20	20.7	19.1	26.3
SEPTICEMIA	50	41	9	14.8	15.6	11.8
SUICIDE	40	39	1	11.8	14.9	1.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	30	19	11	8.9	7.2	14.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	26	18	8	7.7	6.9	10.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	23	22	1	6.8	8.4	1.3
AORTIC ANEURYSM AND DISSECTION	18	14	4	5.3	5.3	5.3
CONDITIONS ORIG IN PERINATAL PERIOD	18	9	9	3.9	2.6	7.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	18	14	4	5.3	5.3	5.3
HOMICIDE	18	13	5	5.3	5.0	6.6
PARKINSONS DISEASE	14	14	0	4.1	5.3	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	11	9	2	3.2	3.4	2.6
ATHEROSCLEROSIS	10	9	1	3.0	3.4	1.3
COMPLICATIONS MEDICAL/SURGICAL CARE	7	7	0	2.1	2.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	6	4	2	1.8	1.5	2.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	4	1	1.5	1.5	1.3
HIV DISEASE	4	1	3	1.2	0.4	3.9
PEPTIC ULCER	4	3	1	1.2	1.1	1.3
HERNIA	4	3	1	1.2	1.1	1.3
MENINGITIS	3	1	2	0.9	0.4	2.6
VIRAL HEPATITIS	2	2	0	0.6	0.8	-
TUBERCULOSIS	1	1	0	0.3	0.4	-
ANEMIAS	1	1	0	0.3	0.4	-
DISEASES OF APPENDIX	1	1	0	0.3	0.4	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	0.3	0.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	35	29	6	10.4	11.1	7.9
ALL OTHER CAUSES	266	224	42	78.7	85.4	55.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 2003

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	3,385	2,812	573	1,707	1,410	297	1,678	1,402	276
UNDER 1	44	26	18	24	14	10	20	12	8
(NEONATAL)	22	12	10	13	8	5	9	4	5
(POSTNEONATAL)	22	14	8	11	6	5	11	8	3
1-4	9	6	3	3	2	1	6	4	2
5-9	9	4	5	5	3	2	4	1	3
10-14	8	7	1	4	3	1	4	4	0
15-24	54	44	10	33	25	8	21	19	2
25-34	53	36	17	37	28	9	16	8	8
35-44	145	106	39	93	67	26	52	39	13
45-54	244	179	65	152	114	38	92	65	27
55-64	420	345	75	261	216	45	159	129	30
65-74	635	534	101	386	329	57	249	205	44
75-84	884	781	103	449	397	52	435	384	51
85 AND OVER	880	744	136	260	212	48	620	532	88
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	9.6	7.6	15.6
NEONATAL	4.8	3.5	8.7
POSTNEONATAL	4.8	4.1	7.0

2003 POPULATION

TOTAL	338,143
WHITE	262,133
NONWHITE	76,010

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)
DISTRICT: III

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,648	1,166	1,482	10.9	13.9	9.3
HEART DISEASES	876	393	483	359.6	469.4	302.2
MALIGNANT NEOPLASMS	543	244	299	222.9	291.4	187.1
CEREBROVASCULAR DISEASE	152	63	89	62.4	75.2	55.7
ACCIDENTS	127	55	72	52.1	65.7	45.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	101	70	31	41.5	83.6	19.4
INFLUENZA AND PNEUMONIA	81	42	39	33.2	50.2	24.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	77	25	52	31.6	29.8	32.5
DIABETES MELLITUS	71	26	45	29.2	31.0	28.2
SEPTICEMIA	58	19	39	23.8	22.7	24.4
ALZHEIMERS DISEASE	58	34	24	23.8	40.6	15.0
HOMICIDE	43	7	36	17.6	8.4	22.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	40	9	31	16.4	10.7	19.4
SUICIDE	23	15	8	9.4	17.9	5.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	20	13	7	8.2	15.5	4.4
HIV DISEASE	18	1	17	7.4	1.2	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	18	5	13	4.8	5.5	4.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	17	9	8	7.0	10.7	5.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	12	3	9	4.9	3.6	5.6
PARKINSONS DISEASE	7	6	1	2.9	7.2	0.6
AORTIC ANEURYSM AND DISSECTION	7	5	2	2.9	6.0	1.2
ANEMIAS	6	2	4	2.5	2.4	2.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	3	2	2.0	3.6	1.2
COMPLICATIONS MEDICAL/SURGICAL CARE	5	2	3	2.0	2.4	1.9
ATHEROSCLEROSIS	4	1	3	1.6	1.2	1.9
VIRAL HEPATITIS	3	2	1	1.2	2.4	0.6
MENINGITIS	3	0	3	1.2	-	1.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	0.8	1.2	0.6
ACUTE BRONCHITIS AND BRONCHIOLITIS	2	1	1	0.8	1.2	0.6
MATERNAL CAUSES	2	1	1	53.0	110.1	34.9
TUBERCULOSIS	1	1	0	0.4	1.2	-
SYPHILIS	1	0	1	0.4	-	0.6
PEPTIC ULCER	1	0	1	0.4	-	0.6
DISEASES OF APPENDIX	1	1	0	0.4	1.2	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	0.4	-	0.6
INFECTIONS OF KIDNEY	1	1	0	0.4	1.2	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	0.4	-	0.6
LEGAL INTERVENTION	1	0	1	0.4	-	0.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	47	21	26	19.3	25.1	16.3
ALL OTHER CAUSES	212	85	127	87.0	101.5	79.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III , 2003, continued

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,648	1,166	1,482	1,329	581	748	1,319	585	734
UNDER 1	54	6	48	35	3	32	19	3	16
(NEONATAL)	25	5	20	16	3	13	9	2	7
(POSTNEONATAL)	29	1	28	19	0	19	10	1	9
1-4	7	2	5	4	0	4	3	2	1
5-9	1	0	1	0	0	0	1	0	1
10-14	7	3	4	4	2	2	3	1	2
15-24	42	10	32	25	7	18	17	3	14
25-34	81	16	65	54	10	44	27	6	21
35-44	100	35	65	55	22	33	45	13	32
45-54	241	69	172	148	46	102	93	23	70
55-64	331	119	212	205	76	129	126	43	83
65-74	470	224	246	275	138	137	195	86	109
75-84	691	372	319	308	182	126	383	190	193
85 AND OVER	623	310	313	216	95	121	407	215	192
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	14.3	6.6	16.7
NEONATAL	6.6	5.5	7.0
POSTNEONATAL	7.7	1.1	9.8

2003 POPULATION

TOTAL	243,565
WHITE	83,729
NONWHITE	159,836

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)
DISTRICT: IV

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV , 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,361	1,518	843	9.5	10.5	8.0
HEART DISEASES	749	507	242	301.1	352.1	231.0
MALIGNANT NEOPLASMS	503	310	193	202.2	215.3	184.2
CEREBROVASCULAR DISEASE	166	105	61	66.7	72.9	58.2
ACCIDENTS	123	84	39	49.4	58.3	37.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	89	74	15	35.8	51.4	14.3
INFLUENZA AND PNEUMONIA	82	61	21	33.0	42.4	20.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	63	31	32	25.3	21.5	30.5
ALZHEIMERS DISEASE	52	40	12	20.9	27.8	11.4
SEPTICEMIA	50	28	22	20.1	19.4	21.0
DIABETES MELLITUS	44	16	28	17.7	11.1	26.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	33	24	9	13.3	16.7	8.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	29	12	17	11.6	8.3	16.2
SUICIDE	22	18	4	8.8	12.5	3.8
HOMICIDE	21	7	14	8.4	4.9	13.4
CONDITIONS ORIG IN PERINATAL PERIOD	17	5	12	5.0	2.9	7.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	12	2	5.6	8.3	1.9
HIV DISEASE	12	2	10	4.8	1.4	9.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	9	4	5	3.6	2.8	4.8
PARKINSONS DISEASE	9	8	1	3.6	5.6	1.0
AORTIC ANEURYSM AND DISSECTION	9	7	2	3.6	4.9	1.9
ANEMIAS	7	2	5	2.8	1.4	4.8
COMPLICATIONS MEDICAL/SURGICAL CARE	7	4	3	2.8	2.8	2.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	1	3	1.6	0.7	2.9
VIRAL HEPATITIS	3	2	1	1.2	1.4	1.0
PEPTIC ULCER	3	2	1	1.2	1.4	1.0
INFECTIONS OF KIDNEY	3	2	1	1.2	1.4	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	0.8	-	1.9
ATHEROSCLEROSIS	2	2	0	0.8	1.4	-
MENINGITIS	1	1	0	0.4	0.7	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.4	0.7	-
DISEASES OF APPENDIX	1	1	0	0.4	0.7	-
HYPERPLASIA OF PROSTATE	1	1	0	0.4	0.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	54	37	17	21.7	25.7	16.2
ALL OTHER CAUSES	176	107	69	70.7	74.3	65.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV , 2003, continued

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,361	1,518	843	1,175	749	426	1,186	769	417
UNDER 1	36	12	24	19	6	13	17	6	11
(NEONATAL)	22	7	15	12	4	8	10	3	7
(POSTNEONATAL)	14	5	9	7	2	5	7	3	4
1-4	5	2	3	5	2	3	0	0	0
5-9	5	3	2	2	1	1	3	2	1
10-14	5	3	2	4	3	1	1	0	1
15-24	26	14	12	19	10	9	7	4	3
25-34	48	28	20	28	18	10	20	10	10
35-44	90	41	49	52	25	27	38	16	22
45-54	170	76	94	112	50	62	58	26	32
55-64	268	144	124	165	90	75	103	54	49
65-74	431	265	166	244	149	95	187	116	71
75-84	594	436	158	299	230	69	295	206	89
85 AND OVER	682	494	188	225	165	60	457	329	128
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES**

INFANT	10.6	7.0	14.3
NEONATAL	6.5	4.1	9.0
POSTNEONATAL	4.1	2.9	5.4

2003 POPULATION

TOTAL	248,778
WHITE	144,007
NONWHITE	104,771

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V , 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	5,473	3,184	2,289	9.0	10.3	7.7
HEART DISEASES	1,628	966	662	268.2	311.6	222.8
MALIGNANT NEOPLASMS	1,170	707	463	192.7	228.1	155.8
CEREBROVASCULAR DISEASE	317	181	136	52.2	58.4	45.8
ACCIDENTS	287	168	119	47.3	54.2	40.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	245	200	45	40.4	64.5	15.1
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	121	48	73	19.9	15.5	24.6
INFLUENZA AND PNEUMONIA	114	74	40	18.8	23.9	13.5
DIABETES MELLITUS	112	52	60	18.4	16.8	20.2
SEPTICEMIA	102	51	51	16.8	16.4	17.2
HOMICIDE	90	11	79	14.8	3.5	26.6
ALZHEIMERS DISEASE	85	62	23	14.0	20.0	7.7
HIV DISEASE	82	9	73	13.5	2.9	24.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	75	28	47	12.4	9.0	15.8
SUICIDE	70	51	19	11.5	16.4	6.4
CONDITIONS ORIG IN PERINATAL PERIOD	58	13	45	6.2	3.2	8.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	49	34	15	8.1	11.0	5.0
AORTIC ANEURYSM AND DISSECTION	39	31	8	6.4	10.0	2.7
PARKINSONS DISEASE	37	30	7	6.1	9.7	2.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	33	24	9	5.4	7.7	3.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	27	13	14	4.4	4.2	4.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	25	14	11	4.1	4.5	3.7
COMPLICATIONS MEDICAL/SURGICAL CARE	19	4	15	3.1	1.3	5.0
VIRAL HEPATITIS	13	10	3	2.1	3.2	1.0
ANEMIAS	12	6	6	2.0	1.9	2.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	9	3	6	1.5	1.0	2.0
ATHEROSCLEROSIS	9	7	2	1.5	2.2	0.7
PEPTIC ULCER	7	1	6	1.2	0.3	2.0
CHOLELITHIASIS/GALLBLADDER DISORDER	7	4	3	1.2	1.3	1.0
HERNIA	3	1	2	0.5	0.3	0.7
SALMONELLA INFECTION	1	1	0	0.2	0.3	-
TUBERCULOSIS	1	1	0	0.2	0.3	-
MENINGITIS	1	0	1	0.2	-	0.3
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.2	0.3	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	0.2	-	0.3
MATERNAL CAUSES	1	1	0	10.6	24.5	-
LEGAL INTERVENTION	1	0	1	0.2	-	0.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	78	40	38	12.8	12.9	12.8
ALL OTHER CAUSES	543	337	206	89.4	108.7	69.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V , 2003, continued

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	5,473	3,184	2,289	2,744	1,557	1,187	2,729	1,627	1,102
UNDER 1	110	29	81	61	16	45	49	13	36
(NEONATAL)	65	16	49	32	8	24	33	8	25
(POSTNEONATAL)	45	13	32	29	8	21	16	5	11
1-4	24	8	16	12	6	6	12	2	10
5-9	10	3	7	6	2	4	4	1	3
10-14	13	5	8	6	3	3	7	2	5
15-24	116	47	69	83	31	52	33	16	17
25-34	164	50	114	106	31	75	58	19	39
35-44	271	114	157	157	61	96	114	53	61
45-54	523	221	302	307	138	169	216	83	133
55-64	683	398	285	416	246	170	267	152	115
65-74	876	499	377	472	282	190	404	217	187
75-84	1,377	937	440	683	468	215	694	469	225
85 AND OVER	1,306	873	433	435	273	162	871	600	271
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	11.7	7.1	15.2
NEONATAL	6.9	3.9	9.2
POSTNEONATAL	4.8	3.2	6.0

2003 POPULATION

TOTAL	607,067
WHITE	310,001
NONWHITE	297,066

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)
DISTRICT: VI

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI , 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,641	1,668	973	10.9	11.6	10.0
HEART DISEASES	794	541	253	328.8	375.0	260.3
MALIGNANT NEOPLASMS	507	315	192	210.0	218.4	197.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	142	119	23	58.8	82.5	23.7
CEREBROVASCULAR DISEASE	141	86	55	58.4	59.6	56.6
ACCIDENTS	136	91	45	56.3	63.1	46.3
INFLUENZA AND PNEUMONIA	77	56	21	31.9	38.8	21.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	73	39	34	30.2	27.0	35.0
ALZHEIMERS DISEASE	63	44	19	26.1	30.5	19.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	58	32	26	24.0	22.2	26.7
DIABETES MELLITUS	53	18	35	22.0	12.5	36.0
SEPTICEMIA	43	22	21	17.8	15.2	21.6
SUICIDE	33	27	6	13.7	18.7	6.2
CONDITIONS ORIG IN PERINATAL PERIOD	28	8	20	7.4	4.0	11.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	27	15	12	11.2	10.4	12.3
HOMICIDE	27	7	20	11.2	4.8	20.6
HIV DISEASE	23	4	19	9.5	2.8	19.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	5	8	5.4	3.5	8.2
AORTIC ANEURYSM AND DISSECTION	11	4	7	4.6	2.8	7.2
PARKINSONS DISEASE	8	7	1	3.3	4.8	1.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	8	2	6	3.3	1.4	6.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	7	5	2	2.9	3.5	2.0
VIRAL HEPATITIS	6	6	0	2.5	4.2	-
ANEMIAS	4	2	2	1.6	1.4	2.0
ATHEROSCLEROSIS	4	4	0	1.6	2.8	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	2	1	1.2	1.4	1.0
PEPTIC ULCER	3	3	0	1.2	2.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	1.2	1.4	1.0
VIRAL ENCEPHALITIS	1	1	0	0.4	0.7	-
MENINGITIS	1	0	1	0.4	-	1.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	0.7	-
DISEASES OF APPENDIX	1	0	1	0.4	-	1.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	0.4	0.7	-
MATERNAL CAUSES	1	0	1	26.4	-	55.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	62	38	24	25.7	26.3	24.7
ALL OTHER CAUSES	278	161	117	115.1	111.6	120.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI , 2003, continued

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,641	1,668	973	1,296	794	502	1,345	874	471
UNDER 1	49	15	34	28	6	22	21	9	12
(NEONATAL)	32	9	23	18	4	14	14	5	9
(POSTNEONATAL)	17	6	11	10	2	8	7	4	3
1-4	7	3	4	5	3	2	2	0	2
5-9	1	0	1	1	0	1	0	0	0
10-14	9	5	4	7	3	4	2	2	0
15-24	37	22	15	21	12	9	16	10	6
25-34	52	26	26	36	19	17	16	7	9
35-44	112	44	68	72	28	44	40	16	24
45-54	215	91	124	139	70	69	76	21	55
55-64	314	177	137	199	112	87	115	65	50
65-74	487	321	166	263	183	80	224	138	86
75-84	689	499	190	335	234	101	354	265	89
85 AND OVER	667	464	203	190	124	66	477	340	137
UNKNOWN	2	1	1	0	0	0	2	1	1

MORTALITY RATES**

INFANT	13.0	7.6	18.9
NEONATAL	8.5	4.5	12.8
POSTNEONATAL	4.5	3.0	6.1

2003 POPULATION

TOTAL	241,449
WHITE	144,247
NONWHITE	97,202

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII , 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,002	1,167	835	11.4	12.6	9.9
HEART DISEASES	592	358	234	336.1	388.2	278.8
MALIGNANT NEOPLASMS	397	238	159	225.4	258.1	189.4
CEREBROVASCULAR DISEASE	129	56	73	73.2	60.7	87.0
ACCIDENTS	122	67	55	69.3	72.6	65.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	119	96	23	67.6	104.1	27.4
DIABETES MELLITUS	93	38	55	52.8	41.2	65.5
INFLUENZA AND PNEUMONIA	66	48	18	37.5	52.0	21.4
SEPTICEMIA	41	21	20	23.3	22.8	23.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	38	14	24	21.6	15.2	28.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	34	16	18	19.3	17.4	21.4
ALZHEIMERS DISEASE	27	20	7	15.3	21.7	8.3
SUICIDE	20	13	7	11.4	14.1	8.3
HOMICIDE	16	6	10	9.1	6.5	11.9
CONDITIONS ORIG IN PERINATAL PERIOD	12	2	10	4.9	1.8	7.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	3	8	6.2	3.2	9.5
PARKINSONS DISEASE	9	6	3	5.1	6.5	3.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	8	7	1	4.5	7.6	1.2
HIV DISEASE	7	2	5	4.0	2.2	6.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	6	1	4.0	6.5	1.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	6	1	4.0	6.5	1.2
ANEMIAS	5	1	4	2.8	1.1	4.8
VIRAL HEPATITIS	4	3	1	2.3	3.2	1.2
AORTIC ANEURYSM AND DISSECTION	4	2	2	2.3	2.2	2.4
COMPLICATIONS MEDICAL/SURGICAL CARE	3	0	3	1.7	-	3.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	1.1	1.1	1.2
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.1	2.2	-
MATERNAL CAUSES	2	0	2	81.9	-	149.2
VIRAL ENCEPHALITIS	1	1	0	0.6	1.1	-
PEPTIC ULCER	1	1	0	0.6	1.1	-
DISEASES OF APPENDIX	1	1	0	0.6	1.1	-
HERNIA	1	0	1	0.6	-	1.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	44	20	24	25.0	21.7	28.6
ALL OTHER CAUSES	177	112	65	100.5	121.4	77.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII , 2003, continued

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,002	1,167	835	986	561	425	1,016	606	410
UNDER 1	23	6	17	15	3	12	8	3	5
(NEONATAL)	15	4	11	11	2	9	4	2	2
(POSTNEONATAL)	8	2	6	4	1	3	4	1	3
1-4	11	5	6	9	3	6	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	0	3	2	0	2	1	0	1
15-24	30	17	13	17	10	7	13	7	6
25-34	43	13	30	31	9	22	12	4	8
35-44	95	46	49	54	27	27	41	19	22
45-54	162	65	97	108	49	59	54	16	38
55-64	232	122	110	130	76	54	102	46	56
65-74	383	219	164	214	130	84	169	89	80
75-84	534	351	183	245	159	86	289	192	97
85 AND OVER	486	323	163	161	95	66	325	228	97
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	9.4	5.4	12.7
NEONATAL	6.1	3.6	8.2
POSTNEONATAL	3.3	1.8	4.5

2003 POPULATION

TOTAL	176,136
WHITE	92,212
NONWHITE	83,924

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII , 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,949	2,226	723	10.3	11.3	8.0
HEART DISEASES	872	655	217	304.1	332.5	241.6
MALIGNANT NEOPLASMS	608	454	154	212.0	230.5	171.5
CEREBROVASCULAR DISEASE	195	142	53	68.0	72.1	59.0
ACCIDENTS	176	139	37	61.4	70.6	41.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	163	144	19	56.8	73.1	21.2
INFLUENZA AND PNEUMONIA	84	66	18	29.3	33.5	20.0
DIABETES MELLITUS	67	47	20	23.4	23.9	22.3
ALZHEIMERS DISEASE	67	62	5	23.4	31.5	5.6
SEPTICEMIA	65	48	17	22.7	24.4	18.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	60	40	20	20.9	20.3	22.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	29	17	12	10.1	8.6	13.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	28	23	5	9.8	11.7	5.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	24	21	3	8.4	10.7	3.3
SUICIDE	21	20	1	7.3	10.2	1.1
AORTIC ANEURYSM AND DISSECTION	19	16	3	6.6	8.1	3.3
HIV DISEASE	17	8	9	5.9	4.1	10.0
HOMICIDE	15	5	10	5.2	2.5	11.1
CONDITIONS ORIG IN PERINATAL PERIOD	13	3	10	3.1	1.1	6.5
PARKINSONS DISEASE	12	11	1	4.2	5.6	1.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	11	7	4	3.8	3.6	4.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	10	8	2	3.5	4.1	2.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	8	6	2	2.8	3.0	2.2
COMPLICATIONS MEDICAL/SURGICAL CARE	8	3	5	2.8	1.5	5.6
ANEMIAS	7	5	2	2.4	2.5	2.2
VIRAL HEPATITIS	6	5	1	2.1	2.5	1.1
ATHEROSCLEROSIS	6	6	0	2.1	3.0	-
PEPTIC ULCER	5	4	1	1.7	2.0	1.1
PNEUMOCONIOSES & CHEMICAL EFFECTS	4	4	0	1.4	2.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	1.0	1.5	-
TUBERCULOSIS	1	1	0	0.3	0.5	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.3	0.5	-
DISEASES OF APPENDIX	1	1	0	0.3	0.5	-
HERNIA	1	0	1	0.3	-	1.1
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	0.3	-	1.1
MATERNAL CAUSES	1	1	0	24.1	38.3	-
OPERATIONS OF WAR & THEIR SEQUELAE	1	1	0	0.3	0.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	26	15	11	9.1	7.6	12.2
ALL OTHER CAUSES	313	234	79	109.1	118.8	88.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII , 2003, continued

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,949	2,226	723	1,461	1,091	370	1,488	1,135	353
UNDER 1	32	12	20	17	5	12	15	7	8
(NEONATAL)	18	5	13	9	2	7	9	3	6
(POSTNEONATAL)	14	7	7	8	3	5	6	4	2
1-4	11	5	6	3	1	2	8	4	4
5-9	8	5	3	3	2	1	5	3	2
10-14	6	3	3	3	2	1	3	1	2
15-24	50	34	16	36	24	12	14	10	4
25-34	58	35	23	39	25	14	19	10	9
35-44	137	89	48	75	53	22	62	36	26
45-54	215	144	71	142	100	42	73	44	29
55-64	354	252	102	220	158	62	134	94	40
65-74	579	440	139	319	241	78	260	199	61
75-84	808	633	175	377	296	81	431	337	94
85 AND OVER	691	574	117	227	184	43	464	390	74
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES**

INFANT	7.7	4.6	13.0
NEONATAL	4.3	1.9	8.5
POSTNEONATAL	3.4	2.7	4.6

2003 POPULATION

TOTAL	286,783
WHITE	196,969
NONWHITE	89,814

** DEATHS PER 1,000 LIVE BIRTHS.

(HSWWDTDS)
DISTRICT: IX

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX , 2003

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	4,233	3,553	680	9.3	10.1	6.6
HEART DISEASES	1,297	1,093	204	285.6	311.1	198.3
MALIGNANT NEOPLASMS	964	809	155	212.2	230.3	150.7
ACCIDENTS	275	243	32	60.5	69.2	31.1
CEREBROVASCULAR DISEASE	202	168	34	44.5	47.8	33.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	197	185	12	43.4	52.6	11.7
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	100	76	24	22.0	21.6	23.3
INFLUENZA AND PNEUMONIA	97	87	10	21.4	24.8	9.7
ALZHEIMERS DISEASE	92	78	14	20.2	22.2	13.6
SEPTICEMIA	72	51	21	15.8	14.5	20.4
SUICIDE	71	68	3	15.6	19.4	2.9
DIABETES MELLITUS	59	47	12	13.0	13.4	11.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	39	31	8	8.6	8.8	7.8
HOMICIDE	37	17	20	8.1	4.8	19.4
AORTIC ANEURYSM AND DISSECTION	31	29	2	6.8	8.2	1.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	28	23	5	6.2	6.5	4.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	22	17	5	4.8	4.8	4.9
PARKINSONS DISEASE	20	20	0	4.4	5.7	-
VIRAL HEPATITIS	15	14	1	3.3	4.0	1.0
HIV DISEASE	15	6	9	3.3	1.7	8.8
ATHEROSCLEROSIS	15	11	4	3.3	3.1	3.9
CONDITIONS ORIG IN PERINATAL PERIOD	15	12	3	2.3	2.5	1.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	13	8	5	2.9	2.3	4.9
PNEUMOCONIOSES & CHEMICAL EFFECTS	11	10	1	2.4	2.8	1.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	10	7	3	2.2	2.0	2.9
COMPLICATIONS MEDICAL/SURGICAL CARE	9	7	2	2.0	2.0	1.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	8	7	1	1.8	2.0	1.0
ANEMIAS	7	3	4	1.5	0.8	3.9
CHOLELITHIASIS/GALLBLADDER DISORDER	4	3	1	0.9	0.8	1.0
PEPTIC ULCER	2	2	0	0.4	0.6	-
MENINGOCOCCAL INFECTION	1	1	0	0.2	0.3	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.2	0.3	-
HERNIA	1	0	1	0.2	-	1.0
INFECTIONS OF KIDNEY	1	1	0	0.2	0.3	-
LEGAL INTERVENTION	1	1	0	0.2	0.3	-

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	55	46	9	12.1	13.1	8.8
ALL OTHER CAUSES	446	371	75	98.2	105.6	72.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2003 ESTIMATES.

LESS THAN 0.06.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX , 2003, continued

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	4,233	3,553	680	2,156	1,828	328	2,077	1,725	352
UNDER 1	53	37	16	25	20	5	28	17	11
(NEONATAL)	18	12	6	7	7	0	11	5	6
(POSTNEONATAL)	35	25	10	18	13	5	17	12	5
1-4	7	6	1	4	4	0	3	2	1
5-9	7	6	1	4	4	0	3	2	1
10-14	6	6	0	3	3	0	3	3	0
15-24	73	53	20	57	42	15	16	11	5
25-34	96	70	26	65	47	18	31	23	8
35-44	186	136	50	99	77	22	87	59	28
45-54	386	298	88	251	196	55	135	102	33
55-64	559	462	97	318	273	45	241	189	52
65-74	850	709	141	511	433	78	339	276	63
75-84	1,166	1,026	140	574	509	65	592	517	75
85 AND OVER	842	743	99	245	220	25	597	523	74
UNKNOWN	2	1	1	0	0	0	2	1	1

MORTALITY RATES**

INFANT	8.2	7.6	9.9
NEONATAL	2.8	2.5	3.7
POSTNEONATAL	5.4	5.2	6.2

2003 POPULATION

TOTAL	454,194
WHITE	351,334
NONWHITE	102,860

** DEATHS PER 1,000 LIVE BIRTHS.