

**MISSISSIPPI
VITAL STATISTICS
2004**

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
SUMMARY TABLES, 2004	
POPULATION	
Table P1. 2004 Estimated Population, by Age, Race, and Sex, Residents of Mississippi	7
LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2004	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16

Table A14.	Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15.	Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16.	Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2002-2004	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1979, 1984, 1989, 1994, 1999, 2004	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2004	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33
--	----

MARRIAGES

Table D1. Marriages and Average per Day, by Month	34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . .	35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race	40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44
Table F4. Reported Complications Resulting from Induced Terminations of Pregnancy, Patients Treated in Mississippi	44

MAJOR TABLES, 2004**POPULATION**

Table I. 2004 Estimated Population and Percent Change From 2000 Census Population, Mississippi	47
--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2004	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2004	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2004	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2004	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2004	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2004	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2004	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2004	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2004	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2004	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2004	70
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2004	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2004	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2004	76
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2004	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2004	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2004	91

Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2004	114
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2004	121
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 2000-2004 (5-Year Average) . .	123
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2004	125
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2004	128
 MARRIAGES		
Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2004	130
 DIVORCES		
Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 2004	132
 INDUCED TERMINATIONS		
Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2004	133
 TEENAGE PREGNANCY		
Table 18A.	Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2004	134
Table 18B.	Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2004	136
 DEATHS (COUNTY AND STATE SUMMARIES)		
Table 19.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents	
	The Counties (in alphabetical order)	139
	The State	159

TIME SERIES TABLES

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2004, (Occurrence Data 1913-1943, Residence Data 1944-2004)	163
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2004, (Occurrence Data 1913-1943, Residence Data 1944-2004)	165
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2004, (Occurrence Data 1913-1943, Residence Data 1944-2004)	167
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2004, (Occurrence Data 1917-1943, Residence Data 1944-2004)	169
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2004, (Occurrence Data 1924-1944, Residence Data 1945-2004)	171
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2004, (Occurrence Data 1924-1943, Residence Data 1944-2004)	173
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2004	175
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2004	177
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2004	178

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	181
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	195
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	197

VITAL STATISTICS MISSISSIPPI, 2004

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Reports of complications from induced terminations of pregnancy were made by the clinic or physician who treated the patient for the complication. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2004; the second part contains major statistical tables for 2004. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of

the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are 2004 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES, 2004

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

TABLE P1. 2004 ESTIMATED POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,902,966	1,408,733	1,494,233	1,780,313	878,930	901,383	1,122,653	529,803	592,850
0-4	208,354	106,719	101,635	109,193	56,369	52,824	99,161	50,350	48,811
(Under 1)	42,880	21,970	20,910	22,392	11,522	10,870	20,488	10,448	10,040
(1-4)	165,474	84,749	80,725	86,801	44,847	41,954	78,673	39,902	38,771
5-9	199,022	101,507	97,515	106,107	54,491	51,616	92,915	47,016	45,899
10-14	214,508	109,462	105,046	112,301	57,932	54,369	102,207	51,530	50,677
15-19	216,248	110,551	105,697	116,249	60,134	56,115	99,999	50,417	49,582
20-24	234,587	119,775	114,812	128,486	66,889	61,597	106,101	52,886	53,215
25-29	200,661	100,216	100,445	116,291	60,394	55,897	84,370	39,822	44,548
30-34	190,082	92,647	97,435	115,584	58,485	57,099	74,498	34,162	40,336
35-39	190,716	92,903	97,813	118,446	60,364	58,082	72,270	32,539	39,731
40-44	214,636	103,820	110,816	135,090	67,975	67,115	79,546	35,845	43,701
45-49	210,573	101,899	108,674	132,801	66,456	66,345	77,772	35,443	42,329
50-54	186,715	90,033	96,682	121,912	60,116	61,796	64,803	29,917	34,886
55-59	159,658	77,318	82,340	113,250	55,855	57,395	46,408	21,463	24,945
60-64	124,339	58,549	65,790	91,698	44,120	47,578	32,641	14,429	18,212
65-69	105,423	48,691	56,732	78,081	37,090	40,991	27,342	11,601	15,741
70-74	87,095	36,898	50,197	65,314	28,523	36,791	21,781	8,375	13,406
75-79	72,048	29,807	42,241	54,525	23,290	31,235	17,523	6,517	11,006
80-84	48,669	16,823	31,846	36,864	12,828	24,036	11,805	3,995	7,810
85+	39,632	11,115	28,517	28,121	7,619	20,502	11,511	3,496	8,015
UNDER 15	621,884	317,688	304,196	327,601	168,792	158,809	294,283	148,896	145,387
15-64	1,928,215	947,711	980,504	1,189,807	600,788	589,019	738,408	346,923	391,485
65 & OVER	352,867	143,334	209,533	262,905	109,350	153,555	89,962	33,984	55,978
MEDIAN AGE	34.7	33.0	36.3	38.6	37.1	40.2	28.6	26.6	30.5

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2004**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>42,809</u>	<u>117</u>			
JANUARY	3,407	110	JULY	3,671	118
FEBRUARY	3,216	115	AUGUST	3,734	120
MARCH	3,584	116	SEPTEMBER	3,830	128
APRIL	3,403	113	OCTOBER	3,648	118
MAY	3,326	107	NOVEMBER	3,680	123
JUNE	3,517	117	DECEMBER	3,793	122

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2004**

YEAR	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1990#	99.6	99.6	99.6
1971#	92.2	99.6	84.2	1991#	99.6	99.6	99.6
1972#	95.2	99.8	90.4	1992#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1993#	99.7	99.7	99.6
1974#	97.4	99.7	94.8	1994#	99.7	99.7	99.7
1975#	97.9	99.6	96.0	1995#	99.7	99.7	99.6
1976#	98.5	99.7	97.3	1996#	99.7	99.7	99.7
1977#	98.9	99.7	98.1	1997#	99.7	99.8	99.7
1978#	99.1	99.7	98.4	1998#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1999#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2000#	99.7	99.7	99.7
1981#	99.3	99.6	99.0	2001#	99.7	99.7	99.7
1982#	99.4	99.6	99.2	2002#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2003#	99.7	99.7	99.7
1984#	99.5	99.6	99.4	2004#	99.7	99.7	99.8
1985#	99.6	99.7	99.4				
1986#	99.6	99.7	99.5				
1987#	99.6	99.8	99.5				
1988#	99.6	99.7	99.6				
1989#	99.6	99.8	99.5				

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2004**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>42,809</u>	<u>41,783</u>	<u>837</u>	<u>43</u>	<u>102</u>	<u>44</u>	<u>100.0</u>	<u>97.6</u>	<u>2.0</u>	<u>0.1</u>	<u>0.2</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	42,698	41,773	836	1	50	38	99.7	97.6	2.0	*	0.1	0.1
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	98	6	1	41	45	5	0.2	*	*	0.1	0.1	*
UNKNOWN PLACE	12	3	0	1	7	1	*	*	-	*	*	*
	1	1	0	0	0	0	*	*	-	-	-	-
<u>WHITE</u>	<u>23,524</u>	<u>22,984</u>	<u>417</u>	<u>40</u>	<u>51</u>	<u>32</u>	<u>100.0</u>	<u>97.7</u>	<u>1.8</u>	<u>0.2</u>	<u>0.2</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	23,451	22,979	416	0	29	27	99.7	97.7	1.8	-	0.1	0.1
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	66	3	1	39	19	4	0.3	*	*	0.2	0.1	*
UNKNOWN PLACE	6	1	0	1	3	1	*	*	-	*	*	*
	1	1	0	0	0	0	*	*	-	-	-	-
<u>NONWHITE</u>	<u>19,285</u>	<u>18,799</u>	<u>420</u>	<u>3</u>	<u>51</u>	<u>12</u>	<u>100.0</u>	<u>97.5</u>	<u>2.2</u>	<u>*</u>	<u>0.3</u>	<u>0.1</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	19,247	18,794	420	1	21	11	99.8	97.4	2.2	*	0.1	*
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	32	3	0	2	26	1	0.2	*	-	*	0.1	*
UNKNOWN PLACE	6	2	0	0	4	0	*	*	-	-	*	-
	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2004**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,809</u>	<u>23,524</u>	<u>19,285</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>68.3</u>	<u>66.1</u>	<u>71.1</u>
UNDER 15	177	29	148	0.4	0.1	0.8	1.7	0.5	2.9
15-19	6,539	2,798	3,741	15.3	11.9	19.4	61.9	49.9	75.4
20-24	14,914	7,364	7,550	34.8	31.3	39.2	129.9	119.6	141.9
25-29	11,060	6,627	4,433	25.8	28.2	23.0	110.1	118.6	99.5
30-34	6,897	4,691	2,206	16.1	19.9	11.4	70.8	82.2	54.7
35-39	2,662	1,702	960	6.2	7.2	5.0	27.2	29.3	24.2
40-44	523	291	232	1.2	1.2	1.2	4.7	4.3	5.3
45-49	27	17	10	0.1	0.1	*	0.2	0.2	0.2
UNKNOWN	10	5	5	*	*	*			

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2004**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>42,809</u>	<u>23,524</u>	<u>19,285</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	529	397	132	1.2	1.7	0.7	1.2	1.7	0.7
7-9 YEARS	3,196	1,772	1,424	7.6	7.7	7.4	8.8	9.4	8.1
10,11 YEARS	6,472	2,638	3,834	15.3	11.4	20.0	24.2	20.8	28.2
12 YEARS	13,108	6,354	6,754	31.1	27.6	35.3	55.2	48.4	63.5
1-3 YEARS COLLEGE	10,770	5,841	4,929	25.5	25.3	25.8	80.8	73.7	89.2
4 OR MORE YEARS OF COLLEGE	8,111	6,055	2,056	19.2	26.3	10.7	100.0	100.0	100.0
UNKNOWN	623	467	156						
MEDIAN YEARS COMPLETED*	12	13	12						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2004**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>20,684</u>	<u>6,219</u>	<u>14,465</u>	<u>48.3</u>	<u>26.4</u>	<u>75.0</u>
UNDER 15	177	29	148	100.0	100.0	100.0
15-19	5,549	1,897	3,652	84.9	67.8	97.6
20-24	8,984	2,570	6,414	60.2	34.9	85.0
25-29	3,770	1,011	2,759	34.1	15.2	62.2
30-34	1,479	491	988	21.4	10.5	44.8
35-39	553	153	400	20.8	9.0	41.7
40-44	156	60	96	29.8	20.6	41.4
45-49	9	4	5	33.3	23.5	50.0
UNKNOWN	7	4	3			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2004**

TOTAL - BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,809</u>	<u>23,524</u>	<u>19,285</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>68.3</u>	<u>66.1</u>	<u>71.1</u>	<u>24</u>	<u>26</u>	<u>23</u>
FIRST	14,719	8,470	6,249	34.4	36.0	32.4	23.5	23.8	23.0	21	23	20
SECOND	12,568	7,252	5,316	29.4	30.8	27.6	20.0	20.4	19.6	24	26	23
THIRD	8,263	4,463	3,800	19.3	19.0	19.7	13.2	12.5	14.0	26	28	25
FOURTH	4,033	1,955	2,078	9.4	8.3	10.8	6.4	5.5	7.7	27	29	26
FIFTH	1,747	774	973	4.1	3.3	5.0	2.8	2.2	3.6	28	30	27
SIXTH	728	292	436	1.7	1.2	2.3	1.2	0.8	1.6	29	31	29
SEVENTH	356	151	205	0.8	0.6	1.1	0.6	0.4	0.8	31	31	29
EIGHTH	156	61	95	0.4	0.2	0.5	0.2	0.2	0.4	32	34	30
NINTH	83	32	51	0.2	0.1	0.3	0.1	0.1	0.2	33	34	32
TENTH & OVER	99	39	60	0.2	0.2	0.3	0.2	0.1	0.2	35	36	35
UNKNOWN	57	35	22	0.1	0.1	0.1	0.1	0.1	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2004**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,809</u>	<u>23,524</u>	<u>19,285</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	408	124	284	1.0	0.5	1.5
<u>SOME PRENATAL CARE</u>	<u>41,747</u>	<u>22,933</u>	<u>18,814</u>	<u>97.5</u>	<u>97.5</u>	<u>97.6</u>
FIRST TRIMESTER	35,036	20,320	14,716	81.8	86.4	76.3
SECOND TRIMESTER	5,359	1,899	3,460	12.5	8.1	17.9
THIRD TRIMESTER	720	251	469	1.7	1.1	2.4
UNKNOWN MONTH	632	463	169	1.5	2.0	0.9
UNKNOWN WHETHER ANY PRENATAL CARE	654	467	187	1.5	2.0	1.0

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2004**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,809</u>	<u>23,524</u>	<u>19,285</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	2,073	829	1,244	4.8	3.5	6.4
PREMATURE ONLY**	4,396	2,144	2,252	10.3	9.1	11.7
BOTH IMMATURE AND PREMATURE	2,900	1,212	1,688	6.8	5.2	8.8
TOTAL IMMATURE	4,973	2,041	2,932	11.6	8.7	15.2
TOTAL PREMATURE	7,296	3,356	3,940	17.0	14.3	20.4
TOTAL IMMATURE AND/OR PREMATURE	9,369	4,185	5,184	21.9	17.8	26.9
NEITHER IMMATURE NOR PREMATURE**	33,440	19,339	14,101	78.1	82.2	73.1

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2004**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>497</u>	<u>244</u>	<u>253</u>
ANENCEPHALUS	2	2	0
SPINA BIFIDA / MENINGOCELE	5	3	2
HYDROCEPHALUS	10	6	4
MICROCEPHALUS	3	2	1
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	6	5	1
HEART MALFORMATIONS	44	23	21
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	23	14	9
RECTAL ATRESIA / STENOSIS	4	3	1
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	5	1	4
OMPHALOCELE / GASTROSCHISIS	23	11	12
OTHER GASTROINTESTINAL ANOMALIES	11	3	8
MALFORMED GENITALIA	37	21	16
RENAL AGENESIS	4	3	1
OTHER UROGENITAL ANOMALIES	18	12	6
CLEFT LIP / PALATE	40	26	14
POLYDACTYLY / SYNDACTYLY / ADACTYLY	79	16	63
CLUB FOOT	19	9	10
DIAPHRAGMATIC HERNIA	3	0	3
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	105	46	59
DOWNS SYNDROME	10	6	4
OTHER CHROMOSOMAL ANOMALIES	9	5	4
OTHER	37	27	10

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2004**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>12,532</u>	<u>6,016</u>	<u>6,516</u>
ANEMIA (HCT. < 30/HGB. < 10)	835	390	445
CARDIAC DISEASE	170	118	52
ACUTE OR CHRONIC LUNG DISEASE	309	182	127
DIABETES	1,252	680	572
GENITAL HERPES	264	156	108
HYDRAMNIOS/OLIGOHYDRAMNIOS	528	215	313
HEMOGLOBINOPATHY	154	10	144
HYPERTENSION, CHRONIC	788	280	508
HYPERTENSION, PREGNANCY-ASSOCIATED	2,211	1,124	1,087
ECLAMPSIA	172	79	93
INCOMPETENT CERVIX	93	39	54
PREVIOUS INFANT 4000+ GRAMS	111	77	34
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	508	264	244
RENAL DISEASE	70	46	24
RH SENSITIZATION	377	271	106
UTERINE BLEEDING	134	88	46
OTHER	4,556	1,997	2,559

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 2004**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>42,809</u>	<u>23,524</u>	<u>19,285</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	37,660	19,554	18,106	88.0	83.1	93.9
<u>SOME</u>	<u>5,067</u>	<u>3,921</u>	<u>1,146</u>	<u>11.8</u>	<u>16.7</u>	<u>5.9</u>
1-9 CIGARETTES PER DAY	1,982	1,287	695	4.6	5.5	3.6
10-19 CIGARETTES PER DAY	1,904	1,654	250	4.4	7.0	1.3
20-29 CIGARETTES PER DAY	897	776	121	2.1	3.3	0.6
30-39 CIGARETTES PER DAY	32	27	5	0.1	0.1	*
40-49 CIGARETTES PER DAY	25	17	8	*	0.1	*
50-59 CIGARETTES PER DAY	2	2	0	*	*	-
60 OR MORE PER DAY	3	1	2	*	*	*
UNKNOWN AMOUNT	222	157	65	0.5	0.7	0.3
NOT STATED	82	49	33	0.2	0.2	0.2
ALCOHOL USE DURING PREGNANCY						
NONE	40,885	22,025	18,860	95.5	93.6	97.8
<u>SOME</u>	<u>167</u>	<u>72</u>	<u>95</u>	<u>0.4</u>	<u>0.3</u>	<u>0.5</u>
1 DRINK PER WEEK	74	30	44	0.2	0.1	0.2
2 DRINKS PER WEEK	25	12	13	*	*	0.1
3 DRINKS PER WEEK	12	3	9	*	*	*
4 DRINKS PER WEEK	2	1	1	*	*	*
5 DRINKS PER WEEK	4	3	1	*	*	*
6 OR MORE PER WEEK	11	4	7	*	*	*
UNKNOWN AMOUNT	39	19	20	0.1	0.1	0.1
NOT STATED	1,757	1,427	330	4.1	6.1	1.7
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	1,701	829	872	4.0	3.5	4.5
1-4 POUNDS	744	431	313	1.7	1.8	1.6
5-9 POUNDS	1,153	469	684	2.7	2.0	3.5
10-14 POUNDS	2,597	1,173	1,424	6.1	5.0	7.4
15-19 POUNDS	2,970	1,397	1,573	6.9	5.9	8.2
20-24 POUNDS	5,570	2,847	2,723	13.0	12.1	14.1
25-29 POUNDS	4,755	2,641	2,114	11.1	11.2	11.0
30-34 POUNDS	6,233	3,515	2,718	14.6	14.9	14.1
35-39 POUNDS	4,043	2,523	1,520	9.4	10.7	7.9
40-44 POUNDS	4,036	2,413	1,623	9.4	10.2	8.4
45 OR MORE POUNDS	6,563	3,941	2,622	15.3	16.8	13.6
UNKNOWN AMOUNT	2,444	1,345	1,099	5.7	5.7	5.7
MEDIAN WEIGHT GAIN (LBS)**	30	30	27			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2004**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>11,026</u>	<u>6,256</u>	<u>4,770</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	238	127	111
MECONIUM, MODERATE / HEAVY	1,509	687	822
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	612	336	276
ABRUPTIO PLACENTA	223	96	127
PLACENTA PREVIA	82	56	26
OTHER EXCESSIVE BLEEDING	92	43	49
SEIZURES DURING LABOR	12	5	7
PRECIPITOUS LABOR (< 3 HOURS)	455	225	230
PROLONGED LABOR (> 20 HOURS)	167	80	87
DYSFUNCTIONAL LABOR	1,093	619	474
BREECH / MALPRESENTATION	1,894	1,279	615
CEPHALOPELVIC DISPROPORTION	812	502	310
CORD PROLAPSE	67	31	36
ANESTHETIC COMPLICATIONS	26	19	7
FETAL DISTRESS	1,889	1,006	883
OTHER	1,855	1,145	710

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2004**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>45,237</u>	<u>24,927</u>	<u>20,310</u>
VAGINAL	28,140	15,405	12,735
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	306	144	162
PRIMARY C-SECTION	8,418	4,759	3,659
REPEAT C-SECTION	5,926	3,206	2,720
FORCEPS	615	377	238
VACUUM	1,832	1,036	796

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2004**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>72,038</u>	<u>40,700</u>	<u>31,338</u>
AMNIOCENTESIS	249	170	79
ELECTRONIC FETAL MONITORING	33,764	18,413	15,351
INDUCTION OF LABOR	8,424	5,517	2,907
STIMULATION OF LABOR	5,204	2,808	2,396
TOCOLYSIS	530	279	251
ULTRASOUND	23,773	13,467	10,306
OTHER	94	46	48

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2004**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>2,639</u>	<u>1,395</u>	<u>1,244</u>
ANEMIA (HCT. < 39 / HGB. < 13)	45	23	22
BIRTH INJURY	203	159	44
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE / RDS	392	215	177
MECONIUM ASPIRATION SYNDROME	36	14	22
ASSISTED VENTILATION < 30 MINUTES	574	284	290
ASSISTED VENTILATION 30 MINUTES OR MORE	534	224	310
SEIZURES	12	8	4
OTHER	843	468	375

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2004

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
<u>TOTAL</u>	<u>419</u>	<u>393</u>	<u>8</u>	<u>0</u>	<u>18</u>	<u>0</u>	<u>100.0</u>	<u>93.8</u>	<u>1.9</u>	-	<u>4.3</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	410	392	8	0	10	0	97.8	93.6	1.9	-	2.4	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	8	1	0	0	7	0	1.9	0.2	-	-	1.7	-
	1	0	0	0	1	0	0.2	-	-	-	0.2	-
<u>WHITE</u>	<u>143</u>	<u>135</u>	<u>3</u>	<u>0</u>	<u>5</u>	<u>0</u>	<u>100.0</u>	<u>94.4</u>	<u>2.1</u>	-	<u>3.5</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	142	135	3	0	4	0	99.3	94.4	2.1	-	2.8	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	1	0	0	0	1	0	0.7	-	-	-	0.7	-
	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>276</u>	<u>258</u>	<u>5</u>	<u>0</u>	<u>13</u>	<u>0</u>	<u>100.0</u>	<u>93.5</u>	<u>1.8</u>	-	<u>4.7</u>	-
HOSPITAL CLINIC / DOCTOR'S OFFICE	268	257	5	0	6	0	97.1	93.1	1.8	-	2.2	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	7	1	0	0	6	0	2.5	0.4	-	-	2.2	-
	1	0	0	0	1	0	0.4	-	-	-	0.4	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2004**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>419</u>	<u>143</u>	<u>276</u>	<u>9.8</u>	<u>6.1</u>	<u>14.3</u>
UNDER 15	1	0	1	5.6	#	6.8
15-19	100	28	72	15.3	10.0	19.2
20-24	140	43	97	9.4	5.8	12.8
25-29	90	38	52	8.1	5.7	11.7
30-34	52	24	28	7.5	5.1	12.7
35-39	23	6	17	8.6	3.5	17.7
40-44	13	4	9	24.8	13.7	38.8
45-49	0	0	0	#	#	#
50 & OVER	0	0	0	#	#	#
UNKNOWN	0	0	0	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2004**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.0	0.5	1.5	9.1	6.3	10.5
SOME CARE	96.0	95.5	96.7	78.0	82.5	75.7
UNKNOWN WHETHER ANY CARE	3.0	4.0	1.8	12.9	11.2	13.8

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 2002-2004**

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2002	2003	2004	2002	2003	2004	2002	2003	2004
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>394</u>	<u>417</u>	<u>419</u>	<u>122</u>	<u>121</u>	<u>143</u>	<u>272</u>	<u>296</u>	<u>276</u>
UNDER 20	13	18	17	2	1	6	11	17	11
<u>20 AND OVER</u>	<u>294</u>	<u>285</u>	<u>300</u>	<u>102</u>	<u>94</u>	<u>109</u>	<u>192</u>	<u>191</u>	<u>191</u>
20-22	76	68	62	14	11	22	62	57	40
23-27	73	82	72	29	27	20	44	55	52
28-36	93	77	120	38	27	46	55	50	74
37 AND OVER	52	58	46	21	29	21	31	29	25
UNKNOWN	87	114	102	18	26	28	69	88	74
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>9.5</u>	<u>9.8</u>	<u>9.8</u>	<u>5.4</u>	<u>5.2</u>	<u>6.1</u>	<u>14.4</u>	<u>15.4</u>	<u>14.3</u>
UNDER 20	0.3	0.4	0.4	0.1	##	0.2	0.6	0.9	0.6
<u>20 AND OVER</u>	<u>7.1</u>	<u>6.7</u>	<u>7.0</u>	<u>4.5</u>	<u>4.1</u>	<u>4.6</u>	<u>10.2</u>	<u>9.9</u>	<u>9.9</u>
20-22	1.8	1.6	1.4	0.6	0.5	0.9	3.3	3.0	2.1
23-27	1.8	1.9	1.7	1.3	1.2	0.8	2.3	2.9	2.7
28-36	2.2	1.8	2.8	1.7	1.2	2.0	2.9	2.6	3.8
37 AND OVER	1.2	1.4	1.1	0.9	1.2	0.9	1.6	1.5	1.3
UNKNOWN	2.1	2.7	2.4	0.8	1.1	1.2	3.6	4.6	3.8

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2004**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>27,748</u>	<u>76</u>			
JANUARY	2,646	85	JULY	2,342	76
FEBRUARY	2,377	85	AUGUST	2,196	71
MARCH	2,387	77	SEPTEMBER	2,231	74
APRIL	2,201	73	OCTOBER	2,228	72
MAY	2,254	73	NOVEMBER	2,212	74
JUNE	2,172	72	DECEMBER	2,502	81

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2004**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>27,748</u>	<u>18,689</u>	<u>9,059</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.6</u>	<u>10.5</u>	<u>8.1</u>
UNDER 1	417	144	273	1.5	0.8	3.0	9.7	6.4	13.3
1-4	82	32	50	0.3	0.2	0.6	0.5	0.4	0.6
5-9	39	18	21	0.1	0.1	0.2	0.2	0.2	0.2
10-14	59	28	31	0.2	0.2	0.3	0.3	0.2	0.3
15-24	515	284	231	1.8	1.5	2.6	1.1	1.2	1.1
25-34	659	342	317	2.4	1.8	3.5	1.7	1.5	2.0
35-44	1,193	623	570	4.3	3.3	6.3	2.9	2.4	3.8
45-54	2,489	1,351	1,138	9.0	7.2	12.6	6.3	5.3	8.0
55-64	3,645	2,286	1,359	13.1	12.2	15.0	12.8	11.2	17.2
65-74	5,067	3,500	1,567	18.3	18.7	17.3	26.3	24.4	31.9
75 AND OVER	13,580	10,079	3,501	48.9	53.9	38.6	84.7	84.3	85.7
UNKNOWN	3	2	1	**	**	**	**	**	**

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2004**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	<u>14,061</u>	<u>13,687</u>	<u>1.03</u>	<u>9,475</u>	<u>9,214</u>	<u>1.03</u>	<u>4,586</u>	<u>4,473</u>	<u>1.02</u>
UNDER 1	246	171	1.44	81	63	1.28	165	108	1.53
1-4	46	36	1.28	17	15	1.13	29	21	1.38
5-9	25	14	1.78	14	4	3.50	11	10	1.10
10-14	41	18	2.28	20	8	2.50	21	10	2.10
15-24	362	153	2.37	208	76	2.74	154	77	2.00
25-34	454	205	2.21	246	96	2.56	208	109	1.91
35-44	732	461	1.59	408	215	1.90	324	246	1.32
45-54	1,552	937	1.66	889	462	1.92	663	475	1.40
55-64	2,258	1,387	1.63	1,434	852	1.68	824	535	1.54
65-74	2,865	2,202	1.30	2,069	1,431	1.44	796	771	1.03
75-84	3,463	3,724	0.93	2,661	2,724	0.98	802	1,000	0.80
85 AND OVER	2,016	4,377	0.46	1,427	3,267	0.44	589	1,110	0.53
UNKNOWN	1	2		1	1		0	1	
MEDIAN AGE	70	78		72	80		63	73	

**TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2004**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	<u>10.0</u>	<u>9.2</u>	<u>10.8</u>	<u>10.2</u>	<u>8.6</u>	<u>7.5</u>
UNDER 1	11.2	8.2	7.0	5.8	15.8	10.8
1-4	0.5	0.4	0.4	0.4	0.7	0.5
5-9	0.2	0.1	0.2	0.1	0.2	0.2
10-14	0.4	0.2	0.3	0.1	0.4	0.2
15-24	1.6	0.7	1.6	0.6	1.5	0.7
25-34	2.4	1.0	2.1	0.8	2.8	1.3
35-44	3.7	2.2	3.2	1.7	4.7	2.9
45-54	8.1	4.6	7.0	3.6	10.1	6.2
55-64	16.6	9.4	14.3	8.1	23.0	12.4
65-74	33.5	20.6	31.5	18.4	39.8	26.4
75 AND OVER	94.9	79.0	93.5	79.1	99.3	78.6

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>21,952</u>	<u>15,006</u>	<u>6,946</u>	<u>7.6</u>	<u>8.4</u>	<u>6.2</u>	<u>79.1</u>	<u>80.3</u>	<u>76.7</u>
1. HEART DISEASES (156-160,162,164-181)	8,246	5,685	2,561	284.0	319.3	228.1	29.7	30.4	28.3
2. MALIGNANT NEOPLASMS (056-108)	5,964	4,054	1,910	205.4	227.7	170.1	21.5	21.7	21.1
3. ACCIDENTS (295-330)	1,689	1,110	579	58.2	62.3	51.6	6.1	5.9	6.4
4. CEREBROVASCULAR DISEASE (182-186)	1,632	1,037	595	56.2	58.2	53.0	5.9	5.5	6.6
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1343	1137	206	46.3	63.9	18.3	4.8	6.1	2.3
6. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	663	361	302	22.8	20.3	26.9	2.4	1.9	3.3
7. DIABETES MELLITUS (124)	658	352	306	22.7	19.8	27.2	2.4	1.9	3.4
8. INFLUENZA AND PNEUMONIA (195-198)	635	446	189	21.9	25.0	16.8	2.3	2.4	2.1
9. ALZHEIMERS DISEASE (148)	622	514	108	21.4	28.9	9.6	2.2	2.8	1.2
10. SEPTICEMIA (018)	500	310	190	17.2	17.4	16.9	1.8	1.6	2.1

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2004**

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>82</u>	<u>100.0</u>	<u>0.5</u>
	1. ACCIDENTS (295-330)	34	41.5	20.5
	2. HOMICIDE (338-346)	9	11.0	5.4
	3. INFLUENZA AND PNEUMONIA (195-198)	6	7.3	3.6
	4. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	5	6.1	3.0
	5. MALIGNANT NEOPLASMS (056-108)	4	4.9	2.4
5-14	<u>ALL CAUSES</u>	<u>98</u>	<u>100.0</u>	<u>0.2</u>
	1. ACCIDENTS (295-330)	58	59.2	14.0
	2. MALIGNANT NEOPLASMS (056-108)	9	9.2	2.2
	3. HEART DISEASES (156-160,162,164-181)	5	5.1	1.2
	4. HOMICIDE (338-346)	4	4.1	1.0
	5. SUICIDE (331-337)	3	3.1	0.7
15-24	<u>ALL CAUSES</u>	<u>515</u>	<u>100.0</u>	<u>1.1</u>
	1. ACCIDENTS (295-330)	270	52.4	59.9
	2. HOMICIDE (338-346)	62	12.0	13.8
	3. SUICIDE (331-337)	49	9.5	10.9
	4. HEART DISEASES (156-160,162,164-181)	19	3.7	4.2
	5. MALIGNANT NEOPLASMS (056-108)	16	3.1	3.5
25-44	<u>ALL CAUSES</u>	<u>1,852</u>	<u>100.0</u>	<u>2.3</u>
	1. ACCIDENTS (295-330)	488	26.4	61.3
	2. HEART DISEASES (156-160,162,164-181)	300	16.2	37.7
	3. MALIGNANT NEOPLASMS (056-108)	237	12.8	29.8
	4. HOMICIDE (338-346)	133	7.2	16.7
	5. SUICIDE (331-337)	127	6.8	16.0
45-64	<u>ALL CAUSES</u>	<u>6,134</u>	<u>100.0</u>	<u>9.0</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,827	29.8	268.2
	2. HEART DISEASES (156-160,162,164-181)	1,664	27.1	244.2
	3. ACCIDENTS (295-330)	406	6.6	59.6
	4. CEREBROVASCULAR DISEASE (182-186)	271	4.4	39.8
	5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	226	3.7	33.2
65 & OVER	<u>ALL CAUSES</u>	<u>18,647</u>	<u>100.0</u>	<u>52.8</u>
	1. ACCIDENTS (295-330)	6,252	33.5	1,771.8
	2. HOMICIDE (338-346)	3,870	20.8	1,096.7
	3. SUICIDE (331-337)	1,312	7.0	371.8
	4. HEART DISEASES (156-160,162,164-181)	1,100	5.9	311.7
	5. MALIGNANT NEOPLASMS (056-108)	616	3.3	174.6

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2004**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,208</u>	<u>1,019</u>	<u>1,846</u>	<u>891</u>	<u>251.2</u>	<u>192.3</u>	<u>204.8</u>	<u>150.3</u>
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	886	367	559	188	100.8	69.3	62.0	31.7
2. DIGESTIVE ORGANS (060-070)	496	266	370	236	56.4	50.2	41.0	39.8
3. GENITAL ORGANS (083-091)	150	157	153	106	17.1	29.6	17.0	17.9
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	193	67	178	74	22.0	12.6	19.7	12.5
5. BREAST (082)	2	2	275	170	0.2	0.4	30.5	28.7
6. URINARY TRACT (092-094)	129	26	63	22	14.7	4.9	7.0	3.7
7. BRAIN (096)	66	10	52	11	7.5	1.9	5.8	1.9
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	37	29	17	5	4.2	5.5	1.9	0.8
9. SKIN (077,078)	45	7	28	3	5.1	1.3	3.1	0.5
10. BONE AND ARTICULAR CARTILAGE (076)	12	10	8	5	1.4	1.9	0.9	0.8
OTHER AND UNSPECIFIED SITES (079-081,095,097-99)	192	78	143	71	21.8	14.7	15.9	12

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1979, 1984, 1989, 1994, 1999, 2004**

DISEASE*	1979	1984	1989	1994	1999	2004
TUBERCULOSIS OF RESPIRATORY SYSTEM	38	23	19	14	13	6
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,143	1,374	1,659	1,697	1,954	2,000
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,109	1,312	1,613	1,647	1,906	1,967
CHRONIC AND UNQUALIFIED BRONCHITIS	32	38	44	53	20	11
EMPHYSEMA	124	101	109	129	179	119
ASTHMA	24	44	49	53	41	46

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 2004**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,441</u>	<u>959</u>	<u>482</u>	<u>85.3</u>	<u>86.4</u>	<u>83.2</u>
1. MOTOR VEHICLE (296-306)	907	561	346	53.7	50.5	59.8
2. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	187	153	34	11.1	13.8	5.9
3. FALLS (312-314)	181	158	23	10.7	14.2	4.0
4. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	86	39	47	5.1	3.5	8.1
5. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	80	48	32	4.7	4.3	5.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2004**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
<u>ALL ACCIDENTS</u>	<u>1,689</u>	<u>1,125</u>	<u>564</u>	<u>10</u>	<u>34</u>	<u>58</u>	<u>270</u>	<u>234</u>	<u>254</u>	<u>406</u>	<u>423</u>	<u>0</u>
MOTOR VEHICLE (296-306)	907	633	274	2	15	32	221	145	128	234	130	0
OTHER LAND TRANSPORT (295,307-308)	12	12	0	0	0	1	2	3	2	3	1	0
WATER TRANSPORT (309)	14	12	2	0	0	1	0	2	3	7	1	0
AIR AND SPACE TRANSPORT (310)	9	8	1	0	0	1	0	2	3	2	1	0
FALLS (312-314)	181	88	93	1	0	0	5	1	7	28	139	0
DISCHARGE OF FIREARMS (315)	17	16	1	0	0	0	4	5	2	4	2	0
EXPLOSION (316)	7	7	0	0	0	0	1	2	2	2	0	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	47	36	11	1	4	9	12	7	3	8	3	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	80	39	41	0	3	0	1	4	5	9	58	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	6	4	2	3	1	2	0	0	0	0	0	0
EXPOSURE TO ELECTRIC CURRENT (320)	7	6	1	0	0	0	2	0	2	3	0	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	86	54	32	0	5	9	5	5	15	18	29	0
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	4	2	2	0	1	0	0	1	0	1	1	0
<u>POISONING (327-329)</u>	<u>187</u>	<u>124</u>	<u>63</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>11</u>	<u>48</u>	<u>64</u>	<u>53</u>	<u>9</u>	<u>0</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	170	112	58	0	0	0	11	45	62	46	6	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	17	12	5	0	1	1	0	3	2	7	3	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	125	84	41	3	4	2	6	9	18	34	49	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950,1955, 1960, 1965, 1970-2004

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9
2001	804	2.2	816	28.7
2002	898	2.5	875	30.5
2003	895	2.4	890	30.9
2004	932	2.4	907	31.2

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2004**

	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>417</u>	<u>144</u>	<u>273</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.7</u>	<u>6.1</u>	<u>14.2</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>256</u>	<u>82</u>	<u>174</u>	<u>61.4</u>	<u>56.9</u>	<u>63.7</u>	<u>6.0</u>	<u>3.5</u>	<u>9.0</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>202</u>	<u>61</u>	<u>141</u>	<u>48.4</u>	<u>42.4</u>	<u>51.6</u>	<u>4.7</u>	<u>2.6</u>	<u>7.3</u>
UNDER 1 DAY	146	46	100	35.0	31.9	36.6	3.4	2.0	5.2
1-6 DAYS	56	15	41	13.4	10.4	15.0	1.3	0.6	2.1
7-27 DAYS	54	21	33	13.0	14.6	12.1	1.3	0.9	1.7
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>161</u>	<u>62</u>	<u>99</u>	<u>38.6</u>	<u>43.0</u>	<u>36.3</u>	<u>3.8</u>	<u>2.6</u>	<u>5.1</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>417</u>	<u>144</u>	<u>273</u>	<u>9.7</u>	<u>6.1</u>	<u>14.2</u>
1. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	79	22	57	1.8	0.9	3.0
2. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	72	38	34	1.7	1.6	1.8
3. SUDDEN INFANT DEATH SYNDROME (111)	71	32	39	1.6	1.4	2.0
4T. PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	12	0	12	0.3	0.0	0.6
4T. BACTERIAL SEPSIS OF NEWBORN (085)	12	4	8	0.3	0.2	0.4
6. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	11	3	8	0.2	0.1	0.4
7T.GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	10	2	8	0.2	0.1	0.4
7T. RESPIRATORY DISTRESS OF NEWBORN (077)	10	0	10	0.2	0.0	0.5
7T. ACCIDENTS (114-124)	10	3	7	0.2	0.1	0.4
10T. DISEASES OF THE CIRCULATORY SYSTEM (039-044)	8	2	6	0.2	0.1	0.3
10T. NEONATAL HEMORRHAGE (088)	8	2	6	0.2	0.1	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>ALL RACES - ALL CAUSES</u>	<u>287,821</u>	<u>10,494.4</u>
HEART DISEASES (156-160,162,164-181)	51,654	1,883.4
ISCHEMIC HEART DISEASE (165-168)	31,015	1,130.8
CEREBROVASCULAR DISEASES (182-186)	8,691	316.9
MALIGNANT NEOPLASMS (056-108)	53,248	1,941.5
RESPIRATORY SYSTEM (071-075)	16,794	612.3
COLORECTAL (063,064)	4,918	179.3
PROSTATE (089)#	724	53.6
BREAST (082)##	5,039	362.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	6,432	234.5
PNEMONIA AND INFLUENZA (195-198)	3,409	124.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,279	156.0
DIABETES MELLITUS (124)	5,382	196.2
HIV INFECTION (039-043)	5,153	187.9
UNINTENTIONAL INJURIES (295-330)	51,173	1,865.8
MOTOR VEHICLE CRASHES (296-306)	32,144	1,172.0
SUICIDE (331-337)	10,728	391.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	11,515	419.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>WHITE MALES - ALL CAUSES</u>	<u>101,036</u>	<u>12,097.3</u>
HEART DISEASES (156-160,162,164-181)	20,174	2,415.5
ISCHEMIC HEART DISEASE (165-168)	14,611	1,749.4
CEREBROVASCULAR DISEASES (182-186)	2,296	274.9
MALIGNANT NEOPLASMS (056-108)	18,019	2,157.5
RESPIRATORY SYSTEM (071-075)	6,811	815.5
COLORECTAL (063,064)	1,832	219.4
PROSTATE (089)	341	40.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,429	290.8
PNEMONIA AND INFLUENZA (195-198)	1,159	138.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,924	230.4
DIABETES MELLITUS (124)	1,470	176.0
HIV INFECTION (039-043)	938	112.3
UNINTENTIONAL INJURIES (295-330)	23,319	2,792.0
MOTOR VEHICLE CRASHES (296-306)	14,253	1,706.6
SUICIDE (331-337)	7,246	867.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	2,595	310.7
<u>WHITE FEMALES - ALL CAUSES</u>	<u>54,435</u>	<u>6,593.3</u>
HEART DISEASES (156-160,162,164-181)	8,031	972.7
ISCHEMIC HEART DISEASE (165-168)	4,552	551.4
CEREBROVASCULAR DISEASES (182-186)	1,550	187.7
MALIGNANT NEOPLASMS (056-108)	14,473	1,753.0
RESPIRATORY SYSTEM (071-075)	4,198	508.5
COLORECTAL (063,064)	1,011	122.4
BREAST (082)	2,654	321.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,360	285.8
PNEMONIA AND INFLUENZA (195-198)	492	59.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,097	132.9
DIABETES MELLITUS (124)	1,113	134.8
HIV INFECTION (039-043)	106	12.8
UNINTENTIONAL INJURIES (295-330)	8,701	1,053.9
MOTOR VEHICLE CRASHES (296-306)	5,633	682.3
SUICIDE (331-337)	1,499	181.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	725	87.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>NONWHITE MALES - ALL CAUSES</u>	<u>79,570</u>	<u>15,426.7</u>
HEART DISEASES (156-160,162,164-181)	14,031	2,720.3
ISCHEMIC HEART DISEASE (165-168)	7,547	1,463.2
CEREBROVASCULAR DISEASES (182-186)	2,458	476.5
MALIGNANT NEOPLASMS (056-108)	11,117	2,155.3
RESPIRATORY SYSTEM (071-075)	3,941	764.1
COLORECTAL (063,064)	1,022	198.1
PROSTATE (089)	383	74.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,004	194.6
PNEMONIA AND INFLUENZA (195-198)	1,014	196.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	636	123.3
DIABETES MELLITUS (124)	1,258	243.9
HIV INFECTION (039-043)	2,739	531.0
UNINTENTIONAL INJURIES (295-330)	12,940	2,508.7
MOTOR VEHICLE CRASHES (296-306)	8,134	1,577.0
SUICIDE (331-337)	1,709	331.3
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	6,674	1,293.9
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>52,780</u>	<u>9,324.8</u>
HEART DISEASES (156-160,162,164-181)	9,418	1,663.9
ISCHEMIC HEART DISEASE (165-168)	4,305	760.6
CEREBROVASCULAR DISEASES (182-186)	2,387	421.7
MALIGNANT NEOPLASMS (056-108)	9,639	1,702.9
RESPIRATORY SYSTEM (071-075)	1,844	325.8
COLORECTAL (063,064)	1,053	186.0
BREAST (082)	2,331	411.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	639	112.9
PNEMONIA AND INFLUENZA (195-198)	744	131.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	622	109.9
DIABETES MELLITUS (124)	1,541	272.2
HIV INFECTION (039-043)	1,370	242.0
UNINTENTIONAL INJURIES (295-330)	6,213	1,097.7
MOTOR VEHICLE CRASHES (296-306)	4,124	728.6
SUICIDE (331-337)	274	48.4
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,521	268.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2004**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>17,706</u>	<u>48</u>			
JANUARY	799	26	JULY	1,906	61
FEBRUARY	1,320	47	AUGUST	1,416	46
MARCH	1,430	46	SEPTEMBER	1,349	45
APRIL	1,482	49	OCTOBER	1,506	48
MAY	1,980	64	NOVEMBER	1,174	39
JUNE	1,985	66	DECEMBER	1,359	44

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2004**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	17,705	12,055	5,650	17,705	12,007	5,698	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	1,497	1,340	157	494	449	45	8.4	11.1	2.8	2.8	3.7	0.8
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	1	1	0	0	0	0	*	*	-	-	-	-
14	0	0	0	0	0	0	-	-	-	-	-	-
15	40	40	0	2	2	0	0.2	0.3	-	*	*	-
16	110	107	3	3	3	0	0.6	0.9	*	*	*	-
17	192	181	11	43	40	3	1.1	1.5	0.2	0.2	0.3	*
18	464	422	42	134	124	10	2.6	3.5	0.7	0.8	1.0	0.2
19	690	589	101	312	280	32	3.9	4.9	1.8	1.8	2.3	0.6
20-24	5,081	3,871	1,210	4,290	3,309	981	28.7	32.1	21.4	24.2	27.6	17.2
25-34	5,720	3,414	2,306	6,459	4,135	2,324	32.3	28.3	40.8	36.5	34.4	40.8
35-44	2,937	1,784	1,153	3,229	1,993	1,236	16.6	14.8	20.4	18.2	16.6	21.7
45-54	1,557	958	599	1,851	1,129	722	8.8	7.9	10.6	10.4	9.4	12.7
55-64	605	428	177	813	560	253	3.4	3.6	3.1	4.6	4.7	4.4
65-74	232	190	42	391	281	110	1.3	1.6	0.7	2.2	2.3	1.9
75 & OVER	76	70	6	178	151	27	0.4	0.6	0.1	1.0	1.2	0.5
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2004**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	27	26	30	30	28	32
FIRST MARRIAGES	24	22	27	25	24	28

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2004**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>17,705</u>	<u>12,055</u>	<u>5,650</u>	<u>17,705</u>	<u>12,007</u>	<u>5,698</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	10,735	6,831	3,904	10,583	6,870	3,713	60.6	56.7	69.1	59.8	57.2	65.2
<u>REMARRIAGE</u>	<u>6,970</u>	<u>5,224</u>	<u>1,746</u>	<u>7,121</u>	<u>5,136</u>	<u>1,985</u>	<u>39.4</u>	<u>43.3</u>	<u>30.9</u>	<u>40.2</u>	<u>42.8</u>	<u>34.8</u>
SECOND	4,503	3,160	1,343	4,756	3,211	1,545	25.4	26.2	23.8	26.9	26.7	27.1
<u>OVER TWO</u>	<u>2,467</u>	<u>2,064</u>	<u>403</u>	<u>2,365</u>	<u>1,925</u>	<u>440</u>	<u>13.9</u>	<u>17.1</u>	<u>7.1</u>	<u>13.4</u>	<u>16.0</u>	<u>7.7</u>
THIRD	1,741	1,421	320	1,700	1,357	343	9.8	11.8	5.7	9.6	11.3	6.0
FOURTH	514	445	69	492	415	77	2.9	3.7	1.2	2.8	3.4	1.4
FIFTH	146	137	9	118	102	16	0.8	1.1	0.2	0.7	0.8	0.3
SIXTH	45	40	5	38	36	2	0.2	0.3	0.1	0.2	0.3	#
SEVENTH	16	16	0	10	9	1	0.1	0.1	-	#	0.1	#
EIGHTH	3	3	0	5	5	0	#	#	-	#	#	-
NINTH	1	1	0	0	0	0	#	#	-	-	-	-
TENTH	0	0	0	1	1	0	-	-	-	#	#	-
OVER TEN	1	1	0	1	0	1	#	#	-	#	-	#
UNKNOWN*	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN**	0	0	0	1	1	0	-	-	-	#	#	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2004**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>17,705</u>	<u>12,055</u>	<u>5,650</u>	<u>17,705</u>	<u>12,007</u>	<u>5,698</u>
NOT PREVIOUSLY MARRIED	10,735	6,831	3,904	10,583	6,870	3,713
<u>REMARRIAGES</u>	<u>6,970</u>	<u>5,224</u>	<u>1,746</u>	<u>7,121</u>	<u>5,136</u>	<u>1,985</u>
WIDOWED	749	563	186	727	512	215
DIVORCED*	6,218	4,658	1,560	6,389	4,620	1,769
UNKNOWN**	3	3	0	5	4	1
UNKNOWN#	0	0	0	1	1	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	60.6	56.7	69.1	59.8	57.2	65.2
<u>REMARRIAGES</u>	<u>39.4</u>	<u>43.3</u>	<u>30.9</u>	<u>40.2</u>	<u>42.8</u>	<u>34.8</u>
WIDOWED	4.2	4.7	3.3	4.1	4.3	3.8
DIVORCED*	35.1	38.6	27.6	36.1	38.5	31.0
UNKNOWN**	##	##	-	##	##	##
UNKNOWN#	-	-	-	##	##	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2004**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>17,705</u>	<u>16,458</u>	<u>1,232</u>	<u>15</u>	<u>12,055</u>	<u>11,136</u>	<u>910</u>	<u>9</u>	<u>5,650</u>	<u>5,322</u>	<u>322</u>	<u>6</u>
MISSISSIPPI	16,201	15,899	292	10	10,940	10,719	216	5	5,261	5,180	76	5
OTHER	1,484	544	937	3	1,102	407	692	3	382	137	245	0
UNKNOWN	20	15	3	2	13	10	2	1	7	5	1	1
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.0</u>	<u>7.0</u>	<u>0.1</u>	<u>100.0</u>	<u>92.4</u>	<u>7.5</u>	<u>0.1</u>	<u>100.0</u>	<u>94.2</u>	<u>5.7</u>	<u>0.1</u>
MISSISSIPPI	91.5	89.8	1.6	*	90.8	88.9	1.8	*	93.1	91.7	1.3	0.1
OTHER	8.4	3.1	5.3	*	9.1	3.4	5.7	*	6.8	2.4	4.3	-
UNKNOWN	0.1	0.1	*	*	0.1	0.1	*	*	0.1	0.1	*	*

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2004**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>13,003</u>	<u>8,876</u>	<u>3,123</u>	<u>1,004</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	11,670	8,198	2,610	862	89.7	92.4	83.6	85.8
CRUEL AND INHUMAN TREATMENT	604	324	212	68	4.6	3.6	6.8	6.8
DESERTION	351	131	180	40	2.7	1.5	5.8	4.0
ADULTERY	230	134	78	18	1.8	1.5	2.5	1.8
DRUNKENNESS	55	34	18	3	0.4	0.4	0.6	0.3
PENITENTIARY	66	41	20	5	0.5	0.5	0.6	0.5
ANNULMENT	14	6	3	5	0.1	0.1	0.1	0.5
BIGAMY	5	2	0	3	#	#	-	0.3
MISCELLANEOUS AND OTHER	7	6	1	0	#	0.1	#	-
UNKNOWN	1	0	1	0	#	-	#	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2004**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>13,003</u>	<u>8,876</u>	<u>3,123</u>	<u>1,004</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	6,891	4,617	1,646	628	53.0	52.0	52.7	62.6
ONE	3,145	2,156	775	214	24.2	24.3	24.8	21.3
TWO	2,222	1,596	499	127	17.1	18.0	16.0	12.6
THREE OR MORE	745	507	203	35	5.7	5.7	6.5	3.5
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2004**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>13,003</u>	<u>8,876</u>	<u>3,123</u>	<u>1,004</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>4,804</u>	<u>3,405</u>	<u>967</u>	<u>432</u>	<u>36.9</u>	<u>38.4</u>	<u>31.0</u>	<u>43.0</u>
<u>UNDER ONE</u>	510	393	60	57	3.9	4.4	1.9	5.7
<u>ONE</u>	1,089	805	183	101	8.4	9.1	5.9	10.1
<u>TWO</u>	1,089	776	223	90	8.4	8.7	7.1	9.0
<u>THREE</u>	1,053	718	237	98	8.1	8.1	7.6	9.8
<u>FOUR</u>	1,063	713	264	86	8.2	8.0	8.4	8.6
<u>FIVE-NINE</u>	<u>3,578</u>	<u>2,353</u>	<u>946</u>	<u>279</u>	<u>27.5</u>	<u>26.5</u>	<u>30.3</u>	<u>27.8</u>
<u>TEN-NINETEEN</u>	<u>2,991</u>	<u>1,999</u>	<u>797</u>	<u>195</u>	<u>23.0</u>	<u>22.5</u>	<u>25.5</u>	<u>19.4</u>
<u>TWENTY AND OVER</u>	<u>1,594</u>	<u>1,106</u>	<u>395</u>	<u>93</u>	<u>12.2</u>	<u>12.5</u>	<u>12.6</u>	<u>9.3</u>
<u>UNKNOWN</u>	<u>36</u>	<u>13</u>	<u>18</u>	<u>5</u>	<u>0.3</u>	<u>0.1</u>	<u>0.6</u>	<u>0.5</u>

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2004**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>3,493</u>	<u>837</u>	<u>2,655</u>	<u>1</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>81.6</u>	<u>35.6</u>	<u>137.7</u>
UNDER 15	46	4	42	0	1.3	0.5	1.6	259.9	137.9	283.8
15-19	577	157	420	0	16.5	18.8	15.8	88.2	56.1	112.3
20-24	1,370	279	1,091	0	39.2	33.3	41.1	91.9	37.9	144.5
25-29	781	187	594	0	22.4	22.3	22.4	70.6	28.2	134.0
30-34	440	115	324	1	12.6	13.7	12.2	63.8	24.5	146.9
35-39	196	56	140	0	5.6	6.7	5.3	73.6	32.9	145.8
40-44	72	36	36	0	2.1	4.3	1.4	137.7	123.7	155.2
45-49	4	1	3	0	0.1	0.1	0.1	148.1	58.8	300.0
UNKNOWN	7	2	5	0	0.2	0.2	0.2			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION.
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2004**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>3,493</u>	<u>837</u>	<u>2,655</u>	<u>1</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	3,396	801	2,594	1	97.2	95.7	97.7
<u>NONRESIDENT</u>	<u>97</u>	<u>36</u>	<u>61</u>	<u>0</u>	<u>2.8</u>	<u>4.3</u>	<u>2.3</u>
BORDER STATE	89	35	54	0	2.5	4.2	2.0
OTHER STATE	8	1	7	0	0.2	0.1	0.3
<u>MARITAL STATUS</u>							
MARRIED	388	155	233	0	11.1	18.5	8.8
NOT MARRIED	3,100	681	2,418	1	88.7	81.4	91.1
UNKNOWN	4	1	3	0	0.1	0.1	0.1
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	8	5	3	0	0.2	0.6	0.1
7-9 YEARS	106	23	83	0	3.0	2.7	3.1
10, 11 YEARS	310	102	208	0	8.9	12.2	7.8
12 YEARS	1,089	257	831	1	31.2	30.7	31.3
1-3 YEARS COLLEGE	1,418	319	1,099	0	40.6	38.1	41.4
4 OR MORE YEARS COLLEGE	501	112	389	0	14.3	13.4	14.6
UNKNOWN	61	19	42	0	1.7	2.3	1.6
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	1,145	344	801	0	32.8	41.1	30.2
ONE	1,130	258	872	0	32.4	30.8	32.8
TWO	806	172	634	0	23.1	20.6	23.9
THREE	289	48	240	1	8.3	5.7	9.0
FOUR	81	11	70	0	2.3	1.3	2.6
FIVE OR MORE	42	4	38	0	1.2	0.5	1.4
UNKNOWN	0	0	0	0	-	-	-
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	2,201	566	1,634	1	63.0	67.6	61.5
ONE	912	193	719	0	26.1	23.0	27.1
TWO	301	64	237	0	8.6	7.6	8.9
THREE OR MORE	79	14	65	0	2.3	1.7	2.4
UNKNOWN	0	0	0	0	-	-	-

* LESS THAN 0.06 PERCENT.

TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2004

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>3,493</u>	<u>837</u>	<u>2,655</u>	<u>1</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,772	469	1,303	0	50.7	56.0	49.1
9, 10	805	173	632	0	23.0	20.7	23.8
11, 12	416	81	335	0	11.9	9.7	12.6
13-15	262	46	215	1	7.5	5.5	8.1
16-20	49	8	41	0	1.4	1.0	1.5
21 OR MORE	2	1	1	0	**	0.1	**
UNKNOWN	187	59	128	0	5.4	7.0	4.8
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	3,489	835	2,653	1	99.9	99.8	99.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	1	0	1	0	**	-	**
INTRA-UTERINE INSTILLATION	2	2	0	0	**	0.2	-
SHARP CURRETAGE	1	0	1	0	**	-	**
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, JULY - DECEMBER 2004

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>5</u>	<u>4</u>	<u>1</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	3	3	0	0
20-29	1	1	0	0
30-39	1	0	1	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	0	0	0	0
NOT MARRIED	5	4	1	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	2	2	0	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	1	1	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	3	2	1	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

MAJOR TABLES

2004

TABLE i
2004 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2000 CENSUS POPULATION
MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>2,902,966</u>	<u>1,780,313</u>	<u>1,122,653</u>	<u>2.1</u>	<u>2.0</u>	<u>2.2</u>
ADAMS	32,591	14,308	18,283	-5.1	-9.5	-1.3
ALCORN	35,230	30,843	4,387	1.9	2.2	0.5
AMITE	13,418	7,693	5,725	-1.3	0.3	-3.4
ATTALA	19,653	11,551	8,102	*	0.7	-1.1
BENTON	7,844	5,013	2,831	-2.3	1.2	-7.9
BOLIVAR	38,928	12,960	25,968	-4.2	-4.1	-4.3
CALHOUN	14,864	10,403	4,461	-1.4	-0.5	-3.2
CARROLL	10,517	6,841	3,676	-2.3	1.4	-8.6
CHICKASAW	19,318	11,140	8,178	-0.6	0.7	-2.4
CHOCTAW	9,601	6,596	3,005	-1.6	-0.6	-3.7
CLAIBORNE	11,546	1,759	9,787	-2.4	-2.1	-2.5
CLARKE	17,634	11,573	6,061	-1.8	-0.1	-4.9
CLAY	21,650	9,183	12,467	-1.5	-2.4	-0.8
COAHOMA	29,202	7,743	21,459	-4.6	-13.6	-0.9
COPIAH	29,151	14,251	14,900	1.4	3.7	-0.7
COVINGTON	20,225	12,780	7,445	4.2	3.8	4.9
DESOTO	130,587	107,391	23,196	21.8	16.8	52.1
FORREST	74,469	47,109	27,360	2.6	0.8	5.7
FRANKLIN	8,411	5,278	3,133	-0.4	-0.5	-0.3
GEORGE	20,838	18,670	2,168	8.9	9.1	6.6
GREENE	13,166	9,650	3,516	-1.0	-0.3	-2.8
GRENADA	22,736	13,102	9,634	-2.3	-2.8	-1.6
HANCOCK	45,933	41,608	4,325	6.9	7.4	2.6
HARRISON	192,393	139,650	52,743	1.5	0.7	3.6
HINDS	249,987	85,769	164,218	-0.3	-8.4	4.5
HOLMES	21,148	4,042	17,106	-2.1	-8.6	-0.5
HUMPHREYS	10,628	2,778	7,850	-5.2	-8.8	-3.8
ISSAQUENA	1,978	724	1,254	-13.0	-12.4	-13.4
ITAWAMBA	23,310	21,615	1,695	2.4	2.7	-1.2
JACKSON	135,436	101,326	34,110	3.1	2.3	5.3
JASPER	18,005	8,420	9,585	-0.8	-0.2	-1.4
JEFFERSON	9,456	1,280	8,176	-2.9	0.6	-3.5
JEFF DAVIS	13,087	5,431	7,656	-6.3	-6.6	-6.0
JONES	65,662	46,987	18,675	1.1	1.7	-0.5
KEMPER	10,338	3,969	6,369	-1.1	-2.7	-0.1
LAFAYETTE	40,745	29,557	11,188	5.2	6.2	2.6
LAMAR	43,262	36,643	6,619	10.7	9.9	15.6
LAUDERDALE	77,449	45,238	32,211	-0.9	-3.8	3.4
LAWRENCE	13,445	9,019	4,426	1.4	1.6	1.0
LEAKE	22,306	12,474	9,832	6.5	6.1	7.0
LEE	78,102	56,947	21,155	3.1	2.1	6.0
LEFLORE	36,146	10,687	25,459	-4.8	-6.1	-4.2

TABLE i - PAGE 2
 2004 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	33,701	23,440	10,261	1.6	1.9	1.0
LOWNDES	60,487	33,624	26,863	-1.8	-3.3	0.2
MADISON	81,973	49,265	32,708	9.8	9.4	10.3
MARION	25,440	16,959	8,481	-0.6	-1.0	0.3
MARSHALL	35,498	17,430	18,068	1.4	3.0	0.0
MONROE	37,947	25,975	11,972	-0.2	-0.1	-0.4
MONTGOMERY	11,721	6,280	5,441	-3.8	-5.0	-2.4
NESHOBA	29,511	18,878	10,633	2.9	0.5	7.5
NEWTON	22,165	14,424	7,741	1.5	1.6	1.3
NOXUBEE	12,283	3,626	8,657	-2.1	-2.0	-2.2
OKTIBBEHA	41,309	24,467	16,842	-3.7	-2.8	-5.0
PANOLA	35,373	18,156	17,217	3.2	4.9	1.4
PEARL RIVER	51,835	44,450	7,385	6.6	6.9	5.1
PERRY	12,236	9,322	2,914	0.8	0.8	0.7
PIKE	39,260	19,642	19,618	0.8	-1.6	3.3
PONTOTOC	28,099	23,772	4,327	5.1	5.4	3.8
PRENTISS	25,745	22,018	3,727	0.7	0.4	3.1
QUITMAN	9,715	2,918	6,797	-4.0	-5.4	-3.4
RANKIN	128,380	102,784	25,596	11.3	10.0	17.0
SCOTT	28,656	17,178	11,478	0.8	5.7	-5.7
SHARKEY	6,083	1,803	4,280	-7.6	-6.7	-7.9
SIMPSON	27,784	17,909	9,875	0.5	0.6	0.3
SMITH	15,857	12,114	3,743	-2.0	-1.6	-3.2
STONE	14,445	11,375	3,070	6.0	5.2	9.5
SUNFLOWER	33,392	9,169	24,223	-2.8	-7.6	-0.9
TALLAHATCHIE	14,255	5,571	8,684	-4.4	-5.6	-3.5
TATE	26,133	17,860	8,273	3.0	3.8	1.4
TIPPAH	20,979	17,190	3,789	0.7	0.8	0.2
TISHOMINGO	19,051	18,263	788	-0.6	0.4	-18.9
TUNICA	10,066	2,690	7,376	9.1	5.9	10.3
UNION	26,449	22,227	4,222	4.3	5.1	0.4
WALTHALL	15,193	8,309	6,884	0.2	0.4	0.1
WARREN	49,113	26,149	22,964	-1.1	-4.2	2.7
WASHINGTON	59,567	19,184	40,383	-5.4	-10.3	-2.9
WAYNE	21,227	13,144	8,083	*	1.1	-1.6
WEBSTER	10,116	8,048	2,068	-1.7	0.8	-10.5
WILKINSON	10,182	3,129	7,053	-1.3	-2.8	-0.6
WINSTON	19,797	10,866	8,931	-1.8	-2.5	-1.0
YALOBUSHA	13,337	8,083	5,254	2.2	2.4	1.8
YAZOO	28,211	12,621	15,590	0.2	0.2	0.2

* LESS THAN 0.06 PERCENT CHANGE.

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2004

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>41,562</u>	<u>22,190</u>	<u>19,372</u>	<u>42,809</u>	<u>23,524</u>	<u>19,285</u>	<u>14.7</u>	<u>13.2</u>	<u>17.2</u>
ADAMS	932	400	532	414	154	260	12.7	10.8	14.2
ALCORN	498	433	65	446	394	52	12.7	12.8	11.8
AMITE	1	0	1	173	82	91	12.9	10.6	15.9
ATTALA	8	1	7	291	148	143	14.8	12.8	17.6
BENTON	0	0	0	96	63	33	12.2	12.6	11.6
BOLIVAR	613	144	469	608	160	448	15.6	12.3	17.2
CALHOUN	0	0	0	197	128	69	13.2	12.3	15.5
CARROLL	1	0	1	108	59	49	10.3	8.6	13.3
CHICKASAW	0	0	0	280	135	145	14.5	12.1	17.7
CHOCTAW	1	1	0	82	54	28	8.5	8.2	9.3
CLAIBORNE	3	1	2	154	15	139	13.3	8.5	14.2
CLARKE	0	0	0	232	127	105	13.2	11.0	17.3
CLAY	453	162	291	296	109	187	13.7	11.9	15.0
COAHOMA	841	144	697	506	74	432	17.3	9.6	20.1
COPIAH	83	4	79	443	156	287	15.2	10.9	19.3
COVINGTON	78	18	60	282	157	125	13.9	12.3	16.8
DESOTO	1,657	966	691	1,978	1,634	344	15.1	15.2	14.8
FORREST	2,460	1,660	800	1,150	647	503	15.4	13.7	18.4
FRANKLIN	0	0	0	93	50	43	11.0	9.5	13.7
GEORGE	161	137	24	330	303	27	15.8	16.2	12.4
GREENE	0	0	0	152	112	40	11.5	11.6	11.4
GRENADA	638	293	345	278	135	143	12.2	10.3	14.8
HANCOCK	419	376	43	546	504	42	11.9	12.1	9.7
HARRISON	3,492	2,442	1,050	3,007	2,041	966	15.6	14.6	18.3
HINDS	6,692	2,328	4,364	3,925	988	2,937	15.7	11.5	17.9
HOLMES	6	0	6	390	48	342	18.4	11.9	20.0
HUMPHREYS	1	0	1	185	25	160	17.4	9.0	20.4
ISSAQUENA	0	0	0	14	5	9	7.1	6.9	7.2
ITAWAMBA	0	0	0	288	257	31	12.4	11.9	18.3
JACKSON	1,441	1,013	428	1,895	1,362	533	14.0	13.4	15.6
JASPER	0	0	0	246	92	154	13.7	10.9	16.1
JEFFERSON	2	0	2	137	10	127	14.5	7.8	15.5
JEFF DAVIS	2	2	0	150	51	99	11.5	9.4	12.9
JONES	1,153	597	556	1,044	685	359	15.9	14.6	19.2
KEMPER	1	1	0	127	41	86	12.3	10.3	13.5
LAFAYETTE	932	572	360	487	318	169	12.0	10.8	15.1
LAMAR	1,225	852	373	665	539	126	15.4	14.7	19.0
LAUDERDALE	2,523	1,327	1,196	1,190	623	567	15.4	13.8	17.6
LAWRENCE	3	1	2	171	101	70	12.7	11.2	15.8
LEAKE	4	3	1	377	195	182	16.9	15.6	18.5
LEE	2,440	1,841	599	1,237	841	396	15.8	14.8	18.7
LEFLORE	687	114	573	544	116	428	15.0	10.8	16.8

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2004

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	519	302	217	455	291	164	13.5	12.4	16.0
LOWNDES	892	351	541	910	453	457	15.0	13.5	17.0
MADISON	300	9	291	1,260	682	578	15.4	13.8	17.7
MARION	5	3	2	422	253	169	16.6	14.9	19.9
MARSHALL	3	3	0	487	247	240	13.7	14.2	13.3
MONROE	778	554	224	526	320	206	13.9	12.3	17.2
MONTGOMERY	1	0	1	174	71	103	14.8	11.3	18.9
NESHOBA	4	2	2	523	240	283	17.7	12.7	26.6
NEWTON	1	0	1	347	201	146	15.6	13.9	18.9
NOXUBEE	2	0	2	197	38	159	16.0	10.5	18.4
OKTIBBEHA	1,139	538	601	594	272	322	14.4	11.1	19.1
PANOLA	139	36	103	578	228	350	16.3	12.6	20.3
PEARL RIVER	292	225	67	662	566	96	12.8	12.7	13.0
PERRY	0	0	0	144	112	32	11.8	12.0	11.0
PIKE	900	429	471	643	251	392	16.4	12.8	20.0
PONTOTOC	12	12	0	457	408	49	16.3	17.2	11.3
PRETISS	3	1	2	329	271	58	12.8	12.3	15.6
QUITMAN	1	0	1	136	24	112	14.0	8.2	16.5
RANKIN	3,431	2,349	1,082	1,878	1,528	350	14.6	14.9	13.7
SCOTT	2	0	2	489	304	185	17.1	17.7	16.1
SHARKEY	2	0	2	103	24	79	16.9	13.3	18.4
SIMPSON	116	65	51	423	254	169	15.2	14.2	17.1
SMITH	0	0	0	197	138	59	12.4	11.4	15.8
STONE	0	0	0	206	155	51	14.3	13.6	16.6
SUNFLOWER	353	54	299	460	71	389	13.8	7.7	16.0
TALLAHATCHIE	0	0	0	179	51	128	12.6	9.2	14.7
TATE	2	1	1	392	254	138	15.0	14.2	16.7
TIPPAH	0	0	0	334	267	67	15.9	15.5	17.7
TISHOMINGO	1	1	0	226	219	7	11.9	12.0	8.9
TUNICA	1	0	1	189	26	163	18.8	9.7	22.1
UNION	927	740	187	344	282	62	13.0	12.7	14.7
WALTHALL	0	0	0	216	94	122	14.2	11.3	17.7
WARREN	1,028	321	707	755	326	429	15.4	12.5	18.7
WASHINGTON	974	250	724	913	231	682	15.3	12.0	16.9
WAYNE	193	94	99	273	150	123	12.9	11.4	15.2
WEBSTER	0	0	0	145	96	49	14.3	11.9	23.7
WILKINSON	76	14	62	131	28	103	12.9	8.9	14.6
WINSTON	1	0	1	278	113	165	14.0	10.4	18.5
YALOBUSHA	1	1	0	200	119	81	15.0	14.7	15.4
YAZOO	12	2	10	420	128	292	14.9	10.1	18.7
OUT OF STATE	2,407	1,993	414	1,160	659	501			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2004

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	850	581	269
BRANDON	441	347	94
BROOKHAVEN	135	53	82
CANTON	277	53	224
CLARKSDALE	378	53	325
CLEVELAND	210	74	136
CLINTON	346	223	123
COLUMBUS	398	125	273
CORINTH	174	131	43
GAUTIER	251	162	89
GREENVILLE	642	123	519
GREENWOOD	307	68	239
GRENADA	179	69	110
GULFPORT	1,194	659	535
HATTIESBURG	782	291	491
INDIANOLA	202	31	171
JACKSON	2,960	440	2,520
LAUREL	391	142	249
LONG BEACH	230	187	43
MCCOMB	223	45	178
MERIDIAN	654	211	443
MOSS POINT	311	155	156
NATCHEZ	235	77	158
OCEAN SPRINGS	409	355	54
PASCAGOULA	343	187	156
PEARL	377	296	81
PICAYUNE	199	131	68
RIDGELAND	335	207	128
SOUTHAVEN	539	458	81
STARKVILLE	461	200	261
TUPELO	593	332	261
VICKSBURG	448	115	333
YAZOO CITY	243	39	204

** TOWNS OF 10,000 POPULATION OR MORE.

**TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2004**

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>68.3</u>	<u>66.1</u>	<u>71.1</u>				
ADAMS	65.5	66.0	65.3	LINCOLN	65.1	64.0	67.2
ALCORN	64.0	65.9	52.5	LOWNDES	68.3	68.6	68.0
AMITE	65.7	60.3	71.5	MADISON	66.5	64.4	69.1
ATTALA	74.4	72.2	76.9	MARION	82.6	77.7	91.4
BENTON	63.0	68.5	54.7	MARSHALL	64.8	75.6	56.5
BOLIVAR	66.8	58.9	70.2	MONROE	66.5	63.5	71.9
CALHOUN	68.8	69.7	67.2	MONTGOMERY	73.6	65.2	80.7
CARROLL	53.4	46.5	65.2	NESHOBA	84.1	66.2	109.0
CHICKASAW	71.0	66.8	75.4	NEWTON	76.3	73.5	80.5
CHOCTAW	42.6	44.9	38.8	NOXUBEE	75.8	66.3	78.4
CLAIBORNE	51.6	61.0	50.8	OKTIBBEHA	53.8	42.8	68.6
CLARKE	66.4	59.7	76.6	PANOLA	74.0	64.1	82.3
CLAY	65.1	68.3	63.4	PEARL RIVER	60.7	61.9	54.6
COAHOMA	79.6	61.8	83.8	PERRY	55.0	58.7	45.2
COPIAH	69.9	57.0	79.7	PIKE	79.2	69.9	86.6
COVINGTON	65.1	62.1	69.2	PONTOTOC	76.2	83.0	45.3
DESOTO	67.3	69.8	57.7	PRENTISS	60.3	60.4	59.6
FORREST	61.0	57.3	66.5	QUITMAN	65.4	51.6	69.3
FRANKLIN	52.4	50.2	55.4	RANKIN	64.0	67.4	52.7
GEORGE	77.4	78.9	64.0	SCOTT	82.8	93.9	69.3
GREENE	66.8	61.1	89.9	SHARKEY	82.7	90.2	80.6
GRENADA	57.6	54.1	61.3	SIMPSON	74.2	73.6	75.2
HANCOCK	59.9	61.6	45.1	SMITH	61.8	59.4	68.1
HARRISON	73.9	72.3	77.7	STONE	66.7	66.5	67.2
HINDS	69.1	64.1	70.9	SUNFLOWER	71.8	51.9	77.2
HOLMES	81.6	69.8	83.6	TALLAHATCHIE	58.0	53.1	60.2
HUMPHREYS	79.5	53.6	85.9	TATE	69.0	69.9	67.4
ISSAQUENA	36.0	44.2	32.6	TIPPAH	74.6	74.6	74.9
ITAWAMBA	58.6	57.4	71.6	TISHOMINGO	61.6	62.3	45.8
JACKSON	67.0	67.1	66.8	TUNICA	83.4	58.6	89.5
JASPER	65.4	59.0	69.9	UNION	61.9	61.7	62.6
JEFFERSON	68.3	52.6	70.0	WALTHALL	68.7	60.6	76.6
JEFF DAVIS	55.0	55.4	54.8	WARREN	73.4	67.8	78.3
JONES	78.1	76.2	82.1	WASHINGTON	71.9	72.8	71.6
KEMPER	60.0	61.0	59.6	WAYNE	59.7	56.9	63.5
LAFAYETTE	43.2	39.0	54.2	WEBSTER	73.3	63.6	104.5
LAMAR	65.5	64.5	70.2	WILKINSON	70.4	58.0	74.7
LAUDERDALE	73.8	74.1	73.5	WINSTON	71.6	60.9	81.3
LAWRENCE	60.6	57.0	66.7	YALOBUSHA	75.4	84.8	64.8
LEAKE	85.9	87.0	84.8	YAZOO	76.5	63.1	84.4
LEE	74.1	73.5	75.6				
LEFLORE	68.0	64.8	69.0				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2004

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>42,809</u>	<u>73</u>	<u>0</u>	<u>5</u>	<u>68</u>	<u>38</u>	<u>0</u>	<u>5</u>	<u>33</u>	<u>21,846</u>	<u>20,963</u>
ADAMS	414	154	154	0	0	260	260	0	0	206	208
ALCORN	446	394	393	0	1	52	52	0	0	231	215
AMITE	173	82	82	0	0	91	90	0	1	80	93
ATTALA	291	148	148	0	0	143	141	0	2	130	161
BENTON	96	63	63	0	0	33	33	0	0	53	43
BOLIVAR	608	160	159	0	1	448	447	0	1	322	286
CALHOUN	197	128	128	0	0	69	69	0	0	98	99
CARROLL	108	59	59	0	0	49	48	0	1	59	49
CHICKASAW	280	135	135	0	0	145	145	0	0	135	145
CHOCTAW	82	54	54	0	0	28	28	0	0	41	41
CLAIBORNE	154	15	14	0	1	139	138	0	1	79	75
CLARKE	232	127	127	0	0	105	105	0	0	121	111
CLAY	296	109	109	0	0	187	187	0	0	146	150
COAHOMA	506	74	73	0	1	432	432	0	0	257	249
COPIAH	443	156	156	0	0	287	287	0	0	219	224
COVINGTON	282	157	155	0	2	125	125	0	0	139	143
DESOTO	1,978	1,634	1,629	0	5	344	342	0	2	1,019	959
FORREST	1,150	647	645	0	2	503	503	0	0	580	570
FRANKLIN	93	50	50	0	0	43	43	0	0	34	59
GEORGE	330	303	303	0	0	27	27	0	0	173	157
GREENE	152	112	112	0	0	40	40	0	0	88	64
GRENADA	278	135	135	0	0	143	142	0	1	145	133
HANCOCK	546	504	502	0	2	42	42	0	0	273	273
HARRISON	3,007	2,041	2,038	0	3	966	963	0	3	1,501	1,506

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2004

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,925	988	985	1	2	2,937	2,932	3	2	2,005	1,920
HOLMES	390	48	48	0	0	342	338	1	3	206	184
HUMPHREYS	185	25	25	0	0	160	160	0	0	101	84
ISSAQUENA	14	5	5	0	0	9	9	0	0	5	9
ITAWAMBA	288	257	257	0	0	31	31	0	0	158	130
JACKSON	1,895	1,362	1,361	0	1	533	531	0	2	948	947
JASPER	246	92	92	0	0	154	154	0	0	109	137
JEFFERSON	137	10	10	0	0	127	126	0	1	77	60
JEFF DAVIS	150	51	49	0	2	99	99	0	0	78	72
JONES	1044	685	683	0	2	359	359	0	0	548	496
KEMPER	127	41	40	1	0	86	86	0	0	68	59
LAFAYETTE	487	318	317	0	1	169	168	0	1	265	222
LAMAR	665	539	537	0	2	126	126	0	0	354	311
LAUDERDALE	1,190	623	622	0	1	567	565	0	2	585	605
LAWRENCE	171	101	100	0	1	70	69	0	1	94	77
LEAKE	377	195	194	0	1	182	182	0	0	200	177
LEE	1,237	841	838	0	3	396	396	0	0	657	580
LEFLORE	544	116	116	0	0	428	428	0	0	263	281
LINCOLN	455	291	291	0	0	164	164	0	0	242	213
LOWNDES	910	453	451	0	2	457	457	0	0	442	468
MADISON	1,260	682	680	1	1	578	578	0	0	648	612
MARION	422	253	250	0	3	169	168	0	1	202	220
MARSHALL	487	247	247	0	0	240	240	0	0	250	237
MONROE	526	320	319	0	1	206	206	0	0	277	249
MONTGOMERY	174	71	71	0	0	103	101	0	2	80	94
NESHOBA	523	240	239	0	1	283	283	0	0	275	248
NEWTON	347	201	201	0	0	146	145	1	0	168	179
NOXUBEE	197	38	38	0	0	159	159	0	0	105	92
OKTIBBEHA	594	272	270	0	2	322	322	0	0	302	292
PANOLA	578	228	226	0	2	350	350	0	0	281	297

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2004

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	662	566	562	1	3	96	96	0	0	343	319
PERRY	144	112	112	0	0	32	32	0	0	77	67
PIKE	643	251	251	0	0	392	392	0	0	346	297
PONTOTOC	457	408	396	0	12	49	49	0	0	244	213
PRENTISS	329	271	270	1	0	58	58	0	0	180	149
QUITMAN	136	24	24	0	0	112	112	0	0	74	62
RANKIN	1,878	1,528	1,528	0	0	350	350	0	0	999	879
SCOTT	489	304	304	0	0	185	185	0	0	261	228
SHARKEY	103	24	24	0	0	79	79	0	0	56	47
SIMPSON	423	254	254	0	0	169	169	0	0	225	198
SMITH	197	138	138	0	0	59	59	0	0	105	92
STONE	206	155	155	0	0	51	50	0	1	98	108
SUNFLOWER	460	71	71	0	0	389	389	0	0	236	224
TALLAHATCHIE	179	51	51	0	0	128	128	0	0	85	94
TATE	392	254	253	0	1	138	137	0	1	220	172
TIPPAH	334	267	267	0	0	67	67	0	0	150	184
TISHOMINGO	226	219	218	0	1	7	7	0	0	109	117
TUNICA	189	26	26	0	0	163	162	0	1	90	99
UNION	344	282	282	0	0	62	62	0	0	177	167
WALTHALL	216	94	93	0	1	122	122	0	0	108	108
WARREN	755	326	326	0	0	429	429	0	0	354	401
WASHINGTON	913	231	231	0	0	682	680	0	2	446	467
WAYNE	273	150	149	0	1	123	123	0	0	131	142
WEBSTER	145	96	96	0	0	49	49	0	0	82	63
WILKINSON	131	28	28	0	0	103	103	0	0	55	76
WINSTON	278	113	112	0	1	165	164	0	1	162	116
YALOBUSHA	200	119	118	0	1	81	81	0	0	102	98
YAZOO	420	128	127	0	1	292	292	0	0	209	211

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

**TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2004**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>42,809</u>	<u>177</u>	<u>6,539</u>	<u>14,914</u>	<u>11,060</u>	<u>6,897</u>	<u>2,662</u>	<u>523</u>	<u>27</u>	<u>10</u>
ADAMS	414	1	78	145	108	56	22	4	0	0
ALCORN	446	3	71	165	110	69	24	4	0	0
AMITE	173	0	23	62	42	34	10	2	0	0
ATTALA	291	2	38	102	76	46	18	9	0	0
BENTON	96	0	13	41	26	8	8	0	0	0
BOLIVAR	608	3	133	237	138	61	26	9	1	0
CALHOUN	197	0	41	62	49	32	11	2	0	0
CARROLL	108	0	9	45	27	21	6	0	0	0
CHICKASAW	280	2	63	101	58	37	18	1	0	0
CHOCTAW	82	1	12	31	26	8	4	0	0	0
CLAIBORNE	154	0	29	66	36	13	6	4	0	0
CLARKE	232	1	42	83	50	37	11	8	0	0
CLAY	296	1	59	108	72	39	12	5	0	0
COAHOMA	506	6	107	229	89	55	16	4	0	0
COPIAH	443	1	79	160	120	57	22	4	0	0
COVINGTON	282	1	50	108	70	36	15	2	0	0
DESOTO	1,978	0	212	540	598	455	141	31	1	0
FORREST	1,150	4	154	426	291	188	71	14	2	0
FRANKLIN	93	0	13	33	33	7	5	2	0	0
GEORGE	330	1	51	117	82	59	19	1	0	0
GREENE	152	0	19	68	39	20	6	0	0	0
GRENADA	278	1	56	106	69	31	14	1	0	0
HANCOCK	546	1	81	177	126	108	47	6	0	0
HARRISON	3,007	11	386	1,022	810	533	206	35	3	1
HINDS	3,925	22	631	1,285	988	657	285	50	4	3
HOLMES	390	4	67	156	92	58	12	1	0	0
HUMPHREYS	185	1	39	83	40	13	6	2	1	0
ISSAQUENA	14	0	3	6	4	1	0	0	0	0
ITAWAMBA	288	1	51	98	72	47	18	1	0	0
JACKSON	1,895	2	255	646	491	329	140	29	1	2
JASPER	246	2	32	88	61	40	21	1	1	0
JEFFERSON	137	0	23	54	31	21	6	2	0	0
JEFF DAVIS	150	1	35	60	33	14	5	2	0	0
JONES	1044	6	174	388	251	145	62	18	0	0
KEMPER	127	0	16	49	33	21	6	2	0	0
LAFAYETTE	487	1	45	132	139	123	39	7	1	0
LAMAR	665	0	68	195	187	152	55	8	0	0
LAUDERDALE	1,190	4	175	400	322	202	74	13	0	0
LAWRENCE	171	0	20	61	44	32	12	2	0	0
LEAKE	377	2	65	146	90	52	20	2	0	0
LEE	1,237	1	192	429	278	239	82	15	1	0
LEFLORE	544	3	94	205	140	76	22	4	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	455	1	45	165	140	81	18	5	0	0
LOWNDES	910	2	138	298	260	143	57	10	1	1
MADISON	1,260	6	135	275	360	320	141	22	0	1
MARION	422	2	69	162	113	48	22	5	1	0
MARSHALL	487	1	82	178	116	78	25	6	1	0
MONROE	526	3	81	204	135	74	24	5	0	0
MONTGOMERY	174	3	31	73	44	15	7	1	0	0
NESHOBA	523	4	101	186	131	69	26	6	0	0
NEWTON	347	2	36	115	109	65	18	2	0	0
NOXUBEE	197	2	30	82	45	23	15	0	0	0
OKTIBBEHA	594	2	57	189	178	113	42	12	1	0
PANOLA	578	4	109	240	129	67	22	7	0	0
PEARL RIVER	662	3	108	231	176	93	41	10	0	0
PERRY	144	0	21	58	42	17	5	1	0	0
PIKE	643	4	94	242	176	74	40	11	0	2
PONTOTOC	457	1	69	168	123	66	24	5	1	0
PRENTISS	329	3	43	136	79	44	18	6	0	0
QUITMAN	136	1	19	65	32	13	4	2	0	0
RANKIN	1,878	2	213	483	563	430	162	24	1	0
SCOTT	489	2	92	180	120	66	24	5	0	0
SHARKEY	103	0	16	41	31	10	2	2	1	0
SIMPSON	423	0	72	174	102	46	23	5	1	0
SMITH	197	2	28	74	55	26	10	2	0	0
STONE	206	1	25	81	58	25	13	3	0	0
SUNFLOWER	460	3	105	191	104	30	21	6	0	0
TALLAHATCHIE	179	1	44	72	40	14	7	1	0	0
TATE	392	2	74	134	90	69	19	4	0	0
TIPPAH	334	3	53	140	73	40	19	5	1	0
TISHOMINGO	226	0	33	84	60	33	15	1	0	0
TUNICA	189	3	32	87	50	14	1	2	0	0
UNION	344	0	54	116	89	69	13	3	0	0
WALTHALL	216	1	32	80	64	27	11	1	0	0
WARREN	755	3	117	251	211	112	47	13	1	0
WASHINGTON	913	12	187	377	195	81	49	12	0	0
WAYNE	273	1	50	112	65	32	12	1	0	0
WEBSTER	145	1	28	67	28	14	6	1	0	0
WILKINSON	131	2	23	49	30	16	7	4	0	0
WINSTON	278	2	52	98	69	35	21	0	1	0
YALOBUSHA	200	1	43	77	41	26	12	0	0	0
YAZOO	420	1	94	164	93	47	16	5	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>23,524</u>	<u>29</u>	<u>2,798</u>	<u>7,364</u>	<u>6,627</u>	<u>4,691</u>	<u>1,702</u>	<u>291</u>	<u>17</u>	<u>5</u>
ADAMS	154	0	24	42	46	27	14	1	0	0
ALCORN	394	1	61	146	100	62	20	4	0	0
AMITE	82	0	6	29	20	21	5	1	0	0
ATTALA	148	0	11	50	44	29	12	2	0	0
BENTON	63	0	11	24	16	5	7	0	0	0
BOLIVAR	160	0	19	41	58	27	11	4	0	0
CALHOUN	128	0	23	37	37	24	7	0	0	0
CARROLL	59	0	4	19	18	14	4	0	0	0
CHICKASAW	135	0	28	46	31	23	7	0	0	0
CHOCTAW	54	0	5	20	21	6	2	0	0	0
CLAIBORNE	15	0	2	5	4	2	1	1	0	0
CLARKE	127	0	21	45	31	20	5	5	0	0
CLAY	109	0	17	32	34	16	8	2	0	0
COAHOMA	74	0	10	28	19	10	6	1	0	0
COPIAH	156	0	16	50	48	29	12	1	0	0
COVINGTON	157	0	23	58	44	26	6	0	0	0
DESOTO	1,634	0	166	439	495	392	116	25	1	0
FORREST	647	0	71	201	186	134	48	6	1	0
FRANKLIN	50	0	5	13	21	6	4	1	0	0
GEORGE	303	0	42	108	78	56	19	0	0	0
GREENE	112	0	9	53	31	17	2	0	0	0
GRENADA	135	0	21	51	36	17	9	1	0	0
HANCOCK	504	1	76	157	121	102	43	4	0	0
HARRISON	2,041	2	229	670	565	399	148	24	3	1
HINDS	988	1	75	205	285	287	114	18	2	1
HOLMES	48	0	2	14	23	9	0	0	0	0
HUMPHREYS	25	0	2	11	5	3	3	1	0	0
ISSAQUENA	5	0	0	2	3	0	0	0	0	0
ITAWAMBA	257	1	42	86	65	44	18	1	0	0
JACKSON	1,362	1	158	446	361	265	104	25	1	1
JASPER	92	0	9	32	19	24	7	0	1	0
JEFFERSON	10	0	0	5	3	2	0	0	0	0
JEFF DAVIS	51	0	12	17	12	5	4	1	0	0
JONES	685	3	100	235	179	112	47	9	0	0
KEMPER	41	0	5	15	9	9	1	2	0	0
LAFAYETTE	318	1	23	62	102	95	28	6	1	0
LAMAR	539	0	52	159	145	134	43	6	0	0
LAUDERDALE	623	1	51	180	186	146	51	8	0	0
LAWRENCE	101	0	9	34	27	25	4	2	0	0
LEAKE	195	1	31	86	45	21	11	0	0	0
LEE	841	0	102	272	193	192	68	13	1	0
LEFLORE	116	0	9	40	34	26	7	0	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	291	0	23	91	103	60	12	2	0	0
LOWNDES	453	0	45	123	156	92	32	5	0	0
MADISON	682	0	38	105	209	219	97	13	0	1
MARION	253	0	36	94	76	30	13	4	0	0
MARSHALL	247	0	38	82	62	45	16	3	1	0
MONROE	320	0	46	124	84	54	8	4	0	0
MONTGOMERY	71	1	9	30	20	7	4	0	0	0
NESHOBA	240	0	39	82	62	46	9	2	0	0
NEWTON	201	0	16	57	64	54	9	1	0	0
NOXUBEE	38	0	1	9	16	7	5	0	0	0
OKTIBBEHA	272	0	13	69	98	64	23	4	1	0
PANOLA	228	1	29	93	56	30	16	3	0	0
PEARL RIVER	566	3	87	196	150	83	38	9	0	0
PERRY	112	0	17	43	32	14	5	1	0	0
PIKE	251	1	37	83	67	40	18	4	0	1
PONTOTOC	408	1	63	146	112	63	19	3	1	0
PRENTISS	271	2	33	115	69	34	14	4	0	0
QUITMAN	24	1	4	8	6	4	0	1	0	0
RANKIN	1,528	1	167	375	463	366	135	20	1	0
SCOTT	304	0	54	118	73	40	14	5	0	0
SHARKEY	24	0	3	8	10	3	0	0	0	0
SIMPSON	254	0	38	104	64	27	16	5	0	0
SMITH	138	2	16	48	41	24	6	1	0	0
STONE	155	0	20	57	50	19	8	1	0	0
SUNFLOWER	71	0	7	21	26	10	6	1	0	0
TALLAHATCHIE	51	0	9	16	18	5	2	1	0	0
TATE	254	0	38	87	59	55	13	2	0	0
TIPPAH	267	1	48	101	62	32	17	5	1	0
TISHOMINGO	219	0	32	80	58	33	15	1	0	0
TUNICA	26	0	2	11	10	3	0	0	0	0
UNION	282	0	38	96	74	59	12	3	0	0
WALTHALL	94	0	6	31	33	16	7	1	0	0
WARREN	326	0	37	103	99	56	28	3	0	0
WASHINGTON	231	2	30	69	68	37	24	1	0	0
WAYNE	150	0	23	57	46	17	6	1	0	0
WEBSTER	96	0	17	39	21	12	6	1	0	0
WILKINSON	28	0	1	6	14	5	2	0	0	0
WINSTON	113	0	13	33	32	25	9	0	1	0
YALOBUSHA	119	0	24	44	29	14	8	0	0	0
YAZOO	128	0	19	45	35	24	4	1	0	0

**TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2004**

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>19,285</u>	<u>148</u>	<u>3,741</u>	<u>7,550</u>	<u>4,433</u>	<u>2,206</u>	<u>960</u>	<u>232</u>	<u>10</u>	<u>5</u>
ADAMS	260	1	54	103	62	29	8	3	0	0
ALCORN	52	2	10	19	10	7	4	0	0	0
AMITE	91	0	17	33	22	13	5	1	0	0
ATTALA	143	2	27	52	32	17	6	7	0	0
BENTON	33	0	2	17	10	3	1	0	0	0
BOLIVAR	448	3	114	196	80	34	15	5	1	0
CALHOUN	69	0	18	25	12	8	4	2	0	0
CARROLL	49	0	5	26	9	7	2	0	0	0
CHICKASAW	145	2	35	55	27	14	11	1	0	0
CHOCTAW	28	1	7	11	5	2	2	0	0	0
CLAIBORNE	139	0	27	61	32	11	5	3	0	0
CLARKE	105	1	21	38	19	17	6	3	0	0
CLAY	187	1	42	76	38	23	4	3	0	0
COAHOMA	432	6	97	201	70	45	10	3	0	0
COPIAH	287	1	63	110	72	28	10	3	0	0
COVINGTON	125	1	27	50	26	10	9	2	0	0
DESOTO	344	0	46	101	103	63	25	6	0	0
FORREST	503	4	83	225	105	54	23	8	1	0
FRANKLIN	43	0	8	20	12	1	1	1	0	0
GEORGE	27	1	9	9	4	3	0	1	0	0
GREENE	40	0	10	15	8	3	4	0	0	0
GRENADA	143	1	35	55	33	14	5	0	0	0
HANCOCK	42	0	5	20	5	6	4	2	0	0
HARRISON	966	9	157	352	245	134	58	11	0	0
HINDS	2,937	21	556	1,080	703	370	171	32	2	2
HOLMES	342	4	65	142	69	49	12	1	0	0
HUMPHREYS	160	1	37	72	35	10	3	1	1	0
ISSAQUENA	9	0	3	4	1	1	0	0	0	0
ITAWAMBA	31	0	9	12	7	3	0	0	0	0
JACKSON	533	1	97	200	130	64	36	4	0	1
JASPER	154	2	23	56	42	16	14	1	0	0
JEFFERSON	127	0	23	49	28	19	6	2	0	0
JEFF DAVIS	99	1	23	43	21	9	1	1	0	0
JONES	359	3	74	153	72	33	15	9	0	0
KEMPER	86	0	11	34	24	12	5	0	0	0
LAFAYETTE	169	0	22	70	37	28	11	1	0	0
LAMAR	126	0	16	36	42	18	12	2	0	0
LAUDERDALE	567	3	124	220	136	56	23	5	0	0
LAWRENCE	70	0	11	27	17	7	8	0	0	0
LEAKE	182	1	34	60	45	31	9	2	0	0
LEE	396	1	90	157	85	47	14	2	0	0
LEFLORE	428	3	85	165	106	50	15	4	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	164	1	22	74	37	21	6	3	0	0
LOWNDES	457	2	93	175	104	51	25	5	1	1
MADISON	578	6	97	170	151	101	44	9	0	0
MARION	169	2	33	68	37	18	9	1	1	0
MARSHALL	240	1	44	96	54	33	9	3	0	0
MONROE	206	3	35	80	51	20	16	1	0	0
MONTGOMERY	103	2	22	43	24	8	3	1	0	0
NESHOBA	283	4	62	104	69	23	17	4	0	0
NEWTON	146	2	20	58	45	11	9	1	0	0
NOXUBEE	159	2	29	73	29	16	10	0	0	0
OKTIBBEHA	322	2	44	120	80	49	19	8	0	0
PANOLA	350	3	80	147	73	37	6	4	0	0
PEARL RIVER	96	0	21	35	26	10	3	1	0	0
PERRY	32	0	4	15	10	3	0	0	0	0
PIKE	392	3	57	159	109	34	22	7	0	1
PONTOTOC	49	0	6	22	11	3	5	2	0	0
PRENTISS	58	1	10	21	10	10	4	2	0	0
QUITMAN	112	0	15	57	26	9	4	1	0	0
RANKIN	350	1	46	108	100	64	27	4	0	0
SCOTT	185	2	38	62	47	26	10	0	0	0
SHARKEY	79	0	13	33	21	7	2	2	1	0
SIMPSON	169	0	34	70	38	19	7	0	1	0
SMITH	59	0	12	26	14	2	4	1	0	0
STONE	51	1	5	24	8	6	5	2	0	0
SUNFLOWER	389	3	98	170	78	20	15	5	0	0
TALLAHATCHIE	128	1	35	56	22	9	5	0	0	0
TATE	138	2	36	47	31	14	6	2	0	0
TIPPAH	67	2	5	39	11	8	2	0	0	0
TISHOMINGO	7	0	1	4	2	0	0	0	0	0
TUNICA	163	3	30	76	40	11	1	2	0	0
UNION	62	0	16	20	15	10	1	0	0	0
WALTHALL	122	1	26	49	31	11	4	0	0	0
WARREN	429	3	80	148	112	56	19	10	1	0
WASHINGTON	682	10	157	308	127	44	25	11	0	0
WAYNE	123	1	27	55	19	15	6	0	0	0
WEBSTER	49	1	11	28	7	2	0	0	0	0
WILKINSON	103	2	22	43	16	11	5	4	0	0
WINSTON	165	2	39	65	37	10	12	0	0	0
YALOBUSHA	81	1	19	33	12	12	4	0	0	0
YAZOO	292	1	75	119	58	23	12	4	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2004

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>20,684</u>	<u>6,219</u>	<u>14,465</u>	<u>48.3</u>	<u>26.4</u>	<u>75.0</u>
ADAMS	258	45	213	62.3	29.2	81.9
ALCORN	158	124	34	35.4	31.5	65.4
AMITE	85	18	67	49.1	22.0	73.6
ATTALA	127	28	99	43.6	18.9	69.2
BENTON	45	21	24	46.9	33.3	72.7
BOLIVAR	434	44	390	71.4	27.5	87.0
CALHOUN	87	39	48	44.2	30.5	69.6
CARROLL	50	13	37	46.3	22.0	75.5
CHICKASAW	136	36	100	48.6	26.7	69.0
CHOCTAW	37	13	24	45.1	24.1	85.7
CLAIBORNE	120	6	114	77.9	40.0	82.0
CLARKE	111	33	78	47.8	26.0	74.3
CLAY	171	28	143	57.8	25.7	76.5
COAHOMA	386	17	369	76.3	23.0	85.4
COPIAH	261	44	217	58.9	28.2	75.6
COVINGTON	142	43	99	50.4	27.4	79.2
DESOTO	582	404	178	29.4	24.7	51.7
FORREST	525	160	365	45.6	24.7	72.6
FRANKLIN	50	12	38	53.8	24.0	88.4
GEORGE	99	78	21	30.0	25.7	77.8
GREENE	64	33	31	42.1	29.5	77.5
GRENADA	150	38	112	54.0	28.1	78.3
HANCOCK	236	209	27	43.2	41.5	64.3
HARRISON	1,336	683	653	44.4	33.5	67.6
HINDS	2,375	201	2,174	60.5	20.3	74.0
HOLMES	286	9	277	73.3	18.8	81.0
HUMPHREYS	147	8	139	79.4	32.0	86.9
ISSAQUENA	8	0	8	57.1	-	88.9
ITAWAMBA	80	58	22	27.8	22.6	71.0
JACKSON	802	426	376	42.3	31.3	70.5
JASPER	134	17	117	54.5	18.5	76.0
JEFFERSON	108	2	106	78.8	20.0	83.5
JEFF DAVIS	88	14	74	58.7	27.4	74.7
JONES	501	228	273	48.0	33.3	76.0
KEMPER	72	10	62	56.7	24.4	72.1
LAFAYETTE	161	55	106	33.1	17.3	62.7
LAMAR	168	96	72	25.3	17.8	57.1
LAUDERDALE	602	148	454	50.6	23.8	80.1
LAWRENCE	63	12	51	36.8	11.9	72.8
LEAKE	185	63	122	49.1	32.3	67.0
LEE	516	226	290	41.7	26.9	73.2
LEFLORE	381	31	350	70.0	26.7	81.8

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2004

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	180	55	125	39.6	18.9	76.2
LOWNDES	406	97	309	44.6	21.4	67.6
MADISON	478	97	381	37.9	14.2	65.9
MARION	188	68	120	44.6	26.9	71.0
MARSHALL	265	84	181	54.4	34.0	75.4
MONROE	231	83	148	43.9	25.9	71.8
MONTGOMERY	94	14	80	54.0	19.7	77.7
NESHOBA	263	61	202	50.3	25.4	71.4
NEWTON	139	32	107	40.0	15.9	73.3
NOXUBEE	137	2	135	69.5	5.3	84.9
OKTIBBEHA	271	35	236	45.6	12.9	73.3
PANOLA	342	59	283	59.2	25.9	80.8
PEARL RIVER	241	172	69	36.4	30.4	71.9
PERRY	49	23	26	34.0	20.5	81.2
PIKE	343	63	280	53.3	25.1	71.4
PONTOTOC	144	110	34	31.5	27.0	69.4
PRENTISS	114	70	44	34.6	25.8	75.9
QUITMAN	98	9	89	72.0	37.5	79.5
RANKIN	557	365	192	29.6	23.9	54.8
SCOTT	271	126	145	55.4	41.4	78.4
SHARKEY	80	8	72	77.7	33.3	91.1
SIMPSON	194	67	127	45.9	26.4	75.1
SMITH	74	30	44	37.6	21.7	74.6
STONE	84	43	41	40.8	27.7	80.4
SUNFLOWER	366	22	344	79.6	31.0	88.4
TALLAHATCHIE	127	12	115	71.0	23.5	89.8
TATE	198	82	116	50.5	32.3	84.0
TIPPAH	116	76	40	34.7	28.5	59.7
TISHOMINGO	59	54	5	26.1	24.6	71.4
TUNICA	148	11	137	78.3	42.3	84.0
UNION	96	62	34	27.9	22.0	54.8
WALTHALL	102	21	81	47.2	22.3	66.4
WARREN	415	93	322	55.0	28.5	75.0
WASHINGTON	651	58	593	71.3	25.1	87.0
WAYNE	129	39	90	47.2	26.0	73.2
WEBSTER	64	23	41	44.1	24.0	83.7
WILKINSON	88	7	81	67.2	25.0	78.6
WINSTON	156	24	132	56.1	21.2	80.0
YALOBUSHA	100	39	61	50.0	32.8	75.3
YAZOO	299	50	249	71.2	39.1	85.3

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>20,684</u>	<u>177</u>	<u>5,549</u>	<u>8,984</u>	<u>3,770</u>	<u>1,479</u>	<u>553</u>	<u>156</u>	<u>9</u>	<u>7</u>
ADAMS	258	1	71	116	46	19	4	1	0	0
ALCORN	158	3	46	69	26	13	0	1	0	0
AMITE	85	0	21	33	17	12	2	0	0	0
ATTALA	127	2	33	55	21	10	2	4	0	0
BENTON	45	0	10	27	7	1	0	0	0	0
BOLIVAR	434	3	126	201	66	24	7	6	1	0
CALHOUN	87	0	35	32	12	5	2	1	0	0
CARROLL	50	0	7	29	8	6	0	0	0	0
CHICKASAW	136	2	44	56	16	14	3	1	0	0
CHOCTAW	37	1	12	14	8	1	1	0	0	0
CLAIBORNE	120	0	29	57	28	3	3	0	0	0
CLARKE	111	1	33	42	16	15	2	2	0	0
CLAY	171	1	54	71	31	13	0	1	0	0
COAHOMA	386	6	102	185	61	23	7	2	0	0
COPIAH	261	1	71	114	45	20	7	3	0	0
COVINGTON	142	1	40	59	25	10	7	0	0	0
DESOTO	582	0	166	242	99	51	15	8	1	0
FORREST	525	4	126	257	87	30	16	4	1	0
FRANKLIN	50	0	12	22	11	5	0	0	0	0
GEORGE	99	1	35	36	13	10	3	1	0	0
GREENE	64	0	17	30	11	5	1	0	0	0
GRENADA	150	1	47	68	28	1	5	0	0	0
HANCOCK	236	1	69	95	40	18	11	2	0	0
HARRISON	1,336	11	326	578	265	103	41	10	1	1
HINDS	2,375	22	604	1,010	491	168	63	13	1	3
HOLMES	286	4	67	128	55	28	4	0	0	0
HUMPHREYS	147	1	39	74	23	6	3	1	0	0
ISSAQUENA	8	0	3	4	1	0	0	0	0	0
ITAWAMBA	80	1	31	25	14	8	1	0	0	0
JACKSON	802	2	209	352	147	58	23	11	0	0
JASPER	134	2	28	57	33	9	5	0	0	0
JEFFERSON	108	0	23	47	20	14	3	1	0	0
JEFF DAVIS	88	1	29	37	13	7	0	1	0	0
JONES	501	6	139	226	82	27	17	4	0	0
KEMPER	72	0	14	31	16	9	2	0	0	0
LAFAYETTE	161	1	40	71	31	12	6	0	0	0
LAMAR	168	0	39	71	36	13	8	1	0	0
LAUDERDALE	602	4	154	244	130	46	19	5	0	0
LAWRENCE	63	0	13	25	12	8	4	1	0	0
LEAKE	185	2	56	74	33	16	3	1	0	0
LEE	516	1	157	218	79	40	18	3	0	0
LEFLORE	381	3	91	163	79	36	8	1	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	180	1	35	85	42	12	4	1	0	0
LOWNDES	406	2	120	182	62	27	12	0	1	0
MADISON	478	6	126	190	101	35	17	2	0	1
MARION	188	2	57	81	35	8	3	2	0	0
MARSHALL	265	1	70	123	41	19	9	1	1	0
MONROE	231	3	68	102	35	14	8	1	0	0
MONTGOMERY	94	3	27	45	13	5	1	0	0	0
NESHOBA	263	4	79	104	51	15	6	4	0	0
NEWTON	139	2	27	63	34	8	5	0	0	0
NOXUBEE	137	2	30	67	23	12	3	0	0	0
OKTIBBEHA	271	2	51	120	66	22	6	3	1	0
PANOLA	342	4	101	166	48	18	3	2	0	0
PEARL RIVER	241	3	76	96	39	22	3	2	0	0
PERRY	49	0	12	20	11	5	1	0	0	0
PIKE	343	4	77	154	69	17	16	4	0	2
PONTOTOC	144	1	45	59	28	7	4	0	0	0
PRENTISS	114	3	29	49	14	9	6	4	0	0
QUITMAN	98	1	16	55	20	5	1	0	0	0
RANKIN	557	2	170	214	97	50	18	6	0	0
SCOTT	271	2	77	102	52	29	8	1	0	0
SHARKEY	80	0	15	37	21	5	1	0	1	0
SIMPSON	194	0	54	89	35	10	4	2	0	0
SMITH	74	2	23	33	10	3	2	1	0	0
STONE	84	1	18	36	16	9	3	1	0	0
SUNFLOWER	366	3	104	166	61	17	10	5	0	0
TALLAHATCHIE	127	1	41	56	20	7	2	0	0	0
TATE	198	2	62	79	23	24	5	3	0	0
TIPPAH	116	3	35	48	15	10	2	3	0	0
TISHOMINGO	59	0	23	20	13	3	0	0	0	0
TUNICA	148	3	30	74	33	6	1	1	0	0
UNION	96	0	33	40	13	10	0	0	0	0
WALTHALL	102	1	28	43	17	8	4	1	0	0
WARREN	415	3	107	171	81	36	12	5	0	0
WASHINGTON	651	12	170	295	118	29	20	7	0	0
WAYNE	129	1	36	64	19	6	3	0	0	0
WEBSTER	64	1	21	33	8	1	0	0	0	0
WILKINSON	88	2	22	44	8	8	3	1	0	0
WINSTON	156	2	44	63	32	7	8	0	0	0
YALOBUSHA	100	1	35	42	12	5	5	0	0	0
YAZOO	299	1	87	129	52	19	8	3	0	0

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>6,219</u>	<u>29</u>	<u>1,897</u>	<u>2,570</u>	<u>1,011</u>	<u>491</u>	<u>153</u>	<u>60</u>	<u>4</u>	<u>4</u>
ADAMS	45	0	17	19	7	2	0	0	0	0
ALCORN	124	1	36	54	21	11	0	1	0	0
AMITE	18	0	5	7	3	3	0	0	0	0
ATTALA	28	0	8	12	4	2	1	1	0	0
BENTON	21	0	8	11	2	0	0	0	0	0
BOLIVAR	44	0	13	21	7	1	0	2	0	0
CALHOUN	39	0	17	13	7	2	0	0	0	0
CARROLL	13	0	3	4	3	3	0	0	0	0
CHICKASAW	36	0	10	15	6	5	0	0	0	0
CHOCTAW	13	0	5	4	4	0	0	0	0	0
CLAIBORNE	6	0	2	2	2	0	0	0	0	0
CLARKE	33	0	12	14	4	2	0	1	0	0
CLAY	28	0	12	12	4	0	0	0	0	0
COAHOMA	17	0	7	3	6	1	0	0	0	0
COPIAH	44	0	9	20	7	7	1	0	0	0
COVINGTON	43	0	14	14	8	5	2	0	0	0
DESOTO	404	0	120	168	65	37	7	6	1	0
FORREST	160	0	48	69	23	15	4	1	0	0
FRANKLIN	12	0	4	3	1	4	0	0	0	0
GEORGE	78	0	27	28	11	9	3	0	0	0
GREENE	33	0	7	16	7	3	0	0	0	0
GRENADA	38	0	12	17	7	0	2	0	0	0
HANCOCK	209	1	64	81	38	17	7	1	0	0
HARRISON	683	2	175	308	122	50	17	7	1	1
HINDS	201	1	56	81	39	16	6	1	0	1
HOLMES	9	0	2	5	2	0	0	0	0	0
HUMPHREYS	8	0	2	6	0	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	58	1	23	19	8	6	1	0	0	0
JACKSON	426	1	117	189	69	30	10	10	0	0
JASPER	17	0	5	9	2	1	0	0	0	0
JEFFERSON	2	0	0	0	2	0	0	0	0	0
JEFF DAVIS	14	0	6	4	1	2	0	1	0	0
JONES	228	3	67	97	32	14	13	2	0	0
KEMPER	10	0	3	3	3	1	0	0	0	0
LAFAYETTE	55	1	18	17	13	5	1	0	0	0
LAMAR	96	0	26	41	18	8	3	0	0	0
LAUDERDALE	148	1	34	55	32	19	5	2	0	0
LAWRENCE	12	0	2	4	2	3	0	1	0	0
LEAKE	63	1	23	28	8	2	1	0	0	0
LEE	226	0	69	94	29	19	14	1	0	0
LEFLORE	31	0	6	14	5	5	1	0	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	55	0	14	22	14	5	0	0	0	0
LOWNDES	97	0	29	37	18	9	4	0	0	0
MADISON	97	0	30	44	15	6	1	0	0	1
MARION	68	0	24	30	12	0	0	2	0	0
MARSHALL	84	0	26	41	10	3	3	0	1	0
MONROE	83	0	34	37	7	3	1	1	0	0
MONTGOMERY	14	1	5	7	1	0	0	0	0	0
NESHOBA	61	0	24	22	9	5	1	0	0	0
NEWTON	32	0	8	11	8	4	1	0	0	0
NOXUBEE	2	0	1	0	1	0	0	0	0	0
OKTIBBEHA	35	0	7	16	7	3	0	1	1	0
PANOLA	59	1	22	29	5	2	0	0	0	0
PEARL RIVER	172	3	55	67	27	18	1	1	0	0
PERRY	23	0	10	6	3	3	1	0	0	0
PIKE	63	1	23	27	7	2	2	0	0	1
PONTOTOC	110	1	39	41	19	7	3	0	0	0
PRENTISS	70	2	20	32	6	4	4	2	0	0
QUITMAN	9	1	3	4	1	0	0	0	0	0
RANKIN	365	1	125	132	56	35	11	5	0	0
SCOTT	126	0	40	49	20	13	3	1	0	0
SHARKEY	8	0	2	5	1	0	0	0	0	0
SIMPSON	67	0	21	36	8	0	0	2	0	0
SMITH	30	2	11	11	3	1	1	1	0	0
STONE	43	0	13	14	11	4	1	0	0	0
SUNFLOWER	22	0	6	9	4	1	1	1	0	0
TALLAHATCHIE	12	0	6	3	2	1	0	0	0	0
TATE	82	0	26	32	6	15	2	1	0	0
TIPPAH	76	1	30	26	12	3	1	3	0	0
TISHOMINGO	54	0	22	18	11	3	0	0	0	0
TUNICA	11	0	1	6	4	0	0	0	0	0
UNION	62	0	19	30	6	7	0	0	0	0
WALTHALL	21	0	3	9	3	3	2	1	0	0
WARREN	93	0	28	45	11	8	1	0	0	0
WASHINGTON	58	2	16	19	15	4	2	0	0	0
WAYNE	39	0	11	17	10	1	0	0	0	0
WEBSTER	23	0	10	9	3	1	0	0	0	0
WILKINSON	7	0	1	4	1	0	1	0	0	0
WINSTON	24	0	5	10	6	1	2	0	0	0
YALOBUSHA	39	0	18	12	4	2	3	0	0	0
YAZOO	50	0	15	20	10	4	1	0	0	0

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>14,465</u>	<u>148</u>	<u>3,652</u>	<u>6,414</u>	<u>2,759</u>	<u>988</u>	<u>400</u>	<u>96</u>	<u>5</u>	<u>3</u>
ADAMS	213	1	54	97	39	17	4	1	0	0
ALCORN	34	2	10	15	5	2	0	0	0	0
AMITE	67	0	16	26	14	9	2	0	0	0
ATTALA	99	2	25	43	17	8	1	3	0	0
BENTON	24	0	2	16	5	1	0	0	0	0
BOLIVAR	390	3	113	180	59	23	7	4	1	0
CALHOUN	48	0	18	19	5	3	2	1	0	0
CARROLL	37	0	4	25	5	3	0	0	0	0
CHICKASAW	100	2	34	41	10	9	3	1	0	0
CHOCTAW	24	1	7	10	4	1	1	0	0	0
CLAIBORNE	114	0	27	55	26	3	3	0	0	0
CLARKE	78	1	21	28	12	13	2	1	0	0
CLAY	143	1	42	59	27	13	0	1	0	0
COAHOMA	369	6	95	182	55	22	7	2	0	0
COPIAH	217	1	62	94	38	13	6	3	0	0
COVINGTON	99	1	26	45	17	5	5	0	0	0
DESOTO	178	0	46	74	34	14	8	2	0	0
FORREST	365	4	78	188	64	15	12	3	1	0
FRANKLIN	38	0	8	19	10	1	0	0	0	0
GEORGE	21	1	8	8	2	1	0	1	0	0
GREENE	31	0	10	14	4	2	1	0	0	0
GRENADA	112	1	35	51	21	1	3	0	0	0
HANCOCK	27	0	5	14	2	1	4	1	0	0
HARRISON	653	9	151	270	143	53	24	3	0	0
HINDS	2,174	21	548	929	452	152	57	12	1	2
HOLMES	277	4	65	123	53	28	4	0	0	0
HUMPHREYS	139	1	37	68	23	6	3	1	0	0
ISSAQUENA	8	0	3	4	1	0	0	0	0	0
ITAWAMBA	22	0	8	6	6	2	0	0	0	0
JACKSON	376	1	92	163	78	28	13	1	0	0
JASPER	117	2	23	48	31	8	5	0	0	0
JEFFERSON	106	0	23	47	18	14	3	1	0	0
JEFF DAVIS	74	1	23	33	12	5	0	0	0	0
JONES	273	3	72	129	50	13	4	2	0	0
KEMPER	62	0	11	28	13	8	2	0	0	0
LAFAYETTE	106	0	22	54	18	7	5	0	0	0
LAMAR	72	0	13	30	18	5	5	1	0	0
LAUDERDALE	454	3	120	189	98	27	14	3	0	0
LAWRENCE	51	0	11	21	10	5	4	0	0	0
LEAKE	122	1	33	46	25	14	2	1	0	0
LEE	290	1	88	124	50	21	4	2	0	0
LEFLORE	350	3	85	149	74	31	7	1	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2004

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	125	1	21	63	28	7	4	1	0	0
LOWNDES	309	2	91	145	44	18	8	0	1	0
MADISON	381	6	96	146	86	29	16	2	0	0
MARION	120	2	33	51	23	8	3	0	0	0
MARSHALL	181	1	44	82	31	16	6	1	0	0
MONROE	148	3	34	65	28	11	7	0	0	0
MONTGOMERY	80	2	22	38	12	5	1	0	0	0
NESHOBA	202	4	55	82	42	10	5	4	0	0
NEWTON	107	2	19	52	26	4	4	0	0	0
NOXUBEE	135	2	29	67	22	12	3	0	0	0
OKTIBBEHA	236	2	44	104	59	19	6	2	0	0
PANOLA	283	3	79	137	43	16	3	2	0	0
PEARL RIVER	69	0	21	29	12	4	2	1	0	0
PERRY	26	0	2	14	8	2	0	0	0	0
PIKE	280	3	54	127	62	15	14	4	0	1
PONTOTOC	34	0	6	18	9	0	1	0	0	0
PRENTISS	44	1	9	17	8	5	2	2	0	0
QUITMAN	89	0	13	51	19	5	1	0	0	0
RANKIN	192	1	45	82	41	15	7	1	0	0
SCOTT	145	2	37	53	32	16	5	0	0	0
SHARKEY	72	0	13	32	20	5	1	0	1	0
SIMPSON	127	0	33	53	27	10	4	0	0	0
SMITH	44	0	12	22	7	2	1	0	0	0
STONE	41	1	5	22	5	5	2	1	0	0
SUNFLOWER	344	3	98	157	57	16	9	4	0	0
TALLAHATCHIE	115	1	35	53	18	6	2	0	0	0
TATE	116	2	36	47	17	9	3	2	0	0
TIPPAH	40	2	5	22	3	7	1	0	0	0
TISHOMINGO	5	0	1	2	2	0	0	0	0	0
TUNICA	137	3	29	68	29	6	1	1	0	0
UNION	34	0	14	10	7	3	0	0	0	0
WALTHALL	81	1	25	34	14	5	2	0	0	0
WARREN	322	3	79	126	70	28	11	5	0	0
WASHINGTON	593	10	154	276	103	25	18	7	0	0
WAYNE	90	1	25	47	9	5	3	0	0	0
WEBSTER	41	1	11	24	5	0	0	0	0	0
WILKINSON	81	2	21	40	7	8	2	1	0	0
WINSTON	132	2	39	53	26	6	6	0	0	0
YALOBUSHA	61	1	17	30	8	3	2	0	0	0
YAZOO	249	1	72	109	42	15	7	3	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2004

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>4,973</u>	<u>2,041</u>	<u>2,932</u>	<u>11.6</u>	<u>8.7</u>	<u>15.2</u>
ADAMS	60	18	42	14.5	11.7	16.2
ALCORN	35	31	4	7.8	7.9	7.7
AMITE	16	5	11	9.2	6.1	12.1
ATTALA	32	14	18	11.0	9.4	12.6
BENTON	7	3	4	7.3	4.8	12.1
BOLIVAR	78	17	61	12.8	10.6	13.6
CALHOUN	19	10	9	9.6	7.8	13.0
CARROLL	12	4	8	11.1	6.8	16.3
CHICKASAW	30	9	21	10.7	6.7	14.5
CHOCTAW	11	4	7	13.4	7.4	25.0
CLAIBORNE	22	2	20	14.3	13.3	14.4
CLARKE	34	13	21	14.6	10.2	20.0
CLAY	51	12	39	17.2	11.0	20.8
COAHOMA	64	4	60	12.6	5.4	13.9
COPIAH	72	15	57	16.2	9.6	19.9
COVINGTON	34	17	17	12.0	10.8	13.6
DESOTO	156	110	46	7.9	6.7	13.4
FORREST	135	64	71	11.7	9.9	14.1
FRANKLIN	13	5	8	14.0	10.0	18.6
GEORGE	36	27	9	10.9	8.9	33.3
GREENE	13	6	7	8.6	5.4	17.5
GRENADA	33	12	21	11.9	8.9	14.7
HANCOCK	39	33	6	7.1	6.5	14.3
HARRISON	326	202	124	10.8	9.9	12.8
HINDS	541	81	460	13.8	8.2	15.7
HOLMES	54	5	49	13.8	10.4	14.3
HUMPHREYS	29	5	24	15.7	20.0	15.0
ISSAQUENA	4	1	3	28.6	20.0	33.3
ITAWAMBA	21	17	4	7.3	6.6	12.9
JACKSON	204	121	83	10.8	8.9	15.6
JASPER	42	6	36	17.1	6.5	23.4
JEFFERSON	19	0	19	13.9	-	15.0
JEFF DAVIS	25	5	20	16.7	9.8	20.2
JONES	110	48	62	10.5	7.0	17.3
KEMPER	18	4	14	14.2	9.8	16.3
LAFAYETTE	48	27	21	9.8	8.5	12.4
LAMAR	58	34	24	8.7	6.3	19.0
LAUDERDALE	157	61	96	13.2	9.8	16.9
LAWRENCE	28	10	18	16.4	9.9	25.7
LEAKE	40	18	22	10.6	9.2	12.1
LEE	158	91	67	12.8	10.8	16.9
LEFLORE	67	9	58	12.3	7.8	13.6

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2004

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	46	21	25	10.1	7.2	15.2
LOWNDES	108	38	70	11.9	8.4	15.3
MADISON	126	54	72	10.0	7.9	12.4
MARION	40	17	23	9.5	6.7	13.6
MARSHALL	62	29	33	12.7	11.7	13.8
MONROE	67	33	34	12.7	10.3	16.5
MONTGOMERY	21	5	16	12.1	7.0	15.5
NESHOBA	60	25	35	11.5	10.4	12.4
NEWTON	34	14	20	9.8	7.0	13.7
NOXUBEE	29	2	27	14.7	5.3	17.0
OKTIBBEHA	65	13	52	10.9	4.8	16.1
PANOLA	68	21	47	11.8	9.2	13.4
PEARL RIVER	60	43	17	9.1	7.6	17.7
PERRY	11	5	6	7.6	4.5	18.8
PIKE	86	23	63	13.4	9.2	16.1
PONTOTOC	50	42	8	10.9	10.3	16.3
PRENTISS	35	24	11	10.6	8.8	19.0
QUITMAN	23	5	18	16.9	20.8	16.1
RANKIN	186	136	50	9.9	8.9	14.3
SCOTT	67	34	33	13.7	11.2	17.8
SHARKEY	10	1	9	9.7	4.2	11.4
SIMPSON	52	25	27	12.3	9.8	16.0
SMITH	31	16	15	15.7	11.6	25.4
STONE	16	8	8	7.8	5.2	15.7
SUNFLOWER	61	7	54	13.3	9.8	13.9
TALLAHATCHIE	11	0	11	6.1	-	8.6
TATE	45	26	19	11.5	10.2	13.8
TIPPAH	45	31	14	13.5	11.6	20.9
TISHOMINGO	14	14	0	6.2	6.4	-
TUNICA	24	1	23	12.7	3.8	14.1
UNION	38	24	14	11.0	8.5	22.6
WALTHALL	18	10	8	8.3	10.6	6.6
WARREN	105	43	62	13.9	13.2	14.4
WASHINGTON	132	23	109	14.4	10.0	16.0
WAYNE	28	12	16	10.2	8.0	13.0
WEBSTER	19	10	9	13.1	10.4	18.4
WILKINSON	20	1	19	15.3	3.6	18.4
WINSTON	42	10	32	15.1	8.8	19.4
YALOBUSHA	19	8	11	9.5	6.7	13.6
YAZOO	48	7	41	11.4	5.5	14.0

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2004

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>952</u>	<u>345</u>	<u>607</u>	<u>2.2</u>	<u>1.5</u>	<u>3.1</u>
ADAMS	10	3	7	2.4	1.9	2.7
ALCORN	2	1	1	0.4	0.2	1.9
AMITE	5	2	3	2.9	2.4	3.3
ATTALA	7	2	5	2.4	1.4	3.5
BENTON	3	1	2	3.1	1.6	6.1
BOLIVAR	17	3	14	2.8	1.9	3.1
CALHOUN	2	1	1	1.0	0.8	1.4
CARROLL	2	2	0	1.8	3.4	-
CHICKASAW	5	2	3	1.8	1.5	2.1
CHOCTAW	5	1	4	6.1	1.8	14.3
CLAIBORNE	7	1	6	4.5	6.7	4.3
CLARKE	5	2	3	2.2	1.6	2.8
CLAY	10	2	8	3.4	1.8	4.3
COAHOMA	15	0	15	3.0	-	3.5
COPIAH	11	2	9	2.5	1.3	3.1
COVINGTON	11	6	5	3.9	3.8	4.0
DESOTO	26	17	9	1.3	1.0	2.6
FORREST	27	10	17	2.3	1.5	3.4
FRANKLIN	1	0	1	1.1	-	2.3
GEORGE	12	8	4	3.6	2.6	14.8
GREENE	1	0	1	0.6	-	2.5
GRENADA	7	2	5	2.5	1.5	3.5
HANCOCK	7	4	3	1.3	0.8	7.1
HARRISON	48	30	18	1.6	1.5	1.9
HINDS	101	12	89	2.6	1.2	3.0
HOLMES	16	2	14	4.1	4.2	4.1
HUMPHREYS	3	0	3	1.6	-	1.9
ISSAQUENA	1	1	0	7.1	20.0	-
ITAWAMBA	7	4	3	2.4	1.6	9.7
JACKSON	31	14	17	1.6	1.0	3.2
JASPER	10	1	9	4.1	1.1	5.8
JEFFERSON	2	0	2	1.5	-	1.6
JEFF DAVIS	4	0	4	2.7	-	4.0
JONES	23	10	13	2.2	1.5	3.6
KEMPER	1	0	1	0.8	-	1.2
LAFAYETTE	8	6	2	1.6	1.9	1.2
LAMAR	10	9	1	1.5	1.7	0.8
LAUDERDALE	37	18	19	3.1	2.9	3.4
LAWRENCE	6	3	3	3.5	3.0	4.3
LEAKE	4	2	2	1.1	1.0	1.1
LEE	37	24	13	3.0	2.8	3.3
LEFLORE	17	1	16	3.1	0.9	3.7

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2004

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	10	4	6	2.2	1.4	3.6
LOWNDES	23	5	18	2.5	1.1	3.9
MADISON	19	7	12	1.5	1.0	2.1
MARION	8	3	5	1.9	1.2	3.0
MARSHALL	6	1	5	1.2	0.4	2.1
MONROE	8	5	3	1.5	1.6	1.4
MONTGOMERY	4	1	3	2.3	1.4	2.9
NESHOBA	12	4	8	2.3	1.7	2.8
NEWTON	4	1	3	1.2	0.5	2.0
NOXUBEE	7	0	7	3.6	-	4.4
OKTIBBEHA	10	4	6	1.7	1.5	1.9
PANOLA	16	5	11	2.8	2.2	3.1
PEARL RIVER	17	13	4	2.6	2.3	4.2
PERRY	2	0	2	1.4	-	6.2
PIKE	24	3	21	3.7	1.2	5.4
PONTOTOC	11	8	3	2.4	2.0	6.1
PRENTISS	4	2	2	1.2	0.7	3.4
QUITMAN	4	2	2	2.9	8.3	1.8
RANKIN	37	25	12	2.0	1.6	3.4
SCOTT	15	5	10	3.1	1.6	5.4
SHARKEY	1	0	1	1.0	-	1.3
SIMPSON	12	5	7	2.8	2.0	4.1
SMITH	7	3	4	3.6	2.2	6.8
STONE	7	2	5	3.4	1.3	9.8
SUNFLOWER	15	2	13	3.3	2.8	3.3
TALLAHATCHIE	2	0	2	1.1	-	1.6
TATE	6	1	5	1.5	0.4	3.6
TIPPAH	3	2	1	0.9	0.7	1.5
TISHOMINGO	2	2	0	0.9	0.9	-
TUNICA	8	0	8	4.2	-	4.9
UNION	10	3	7	2.9	1.1	11.3
WALTHALL	4	3	1	1.8	3.2	0.8
WARREN	14	5	9	1.8	1.5	2.1
WASHINGTON	22	4	18	2.4	1.7	2.6
WAYNE	4	1	3	1.5	0.7	2.4
WEBSTER	2	0	2	1.4	-	4.1
WILKINSON	4	0	4	3.0	-	3.9
WINSTON	8	2	6	2.9	1.8	3.6
YALOBUSHA	5	1	4	2.5	0.8	4.9
YAZOO	11	2	9	2.6	1.6	3.1

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2004

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	7,296	3,356	3,940	17.0	14.3	20.4
ADAMS	83	23	60	20.0	14.9	23.1
ALCORN	67	53	14	15.0	13.4	26.9
AMITE	24	10	14	13.9	12.2	15.4
ATTALA	45	20	25	15.5	13.5	17.5
BENTON	5	3	2	5.2	4.8	6.1
BOLIVAR	109	25	84	17.9	15.6	18.8
CALHOUN	39	20	19	19.8	15.6	27.5
CARROLL	19	9	10	17.6	15.2	20.4
CHICKASAW	49	18	31	17.5	13.3	21.4
CHOCTAW	10	4	6	12.2	7.4	21.4
CLAIBORNE	24	2	22	15.6	13.3	15.8
CLARKE	50	20	30	21.6	15.7	28.6
CLAY	56	15	41	18.9	13.8	21.9
COAHOMA	112	10	102	22.1	13.5	23.6
COPIAH	96	23	73	21.7	14.7	25.4
COVINGTON	49	23	26	17.4	14.6	20.8
DESOTO	182	137	45	9.2	8.4	13.1
FORREST	217	107	110	18.9	16.5	21.9
FRANKLIN	13	6	7	14.0	12.0	16.3
GEORGE	55	45	10	16.7	14.8	37.0
GREENE	24	14	10	15.8	12.5	25.0
GRENADA	52	19	33	18.7	14.1	23.1
HANCOCK	72	60	12	13.2	11.9	28.6
HARRISON	489	309	180	16.3	15.1	18.6
HINDS	888	198	690	22.6	20.0	23.5
HOLMES	58	4	54	14.9	8.3	15.8
HUMPHREYS	44	4	40	23.8	16.0	25.0
ISSAQUENA	1	0	1	7.1	-	11.1
ITAWAMBA	53	44	9	18.4	17.1	29.0
JACKSON	277	200	77	14.6	14.7	14.4
JASPER	34	9	25	13.8	9.8	16.2
JEFFERSON	28	0	28	20.4	-	22.0
JEFF DAVIS	39	13	26	26.0	25.5	26.3
JONES	163	100	63	15.6	14.6	17.5
KEMPER	24	5	19	18.9	12.2	22.1
LAFAYETTE	75	55	20	15.4	17.3	11.8
LAMAR	85	63	22	12.8	11.7	17.5
LAUDERDALE	211	90	121	17.7	14.4	21.3
LAWRENCE	38	14	24	22.2	13.9	34.3
LEAKE	63	33	30	16.7	16.9	16.5
LEE	265	144	121	21.4	17.1	30.6
LEFLORE	91	14	77	16.7	12.1	18.0

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 2004

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	74	39	35	16.3	13.4	21.3
LOWNDES	203	72	131	22.3	15.9	28.7
MADISON	244	115	129	19.4	16.9	22.3
MARION	70	41	29	16.6	16.2	17.2
MARSHALL	60	34	26	12.3	13.8	10.8
MONROE	88	42	46	16.7	13.1	22.3
MONTGOMERY	27	7	20	15.5	9.8	19.4
NESHOBA	95	36	59	18.2	15.0	20.8
NEWTON	48	23	25	13.8	11.4	17.1
NOXUBEE	44	7	37	22.3	18.4	23.3
OKTIBBEHA	62	14	48	10.4	5.1	14.9
PANOLA	84	28	56	14.5	12.3	16.0
PEARL RIVER	95	75	20	14.4	13.2	20.8
PERRY	25	15	10	17.4	13.4	31.2
PIKE	93	25	68	14.5	10.0	17.3
PONTOTOC	66	60	6	14.4	14.7	12.2
PRENTISS	57	42	15	17.3	15.5	25.9
QUITMAN	22	3	19	16.2	12.5	17.0
RANKIN	328	249	79	17.5	16.3	22.6
SCOTT	85	51	34	17.4	16.8	18.4
SHARKEY	13	3	10	12.6	12.5	12.6
SIMPSON	77	38	39	18.2	15.0	23.1
SMITH	32	21	11	16.2	15.2	18.6
STONE	36	25	11	17.5	16.1	21.6
SUNFLOWER	101	10	91	22.0	14.1	23.4
TALLAHATCHIE	26	8	18	14.5	15.7	14.1
TATE	50	28	22	12.8	11.0	15.9
TIPPAH	40	29	11	12.0	10.9	16.4
TISHOMINGO	36	36	0	15.9	16.4	-
TUNICA	27	2	25	14.3	7.7	15.3
UNION	48	36	12	14.0	12.8	19.4
WALTHALL	28	6	22	13.0	6.4	18.0
WARREN	144	68	76	19.1	20.8	17.7
WASHINGTON	172	35	137	18.8	15.2	20.1
WAYNE	44	15	29	16.1	10.0	23.6
WEBSTER	15	7	8	10.3	7.3	16.3
WILKINSON	28	4	24	21.4	14.3	23.3
WINSTON	31	14	17	11.2	12.4	10.3
YALOBUSHA	18	10	8	9.0	8.4	9.9
YAZOO	82	18	64	19.5	14.1	21.9

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE * FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2004

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>425</u>	<u>144</u>	<u>281</u>	<u>419</u>	<u>143</u>	<u>276</u>	<u>9.8</u>	<u>6.1</u>	<u>14.3</u>
ADAMS	9	0	9	4	0	4	9.7	-	15.4
ALCORN	1	1	0	0	0	0	-	-	-
AMITE	0	0	0	1	0	1	5.8	-	11.0
ATTALA	0	0	0	1	0	1	3.4	-	7.0
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	6	1	5	5	0	5	8.2	-	11.2
CALHOUN	0	0	0	3	1	2	15.2	7.8	29.0
CARROLL	0	0	0	2	1	1	18.5	16.9	20.4
CHICKASAW	0	0	0	3	2	1	10.7	14.8	6.9
CHOCTAW	0	0	0	0	0	0	-	-	-
CLAIBORNE	0	0	0	1	0	1	6.5	-	7.2
CLARKE	0	0	0	2	1	1	8.6	7.9	9.5
CLAY	8	3	5	5	1	4	16.9	9.2	21.4
COAHOMA	5	1	4	4	1	3	7.9	13.5	6.9
COPIAH	1	0	1	7	3	4	15.8	19.2	13.9
COVINGTON	1	0	1	2	1	1	7.1	6.4	8.0
DESOTO	13	4	9	8	5	3	4.0	3.1	8.7
FORREST	20	11	9	12	7	5	10.4	10.8	9.9
FRANKLIN	0	0	0	2	1	1	21.5	20.0	23.2
GEORGE	0	0	0	0	0	0	-	-	-
GREENE	0	0	0	1	0	1	6.6	-	25.0
GRENADA	8	2	6	4	1	3	14.4	7.4	21.0
HANCOCK	2	2	0	4	3	1	7.3	6.0	23.8
HARRISON	31	18	13	31	14	17	10.3	6.8	17.6
HINDS	126	23	103	52	10	42	13.2	10.1	14.3
HOLMES	0	0	0	5	1	4	12.8	20.8	11.7
HUMPHREYS	0	0	0	4	0	4	21.6	-	25.0
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	0	0	0	-	-	-
JACKSON	14	7	7	12	7	5	6.3	5.1	9.4
JASPER	1	0	1	4	1	3	16.3	10.9	19.5
JEFFERSON	0	0	0	2	0	2	14.6	-	15.7
JEFF DAVIS	0	0	0	1	0	1	6.7	-	10.1
JONES	16	2	14	18	7	11	17.2	10.2	30.6
KEMPER	0	0	0	0	0	0	-	-	-
LAFAYETTE	9	7	2	4	3	1	8.2	9.4	5.9
LAMAR	8	5	3	3	2	1	4.5	3.7	7.9
LAUDERDALE	26	11	15	15	5	10	12.6	8.0	17.6
LAWRENCE	0	0	0	5	2	3	29.2	19.8	42.8
LEAKE	0	0	0	6	0	6	15.9	-	33.0
LEE	19	11	8	13	6	7	10.5	7.1	17.7
LEFLORE	6	0	6	6	0	6	11.0	-	14.0

TABLE 8 - PAGE 2
FETAL DEATHS - MISSISSIPPI - 2004

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	5	2	3	2	1	1	4.4	3.4	6.1
LOWNDES	7	0	7	7	0	7	7.7	-	15.3
MADISON	2	0	2	7	0	7	5.6	-	12.1
MARION	0	0	0	3	1	2	7.1	4.0	11.8
MARSHALL	0	0	0	4	1	3	8.2	4.0	12.5
MONROE	12	7	5	13	7	6	24.7	21.9	29.1
MONTGOMERY	0	0	0	2	1	1	11.5	14.1	9.7
NESHOBA	0	0	0	6	3	3	11.5	12.5	10.6
NEWTON	0	0	0	2	1	1	5.8	5.0	6.8
NOXUBEE	0	0	0	3	0	3	15.2	-	18.9
OKTIBBEHA	8	1	7	6	3	3	10.1	11.0	9.3
PANOLA	4	1	3	8	2	6	13.8	8.8	17.1
PEARL RIVER	2	2	0	1	1	0	1.5	1.8	-
PERRY	0	0	0	0	0	0	-	-	-
PIKE	2	1	1	5	2	3	7.8	8.0	7.6
PONTOTOC	0	0	0	4	4	0	8.8	9.8	-
PRENTISS	0	0	0	0	0	0	-	-	-
QUITMAN	0	0	0	0	0	0	-	-	-
RANKIN	23	11	12	14	7	7	7.4	4.6	20.0
SCOTT	0	0	0	6	2	4	12.3	6.6	21.6
SHARKEY	0	0	0	1	0	1	9.7	-	12.6
SIMPSON	2	2	0	2	1	1	4.7	3.9	5.9
SMITH	0	0	0	4	2	2	20.3	14.5	33.9
STONE	0	0	0	0	0	0	-	-	-
SUNFLOWER	3	1	2	6	2	4	13.0	28.2	10.3
TALLAHATCHIE	0	0	0	0	0	0	-	-	-
TATE	1	0	1	12	4	8	30.6	15.7	58.0
TIPPAH	0	0	0	3	2	1	9.0	7.5	14.9
TISHOMINGO	0	0	0	2	2	0	8.8	9.1	-
TUNICA	0	0	0	4	0	4	21.3	-	24.7
UNION	8	6	2	3	3	0	8.7	10.6	-
WALTHALL	0	0	0	2	0	2	9.2	-	16.4
WARREN	5	0	5	4	1	3	5.3	3.1	7.0
WASHINGTON	9	1	8	14	1	13	15.3	4.3	19.1
WAYNE	1	0	1	0	0	0	-	-	-
WEBSTER	0	0	0	1	0	1	6.9	-	20.4
WILKINSON	0	0	0	1	0	1	7.6	-	9.7
WINSTON	0	0	0	3	1	2	10.8	8.8	12.1
YALOBUSHA	0	0	0	3	2	1	15.0	16.8	12.3
YAZOO	1	0	1	9	0	9	21.4	-	30.8
OUT OF STATE	14	6	8	20	7	13	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2004

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>27,302</u>	<u>18,323</u>	<u>8,979</u>	<u>27,748</u>	<u>18,689</u>	<u>9,059</u>	<u>9.6</u>	<u>10.5</u>	<u>8.1</u>
ADAMS	419	211	208	378	189	189	11.6	13.2	10.3
ALCORN	373	348	25	397	364	33	11.3	11.8	7.5
AMITE	56	34	22	138	84	54	10.3	10.9	9.4
ATTALA	217	145	72	278	184	94	14.1	15.9	11.6
BENTON	40	32	8	86	60	26	11.0	12.0	9.2
BOLIVAR	346	127	219	406	152	254	10.4	11.7	9.8
CALHOUN	103	79	24	174	131	43	11.7	12.6	9.6
CARROLL	50	32	18	103	68	35	9.8	9.9	9.5
CHICKASAW	113	71	42	182	114	68	9.4	10.2	8.3
CHOCTAW	52	32	20	78	57	21	8.1	8.6	7.0
CLAIBORNE	69	18	51	99	22	77	8.6	12.5	7.9
CLARKE	113	76	37	186	127	59	10.5	11.0	9.7
CLAY	174	88	86	208	104	104	9.6	11.3	8.3
COAHOMA	320	92	228	322	101	221	11.0	13.0	10.3
COPIAH	195	101	94	282	155	127	9.7	10.9	8.5
COVINGTON	169	137	32	204	160	44	10.1	12.5	5.9
DESOTO	796	620	176	872	745	127	6.7	6.9	5.5
FORREST	1,073	727	346	668	461	207	9.0	9.8	7.6
FRANKLIN	66	45	21	98	61	37	11.6	11.6	11.8
GEORGE	198	183	15	237	222	15	11.4	11.9	6.9
GREENE	59	51	8	115	95	20	8.7	9.8	5.7
GRENADA	297	176	121	308	184	124	13.5	14.0	12.9
HANCOCK	353	334	19	454	427	27	9.9	10.3	6.2
HARRISON	1,977	1,644	333	1,799	1,463	336	9.4	10.5	6.4
HINDS	3,643	1,880	1,763	1,994	889	1,105	8.0	10.4	6.7
HOLMES	215	79	136	293	93	200	13.8	23.0	11.7
HUMPHREYS	74	21	53	105	31	74	9.9	11.2	9.4
ISSAQUENA	9	6	3	8	4	4	4.0	5.5	3.2
ITAWAMBA	159	153	6	279	266	13	12.0	12.3	7.7
JACKSON	1,109	901	208	1,164	953	211	8.6	9.4	6.2
JASPER	88	60	28	152	86	66	8.4	10.2	6.9
JEFFERSON	55	6	49	101	14	87	10.7	10.9	10.6
JEFF DAVIS	83	45	38	139	69	70	10.6	12.7	9.1
JONES	666	496	170	744	557	187	11.3	11.8	10.0
KEMPER	52	28	24	97	49	48	9.4	12.3	7.5
LAFAYETTE	503	360	143	293	208	85	7.2	7.0	7.6
LAMAR	388	326	62	323	284	39	7.5	7.8	5.9
LAUDERDALE	1,370	869	501	931	614	317	12.0	13.6	9.8
LAWRENCE	86	65	21	137	97	40	10.2	10.8	9.0
LEAKE	182	141	41	235	162	73	10.5	13.0	7.4
LEE	1,431	1,136	295	721	591	130	9.2	10.4	6.1
LEFLORE	421	166	255	372	152	220	10.3	14.2	8.6

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2004

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	268	192	76	329	230	99	9.8	9.8	9.6
LOWNDES	593	367	226	531	329	202	8.8	9.8	7.5
MADISON	704	459	245	984	635	349	12.0	12.9	10.7
MARION	253	189	64	324	233	91	12.7	13.7	10.7
MARSHALL	200	125	75	357	210	147	10.0	12.0	8.1
MONROE	319	253	66	420	321	99	11.1	12.4	8.3
MONTGOMERY	100	61	39	129	71	58	11.0	11.3	10.7
NESHOBA	214	150	64	300	221	79	10.2	11.7	7.4
NEWTON	136	98	38	224	152	72	10.1	10.5	9.3
NOXUBEE	62	22	40	112	36	76	9.1	9.9	8.8
OKTIBBEHA	240	144	96	276	165	111	6.7	6.7	6.6
PANOLA	245	153	92	325	199	126	9.2	11.0	7.3
PEARL RIVER	368	323	45	493	433	60	9.5	9.7	8.1
PERRY	74	63	11	110	87	23	9.0	9.3	7.9
PIKE	444	258	186	445	251	194	11.3	12.8	9.9
PONTOTOC	135	125	10	228	207	21	8.1	8.7	4.8
PRENTISS	195	178	17	260	233	27	10.1	10.6	7.2
QUITMAN	71	34	37	120	50	70	12.4	17.1	10.3
RANKIN	633	515	118	829	710	119	6.4	6.9	4.6
SCOTT	181	134	47	264	177	87	9.2	10.3	7.6
SHARKEY	35	17	18	58	22	36	9.5	12.2	8.4
SIMPSON	246	167	79	280	192	88	10.1	10.7	8.9
SMITH	93	77	16	172	143	29	10.8	11.8	7.7
STONE	81	72	9	141	116	25	9.8	10.2	8.1
SUNFLOWER	221	88	133	300	117	183	9.0	12.8	7.6
TALLAHATCHIE	70	45	25	139	77	62	9.8	13.8	7.1
TATE	155	119	36	230	181	49	8.8	10.1	5.9
TIPPAH	179	158	21	225	194	31	10.7	11.3	8.2
TISHOMINGO	179	174	5	252	244	8	13.2	13.4	10.2
TUNICA	60	33	27	101	36	65	10.0	13.4	8.8
UNION	221	201	20	243	215	28	9.2	9.7	6.6
WALTHALL	110	71	39	157	99	58	10.3	11.9	8.4
WARREN	562	317	245	508	305	203	10.3	11.7	8.8
WASHINGTON	637	266	371	606	256	350	10.2	13.3	8.7
WAYNE	166	112	54	200	137	63	9.4	10.4	7.8
WEBSTER	99	81	18	136	107	29	13.4	13.3	14.0
WILKINSON	139	60	79	133	53	80	13.1	16.9	11.3
WINSTON	162	104	58	221	137	84	11.2	12.6	9.4
YALOBUSHA	88	80	8	164	133	31	12.3	16.4	5.9
YAZOO	202	97	105	262	126	136	9.3	10.0	8.7
OUT OF STATE	1,353	1,002	351	907	636	271	-	-	-

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2004

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	510	427	83
BRANDON	211	191	20
BROOKHAVEN	177	110	67
CANTON	123	45	78
CLARKSDALE	242	79	163
CLEVELAND	157	72	85
CLINTON	174	129	45
COLUMBUS	360	208	152
CORINTH	233	203	30
GAUTIER	118	103	15
GREENVILLE	446	185	261
GREENWOOD	187	62	125
GRENADA	231	127	104
GULFPORT	680	487	193
HATTIESBURG	475	286	189
INDIANOLA	110	39	71
JACKSON	1,460	557	903
LAUREL	287	168	119
LONG BEACH	126	118	8
MCCOMB	204	117	87
MERIDIAN	551	334	217
MOSS POINT	221	109	112
NATCHEZ	249	128	121
OCEAN SPRINGS	255	240	15
PASCAGOULA	236	181	55
PEARL	164	145	19
PICAYUNE	141	94	47
RIDGELAND	533	394	139
SOUTHAVEN	280	261	19
STARKVILLE	182	110	72
TUPELO	359	291	68
VICKSBURG	353	179	174
YAZOO CITY	141	50	91

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>27,748</u>	<u>18,689</u>	<u>9,059</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>826</u>	<u>456</u>	<u>370</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>18</u>	<u>17</u>	<u>1</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>17</u>	<u>16</u>	<u>1</u>
007	Intestinal infections due to other specified organisms	17	16	1
008	Diarrhea and gastroenteritis of presumed infectious origin	1	1	0
<u>009-010</u>	<u>Tuberculosis</u>	<u>9</u>	<u>6</u>	<u>3</u>
009	Respiratory tuberculosis	6	4	2
010	Other tuberculosis	3	2	1
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>525</u>	<u>326</u>	<u>199</u>
017	Meningococcal infection	4	2	2
018	Septicemia	500	310	190
019	Other zoonotic and bacterial diseases	21	14	7
<u>028-044</u>	<u>Viral diseases</u>	<u>229</u>	<u>75</u>	<u>154</u>
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	5	4	1
033	Herpesviral (herpes simplex) infections	1	1	0
034	Zoster (herpes zoster)	1	1	0
038	Viral hepatitis	43	30	13
<u>039-043</u>	<u>Human immunodeficiency virus (HIV) disease</u>	<u>164</u>	<u>31</u>	<u>133</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	63	11	52
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	7	1	6
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	11	1	10
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	30	6	24
043	Unspecified human immunodeficiency virus (HIV) disease	53	12	41
044	All other and unspecified viral diseases	15	8	7
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>45</u>	<u>32</u>	<u>13</u>
045	Mycoses	19	11	8
<u>046-050</u>	<u>Protozoal diseases</u>	<u>1</u>	<u>0</u>	<u>1</u>
049	Pneumocystosis	1	0	1
052	Other and unspecified helminthiases	1	1	0
053	Sequelae of tuberculosis	2	2	0
054	Sequelae of poliomyelitis	4	4	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	18	14	4
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,080</u>	<u>4,140</u>	<u>1,940</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>5,964</u>	<u>4,054</u>	<u>1,910</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>88</u>	<u>54</u>	<u>34</u>
057	Malignant neoplasms of tongue	7	4	3
058	Malignant neoplasms of pharynx	65	41	24
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	16	9	7

Table 10A - Page 2
Deaths - Mississippi - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,368</u>	<u>866</u>	<u>502</u>
060	Malignant neoplasms of esophagus	121	70	51
061	Malignant neoplasms of stomach	128	65	63
062	Malignant neoplasms of small intestine	11	9	2
063	Malignant neoplasms of colon	499	308	191
064	Malignant neoplasms of rectosigmoid junction and rectum	87	64	23
065	Malignant neoplasms of anus and anal canal	5	3	2
066	Malignant neoplasms of liver	151	104	47
067	Intrahepatic bile duct carcinoma	19	11	8
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	32	23	9
069	Malignant neoplasms of pancreas	308	205	103
070	Malignant neoplasms of other and ill-defined digestive organs	7	4	3
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>2,000</u>	<u>1,445</u>	<u>555</u>
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	5	3	2
072	Malignant neoplasms of larynx	25	16	9
073	Malignant neoplasms of trachea, bronchus and lung	1,967	1,423	544
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	3	3	0
076	Malignant neoplasms of bone and articular cartilage	35	20	15
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>83</u>	<u>73</u>	<u>10</u>
077	Malignant melanoma of skin	59	56	3
078	Other malignant neoplasms of skin	24	17	7
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>47</u>	<u>32</u>	<u>15</u>
079	Mesothelioma	14	13	1
080	Kaposi's sarcoma	1	1	0
081	Malignant neoplasms of other mesothelial and soft tissue	32	18	14
820	Malignant neoplasm of breast	449	277	172
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>259</u>	<u>153</u>	<u>106</u>
083	Malignant neoplasms of vulva and vagina	10	6	4
084	Malignant neoplasms of cervix uteri	56	21	35
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	65	33	32
086	Malignant neoplasms of ovary	127	92	35
087	Malignant neoplasms of other and unspecified female genital organs	1	1	0
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>307</u>	<u>150</u>	<u>157</u>
089	Malignant neoplasms of prostate	302	148	154
090	Malignant neoplasms of testis	4	2	2
091	Malignant neoplasms of penis and other and unspecified male genital organs	1	0	1
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>240</u>	<u>192</u>	<u>48</u>
092	Malignant neoplasms of kidney and renal pelvis	134	100	34
093	Malignant neoplasms of bladder	102	89	13
094	Malignant neoplasms of other and unspecified sites within the urinary tract	4	3	1
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>141</u>	<u>119</u>	<u>22</u>
096	Malignant neoplasms of brain	139	118	21
097	Malignant neoplasms of other parts of central nervous system	2	1	1

Table 10A - Page 3
Deaths - Mississippi - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
098	Malignant neoplasms of thyroid and other endocrine glands	26	20	6
099	Other malignant neoplasms of other and unspecified sites	409	282	127
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>512</u>	<u>371</u>	<u>141</u>
100	Hodgkin's disease	15	9	6
101	Non-Hodgkin's lymphoma	178	145	33
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	3	3	0
103	Malignant immunoproliferative diseases	1	1	0
104	Multiple myeloma and malignant plasma cell neoplasms	102	62	40
<u>105-108</u>	<u>Leukemia</u>	<u>213</u>	<u>151</u>	<u>62</u>
105	Lymphoid leukemia	47	36	11
106	Myeloid leukemia	98	64	34
108	Other and unspecified leukemia	68	51	17
<u>111-113</u>	<u>Benign neoplasms</u>	<u>11</u>	<u>8</u>	<u>3</u>
111	Benign neoplasms of female genital organs	1	0	1
112	Benign neoplasms of eye, brain and other parts of central nervous system	3	2	1
113	Benign neoplasms of other and unspecified sites	7	6	1
114	Neoplasms of uncertain or unknown behavior of specified sites	97	73	24
115	Neoplasm of uncertain or unknown behavior of unspecified sites	8	5	3
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>97</u>	<u>55</u>	<u>42</u>
<u>116-119</u>	<u>Anemias</u>	<u>39</u>	<u>22</u>	<u>17</u>
116	Nutritional anemias	2	2	0
117	Hemolytic anemias	10	2	8
118	Aplastic anemias	6	4	2
119	Acute posthemorrhagic and other anemias	21	14	7
120	Coagulation defects, purpura and other hemorrhagic conditions	17	11	6
121	Other diseases of blood and blood-forming organs	19	15	4
122	Certain disorders involving the immune mechanism	22	7	15
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>935</u>	<u>519</u>	<u>416</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>690</u>	<u>368</u>	<u>322</u>
123	Disorders of thyroid gland	19	13	6
124	Diabetes mellitus	658	352	306
126	Disorders of adrenal glands	3	2	1
128	Other endocrine diseases	10	1	9
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>41</u>	<u>22</u>	<u>19</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>40</u>	<u>21</u>	<u>19</u>
130	Other and unspecified malnutrition	40	21	19
131	Other nutritional deficiencies	1	1	0
132	Obesity and other hyperalimentation	41	19	22
<u>133-135</u>	<u>Metabolic disorders</u>	<u>163</u>	<u>110</u>	<u>53</u>

Table 10A - Page 4
Deaths - Mississippi - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
133	Cystic fibrosis	4	3	1
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	129	88	41
135	Other metabolic disorders	30	19	11
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>539</u>	<u>412</u>	<u>127</u>
136	Organic dementia	377	288	89
137	Other and unspecified organic mental disorders	38	30	8
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>97</u>	<u>68</u>	<u>29</u>
138	Mental and behavioral disorders due to use of alcohol	77	55	22
139	Mental and behavioral disorders due to other psychoactive substance use	20	13	7
140	Schizophrenia, schizotypal and delusional disorders	4	4	0
141	Mood (affective) disorders	5	5	0
142	Neurotic, stress-related and somatoform disorders	1	1	0
143	Mental retardation	11	10	1
144	Other and unspecified mental and behavioral disorders	6	6	0
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,062</u>	<u>818</u>	<u>244</u>
145	Meningitis	13	7	6
146	Other inflammatory diseases of central nervous system	3	1	2
147	Parkinson's disease	142	129	13
148	Alzheimer's disease	622	514	108
149	Multiple sclerosis	23	18	5
150	Epilepsy	24	9	15
151	Transient cerebral ischemic attacks and related syndromes	4	4	0
152	Infantile cerebral palsy	17	7	10
153	All other diseases of nervous system	214	129	85
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,549</u>	<u>7,110</u>	<u>3,439</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>10,505</u>	<u>7,089</u>	<u>3,416</u>
156	Acute rheumatic fever	1	1	0
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>19</u>	<u>13</u>	<u>6</u>
157	Rheumatic mitral valve diseases	11	8	3
159	Disorders of both mitral and aortic valves	4	3	1
160	Other chronic rheumatic heart diseases	4	2	2
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>978</u>	<u>513</u>	<u>465</u>
161	Essential (primary) hypertension	209	115	94
162	Hypertensive heart disease	568	321	247
163	Hypertensive renal disease	138	57	81
164	Hypertensive heart and renal disease	63	20	43
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>4,582</u>	<u>3,306</u>	<u>1,276</u>
165	Acute myocardial infarction	2,000	1,351	649

Table 10A - Page 5
Deaths - Mississippi - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
166	Other acute ischemic heart diseases	19	7	12
167	Atherosclerotic cardiovascular disease, so described	603	487	116
168	All other forms of chronic ischemic heart disease	1,960	1,461	499
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>196</u>	<u>121</u>	<u>75</u>
169	Pulmonary embolism	134	80	54
170	Other pulmonary heart disease and diseases of pulmonary circulation	62	41	21
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,817</u>	<u>1,903</u>	<u>914</u>
171	Acute and subacute endocarditis	16	6	10
172	Diseases of pericardium and acute myocarditis	15	7	8
173	Nonrheumatic mitral valve disorders	20	14	6
174	Nonrheumatic aortic valve disorders	76	61	15
175	All other diseases of endocardium	33	25	8
176	Cardiomyopathy	289	176	113
177	Conduction disorders and cardiac dysrhythmias	722	453	269
178	Congestive heart failure	1,240	899	341
179	Other and unspecified heart failure	117	81	36
180	Myocarditis, unspecified and myocardial degeneration	5	2	3
181	All other and ill-defined forms of heart disease	284	179	105
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,632</u>	<u>1,037</u>	<u>595</u>
182	Subarachnoid hemorrhage	49	36	13
183	Intracerebral and other intracranial hemorrhage	329	189	140
184	Cerebral infarction	124	89	35
185	Stroke, not specified as hemorrhage or infarction	955	607	348
186	Other cerebrovascular diseases and their sequelae	175	116	59
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>280</u>	<u>195</u>	<u>85</u>
187	Atherosclerosis	42	30	12
188	Aortic aneurysm and dissection	134	93	41
189	Other diseases of arteries, arterioles and capillaries	104	72	32
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>44</u>	<u>21</u>	<u>23</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	31	12	19
191	All other and unspecified disorders of circulatory system	13	9	4
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,521</u>	<u>1,984</u>	<u>537</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>1</u>	<u>0</u>	<u>1</u>
193	Acute laryngitis and tracheitis	1	0	1
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,520</u>	<u>1,984</u>	<u>536</u>
195	Influenza	10	9	1
<u>196-198</u>	<u>Pneumonia</u>	<u>625</u>	<u>437</u>	<u>188</u>
196	Viral pneumonia, not elsewhere classified	5	1	4
197	Bacterial pneumonia	27	24	3
198	Pneumonia due to other or unspecified organisms	593	412	181
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>3</u>	<u>3</u>	<u>0</u>
199	Acute bronchitis and bronchiolitis	3	3	0
201	Other diseases of upper respiratory tract	7	6	1
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,343</u>	<u>1,137</u>	<u>206</u>
202	Bronchitis, not specified as acute or chronic	9	8	1
203	Chronic bronchitis	2	2	0
204	Emphysema	119	95	24

Table 10A - Page 6
Deaths - Mississippi - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
205	Other chronic obstructive pulmonary disease	1,160	1,012	148
206	Asthma	46	13	33
207	Bronchiectasis	7	7	0
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>200</u>	<u>140</u>	<u>60</u>
208	Pneumoconioses and chemical effects	16	12	4
209	Pneumonitis due to food and vomit	181	125	56
211	Other lung diseases due to external agents	3	3	0
212	Suppurative and necrotic conditions of lower respiratory tract	2	2	0
213	Pleural effusion and plaque	14	5	9
214	All other diseases of respiratory system	316	245	71
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>939</u>	<u>661</u>	<u>278</u>
215	Diseases of oral cavity, salivary glands and jaws	2	2	0
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>937</u>	<u>659</u>	<u>278</u>
216	Diseases of esophagus	15	13	2
<u>217-220</u>	<u>Peptic ulcer</u>	<u>43</u>	<u>31</u>	<u>12</u>
217	Gastric ulcer	12	9	3
218	Duodenal ulcer	16	8	8
219	Peptic ulcer, site unspecified	15	14	1
221	Gastritis and duodenitis	4	2	2
222	Dyspepsia and other diseases of stomach and duodenum	8	6	2
223	Diseases of appendix	3	2	1
224	Hernia	9	7	2
225	Crohn's disease and ulcerative colitis	4	4	0
226	Vascular disorders and obstruction of intestine without hernia	169	108	61
227	Diverticular disease of intestine	23	15	8
228	Other diseases of intestines and peritoneum	55	35	20
229	Diseases of peritoneum	18	12	6
<u>230-233</u>	<u>Diseases of liver</u>	<u>383</u>	<u>282</u>	<u>101</u>
230	Alcoholic liver disease	91	61	30
231	Chronic hepatitis, not elsewhere classified	3	3	0
232	Fibrosis and cirrhosis of liver	171	138	33
233	Other diseases of liver	118	80	38
234	Cholelithiasis and other disorders of gallbladder	39	30	9
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>58</u>	<u>34</u>	<u>24</u>
235	Pancreatitis	51	29	22
236	Other disorders of biliary tract and pancreas	7	5	2
237	All other diseases of digestive system	106	78	28
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>60</u>	<u>22</u>	<u>38</u>
238	Infections of skin and subcutaneous tissue	19	8	11
239	Other and unspecified diseases of skin and subcutaneous tissue	41	14	27
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>109</u>	<u>69</u>	<u>40</u>

Table 10A - Page 7
Deaths - Mississippi - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
240	Rheumatoid arthritis and related inflammatory polyarthropathies	11	8	3
241	Systemic lupus erythematosus	25	12	13
240	Rheumatoid arthritis and related inflammatory polyarthropathies	11	8	3
241	Systemic lupus erythematosus	25	12	13
242	Other arthropathies and related disorders	33	21	12
243	Dorsopathies	9	7	2
244	Soft tissue disorders	13	8	5
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>18</u>	<u>13</u>	<u>5</u>
245	Osteoporosis	4	4	0
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	14	9	5
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>906</u>	<u>520</u>	<u>386</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>893</u>	<u>513</u>	<u>380</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>8</u>	<u>7</u>	<u>1</u>
248	Nephrotic syndrome	3	3	0
249	Other and unspecified glomerular diseases	5	4	1
250	Renal tubulo-interstitial diseases	12	7	5
251	Renal failure	654	353	301
252	Urolithiasis	4	2	2
253	Other and unspecified disorders of kidney	1	1	0
254	Urinary tract infection, site not specified	199	135	64
255	Other diseases of urinary system	15	8	7
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>9</u>	<u>5</u>	<u>4</u>
256	Hyperplasia of prostate	1	0	1
257	Other diseases of male genital organs	8	5	3
258	Disorders of breast	1	0	1
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>3</u>	<u>2</u>	<u>1</u>
259	Inflammatory diseases of female pelvic organs	1	0	1
260	Noninflammatory disorders of female genital tract	2	2	0
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>11</u>	<u>4</u>	<u>7</u>
<u>261-265</u>	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>1</u>	<u>0</u>
261	Ectopic pregnancy	1	1	0
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>1</u>	<u>1</u>	<u>0</u>
268	Obstetric embolism	1	1	0
270	All other direct obstetric causes	4	1	3
272	Other deaths related to pregnancy, childbirth and the puerperium	3	0	3
273	Indirect obstetric deaths	2	1	1
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>189</u>	<u>49</u>	<u>140</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	16	3	13

Table 10A - Page 8
Deaths - Mississippi - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
275	Disorders related to short gestation and low birth weight, not elsewhere classified	79	22	57
277	Intrauterine hypoxia and birth asphyxia	4	3	1
278	Respiratory distress of newborn	10	0	10
279	Other respiratory conditions originating in the perinatal period	24	4	20
280	Infections specific to the perinatal period	16	5	11
281	Other and unspecified conditions originating in the perinatal period	40	12	28
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>116</u>	<u>63</u>	<u>53</u>
282	Anencephaly and similar malformations	2	2	0
283	Spina bifida	2	1	1
284	All other congenital malformations of nervous system	7	2	5
285	Congenital malformations of heart	30	20	10
286	Other congenital malformations of circulatory system	6	3	3
287	Congenital malformations of respiratory system	10	4	6
288	Other congenital malformations and deformations	36	15	21
289	Down's syndrome	10	5	5
290	All other chromosomal abnormalities, not elsewhere classified	13	11	2
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>395</u>	<u>246</u>	<u>149</u>
291	Senility	29	23	6
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>153</u>	<u>82</u>	<u>71</u>
292	Sudden infant death syndrome	71	32	39
293	Other ill-defined and unknown causes of mortality	82	50	32
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	213	141	72
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,414</u>	<u>1,561</u>	<u>853</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,689</u>	<u>1,110</u>	<u>579</u>
295	Railway accidents	10	5	5
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>907</u>	<u>561</u>	<u>346</u>
296	Pedestrian involved in collision with motor vehicle	53	30	23
297	Pedal cyclist involved in collision with motor vehicle	5	2	3
298	Motorcyclist involved in any accident except collision with railway train	40	26	14
300	Other motor vehicle accident involving collision with railway train	7	3	4
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	184	104	80
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	327	209	118
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	2	2	0

Table 10A - Page 9
Deaths - Mississippi - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
304	Occupant of motor vehicle involved in noncollision accident	172	109	63
305	Occupant of special-use motor vehicle involved in any accident	27	21	6
306	Other and unspecified motor vehicle accidents	90	55	35
308	Other and unspecified land transport accidents	2	0	2
309	Water transport accidents	14	7	7
310	Air and space transport accidents	9	9	0
311	Other and unspecified transport accidents and their sequelae	10	7	3
<u>312-314</u>	<u>Falls</u>	<u>181</u>	<u>158</u>	<u>23</u>
312	Fall on same level	67	58	9
313	Fall from one level to another	32	32	0
314	Unspecified fall	82	68	14
315	Accidental discharge of firearms	17	12	5
316	Accidental explosion	7	2	5
317	Accidental drowning and submersion	47	26	21
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	80	48	32
319	Other accidental and unspecified threats to breathing	6	1	5
320	Accidental exposure to electric current	7	6	1
322	Accidental exposure to smoke, fire and flames	86	39	47
323	Accidental contact with heat and hot substances	4	2	2
326	Cataclysmic storm and flood	1	0	1
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>187</u>	<u>153</u>	<u>34</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	170	143	27
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	13	10	3
329	Accidental poisoning by and exposure to other gases and vapors	4	0	4
330	All other and unspecified accidents and their sequelae	114	74	40
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>349</u>	<u>295</u>	<u>54</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	25	21	4
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	2	1	1
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	12	12	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	50	36	14
335	Intentional self-harm (suicide) by discharge of firearms	245	213	32
336	Intentional self-harm (suicide) by jumping from a high place	3	2	1
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	12	10	2
<u>338-346</u>	<u>Assault (homicide)</u>	<u>279</u>	<u>93</u>	<u>186</u>
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	2	2	0
339	Assault (homicide) by hanging, strangulation and suffocation	5	2	3
340	Assault (homicide) by discharge of firearms	199	55	144
341	Assault (homicide) by sharp object	28	10	18
342	Assault (homicide) by blunt object	6	1	5

Table 10A - Page 10
 Deaths - Mississippi - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
345	Neglect, abandonment and other maltreatment syndromes	2	1	1
346	Assault (homicide) by all other and unspecified means and their sequelae	37	22	15
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>35</u>	<u>25</u>	<u>10</u>
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	23	20	3
350	Discharge of firearms, undetermined intent	2	1	1
352	All other and unspecified events of undetermined intent and their sequelae	10	4	6
<u>353-354</u>	<u>Legal intervention</u>	<u>4</u>	<u>1</u>	<u>3</u>
354	Other legal intervention and their sequelae	4	1	3
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>58</u>	<u>37</u>	<u>21</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	7	4	3
357	Misadventures to patients during medical and surgical care and their sequelae	6	5	1
358	Other complications of medical and surgical care and their sequelae	45	28	17
358	Other complications of medical and surgical care and their sequelae	45	28	17

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2004**

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>27,748</u>	<u>18,689</u>	<u>9,059</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>826</u>	<u>456</u>	<u>370</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>18</u>	<u>17</u>	<u>1</u>
A04	Other bacterial intestinal infections	16	15	1
A08	Viral and other specified intestinal infections	1	1	0
A09	Diarrhea and gastroenteritis of presumed infectious origin	1	1	0
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>9</u>	<u>6</u>	<u>3</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	6	4	2
A18	Tuberculosis of other organs	2	1	1
A19	Miliary tuberculosis	1	1	0
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>525</u>	<u>326</u>	<u>199</u>
A31	Infection due to other mycobacteria	3	3	0
A39	Meningococcal infection	4	2	2
A40	Streptococcal septicemia	7	3	4
A41	Other septicemia	493	307	186
A43	Nocardiosis	2	2	0
A49	Bacterial infection of unspecified site	16	9	7
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>4</u>	<u>2</u>	<u>2</u>
A86	Unspecified viral encephalitis	3	2	1
A87	Viral meningitis	1	0	1
<u>A90-A99</u>	<u>Arthropod-borne viral fevers and viral hemorrhagic fevers</u>	<u>5</u>	<u>4</u>	<u>1</u>
A92	Other mosquito-borne viral fevers	5	4	1
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>4</u>	<u>4</u>	<u>0</u>
B00	Herpes-viral [herpes simplex] infections	1	1	0
B01	Varicella [chickenpox]	2	2	0
B02	Zoster [herpes zoster]	1	1	0
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>43</u>	<u>30</u>	<u>13</u>
B16	Acute hepatitis B	2	0	2
B17	Other acute viral hepatitis	38	28	10
B18	Chronic viral hepatitis	3	2	1
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>164</u>	<u>31</u>	<u>133</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	63	11	52
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	7	1	6
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	11	1	10
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	30	6	24
B24	Unspecified human immunodeficiency virus [HIV] disease	53	12	41
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>9</u>	<u>4</u>	<u>5</u>
B25	Cytomegaloviral disease	2	1	1

Table 10B - Page 2
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
B33	Other viral diseases, not elsewhere classified	1	0	1
B34	Viral infection of unspecified site	6	3	3
<u>B35-B49</u>	<u>Mycoses</u>	<u>19</u>	<u>11</u>	<u>8</u>
B37	Candidiasis	3	0	3
B40	Blastomycosis	2	2	0
B42	Sporotrichosis	1	1	0
B44	Aspergillosis	3	2	1
B45	Cryptococcosis	3	2	1
B49	Unspecified mycosis	7	4	3
<u>B50-B64</u>	<u>Protozoal diseases</u>	<u>1</u>	<u>0</u>	<u>1</u>
B59	Pneumocystosis	1	0	1
<u>B65-B83</u>	<u>Helminthiases</u>	<u>1</u>	<u>1</u>	<u>0</u>
B78	Strongyloidiasis	1	1	0
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>21</u>	<u>17</u>	<u>4</u>
B90	Sequelae of tuberculosis	2	2	0
B91	Sequelae of poliomyelitis	4	4	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	15	11	4
B99	Other and unspecified infectious diseases	3	3	0
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,080</u>	<u>4,140</u>	<u>1,940</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>5,964</u>	<u>4,054</u>	<u>1,910</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>88</u>	<u>54</u>	<u>34</u>
C01	Malignant neoplasm of base of tongue	1	0	1
C02	Malignant neoplasm of other and unspecified parts of tongue	6	4	2
C03	Malignant neoplasm of gum	1	1	0
C04	Malignant neoplasm of floor of mouth	1	1	0
C05	Malignant neoplasm of palate	3	2	1
C06	Malignant neoplasm of other and unspecified parts of mouth	5	3	2
C07	Malignant neoplasm of parotid gland	2	2	0
C08	Malignant neoplasm of other and unspecified major salivary glands	2	0	2
C09	Malignant neoplasm of tonsil	2	0	2
C10	Malignant neoplasm of oropharynx	1	1	0
C11	Malignant neoplasm of nasopharynx	6	6	0
C12	Malignant neoplasm of pyriform sinus	1	1	0
C13	Malignant neoplasm of hypopharynx	2	1	1
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	55	32	23
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,368</u>	<u>866</u>	<u>502</u>
C15	Malignant neoplasm of esophagus	121	70	51
C16	Malignant neoplasm of stomach	128	65	63
C17	Malignant neoplasm of small intestine	11	9	2
C18	Malignant neoplasm of colon	499	308	191
C19	Malignant neoplasm of rectosigmoid junction	22	16	6

Table 10B - Page 3
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C20	Malignant neoplasm of rectum	65	48	17
C21	Malignant neoplasm of anus and anal canal	5	3	2
C22	Malignant neoplasm of liver and intrahepatic bile ducts	170	115	55
C23	Malignant neoplasm of gallbladder	16	12	4
C24	Malignant neoplasm of other and unspecified parts of biliary tract	16	11	5
C25	Malignant neoplasm of pancreas	308	205	103
C26	Malignant neoplasm of other and ill-defined digestive organs	7	4	3
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>2,000</u>	<u>1,445</u>	<u>555</u>
C30	Malignant neoplasm of nasal cavity and middle ear	1	1	0
C31	Malignant neoplasm of accessory sinuses	4	2	2
C32	Malignant neoplasm of larynx	25	16	9
C33	Malignant neoplasm of trachea	2	2	0
C34	Malignant neoplasm of bronchus and lung	1,965	1,421	544
C37	Malignant neoplasm of thymus	3	3	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>35</u>	<u>20</u>	<u>15</u>
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	35	20	15
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>83</u>	<u>73</u>	<u>10</u>
C43	Malignant melanoma of skin	59	56	3
C44	Other malignant neoplasms of skin	24	17	7
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>47</u>	<u>32</u>	<u>15</u>
C45	Mesothelioma	14	13	1
C46	Kaposi's sarcoma	1	1	0
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	2	1	1
C48	Malignant neoplasm of retroperitoneum and peritoneum	5	0	5
C49	Malignant neoplasm of other connective and soft tissue	25	17	8
C50	Malignant neoplasm of breast	449	277	172
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>259</u>	<u>153</u>	<u>106</u>
C51	Malignant neoplasm of vulva	7	4	3
C52	Malignant neoplasm of vagina	3	2	1
C53	Malignant neoplasm of cervix uteri	56	21	35
C54	Malignant neoplasm of corpus uteri	28	18	10
C55	Malignant neoplasm of uterus, part unspecified	37	15	22
C56	Malignant neoplasm of ovary	127	92	35
C57	Malignant neoplasm of other and unspecified female genital organs	1	1	0
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>307</u>	<u>150</u>	<u>157</u>
C60	Malignant neoplasm of penis	1	0	1
C61	Malignant neoplasm of prostate	302	148	154
C62	Malignant neoplasm of testis	4	2	2
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>240</u>	<u>192</u>	<u>48</u>
C64	Malignant neoplasm of kidney, except renal pelvis	134	100	34
C66	Malignant neoplasm of ureter	1	1	0
C67	Malignant neoplasm of bladder	102	89	13

Table 10B - Page 4
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C68	Malignant neoplasm of other and unspecified urinary organs	3	2	1
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>141</u>	<u>119</u>	<u>22</u>
C70	Malignant neoplasm of meninges	1	0	1
C71	Malignant neoplasm of brain	139	118	21
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	1	1	0
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>26</u>	<u>20</u>	<u>6</u>
C73	Malignant neoplasm of thyroid gland	15	12	3
C74	Malignant neoplasm of adrenal gland	9	7	2
C75	Malignant neoplasm of other endocrine glands and related structures	2	1	1
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>349</u>	<u>240</u>	<u>109</u>
C76	Malignant neoplasm of other and ill-defined sites	34	21	13
C77	Secondary and unspecified malignant neoplasm of lymph nodes	1	0	1
C78	Secondary malignant neoplasm of respiratory and digestive organs	24	20	4
C79	Secondary malignant neoplasm of other sites	38	21	17
C80	Malignant neoplasm without specification of site	252	178	74
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>512</u>	<u>371</u>	<u>141</u>
C81	Hodgkin's disease	15	9	6
C82	Follicular [nodular] non-Hodgkin's lymphoma	3	2	1
C83	Diffuse non-Hodgkin's lymphoma	20	17	3
C84	Peripheral and cutaneous T-cell lymphomas	9	6	3
C85	Other and unspecified types of non-Hodgkin's lymphoma	146	120	26
C88	Malignant immunoproliferative diseases	1	1	0
C90	Multiple myeloma and malignant plasma cell neoplasms	102	62	40
C91	Lymphoid leukemia	47	36	11
C92	Myeloid leukemia	98	64	34
C94	Other leukemias of specified cell type	1	1	0
C95	Leukemia of unspecified cell type	67	50	17
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	3	3	0
C97	Malignant neoplasms of independent (primary) multiple sites	60	42	18
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>11</u>	<u>8</u>	<u>3</u>
D14	Benign neoplasm of middle ear and respiratory system	1	1	0
D15	Benign neoplasm of other and unspecified intrathoracic organs	1	1	0
D18	Hemangioma and lymphangioma, any site	1	0	1
D21	Other benign neoplasms of connective and other soft tissue	2	2	0
D25	Leiomyoma of uterus	1	0	1
D30	Benign neoplasm of urinary organs	1	1	0
D32	Benign neoplasm of meninges	3	2	1
D35	Benign neoplasm of other and unspecified endocrine glands	1	1	0

Table 10B - Page 5
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>105</u>	<u>78</u>	<u>27</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	8	7	1
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	7	6	1
D39	Neoplasm of uncertain or unknown behavior of female genital organs	1	1	0
D41	Neoplasm of uncertain or unknown behavior of urinary organs	1	1	0
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	47	32	15
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	4	1	3
D45	Polycythemia vera	1	1	0
D46	Myelodysplastic syndromes	19	18	1
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	9	6	3
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	8	5	3
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>97</u>	<u>55</u>	<u>42</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>2</u>	<u>2</u>	<u>0</u>
D50	Iron deficiency anemia	1	1	0
D51	Vitamin B-12 deficiency anemia	1	1	0
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>10</u>	<u>2</u>	<u>8</u>
D57	Sickle-cell disorders	6	0	6
D58	Other hereditary hemolytic anemias	1	0	1
D59	Acquired hemolytic anemia	3	2	1
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>27</u>	<u>18</u>	<u>9</u>
D61	Other aplastic anemias	6	4	2
D64	Other anemias	21	14	7
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>17</u>	<u>11</u>	<u>6</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	2	0	2
D68	Other coagulation defects	7	7	0
D69	Purpura and other hemorrhagic conditions	8	4	4
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>19</u>	<u>15</u>	<u>4</u>
D70	Agranulocytosis	4	2	2
D71	Functional disorders of polymorphonuclear neutrophils	1	0	1
D72	Other disorders of white blood cells	8	8	0
D73	Diseases of spleen	3	3	0
D74	Methemoglobinemia	1	0	1
D75	Other diseases of blood and blood-forming organs	1	1	0

Table 10B - Page 6
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
D76	Certain diseases involving lymphoreticular tissue and reticulohistiocytic system	1	1	0
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>22</u>	<u>7</u>	<u>15</u>
D84	Other immunodeficiencies	6	2	4
D86	Sarcoidosis	16	5	11
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>935</u>	<u>519</u>	<u>416</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>19</u>	<u>13</u>	<u>6</u>
E03	Other hypothyroidism	11	8	3
E04	Other nontoxic goiter	2	1	1
E05	Thyrotoxicosis [hyperthyroidism]	5	3	2
E07	Other disorders of thyroid	1	1	0
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>658</u>	<u>352</u>	<u>306</u>
E10	Insulin-dependent diabetes mellitus	46	22	24
E11	Noninsulin-dependent diabetes mellitus	76	48	28
E14	Unspecified diabetes mellitus	536	282	254
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>7</u>	<u>1</u>	<u>6</u>
E16	Other disorders of pancreatic internal secretion	7	1	6
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>6</u>	<u>2</u>	<u>4</u>
E21	Hyperparathyroidism and other disorders of parathyroid gland	3	0	3
E27	Other disorders of adrenal gland	3	2	1
<u>E40-E46</u>	<u>Malnutrition</u>	<u>40</u>	<u>21</u>	<u>19</u>
E43	Unspecified severe protein-energy malnutrition	5	1	4
E46	Unspecified protein-energy malnutrition	35	20	15
<u>E50-E64</u>	<u>Other nutritional deficiencies</u>	<u>1</u>	<u>1</u>	<u>0</u>
E63	Other nutritional deficiencies	1	1	0
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>41</u>	<u>19</u>	<u>22</u>
E66	Obesity	41	19	22
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>163</u>	<u>110</u>	<u>53</u>
E76	Disorders of glycosaminoglycan metabolism	2	1	1
E78	Disorders of lipoprotein metabolism and other lipidemias	13	10	3
E79	Disorders of purine and pyrimidine metabolism	2	1	1
E83	Disorders of mineral metabolism	2	1	1
E84	Cystic fibrosis	4	3	1
E85	Amyloidosis	8	4	4
E86	Volume depletion	79	54	25
E87	Other disorders of fluid, electrolyte, and acid-base balance	50	34	16
E88	Other metabolic disorders	3	2	1
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>539</u>	<u>412</u>	<u>127</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>415</u>	<u>318</u>	<u>97</u>
F03	Unspecified dementia	377	288	89
F05	Delirium, not induced by alcohol and other psychoactive substances	1	1	0

Table 10B - Page 7
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	37	29	8
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>97</u>	<u>68</u>	<u>29</u>
F10	Mental and behavioral disorders due to use of alcohol	77	55	22
F11	Mental and behavioral disorders due to use of opioids	1	1	0
F13	Mental and behavioral disorders due to use of sedatives or hypnotics	1	1	0
F14	Mental and behavioral disorders due to use of cocaine	4	1	3
F17	Mental and behavioral disorders due to use of tobacco	2	2	0
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	12	8	4
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>4</u>	<u>4</u>	<u>0</u>
F20	Schizophrenia	3	3	0
F29	Unspecified nonorganic psychosis	1	1	0
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>5</u>	<u>5</u>	<u>0</u>
F31	Bipolar affective disorder	2	2	0
F32	Depressive episode	3	3	0
<u>F40-F48</u>	<u>Neurotic, stress-related and somatoform disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
F43	Reaction to severe stress, and adjustment disorders	1	1	0
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>6</u>	<u>6</u>	<u>0</u>
F50	Eating disorders	3	3	0
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	3	3	0
<u>F70-F79</u>	<u>Mental retardation</u>	<u>11</u>	<u>10</u>	<u>1</u>
F73	Profound mental retardation	6	5	1
F79	Unspecified mental retardation	5	5	0
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,062</u>	<u>818</u>	<u>244</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>16</u>	<u>8</u>	<u>8</u>
G00	Bacterial meningitis, not elsewhere classified	5	1	4
G03	Meningitis due to other and unspecified causes	8	6	2
G04	Encephalitis, myelitis, and encephalomyelitis	1	0	1
G06	Intracranial and intraspinal abscess and granuloma	1	0	1
G09	Sequelae of inflammatory diseases of central nervous system	1	1	0
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>52</u>	<u>40</u>	<u>12</u>
G10	Huntington's disease	10	6	4
G11	Hereditary ataxia	3	2	1
G12	Spinal muscular atrophy and related syndromes	39	32	7
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>143</u>	<u>129</u>	<u>14</u>
G20	Parkinson's disease	142	129	13
G24	Dystonia	1	0	1
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>633</u>	<u>523</u>	<u>110</u>

Table 10B - Page 8
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G30	Alzheimer's disease	622	514	108
G31	Other degenerative diseases of nervous system, not elsewhere classified	11	9	2
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>25</u>	<u>19</u>	<u>6</u>
G35	Multiple sclerosis	23	18	5
G36	Other acute disseminated demyelination	1	0	1
G37	Other demyelinating diseases of central nervous system	1	1	0
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>36</u>	<u>19</u>	<u>17</u>
G40	Epilepsy	17	7	10
G41	Status epilepticus	7	2	5
G45	Transient cerebral ischemic attacks and related syndromes	4	4	0
G47	Sleep disorders	8	6	2
<u>G50-G59</u>	<u>Nerve, nerve root and plexus disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
G58	Other mononeuropathies	1	1	0
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>6</u>	<u>4</u>	<u>2</u>
G60	Hereditary and idiopathic neuropathy	1	1	0
G61	Inflammatory polyneuropathy	2	1	1
G62	Other polyneuropathies	3	2	1
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>20</u>	<u>15</u>	<u>5</u>
G70	Myasthenia gravis and other myoneural disorders	6	5	1
G71	Primary disorders of muscles	11	8	3
G72	Other myopathies	3	2	1
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>23</u>	<u>9</u>	<u>14</u>
G80	Infantile cerebral palsy	17	7	10
G82	Paraplegia and tetraplegia	6	2	4
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>107</u>	<u>51</u>	<u>56</u>
G90	Disorders of autonomic nervous system	1	1	0
G91	Hydrocephalus	6	0	6
G93	Other disorders of brain	96	47	49
G95	Other diseases of spinal cord	2	1	1
G96	Other disorders of central nervous system	2	2	0
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,549</u>	<u>7,110</u>	<u>3,439</u>
<u>I00-I02</u>	<u>Acute rheumatic fever</u>	<u>1</u>	<u>1</u>	<u>0</u>
I00	Rheumatic fever without mention of heart involvement	1	1	0
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>19</u>	<u>13</u>	<u>6</u>
I05	Rheumatic mitral valve diseases	11	8	3
I08	Multiple valve diseases	4	3	1

Table 10B - Page 9
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
I09	Other rheumatic heart diseases	4	2	2
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>978</u>	<u>513</u>	<u>465</u>
I10	Essential (primary) hypertension	209	115	94
I11	Hypertensive heart disease	568	321	247
I12	Hypertensive renal disease	138	57	81
I13	Hypertensive heart and renal disease	63	20	43
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>4,582</u>	<u>3,306</u>	<u>1,276</u>
I20	Angina pectoris	5	4	1
I21	Acute myocardial infarction	2,000	1,351	649
I24	Other acute ischemic heart diseases	19	7	12
I25	Chronic ischemic heart disease	2,558	1,944	614
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>196</u>	<u>121</u>	<u>75</u>
I26	Pulmonary embolism	134	80	54
I27	Other pulmonary heart diseases	60	40	20
I28	Other diseases of pulmonary vessels	2	1	1
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,817</u>	<u>1,903</u>	<u>914</u>
I30	Acute pericarditis	1	1	0
I31	Other diseases of pericardium	11	6	5
I33	Acute and subacute endocarditis	16	6	10
I34	Nonrheumatic mitral valve disorders	20	14	6
I35	Nonrheumatic aortic valve disorders	76	61	15
I37	Pulmonary valve disorders	1	1	0
I38	Endocarditis, valve unspecified	32	24	8
I40	Acute myocarditis	3	0	3
I42	Cardiomyopathy	289	176	113
I44	Atrioventricular and left bundle-branch block	3	3	0
I45	Other conduction disorders	2	2	0
I46	Cardiac arrest	537	324	213
I47	Paroxysmal tachycardia	8	6	2
I48	Atrial fibrillation and flutter	110	79	31
I49	Other cardiac arrhythmias	62	39	23
I50	Heart failure	1,357	980	377
I51	Complications and ill-defined descriptions of heart disease	289	181	108
<u>I60-I69</u>	<u>Cerebrovascular diseases</u>	<u>1,632</u>	<u>1,037</u>	<u>595</u>
I60	Subarachnoid hemorrhage	49	36	13
I61	Intracerebral hemorrhage	199	120	79
I62	Other nontraumatic intracranial hemorrhage	130	69	61
I63	Cerebral infarction	124	89	35
I64	Stroke, not specified as hemorrhage or infarction	955	607	348
I67	Other cerebrovascular diseases	74	50	24
I69	Sequelae of cerebrovascular disease	101	66	35
<u>I70-I78</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>280</u>	<u>195</u>	<u>85</u>
I70	Atherosclerosis	42	30	12
I71	Aortic aneurysm and dissection	134	93	41
I72	Other aneurysm	11	9	2

Table 10B - Page 10
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
173	Other peripheral vascular diseases	56	31	25
174	Arterial embolism and thrombosis	14	13	1
177	Other disorders of arteries and arterioles	22	18	4
178	Diseases of capillaries	1	1	0
<u>180-189</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>40</u>	<u>19</u>	<u>21</u>
180	Phlebitis and thrombophlebitis	27	8	19
181	Portal vein thrombosis	1	1	0
182	Other venous embolism and thrombosis	3	3	0
183	Varicose veins of lower extremities	3	1	2
185	Esophageal varices	5	5	0
186	Varicose veins of other sites	1	1	0
<u>195-199</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>4</u>	<u>2</u>	<u>2</u>
195	Hypotension	2	0	2
199	Other and unspecified disorders of circulatory system	2	2	0
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,521</u>	<u>1,984</u>	<u>537</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>1</u>	<u>0</u>	<u>1</u>
J04	Acute laryngitis and tracheitis	1	0	1
<u>J10-J18</u>	<u>Influenza and pneumonia</u>	<u>635</u>	<u>446</u>	<u>189</u>
J10	Influenza due to identified influenza virus	1	1	0
J11	Influenza, virus not identified	9	8	1
J12	Viral pneumonia, not elsewhere classified	5	1	4
J13	Pneumonia due to Streptococcus pneumoniae	5	4	1
J15	Bacterial pneumonia, not elsewhere classified	22	20	2
J18	Pneumonia, organism unspecified	593	412	181
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>3</u>	<u>3</u>	<u>0</u>
J20	Acute bronchitis	2	2	0
J21	Acute bronchiolitis	1	1	0
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>7</u>	<u>6</u>	<u>1</u>
J32	Chronic sinusitis	2	2	0
J34	Other disorders of nose and nasal sinuses	1	1	0
J37	Chronic laryngitis and laryngotracheitis	1	0	1
J39	Other diseases of upper respiratory tract	3	3	0
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,343</u>	<u>1,137</u>	<u>206</u>
J40	Bronchitis, not specified as acute or chronic	9	8	1
J42	Unspecified chronic bronchitis	2	2	0
J43	Emphysema	119	95	24
J44	Other chronic obstructive pulmonary disease	1,160	1,012	148
J45	Asthma	45	13	32
J46	Status asthmaticus	1	0	1
J47	Bronchiectasis	7	7	0
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>200</u>	<u>140</u>	<u>60</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	16	12	4
J67	Hypersensitivity pneumonitis due to organic dust	1	1	0

Table 10B - Page 11
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
J69	Pneumonitis due to solids and liquids	181	125	56
J70	Respiratory conditions due to other external agents	2	2	0
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>176</u>	<u>145</u>	<u>31</u>
J80	Adult respiratory distress syndrome	36	25	11
J81	Pulmonary edema	9	7	2
J82	Pulmonary eosinophilia, not elsewhere classified	3	1	2
J84	Other interstitial pulmonary diseases	128	112	16
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>2</u>	<u>2</u>	<u>0</u>
J86	Pyothorax	2	2	0
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>21</u>	<u>10</u>	<u>11</u>
J90	Pleural effusion, not elsewhere classified	14	5	9
J93	Pneumothorax	6	4	2
J94	Other pleural conditions	1	1	0
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>133</u>	<u>95</u>	<u>38</u>
J96	Respiratory failure, not elsewhere classified	81	56	25
J98	Other respiratory disorders	52	39	13
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>939</u>	<u>661</u>	<u>278</u>
<u>K00-K14</u>	<u>Diseases of oral cavity, salivary glands and jaws</u>	<u>2</u>	<u>2</u>	<u>0</u>
K11	Diseases of salivary glands	2	2	0
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>70</u>	<u>52</u>	<u>18</u>
K21	Gastroesophageal reflux disease	11	9	2
K22	Other diseases of esophagus	4	4	0
K25	Gastric ulcer	12	9	3
K26	Duodenal ulcer	16	8	8
K27	Peptic ulcer, site unspecified	15	14	1
K29	Gastritis and duodenitis	4	2	2
K31	Other diseases of stomach and duodenum	8	6	2
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>3</u>	<u>2</u>	<u>1</u>
K35	Acute appendicitis	3	2	1
<u>K40-K46</u>	<u>Hernia</u>	<u>9</u>	<u>7</u>	<u>2</u>
K43	Ventral hernia	1	1	0
K44	Diaphragmatic hernia	3	3	0
K46	Unspecified abdominal hernia	5	3	2
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>23</u>	<u>17</u>	<u>6</u>
K50	Crohn's disease [regional enteritis]	3	3	0
K51	Ulcerative colitis	1	1	0
K52	Other noninfective gastroenteritis and colitis	19	13	6
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>228</u>	<u>145</u>	<u>83</u>
K55	Vascular disorders of intestine	91	63	28
K56	Paralytic ileus and intestinal obstruction without hernia	78	45	33
K57	Diverticular disease of intestine	23	15	8
K59	Other functional intestinal disorders	7	5	2

Table 10B - Page 12
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
K62	Other diseases of anus and rectum	6	4	2
K63	Other diseases of intestine	23	13	10
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>18</u>	<u>12</u>	<u>6</u>
K65	Peritonitis	16	11	5
K66	Other disorders of peritoneum	2	1	1
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>383</u>	<u>282</u>	<u>101</u>
K70	Alcoholic liver disease	91	61	30
K72	Hepatic failure, not elsewhere classified	55	36	19
K73	Chronic hepatitis, not elsewhere classified	3	3	0
K74	Fibrosis and cirrhosis of liver	171	138	33
K75	Other inflammatory liver diseases	12	5	7
K76	Other diseases of liver	51	39	12
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>97</u>	<u>64</u>	<u>33</u>
K80	Cholelithiasis	11	10	1
K81	Cholecystitis	23	16	7
K82	Other diseases of gallbladder	5	4	1
K83	Other diseases of biliary tract	5	4	1
K85	Acute pancreatitis	36	23	13
K86	Other diseases of pancreas	17	7	10
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>106</u>	<u>78</u>	<u>28</u>
K90	Intestinal malabsorption	2	1	1
K92	Other diseases of the digestive system	104	77	27
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>60</u>	<u>22</u>	<u>38</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>19</u>	<u>8</u>	<u>11</u>
L00	Staphylococcal scalded skin syndrome	1	0	1
L02	Cutaneous abscess, furuncle, and carbuncle	3	1	2
L03	Cellulitis	11	7	4
L08	Other local infections of skin and subcutaneous tissue	4	0	4
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>2</u>	<u>0</u>	<u>2</u>
L51	Erythema multiforme	2	0	2
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>39</u>	<u>14</u>	<u>25</u>
L89	Decubitus ulcer	32	10	22
L93	Lupus erythematosus	2	1	1
L97	Ulcer of lower limb, not elsewhere classified	3	1	2
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	2	2	0
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>109</u>	<u>69</u>	<u>40</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>20</u>	<u>15</u>	<u>5</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>3</u>	<u>3</u>	<u>0</u>
M00	Pyogenic arthritis	3	3	0
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>15</u>	<u>10</u>	<u>5</u>

Table 10B - Page 13
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
M05	Seropositive rheumatoid arthritis	3	2	1
M06	Other rheumatoid arthritis	8	6	2
M10	Gout	1	0	1
M13	Other arthritis	3	2	1
<u>M15-M19</u>	<u>Arthrosis</u>	<u>2</u>	<u>2</u>	<u>0</u>
M19	Other arthrosis	2	2	0
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>49</u>	<u>26</u>	<u>23</u>
M30	Polyarteritis nodosa and related conditions	1	1	0
M31	Other necrotizing vasculopathies	5	2	3
M32	Systemic lupus erythematosus	25	12	13
M33	Dermatopolymyositis	1	0	1
M34	Systemic sclerosis	13	8	5
M35	Other systemic involvement of connective tissue	4	3	1
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>9</u>	<u>7</u>	<u>2</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>4</u>	<u>4</u>	<u>0</u>
M40	Kyphosis and lordosis	2	2	0
M41	Scoliosis	2	2	0
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>5</u>	<u>3</u>	<u>2</u>
M46	Other inflammatory spondylopathies	2	0	2
M48	Other spondylopathies	3	3	0
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>13</u>	<u>8</u>	<u>5</u>
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>6</u>	<u>5</u>	<u>1</u>
M62	Other disorders of muscle	6	5	1
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>7</u>	<u>3</u>	<u>4</u>
M72	Fibroblastic disorders	6	2	4
M79	Other soft tissue disorders, not elsewhere classified	1	1	0
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>18</u>	<u>13</u>	<u>5</u>
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>4</u>	<u>4</u>	<u>0</u>
M81	Osteoporosis without pathological fracture	4	4	0
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>13</u>	<u>8</u>	<u>5</u>
M86	Osteomyelitis	12	8	4
M88	Paget's disease of bone [osteitis deformans]	1	0	1
<u>M91-M94</u>	<u>Chondropathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
M94	Other disorders of cartilage	1	1	0
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>906</u>	<u>520</u>	<u>386</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>8</u>	<u>7</u>	<u>1</u>
N02	Recurrent and persistent hematuria	2	2	0
N03	Chronic nephritic syndrome	2	1	1
N04	Nephrotic syndrome	3	3	0
N05	Unspecified nephritic syndrome	1	1	0
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>12</u>	<u>7</u>	<u>5</u>
N10	Acute tubulo-interstitial nephritis	2	2	0
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	7	3	4

Table 10B - Page 14
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
N13	Obstructive and reflux uropathy	1	1	0
N15	Other renal tubulo-interstitial diseases	2	1	1
<u>N17-N19</u>	<u>Renal failure</u>	<u>654</u>	<u>353</u>	<u>301</u>
N17	Acute renal failure	96	61	35
N18	Chronic renal failure	302	146	156
N19	Unspecified renal failure	256	146	110
<u>N20-N23</u>	<u>Urolithiasis</u>	<u>4</u>	<u>2</u>	<u>2</u>
N20	Calculus of kidney and ureter	4	2	2
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>9</u>	<u>3</u>	<u>6</u>
N25	Disorders resulting from impaired renal tubular function	1	1	0
N28	Other disorders of kidney and ureter, not elsewhere classified	8	2	6
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>206</u>	<u>141</u>	<u>65</u>
N30	Cystitis	2	1	1
N32	Other disorders of bladder	5	5	0
N39	Other disorders of urinary system	199	135	64
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>9</u>	<u>5</u>	<u>4</u>
N40	Hyperplasia of prostate	1	0	1
N42	Other disorders of prostate	3	2	1
N48	Other disorders of penis	2	1	1
N49	Inflammatory disorders of male genital organs, not elsewhere classified	2	1	1
N50	Other disorders of male genital organs	1	1	0
<u>N60-N64</u>	<u>Disorders of breast</u>	<u>1</u>	<u>0</u>	<u>1</u>
N63	Unspecified lump in breast	1	0	1
<u>N70-N77</u>	<u>Inflammatory diseases of female pelvic organs</u>	<u>1</u>	<u>0</u>	<u>1</u>
N70	Salpingitis and oophoritis	1	0	1
<u>N80-N98</u>	<u>Noninflammatory disorders of female genital tract</u>	<u>2</u>	<u>2</u>	<u>0</u>
N82	Fistulae involving female genital tract	1	1	0
N94	Pain and other conditions associated with female genital organs and menstrual cycle	1	1	0
<u>O00-O99</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>11</u>	<u>4</u>	<u>7</u>
<u>O00-O07</u>	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>1</u>	<u>0</u>
O00	Ectopic pregnancy	1	1	0
<u>O10-O92</u>	<u>Other direct obstetric deaths</u>	<u>5</u>	<u>2</u>	<u>3</u>
<u>O30-O48</u>	<u>Maternal care related to fetus and amniotic cavity and possible delivery problems</u>	<u>3</u>	<u>0</u>	<u>3</u>
O36	Maternal care for other known or suspected fetal problems	3	0	3
<u>O60-O75</u>	<u>Complications of labor and delivery</u>	<u>1</u>	<u>1</u>	<u>0</u>
O75	Other complications of labor and delivery, not elsewhere classified	1	1	0
<u>O85-O92</u>	<u>Complications predominantly related to the puerperium</u>	<u>1</u>	<u>1</u>	<u>0</u>
O88	Obstetric embolism	1	1	0
<u>O95-O99</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>5</u>	<u>1</u>	<u>4</u>

Table 10B - Page 15
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	3	0	3
O99	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	2	1	1
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>189</u>	<u>49</u>	<u>140</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>16</u>	<u>3</u>	<u>13</u>
P01	Newborn affected by maternal complications of pregnancy	11	3	8
P02	Newborn affected by complications of placenta, cord, and membranes	3	0	3
P03	Newborn affected by other complications of labor and delivery	1	0	1
P04	Newborn affected by noxious influences transmitted via placenta or breast milk	1	0	1
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>79</u>	<u>22</u>	<u>57</u>
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	79	22	57
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific to the perinatal period</u>	<u>55</u>	<u>11</u>	<u>44</u>
P20	Intrauterine hypoxia	1	0	1
P21	Birth asphyxia	3	3	0
P22	Respiratory distress of newborn	10	0	10
P23	Congenital pneumonia	1	1	0
P25	Interstitial emphysema and related conditions originating in the perinatal period	1	0	1
P26	Pulmonary hemorrhage originating in the perinatal period	12	0	12
P27	Chronic respiratory disease originating in the perinatal period	5	0	5
P28	Other respiratory conditions originating in the perinatal period	5	3	2
P29	Cardiovascular disorders originating in the perinatal period	17	4	13
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>16</u>	<u>5</u>	<u>11</u>
P35	Congenital viral diseases	2	1	1
P36	Bacterial sepsis of newborn	12	4	8
P37	Other congenital infectious and parasitic diseases	1	0	1
P39	Other infections specific to the perinatal period	1	0	1
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>9</u>	<u>3</u>	<u>6</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	7	2	5
P54	Other neonatal hemorrhages	1	0	1
P60	Disseminated intravascular coagulation of newborn	1	1	0
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>7</u>	<u>2</u>	<u>5</u>
P77	Necrotizing enterocolitis of newborn	7	2	5
<u>P80-P83</u>	<u>Conditions involving the integument and temperature regulation of fetus and newborn</u>	<u>3</u>	<u>2</u>	<u>1</u>

Table 10B - Page 16
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
P83	Other conditions of integument specific to newborn	3	2	1
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>4</u>	<u>1</u>	<u>3</u>
P96	Other conditions originating in the perinatal period	4	1	3
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>116</u>	<u>63</u>	<u>53</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>11</u>	<u>5</u>	<u>6</u>
Q00	Anencephaly and similar malformations	2	2	0
Q02	Microcephaly	1	0	1
Q04	Other congenital malformations of brain	6	2	4
Q05	Spina bifida	2	1	1
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>36</u>	<u>23</u>	<u>13</u>
Q20	Congenital malformations of cardiac chambers and connections	4	2	2
Q21	Congenital malformations of cardiac septa	6	3	3
Q22	Congenital malformations of pulmonary and tricuspid valves	1	1	0
Q23	Congenital malformations of aortic and mitral valves	4	3	1
Q24	Other congenital malformations of heart	15	11	4
Q25	Congenital malformations of great arteries	4	2	2
Q27	Other congenital malformations of peripheral vascular system	2	1	1
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>10</u>	<u>4</u>	<u>6</u>
Q32	Congenital malformations of trachea and bronchus	2	1	1
Q33	Congenital malformations of lung	8	3	5
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>1</u>	<u>0</u>	<u>1</u>
Q39	Congenital malformations of esophagus	1	0	1
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>13</u>	<u>6</u>	<u>7</u>
Q60	Renal agenesis and other reduction defects of kidney	3	1	2
Q61	Cystic kidney disease	8	5	3
Q64	Other congenital malformations of urinary system	2	0	2
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of the musculoskeletal system</u>	<u>3</u>	<u>0</u>	<u>3</u>
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	3	0	3
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>19</u>	<u>9</u>	<u>10</u>
Q81	Epidermolysis bullosa	2	0	2
Q85	Phakomatoses, not elsewhere classified	2	2	0
Q87	Other specified congenital malformation syndromes affecting multiple systems	4	1	3
Q89	Other congenital malformations, not elsewhere classified	11	6	5
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>23</u>	<u>16</u>	<u>7</u>
Q90	Down's syndrome	10	5	5
Q91	Edwards' syndrome and Patau's syndrome	11	9	2
Q93	Monosomies and deletions from the autosomes, not elsewhere classified	1	1	0
Q99	Other chromosome abnormalities, not elsewhere classified	1	1	0
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>395</u>	<u>246</u>	<u>149</u>

Table 10B - Page 17
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>67</u>	<u>46</u>	<u>21</u>
R00	Abnormalities of heart beat	1	0	1
R02	Gangrene, not elsewhere classified	2	0	2
R04	Hemorrhage from respiratory passages	1	0	1
R06	Abnormalities of breathing	5	4	1
R09	Other symptoms and signs involving the circulatory and respiratory systems	58	42	16
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>6</u>	<u>6</u>	<u>0</u>
R10	Abdominal and pelvic pain	2	2	0
R13	Dysphagia	1	1	0
R19	Other symptoms and signs involving the digestive system and abdomen	3	3	0
<u>R25-R29</u>	<u>Symptoms and signs involving the nervous and musculoskeletal systems</u>	<u>1</u>	<u>1</u>	<u>0</u>
R27	Other lack of coordination	1	1	0
<u>R30-R39</u>	<u>Symptoms and signs involving the urinary system</u>	<u>1</u>	<u>0</u>	<u>1</u>
R31	Unspecified hematuria	1	0	1
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>159</u>	<u>106</u>	<u>53</u>
R53	Malaise and fatigue	45	25	20
R54	Senility	29	23	6
R56	Convulsions, not elsewhere classified	24	13	11
R57	Shock, not elsewhere classified	8	7	1
R58	Hemorrhage, not elsewhere classified	7	7	0
R59	Enlarged lymph nodes	1	1	0
R60	Edema, not elsewhere classified	1	0	1
R62	Lack of expected normal physiological development	44	30	14
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>8</u>	<u>5</u>	<u>3</u>
R91	Abnormal findings on diagnostic imaging of lung	8	5	3
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>153</u>	<u>82</u>	<u>71</u>
R95	Sudden infant death syndrome	71	32	39
R96	Other sudden death, cause unknown	4	2	2
R98	Unattended death	2	2	0
R99	Other ill-defined and unspecified causes of mortality	76	46	30
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,414</u>	<u>1,561</u>	<u>853</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>71</u>	<u>38</u>	<u>33</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	49	26	23
V04	Pedestrian injured in collision with heavy transport vehicle or bus	4	4	0
V05	Pedestrian injured in collision with railway train or railway vehicle	10	5	5

Table 10B - Page 18
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
V09	Pedestrian injured in other and unspecified transport accidents	8	3	5
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>5</u>	<u>2</u>	<u>3</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	5	2	3
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>39</u>	<u>25</u>	<u>14</u>
V22	Motorcycle rider injured in collision with two- or three-wheeled motor vehicle	2	0	2
V23	Motorcycle rider injured in collision with car, pickup truck, or van	16	12	4
V27	Motorcycle rider injured in collision with fixed or stationary object	13	7	6
V28	Motorcycle rider injured in noncollision transport accident	6	5	1
V29	Motorcycle rider injured in other and unspecified transport accidents	2	1	1
<u>V30-V39</u>	<u>Occupant of three-wheeled motor vehicle injured in transport accident</u>	<u>1</u>	<u>1</u>	<u>0</u>
V38	Occupant of three-wheeled motor vehicle injured in noncollision transport accident	1	1	0
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>500</u>	<u>282</u>	<u>218</u>
V40	Car occupant injured in collision with pedestrian or animal	1	0	1
V43	Car occupant injured in collision with car, pickup truck, or van	182	99	83
V44	Car occupant injured in collision with heavy transport vehicle or bus	44	37	7
V45	Car occupant injured in collision with railway train or railway vehicle	4	1	3
V47	Car occupant injured in collision with fixed or stationary object	135	72	63
V48	Car occupant injured in noncollision transport accident	116	65	51
V49	Car occupant injured in other and unspecified transport accidents	18	8	10
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>178</u>	<u>132</u>	<u>46</u>
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	48	38	10
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	26	22	4
V55	Occupant of pickup truck or van injured in collision with railway train or railway vehicle	2	1	1
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	47	31	16
V58	Occupant of pickup truck or van injured in noncollision transport accident	46	35	11
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	9	5	4

Table 10B - Page 19
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>13</u>	<u>12</u>	<u>1</u>
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	1	1	0
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	1	1	0
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	10	9	1
V69	Occupant of heavy transport vehicle injured in other and unspecified transport accidents	1	1	0
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>112</u>	<u>74</u>	<u>38</u>
V81	Occupant of railway train or railway vehicle injured in transport accident	1	1	0
V83	Occupant of special vehicle mainly used on industrial premises injured in transport accident	1	1	0
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	10	6	4
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	16	14	2
V87	Traffic accident of specified type but victim's mode of transport unknown	6	4	2
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	78	48	30
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>14</u>	<u>7</u>	<u>7</u>
V90	Accident to watercraft causing drowning and submersion	3	0	3
V92	Water-transport-related drowning and submersion without accident to watercraft	11	7	4
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>9</u>	<u>9</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	8	8	0
V97	Other specified air transport accidents	1	1	0
<u>W00-W19</u>	<u>Falls</u>	<u>181</u>	<u>158</u>	<u>23</u>
W00	Fall on same level involving ice and snow	1	1	0
W01	Fall on same level from slipping, tripping, and stumbling	10	10	0
W05	Fall involving wheelchair	8	6	2
W06	Fall involving bed	8	7	1
W10	Fall on and from stairs and steps	6	6	0
W11	Fall on and from ladder	3	3	0
W13	Fall from, out of, or through building or structure	13	13	0
W16	Diving or jumping into water causing injury other than drowning or submersion	1	1	0
W17	Other fall from one level to another	9	9	0
W18	Other fall on same level	40	34	6
W19	Unspecified fall	82	68	14
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>58</u>	<u>40</u>	<u>18</u>
W20	Struck by thrown, projected, or falling object	22	18	4

Table 10B - Page 20
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W22	Striking against or struck by other objects	3	2	1
W25	Contact with sharp glass	1	0	1
W28	Contact with powered lawn mower	1	1	0
W30	Contact with agricultural machinery	2	1	1
W31	Contact with other and unspecified machinery	3	2	1
W32	Handgun discharge	3	2	1
W33	Rifle, shotgun, and larger firearm discharge	6	5	1
W34	Discharge from other and unspecified firearms	8	5	3
W40	Explosion of other materials	7	2	5
W49	Exposure to other and unspecified inanimate mechanical forces	2	2	0
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>3</u>	<u>2</u>	<u>1</u>
W54	Bitten or struck by dog	1	1	0
W55	Bitten or struck by other mammals	2	1	1
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>47</u>	<u>26</u>	<u>21</u>
W65	Drowning and submersion while in bathtub	5	3	2
W67	Drowning and submersion while in swimming pool	9	5	4
W69	Drowning and submersion while in natural water	23	12	11
W70	Drowning and submersion following fall into natural water	5	2	3
W73	Other specified drowning and submersion	1	1	0
W74	Unspecified drowning and submersion	4	3	1
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>86</u>	<u>49</u>	<u>37</u>
W75	Accidental suffocation and strangulation in bed	1	0	1
W76	Other accidental hanging and strangulation	3	1	2
W78	Inhalation of gastric contents	15	11	4
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	7	5	2
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	58	32	26
W83	Other specified threats to breathing	1	0	1
W84	Unspecified threat to breathing	1	0	1
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>7</u>	<u>6</u>	<u>1</u>
W85	Exposure to electric transmission lines	5	4	1
W86	Exposure to other specified electric current	1	1	0
W87	Exposure to unspecified electric current	1	1	0
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>86</u>	<u>39</u>	<u>47</u>
X00	Exposure to uncontrolled fire in building or structure	70	28	42
X01	Exposure to uncontrolled fire, not in building or structure	1	1	0
X02	Exposure to controlled fire in building or structure	1	1	0
X03	Exposure to controlled fire, not in building or structure	2	1	1
X04	Exposure to ignition of highly flammable material	2	2	0
X06	Exposure to ignition or melting of other clothing and apparel	8	5	3
X09	Exposure to unspecified smoke, fire, and flames	2	1	1
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>4</u>	<u>2</u>	<u>2</u>

Table 10B - Page 21
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X10	Contact with hot drinks, food, fats, and cooking oils	1	0	1
X11	Contact with hot tap water	1	1	0
X12	Contact with other hot fluids	1	0	1
X15	Contact with hot household appliances	1	1	0
<u>X20-X29</u>	<u>Contact with venomous animals and plants</u>	<u>5</u>	<u>3</u>	<u>2</u>
X21	Contact with venomous spiders	1	1	0
X23	Contact with hornets, wasps, and bees	4	2	2
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>18</u>	<u>6</u>	<u>12</u>
X30	Exposure to excessive natural heat	3	2	1
X31	Exposure to excessive natural cold	14	4	10
X37	Victim of cataclysmic storm	1	0	1
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>187</u>	<u>153</u>	<u>34</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	7	6	1
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	7	6	1
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	31	18	13
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	125	113	12
X45	Accidental poisoning by and exposure to alcohol	10	8	2
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0
X47	Accidental poisoning by and exposure to other gases and vapors	4	0	4
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	2	1	1
<u>X50-X57</u>	<u>Overexertion, travel and privation</u>	<u>3</u>	<u>3</u>	<u>0</u>
X50	Overexertion and strenuous or repetitive movements	2	2	0
X53	Lack of food	1	1	0
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>43</u>	<u>29</u>	<u>14</u>
X59	Exposure to unspecified factor	43	29	14
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>349</u>	<u>295</u>	<u>54</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	2	1	1
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	3	3	0
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	20	17	3
X66	Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0

Table 10B - Page 22
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	12	12	0
X68	Intentional self-poisoning (suicide) by and exposure to pesticides	1	0	1
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	50	36	14
X71	Intentional self harm (suicide) by drowning and submersion	2	2	0
X72	Intentional self harm (suicide) by handgun discharge	72	61	11
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	60	57	3
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	113	95	18
X76	Intentional self harm (suicide) by smoke, fire, and flames	2	1	1
X78	Intentional self harm (suicide) by sharp object	3	3	0
X80	Intentional self harm (suicide) by jumping from a high place	3	2	1
X81	Intentional self harm (suicide) by jumping or lying before moving object	2	2	0
X82	Intentional self harm (suicide) by crashing of motor vehicle	2	2	0
X83	Intentional self harm (suicide) by other specified means	1	0	1
<u>X85-Y09</u>	<u>Assault</u>	<u>277</u>	<u>92</u>	<u>185</u>
X85	Assault (homicide) by drugs, medicaments, and biological substances	2	2	0
X91	Assault (homicide) by hanging, strangulation, and suffocation	5	2	3
X92	Assault (homicide) by drowning and submersion	1	0	1
X93	Assault (homicide) by handgun discharge	68	14	54
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	14	6	8
X95	Assault (homicide) by other and unspecified firearm discharge	117	35	82
X97	Assault (homicide) by smoke, fire, and flames	3	1	2
X99	Assault (homicide) by sharp object	28	10	18
Y00	Assault (homicide) by blunt object	6	1	5
Y03	Assault (homicide) by crashing of motor vehicle	1	0	1
Y07	Other maltreatment syndromes	2	1	1
Y08	Assault (homicide) by other specified means	3	3	0
Y09	Assault (homicide) by unspecified means	27	17	10
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>34</u>	<u>25</u>	<u>9</u>
Y10	Poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics, undetermined intent	2	2	0
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	1	1	0
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	3	2	1

Table 10B - Page 23
Deaths - Mississippi - 2004

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	17	15	2
Y21	Drowning and submersion, undetermined intent	1	0	1
Y24	Other and unspecified firearm discharge, undetermined intent	2	1	1
Y26	Exposure to smoke, fire, and flames, undetermined intent	1	1	0
Y33	Other specified events, undetermined intent	5	3	2
Y34	Unspecified event, undetermined intent	2	0	2
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>4</u>	<u>1</u>	<u>3</u>
Y35	Legal intervention	4	1	3
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>7</u>	<u>4</u>	<u>3</u>
Y40	Systemic antibiotics	1	1	0
Y43	Primarily systemic agents	1	1	0
Y57	Other and unspecified drugs and medicaments	5	2	3
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>6</u>	<u>5</u>	<u>1</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	3	2	1
Y61	Foreign object accidentally left in body during surgical and medical care	1	1	0
Y65	Other misadventures during surgical and medical care	2	2	0
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>45</u>	<u>28</u>	<u>17</u>
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	35	22	13
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	10	6	4
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>22</u>	<u>13</u>	<u>9</u>
Y85	Sequelae of transport accidents	10	7	3
Y86	Sequelae of other accidents	9	5	4
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	3	1	2
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	3	1	2

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											UNKNOWN
								NUMBER	RATE#	UNDER	1-	5-	10-	15-	25-	35-	45-	55-	
		1	4							9	14	24	34	44	54	64	AND OVER		
001-358	ALL CAUSES	27,748	9.6	W	M	9,475	81	17	14	20	208	246	408	889	1,434	6,157	1		
					F	9,214	63	15	4	8	76	96	215	462	852	7,422	1		
				NW	M	4,586	165	29	11	21	154	208	324	663	824	2,187	0		
					F	4,473	108	21	10	10	77	109	246	475	535	2,881	1		
001-055	INFECTIOUS AND PARASITIC DISEASES	826	28.4	W	M	228	1	1	0	0	2	5	33	30	24	132	0		
					F	228	1	0	0	0	3	4	4	14	32	170	0		
				NW	M	187	7	3	0	0	5	12	36	47	27	50	0		
					F	183	0	1	0	1	5	9	26	25	28	88	0		
009,010	TUBERCULOSIS	9	0.3	W	M	3	0	0	0	0	0	0	1	0	0	2	0		
					F	3	0	0	0	0	0	0	1	0	2	0			
				NW	M	2	0	0	0	0	0	0	1	0	1	0	0		
					F	1	0	0	0	0	0	0	0	0	0	1	0		
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	164	5.6	W	M	28	0	0	0	0	4	14	9	1	0	0	0		
					F	3	0	0	0	0	1	1	1	0	0	0			
				NW	M	89	0	0	0	3	11	35	27	8	5	0			
					F	44	0	0	0	3	7	18	6	6	4	0			
056-108	MALIGNANT NEOPLASMS	5,964	205.4	W	M	2,208	0	1	1	1	5	12	40	199	472	1,477	0		
					F	1,846	1	2	0	1	3	23	51	156	318	1,291	0		
				NW	M	1,019	0	1	0	3	5	12	32	161	241	564	0		
					F	891	0	0	2	1	3	16	51	145	135	538	0		
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	116	4.0	W	M	44	0	1	0	0	0	0	3	7	33	0			
					F	42	0	0	0	0	0	4	3	3	32	0			
				NW	M	14	0	0	0	0	1	0	1	5	3	4	0		
					F	16	0	0	0	0	0	1	1	2	4	8	0		

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											UNKNOWN	
								NUMBER	RATE#	TOTAL BY RACE	SEX	UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44		45-54
		NUMBER	RATE#																	
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	97	3.3	W	55	M	23	0	0	0	0	1	0	0	5	3	14	0		
						F	32	0	1	0	0	0	0	1	4	26	0			
					NW	M	42	15	0	0	0	0	1	1	4	4	2	3	0	
						F	27	27	0	0	0	0	1	1	3	9	2	11	0	
116-119	ANEMIAS	39	1.3	W	22	M	8	0	0	0	0	0	0	0	0	1	7	0		
						F	14	0	0	0	0	0	0	0	0	1	13	0		
					NW	M	17	6	0	0	0	0	0	1	1	1	1	2	0	
						F	11	11	0	0	0	0	1	1	1	0	0	8	0	
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	935	32.2	W	519	M	235	0	0	0	1	2	2	9	23	40	158	0		
						F	284	0	0	0	0	2	1	8	12	37	224	0		
					NW	M	416	151	1	0	0	0	4	2	9	20	32	83	0	
						F	265	265	0	0	0	0	1	6	14	30	35	179	0	
124	DIABETES MELLITUS	658	22.7	W	352	M	169	0	0	0	0	1	0	6	17	36	109	0		
						F	183	0	0	0	0	0	1	6	9	34	133	0		
					NW	M	306	107	0	0	0	0	2	1	7	14	25	58	0	
						F	199	199	0	0	0	0	0	3	7	18	30	141	0	
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	41	1.4	W	22	M	11	0	0	0	0	0	0	0	0	11	0			
						F	11	0	0	0	0	0	0	0	0	11	0			
					NW	M	19	8	0	0	0	0	0	0	0	0	1	7	0	
						F	11	11	0	0	0	0	0	0	0	2	1	8	0	
136-144	MENTAL AND BEHAVIORAL DISORDERS	539	18.6	W	412	M	159	0	0	0	0	1	5	6	19	14	114	0		
						F	253	0	0	0	0	0	2	8	7	2	234	0		
					NW	M	127	63	0	0	0	0	0	3	2	10	9	39	0	
						F	64	64	0	0	0	0	0	1	1	0	2	60	0	
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	77	2.6	W	55	M	45	0	0	0	0	1	4	4	10	13	13	0		
						F	10	0	0	0	0	0	1	3	4	1	1	0		
					NW	M	22	20	0	0	0	0	0	2	1	7	7	3	0	
						F	2	2	0	0	0	0	0	0	0	0	2	0	0	

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
		NUMBER	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
145-153	<u>DISEASES OF THE NERVOUS SYSTEM</u>	1,062	36.6	W	818	M	311	1	0	0	0	3	5	5	8	22	267	0		
						F	507	2	0	0	3	1	3	13	19	466	0			
						NW	244	M	102	2	2	0	2	2	5	5	14	11	59	0
					F	142	3	1	1	0	5	6	7	7	11	101	0			
145	MENINGITIS	13	0.4	W	7	M	3	0	0	0	0	0	0	1	0	1	1	0		
						F	4	1	0	0	0	0	0	0	1	2	0			
						NW	6	M	2	1	0	0	0	1	0	0	0	0	0	
					F	4	0	0	0	0	0	0	1	0	3	0				
147	PARKINSONS DISEASE	142	4.9	W	129	M	77	0	0	0	0	0	0	0	3	74	0			
						F	52	0	0	0	0	0	1	2	49	0				
						NW	13	M	6	0	0	0	0	0	0	0	0	6	0	
					F	7	0	0	0	0	0	0	0	1	6	0				
148	ALZHEIMERS DISEASE	622	21.4	W	514	M	144	0	0	0	0	0	0	0	3	141	0			
						F	370	0	0	0	0	0	0	3	367	0				
						NW	108	M	38	0	0	0	0	0	0	0	0	38	0	
					F	70	0	0	0	0	0	0	0	0	70	0				
150	EPILEPSY	24	0.8	W	9	M	3	0	0	0	0	1	1	1	0	0	0	0		
						F	6	0	0	0	0	0	1	0	2	3	0			
						NW	15	M	9	0	0	0	0	1	1	4	1	1	0	
					F	6	0	0	0	1	2	1	0	0	2	0				
154	<u>DISEASES OF THE EYE AND ADNEXA</u>	0	0.0	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0		
						F	0	0	0	0	0	0	0	0	0	0	0	0		
						NW	0	M	0	0	0	0	0	0	0	0	0	0		
					F	0	0	0	0	0	0	0	0	0	0					
155	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	0	0.0	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0		
						F	0	0	0	0	0	0	0	0	0	0	0			
						NW	0	M	0	0	0	0	0	0	0	0	0			
					F	0	0	0	0	0	0	0	0	0						

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKNOWN
		NUMBER	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
156-191	DISEASES OF THE CIRCULATORY SYSTEM	10,549	363.4	W	M	3,453	2	0	1	1	10	25	98	285	524	2,507	0		
					F	3,657	0	0	0	0	2	10	38	111	210	3,285	1		
				NW	M	1,613	2	1	2	2	9	25	85	236	344	907	0		
					F	1,826	4	0	2	0	4	19	73	168	219	1,337	0		
156-189	MAJOR CARDIO-VASCULAR DISEASES	10,505	361.9	W	M	3,440	2	0	0	1	10	25	98	281	521	2,502	0		
					F	3,649	0	0	0	0	2	10	37	110	209	3,280	1		
				NW	M	1,599	2	1	2	2	8	25	85	233	342	899	0		
					F	1,817	3	0	2	0	4	19	73	167	217	1,332	0		
156-160, 162, 164-181	HEART DISEASES	8,246	284.0	W	M	2,853	0	0	0	1	7	23	81	250	438	2,053	0		
					F	2,832	0	0	0	0	2	9	31	87	168	2,534	1		
				NW	M	1,213	1	1	1	2	6	23	67	173	268	671	0		
					F	1,348	3	0	1	0	4	10	56	108	172	994	0		
161,163	HYPERTENSION	347	12.0	W	M	69	0	0	0	0	0	0	5	2	13	49	0		
					F	103	0	0	0	0	0	0	0	1	6	96	0		
				NW	M	85	0	0	0	0	0	0	6	17	15	47	0		
					F	90	0	0	0	0	0	1	3	14	11	61	0		
182-186	CEREBROVASCULAR DISEASES	1,632	56.2	W	M	413	2	0	0	0	2	2	9	21	46	331	0		
					F	624	0	0	0	0	1	5	18	27	573	0			
				NW	M	263	1	0	0	0	1	1	8	38	53	161	0		
					F	332	0	0	1	0	0	7	9	38	30	247	0		
187	ATHEROSCLEROSIS	42	1.4	W	M	10	0	0	0	0	0	0	0	0	1	9	0		
					F	20	0	0	0	0	0	0	0	0	0	20	0		
				NW	M	4	0	0	0	0	0	0	1	0	1	2	0		
					F	8	0	0	0	0	0	0	1	1	0	6	0		
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,521	86.8	W	M	982	2	3	0	0	1	3	8	42	108	815	0		
					F	1,002	0	0	0	0	2	0	7	31	94	868	0		
				NW	M	281	5	3	0	1	5	5	10	22	41	189	0		
					F	256	6	1	0	1	1	3	9	18	31	186	0		

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
		NUMBER	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
195	INFLUENZA	10	0.3	W	9	M	4	1	0	0	0	0	0	1	0	0	2	0		
				F			5	0	0	0	0	0	0	0	0	0	5	0		
				NW	1	M	1	1	0	0	0	0	0	0	0	0	0	0		
				F			0	0	0	0	0	0	0	0	0	0	0	0		
196-198	PNEUMONIA	625	21.5	W	437	M	202	0	2	0	0	0	3	2	9	19	167	0		
				F			235	0	0	0	0	1	0	2	5	8	219	0		
				NW	188	M	99	1	3	0	0	1	1	4	5	14	70	0		
				F			89	4	1	0	1	0	1	1	0	10	71	0		
204	EMPHYSEMA	119	4.1	W	95	M	58	0	0	0	0	0	0	0	3	9	46	0		
				F			37	0	0	0	0	0	0	0	3	5	29	0		
				NW	24	M	16	0	0	0	0	0	0	0	2	2	12	0		
				F			8	0	0	0	0	0	0	0	0	0	8	0		
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>939</u>	<u>32.3</u>	<u>W</u>	<u>661</u>	<u>M</u>	<u>311</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>18</u>	<u>63</u>	<u>66</u>	<u>160</u>	<u>0</u>		
				F			<u>350</u>	<u>4</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>14</u>	<u>29</u>	<u>49</u>	<u>250</u>	<u>0</u>		
				NW	<u>278</u>	<u>M</u>	<u>133</u>	<u>6</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>2</u>	<u>14</u>	<u>25</u>	<u>26</u>	<u>55</u>	<u>0</u>		
				F			<u>145</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>16</u>	<u>22</u>	<u>14</u>	<u>85</u>	<u>0</u>		
217-220	PEPTIC ULCER	43	1.5	W	31	M	18	0	0	0	0	0	0	1	4	2	11	0		
				F			13	0	0	0	0	0	0	0	1	1	11	0		
				NW	12	M	5	0	0	0	0	0	0	0	0	2	3	0		
				F			7	0	0	0	0	0	0	0	0	0	7	0		
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	265	9.1	W	202	M	120	0	0	0	0	0	0	10	36	36	38	0		
				F			82	0	0	0	0	0	1	6	16	23	36	0		
				NW	63	M	33	0	0	0	0	0	0	5	8	16	4	0		
				F			30	0	0	0	0	0	0	8	10	3	9	0		
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>60</u>	<u>2.1</u>	<u>W</u>	<u>22</u>	<u>M</u>	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>10</u>	<u>0</u>		
				F			<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>9</u>	<u>0</u>		
				NW	<u>38</u>	<u>M</u>	<u>13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>10</u>	<u>0</u>		
				F			<u>25</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>19</u>	<u>0</u>		

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
		NUMBER	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
240-246	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	109	3.8	W	69	M	25	0	0	0	0	0	1	3	2	1	18	0		
							44	0	0	0	0	0	0	2	7	8	27	0		
																			40	M
28	0	0	0	0	3	7	3	5	5	5	5	0								
													F	28	0	0	0	0	3	7
247-260	DISEASES OF THE GENITOURINARY SYSTEM	906	31.2	W	520	M	231	0	0	1	0	1		1	4	12	28	184	0	
							289	0	0	0	0	1	0	4	8	19	257	0		
																			386	M
208	1	0	0	0	1	2	6	11	20	166	1									
												F	208	1	0	0	0	1	2	6
247-249	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	663	22.8	W	361	M	172	0	0	0	0		1	0	3	11	22	135	0	
							189	0	0	0	0	1	0	4	7	15	162	0		
																			302	M
156	1	0	0	0	1	0	5	9	16	123	1									
												F	156	1	0	0	0	1	0	5
261-273	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	11	25.7	W	4	M	0	0	0	0	0		0	0	0	0	0	0	0	
							4	0	0	0	0	2	2	0	0	0	0	0	0	
																				7
7	0	0	0	0	4	3	0	0	0	0	0	0								
													F	7	0	0	0	0	4	3
274-281	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	189	4.4	W	49	M	27	27	0	0	0	0		0	0	0	0	0	0	
							22	22	0	0	0	0	0	0	0	0	0	0	0	
																				140
50	50	0	0	0	0	0	0	0	0	0	0	0								
													F	50	50	0	0	0	0	0
282-290	CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES	116	4.0	W	63	M	34	22	1	0	0	1		1	1	2	4	2	0	
							29	16	0	0	0	0	2	2	1	5	3	0		
																			53	M
21	13	2	0	0	2	0	2	2	2	0	0	0								
													F	21	13	2	0	0	2	0
291-294	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC	395	13.6	W	246	M	104	22	0	0	1	3		7	5	9	7	50	0	
							142	14	4	1	0	3	6	5	2	5	102	0		
																			149	M
72	22	2	0	0	2	2	3	0	3	0	3	38	0							
														F	72	22	2	0	0	2

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2004

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
		NUMBER	RATE#					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN	
295-358	ALL EXTERNAL CAUSES	2,414	83.2	W	1,561	M	1,090	2	10	11	15	178	178	178	187	114	216	1	
						F	471	3	6	3	7	55	43	65	64	47	178	0	
					NW	853	M	606	3	13	9	11	110	134	107	87	57	75	0
							F	247	6	14	5	6	43	30	31	30	22	60	0
296-306	MOTOR VEHICLE ACCIDENTS	907	31.2	W	561	M	396	1	3	8	9	103	65	55	59	36	57	0	
						F	165	0	2	3	6	46	17	20	17	19	35	0	
					NW	346	M	237	0	4	2	1	43	49	37	46	30	25	0
							F	109	1	6	1	2	29	14	16	16	11	13	0
295, 307-330	ALL OTHER ACCIDENTS	782	26.9	W	549	M	341	0	4	3	4	31	52	61	58	31	97	0	
						F	208	2	4	0	0	3	11	30	24	11	123	0	
					NW	233	M	151	2	7	6	6	11	20	27	23	13	36	0
							F	82	4	4	4	3	4	6	8	5	7	37	0
331-337	SUICIDE	349	12.0	W	295	M	246	0	0	0	1	34	43	41	48	39	39	1	
						F	49	0	0	0	1	3	8	10	18	6	3	0	
					NW	54	M	48	0	0	0	0	10	13	10	5	4	6	0
							F	6	0	0	0	1	2	1	1	0	1	0	0
338-346	HOMICIDE	279	9.6	W	93	M	70	1	3	0	1	8	14	16	14	6	7	0	
						F	23	1	0	0	0	3	6	3	0	6	4	0	
					NW	186	M	149	1	2	1	2	44	51	29	11	7	1	0
							F	37	1	4	0	0	7	9	5	7	1	3	0
353,354	LEGAL INTERVENTION	4	0.1	W	1	M	1	0	0	0	0	0	1	0	0	0	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	
					NW	3	M	3	0	0	0	0	1	0	1	0	1	0	0
							F	0	0	0	0	0	0	0	0	0	0	0	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2004

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>417</u>	<u>144</u>	<u>273</u>	<u>256</u>	<u>82</u>	<u>174</u>	<u>161</u>	<u>62</u>	<u>99</u>
ADAMS	6	1	5	3	0	3	3	1	2
ALCORN	3	2	1	1	1	0	2	1	1
AMITE	2	0	2	2	0	2	0	0	0
ATTALA	2	0	2	1	0	1	1	0	1
BENTON	2	2	0	1	1	0	1	1	0
BOLIVAR	6	0	6	2	0	2	4	0	4
CALHOUN	2	0	2	2	0	2	0	0	0
CARROLL	1	1	0	1	1	0	0	0	0
CHICKASAW	2	1	1	2	1	1	0	0	0
CHOCTAW	2	1	1	1	1	0	1	0	1
CLAIBORNE	2	0	2	2	0	2	0	0	0
CLARKE	0	0	0	0	0	0	0	0	0
CLAY	6	0	6	2	0	2	4	0	4
COAHOMA	9	0	9	8	0	8	1	0	1
COPIAH	5	1	4	4	1	3	1	0	1
COVINGTON	2	1	1	1	0	1	1	1	0
DESOTO	9	6	3	5	2	3	4	4	0
FORREST	20	8	12	10	4	6	10	4	6
FRANKLIN	1	0	1	0	0	0	1	0	1
GEORGE	2	2	0	1	1	0	1	1	0
GREENE	3	2	1	1	1	0	2	1	1
GRENADA	4	1	3	3	0	3	1	1	0
HANCOCK	7	6	1	4	4	0	3	2	1
HARRISON	32	16	16	19	10	9	13	6	7
HINDS	49	4	45	28	2	26	21	2	19
HOLMES	3	0	3	2	0	2	1	0	1
HUMPHREYS	4	1	3	3	0	3	1	1	0
ISSAQUENA	1	1	0	1	1	0	0	0	0
ITAWAMBA	3	2	1	3	2	1	0	0	0
JACKSON	11	8	3	9	6	3	2	2	0
JASPER	5	1	4	4	0	4	1	1	0
JEFFERSON	2	0	2	1	0	1	1	0	1
JEFF DAVIS	1	0	1	1	0	1	0	0	0
JONES	8	1	7	4	1	3	4	0	4
KEMPER	3	1	2	3	1	2	0	0	0
LAFAYETTE	1	0	1	1	0	1	0	0	0
LAMAR	3	3	0	2	2	0	1	1	0
LAUDERDALE	21	8	13	15	6	9	6	2	4
LAWRENCE	2	0	2	1	0	1	1	0	1
LEAKE	0	0	0	0	0	0	0	0	0
LEE	12	5	7	5	1	4	7	4	3
LEFLORE	8	0	8	7	0	7	1	0	1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2004

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	1	1	0	0	0	0	1	1	0
LOWNDES	11	2	9	7	1	6	4	1	3
MADISON	8	3	5	4	0	4	4	3	1
MARION	4	2	2	2	1	1	2	1	1
MARSHALL	2	1	1	1	1	0	1	0	1
MONROE	3	3	0	1	1	0	2	2	0
MONTGOMERY	0	0	0	0	0	0	0	0	0
NESHOBA	5	1	4	5	1	4	0	0	0
NEWTON	5	2	3	2	0	2	3	2	1
NOXUBEE	3	0	3	3	0	3	0	0	0
OKTIBBEHA	3	1	2	2	0	2	1	1	0
PANOLA	3	0	3	2	0	2	1	0	1
PEARL RIVER	3	3	0	3	3	0	0	0	0
PERRY	2	1	1	0	0	0	2	1	1
PIKE	1	0	1	0	0	0	1	0	1
PONTOTOC	3	3	0	2	2	0	1	1	0
PRENTISS	4	2	2	1	0	1	3	2	1
QUITMAN	2	0	2	2	0	2	0	0	0
RANKIN	17	14	3	8	7	1	9	7	2
SCOTT	5	2	3	3	1	2	2	1	1
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	6	2	4	5	1	4	1	1	0
SMITH	3	3	0	3	3	0	0	0	0
STONE	3	1	2	2	0	2	1	1	0
SUNFLOWER	5	1	4	5	1	4	0	0	0
TALLAHATCHIE	3	0	3	1	0	1	2	0	2
TATE	3	2	1	2	2	0	1	0	1
TIPPAH	2	1	1	2	1	1	0	0	0
TISHOMINGO	1	1	0	1	1	0	0	0	0
TUNICA	2	0	2	2	0	2	0	0	0
UNION	3	1	2	1	1	0	2	0	2
WALTHALL	2	0	2	1	0	1	1	0	1
WARREN	6	1	5	3	1	2	3	0	3
WASHINGTON	14	1	13	7	1	6	7	0	7
WAYNE	1	0	1	0	0	0	1	0	1
WEBSTER	2	1	1	2	1	1	0	0	0
WILKINSON	2	0	2	2	0	2	0	0	0
WINSTON	2	1	1	1	0	1	1	1	0
YALOBUSHA	2	1	1	2	1	1	0	0	0
YAZOO	3	0	3	0	0	0	3	0	3

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

**TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 2000-2004 (5-YEAR AVERAGE)**

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>10.4</u>	<u>6.7</u>	<u>14.8</u>	<u>6.3</u>	<u>3.9</u>	<u>9.3</u>	<u>4.0</u>	<u>2.8</u>	<u>5.5</u>
ADAMS	9.9	9.2	10.3	5.4	2.6	6.9	4.5	6.5	3.4
ALCORN	9.6	7.2	22.8	6.1	4.1	17.1	3.5	3.1	5.7
AMITE	7.4	2.5	12.2	4.9	2.5	7.3	2.4	-	4.9
ATTALA	11.5	-	22.8	7.2	-	14.3	4.3	-	8.6
BENTON	13.8	17.8	8.3	5.2	5.9	4.1	8.6	11.9	4.1
BOLIVAR	12.1	6.5	13.9	6.0	3.9	6.7	6.0	2.6	7.2
CALHOUN	9.8	9.1	11.1	7.8	6.1	11.1	2.0	3.0	-
CARROLL	11.1	12.3	9.2	9.2	9.2	9.2	1.8	3.1	-
CHICKASAW	7.9	8.1	7.7	4.6	2.7	6.4	3.3	5.4	1.3
CHOCTAW	11.7	6.2	21.0	7.8	3.1	15.8	3.9	3.1	5.3
CLAIBORNE	15.7	14.5	15.8	10.8	14.5	10.5	4.8	-	5.3
CLARKE	4.2	6.0	1.9	3.4	6.0	-	0.8	-	1.9
CLAY	16.1	5.8	21.2	10.3	1.9	14.4	5.8	3.9	6.7
COAHOMA	18.4	6.9	20.6	13.4	4.6	15.0	5.0	2.3	5.6
COPIAH	12.0	4.6	17.0	8.8	4.6	11.6	3.2	-	5.4
COVINGTON	12.8	8.6	18.1	5.4	-	12.1	7.4	8.6	6.0
DESOTO	6.8	4.9	17.2	4.4	2.8	13.1	2.4	2.1	4.1
FORREST	11.4	7.0	16.8	6.6	4.3	9.4	4.8	2.6	7.4
FRANKLIN	9.4	-	21.7	3.8	-	8.7	5.7	-	13.0
GEORGE	10.6	10.5	11.2	6.5	5.9	11.2	4.1	4.6	-
GREENE	8.0	6.7	13.2	4.0	5.0	-	4.0	1.7	13.2
GRENADA	14.2	6.6	22.3	11.5	2.6	20.9	2.7	3.9	1.4
HANCOCK	7.7	6.9	16.1	2.9	2.4	8.1	4.8	4.5	8.1
HARRISON	9.7	7.9	13.6	5.4	4.5	7.3	4.3	3.3	6.4
HINDS	12.9	7.2	14.8	7.7	4.6	8.8	5.2	2.6	6.0
HOLMES	10.0	-	11.2	4.7	-	5.3	5.2	-	5.9
HUMPHREYS	17.7	6.3	19.9	13.8	-	16.4	3.9	6.3	3.5
ISSAQUENA	10.1	35.7	-	10.1	35.7	-	-	-	-
ITAWAMBA	9.3	7.0	34.2	7.8	6.2	25.6	1.4	0.8	8.5
JACKSON	7.6	6.0	11.4	4.4	3.6	6.3	3.2	2.4	5.2
JASPER	9.3	3.9	12.8	6.2	-	10.2	3.1	3.9	2.6
JEFFERSON	8.7	-	9.3	5.8	-	6.2	2.9	-	3.1
JEFF DAVIS	14.1	9.7	16.6	8.2	9.7	7.4	5.9	-	9.2
JONES	9.2	6.0	14.7	4.4	2.5	7.6	4.8	3.4	7.1
KEMPER	18.0	10.1	21.4	15.0	10.1	17.1	3.0	-	4.3
LAFAYETTE	9.1	6.4	13.2	7.4	4.3	12.1	1.7	2.2	1.1
LAMAR	7.8	8.4	5.2	6.0	6.1	5.2	1.9	2.3	-
LAUDERDALE	12.9	7.3	18.9	8.2	5.0	11.6	4.8	2.3	7.4
LAWRENCE	9.8	5.5	16.4	6.6	3.6	10.9	3.3	1.8	5.5
LEAKE	12.6	14.7	10.3	6.6	6.3	6.9	6.0	8.4	3.4
LEE	10.5	7.7	16.4	5.4	2.6	11.3	5.1	5.1	5.1
LEFLORE	16.9	4.7	20.2	11.5	3.1	13.8	5.4	1.6	6.4

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 2000-2004 AVERAGE

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	7.9	5.4	12.7	5.2	4.0	7.6	2.6	1.3	5.1
LOWNDES	11.4	6.2	16.5	9.0	4.9	13.0	2.4	1.3	3.5
MADISON	9.4	4.6	14.7	5.8	3.1	8.9	3.6	1.5	5.8
MARION	7.4	6.1	9.2	5.2	4.4	6.6	2.1	1.7	2.6
MARSHALL	12.9	11.7	14.0	8.2	8.3	8.1	4.7	3.3	5.9
MONROE	7.6	5.7	10.9	4.4	3.1	6.6	3.2	2.5	4.4
MONTGOMERY	10.0	5.9	13.0	6.2	3.0	8.7	3.8	3.0	4.3
NESHOBA	9.3	3.2	15.5	6.5	2.4	10.6	2.8	0.8	4.9
NEWTON	10.0	7.4	13.3	4.7	4.2	5.3	5.3	3.2	8.0
NOXUBEE	18.5	4.5	22.5	9.8	-	12.5	8.8	4.5	10.0
OKTIBBEHA	6.4	4.6	8.1	5.4	3.8	6.7	1.1	0.8	1.3
PANOLA	10.5	4.5	14.5	6.3	1.8	9.3	4.2	2.7	5.2
PEARL RIVER	5.7	4.3	13.0	3.3	2.5	7.4	2.4	1.8	5.6
PERRY	5.9	3.0	16.3	3.6	1.5	10.9	2.4	1.5	5.4
PIKE	6.6	3.9	8.4	3.4	1.6	4.7	3.1	2.4	3.7
PONTOTOC	5.1	4.7	7.3	2.0	2.4	-	3.0	2.4	7.3
PRENTISS	10.6	11.2	7.4	5.6	6.0	3.7	5.0	5.2	3.7
QUITMAN	14.6	7.8	15.9	5.3	7.8	4.8	9.2	-	11.2
RANKIN	8.3	6.7	15.1	4.9	3.6	10.4	3.4	3.1	4.6
SCOTT	15.2	12.7	18.5	7.4	5.2	10.3	7.8	7.5	8.2
SHARKEY	5.8	-	7.5	1.9	-	2.5	3.9	-	5.0
SIMPSON	12.5	7.7	19.4	8.5	2.6	16.9	4.0	5.1	2.4
SMITH	12.8	8.5	22.6	9.8	5.7	19.4	3.0	2.8	3.2
STONE	9.0	6.6	16.3	5.0	1.3	16.3	4.0	5.3	-
SUNFLOWER	17.2	9.2	19.0	11.9	9.2	12.5	5.3	-	6.5
TALLAHATCHIE	10.9	-	14.9	7.0	-	9.5	4.0	-	5.4
TATE	9.6	6.4	15.2	6.1	4.0	9.7	3.6	2.4	5.5
TIPPAH	8.5	9.1	6.0	6.1	6.1	6.0	2.4	3.0	-
TISHOMINGO	8.7	9.0	-	7.0	7.2	-	1.7	1.8	-
TUNICA	16.8	13.6	17.4	9.4	13.6	8.7	7.3	-	8.7
UNION	7.6	6.0	15.4	3.3	2.6	6.2	4.4	3.3	9.2
WALTHALL	11.0	6.0	15.0	6.4	6.0	6.7	4.6	-	8.4
WARREN	7.3	3.6	10.0	3.9	2.4	5.0	3.4	1.2	5.0
WASHINGTON	12.3	5.8	14.4	7.4	5.8	8.0	4.9	-	6.4
WAYNE	6.6	5.1	8.2	3.3	2.6	4.1	3.3	2.6	4.1
WEBSTER	11.0	7.8	18.3	6.8	5.9	9.1	4.1	2.0	9.1
WILKINSON	8.6	-	10.8	4.3	-	5.4	4.3	-	5.4
WINSTON	10.2	3.4	15.4	8.0	1.7	12.9	2.2	1.7	2.6
YALOBUSHA	8.4	7.9	9.0	5.2	3.9	6.8	3.2	3.9	2.2
YAZOO	13.8	5.7	17.6	7.8	2.9	10.1	6.0	2.9	7.4

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2004

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT-	< 1	1-	7-	14-	21-	
					AL	DAY	6	13	20	27	
<u>ALL CAUSES</u>	<u>417</u>	<u>9.7</u>	W	<u>144</u>	<u>82</u>	<u>46</u>	<u>15</u>	<u>8</u>	<u>8</u>	<u>5</u>	<u>62</u>
			NW	<u>273</u>	<u>174</u>	<u>100</u>	<u>41</u>	<u>13</u>	<u>15</u>	<u>5</u>	<u>99</u>
SEPTICEMIA (008)	6	0.1	W	1	0	0	0	0	0	0	1
			NW	5	0	0	0	0	0	0	5
MALIGNANT NEOPLASMS (021-023)	1	##	W	1	1	0	1	0	0	0	0
			NW	0	0	0	0	0	0	0	0
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
MENINGITIS (033)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	1	0	0	0	1	0	0
INFANTILE CEREBRALPALSY (035)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	8	0.2	W	2	1	0	1	0	0	0	1
			NW	6	3	1	1	0	1	0	3
INFLUENZA AND PNEUMONIA (046,047)	7	0.2	W	1	0	0	0	0	0	0	1
			NW	6	0	0	0	0	0	0	6
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	10	0.2	W	2	1	0	0	0	0	1	1
			NW	8	1	0	1	0	0	0	7
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT HERNIA (054)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	5	0.1	W	0	0	0	0	0	0	0	0
			NW	5	4	0	2	1	0	1	1
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	11	0.2	W	3	3	3	0	0	0	0	0
			NW	8	8	8	0	0	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	3	3	0	0	0	0	0
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (068)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2004

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT-	< 1	1-	7-	14-	21-	
					AL	DAY	6	13	20	27	
NEWBORN AFFECTED BY NOXIOUS INFLUENCES TRANSMITTED VIA PLACENTA OR BREAST MILK (069)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	79	1.8	W	22	21	19	2	0	0	0	1
			NW	57	56	46	7	2	1	0	1
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	4	0.1	W	3	2	1	1	0	0	0	1
			NW	1	1	1	0	0	0	0	0
RESPIRATORY DISTRESS OF NEWBORN (077)	10	0.2	W	0	0	0	0	0	0	0	0
			NW	10	10	6	4	0	0	0	0
CONGENITAL PNEUMONIA (078)	1	##	W	1	1	0	0	1	0	0	0
			NW	0	0	0	0	0	0	0	0
INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (080)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	12	0.3	W	0	0	0	0	0	0	0	0
			NW	12	12	0	11	0	1	0	0
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	5	0.1	W	0	0	0	0	0	0	0	0
			NW	5	0	0	0	0	0	0	5
ATELECTASIS (083)	4	0.1	W	2	2	1	1	0	0	0	0
			NW	2	2	1	1	0	0	0	0
BACTERIAL SEPSIS OF NEWBORN (085)	12	0.3	W	4	4	0	1	1	2	0	0
			NW	8	8	2	1	3	2	0	0
NEONATAL HEMORRHAGE (088)	8	0.2	W	2	2	0	1	1	0	0	0
			NW	6	6	2	4	0	0	0	0
HEMATOLOGICAL DISORDERS (091)	1	##	W	1	1	0	0	0	1	0	0
			NW	0	0	0	0	0	0	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	7	0.2	W	2	2	0	0	0	2	0	0
			NW	5	5	0	0	2	2	1	0
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	3	0.1	W	2	2	1	1	0	0	0	0
			NW	1	1	1	0	0	0	0	0

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2004

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT-	< 1	1-	7-	14-	21-	
					AL	DAY	6	13	20	27	
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSO- MAL ABNORMALITIES (096-110)	72	1.7	W	38	25	15	5	3	1	1	13
			NW	34	21	12	2	3	3	1	13
SUDDEN INFANT DEATH SYNDROME (111)	71	1.6	W	32	5	0	0	1	2	2	27
			NW	39	7	0	1	1	3	2	32
ACCIDENTS (114-124)	10	0.2	W	3	0	0	0	0	0	0	3
			NW	7	0	0	0	0	0	0	7
ASSAULT (HOMICIDE) (125-128)	4	0.1	W	2	0	0	0	0	0	0	2
			NW	2	1	1	0	0	0	0	1
ALL OTHER CAUSES	54	1.3	W	18	8	5	1	1	0	1	10
			NW	36	20	15	3	1	1	0	16

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

**TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2004**

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,706</u>	<u>932</u>	<u>53</u>	<u>184</u>	<u>176</u>	<u>86</u>	<u>50</u>	<u>17</u>	<u>208</u>
ADAMS	22	12	2	1	4	0	0	0	3
ALCORN	18	9	0	2	1	1	0	1	4
AMITE	6	6	0	0	0	0	0	0	0
ATTALA	11	8	0	1	0	1	0	0	1
BENTON	3	2	0	0	0	0	0	0	1
BOLIVAR	9	4	0	0	2	0	0	0	3
CALHOUN	5	5	0	0	0	0	0	0	0
CARROLL	3	3	0	0	0	0	0	0	0
CHICKASAW	8	3	0	1	0	3	0	0	1
CHOCTAW	3	3	0	0	0	0	0	0	0
CLAIBORNE	6	4	0	0	0	0	0	0	2
CLARKE	11	8	0	2	0	0	0	0	1
CLAY	18	14	0	2	0	0	1	0	1
COAHOMA	25	11	1	2	2	3	0	0	6
COPIAH	14	10	0	0	1	0	0	0	3
COVINGTON	13	8	0	1	0	2	0	1	1
DESOTO	40	26	1	6	1	1	2	1	2
FORREST	80	49	1	9	12	1	2	2	4
FRANKLIN	8	5	0	2	0	1	0	0	0
GEORGE	12	8	0	1	1	0	0	0	2
GREENE	5	3	0	0	0	0	0	0	2
GRENADA	22	14	0	2	0	3	1	0	2
HANCOCK	38	13	1	15	3	1	1	0	4
HARRISON	115	31	8	33	10	3	11	0	19
HINDS	209	122	1	11	30	9	6	3	27
HOLMES	24	17	2	0	0	4	1	0	0
HUMPHREYS	4	3	0	0	0	0	0	0	1
ISSAQUENA	4	4	0	0	0	0	0	0	0
ITAWAMBA	12	9	0	0	1	1	0	0	1
JACKSON	84	30	4	28	8	0	1	0	13
JASPER	12	9	0	0	2	0	0	0	1
JEFFERSON	2	2	0	0	0	0	0	0	0
JEFF DAVIS	6	2	1	0	1	0	0	1	1
JONES	35	18	3	3	8	1	0	0	2
KEMPER	6	4	0	0	0	2	0	0	0
LAFAYETTE	40	11	0	3	16	6	1	1	2
LAMAR	16	10	0	2	0	0	0	1	3
LAUDERDALE	52	28	1	9	6	1	0	0	7
LAWRENCE	3	2	0	0	1	0	0	0	0
LEAKE	19	16	0	0	1	1	0	0	1
LEE	62	34	0	2	10	2	0	0	14
LEFLORE	28	13	0	2	11	1	0	0	1

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 2004

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	16	12	0	0	1	1	0	0	2
LOWNDES	25	11	1	3	4	0	3	1	2
MADISON	16	11	0	1	1	1	0	0	2
MARION	12	7	0	2	1	0	0	0	2
MARSHALL	25	20	1	0	0	0	0	2	2
MONROE	16	5	0	2	3	2	0	0	4
MONTGOMERY	11	7	2	0	1	0	0	0	1
NESHOBA	19	11	3	3	1	0	0	1	0
NEWTON	14	10	0	1	1	1	0	0	1
NOXUBEE	3	2	0	0	0	0	0	0	1
OKTIBBEHA	14	5	1	0	5	0	1	0	2
PANOLA	31	25	0	1	2	1	2	0	0
PEARL RIVER	32	18	0	8	0	2	1	0	3
PERRY	9	8	0	0	0	0	1	0	0
PIKE	23	12	0	2	0	2	2	0	5
PONTOTOC	12	7	0	3	2	0	0	0	0
PRENTISS	12	9	0	0	3	0	0	0	0
QUITMAN	10	7	0	0	1	1	0	0	1
RANKIN	42	23	2	7	2	0	1	0	7
SCOTT	18	16	0	0	0	0	0	1	1
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	15	4	4	1	3	1	1	0	1
SMITH	4	3	0	0	0	0	0	0	1
STONE	6	4	0	1	1	0	0	0	0
SUNFLOWER	13	11	2	0	0	0	0	0	0
TALLAHATCHIE	5	3	0	0	0	0	0	0	2
TATE	8	4	0	0	0	0	3	0	1
TIPPAH	7	4	0	1	0	2	0	0	0
TISHOMINGO	12	7	0	3	1	1	0	0	0
TUNICA	6	2	3	0	0	0	1	0	0
UNION	16	9	1	0	0	0	2	0	4
WALTHALL	8	8	0	0	0	0	0	0	0
WARREN	26	10	1	3	6	1	1	0	4
WASHINGTON	54	13	3	2	1	20	1	0	14
WAYNE	10	4	0	0	1	1	0	0	4
WEBSTER	3	2	0	0	1	0	0	0	0
WILKINSON	4	2	0	0	1	0	1	0	0
WINSTON	10	6	0	0	1	1	1	0	1
YALOBUSHA	8	3	0	0	0	0	1	1	3
YAZOO	18	14	3	0	0	0	0	0	1

**TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2004**

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>17,705</u>	<u>12,055</u>	<u>5,650</u>	<u>17,705</u>	<u>12,055</u>	<u>5,650</u>	<u>16,458</u>	<u>11,136</u>	<u>5,322</u>
ADAMS	232	140	92	275	176	99	160	78	82
ALCORN	146	133	13	151	138	13	120	110	10
AMITE	74	47	27	80	47	33	79	49	30
ATTALA	141	93	48	137	86	51	130	84	46
BENTON	25	15	10	40	29	11	38	24	14
BOLIVAR	0	0	0	26	14	12	17	10	7
CALHOUN	105	80	25	108	82	26	100	74	26
CARROLL	51	34	17	56	36	20	41	29	12
CHICKASAW	115	70	45	118	74	44	115	67	48
CHOCTAW	38	29	9	56	42	14	40	32	8
CLAIBORNE	61	7	54	71	16	55	59	9	50
CLARKE	94	63	31	115	84	31	100	68	32
CLAY	138	70	68	152	70	82	138	65	73
COAHOMA	114	32	82	120	36	84	93	21	72
COPIAH	201	109	92	218	122	96	214	122	92
COVINGTON	154	111	43	146	102	44	154	113	41
DESOTO	665	567	98	556	475	81	523	462	61
FORREST	638	464	174	605	429	176	529	364	165
FRANKLIN	64	45	19	65	47	18	58	40	18
GEORGE	166	152	14	160	143	17	137	130	7
GREENE	62	50	12	61	51	10	61	53	8
GRENADA	164	108	56	161	94	67	132	81	51
HANCOCK	306	281	25	314	286	28	280	255	25
HARRISON	1,509	1,180	329	1,570	1,249	321	1,241	967	274
HINDS	1,660	666	994	1,608	693	915	1,449	549	900
HOLMES	98	16	82	107	20	87	99	18	81
HUMPHREYS	53	17	36	60	22	38	52	18	34
ISSAQUENA	11	6	5	11	6	5	6	4	2
ITAWAMBA	108	101	7	125	114	11	106	99	7
JACKSON	775	621	154	784	633	151	797	637	160
JASPER	102	52	50	116	62	54	104	53	51
JEFFERSON	43	2	41	48	6	42	43	6	37
JEFF DAVIS	85	35	50	78	33	45	84	36	48
JONES	479	362	117	500	380	120	456	350	106
KEMPER	55	23	32	53	26	27	45	19	26
LAFAYETTE	246	188	58	236	175	61	226	169	57
LAMAR	279	255	24	280	255	25	338	304	34
LAUDERDALE	527	369	158	500	336	164	476	329	147
LAWRENCE	81	56	25	105	74	31	81	55	26
LEAKE	134	89	45	141	88	53	142	90	52
LEE	516	383	133	465	350	115	462	346	116
LEFLORE	114	43	71	131	51	80	109	43	66

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2004

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	251	174	77	247	171	76	240	167	73
LOWNDES	296	195	101	291	182	109	274	173	101
MADISON	424	261	163	436	255	181	477	289	188
MARION	207	137	70	199	126	73	198	125	73
MARSHALL	166	86	80	170	91	79	153	87	66
MONROE	210	143	67	223	148	75	210	142	68
MONTGOMERY	58	28	30	76	48	28	70	39	31
NESHOBA	214	133	81	222	139	83	189	111	78
NEWTON	143	94	49	135	95	40	155	110	45
NOXUBEE	66	21	45	64	25	39	61	17	44
OKTIBBEHA	280	184	96	234	148	86	250	163	87
PANOLA	164	97	67	166	93	73	176	104	72
PEARL RIVER	332	292	40	329	291	38	310	275	35
PERRY	78	63	15	71	56	15	84	68	16
PIKE	339	195	144	323	177	146	311	168	143
PONTOTOC	166	148	18	164	146	18	166	145	21
PRENTISS	116	108	8	109	103	6	117	108	9
QUITMAN	47	24	23	50	30	20	45	21	24
RANKIN	1,002	874	128	798	687	111	1,001	862	139
SCOTT	228	147	81	240	159	81	219	147	72
SHARKEY	14	10	4	23	16	7	18	11	7
SIMPSON	206	158	48	224	177	47	201	158	43
SMITH	92	82	10	107	93	14	112	97	15
STONE	117	93	24	118	88	30	93	74	19
SUNFLOWER	103	29	74	108	30	78	84	24	60
TALLAHATCHIE	57	22	35	61	29	32	57	24	33
TATE	167	124	43	182	144	38	136	103	33
TIPPAH	102	88	14	108	96	12	87	76	11
TISHOMINGO	79	79	0	89	89	0	65	65	0
TUNICA	41	12	29	62	31	31	35	11	24
UNION	134	120	14	131	116	15	136	121	15
WALTHALL	89	59	30	92	58	34	86	57	29
WARREN	368	213	155	366	215	151	315	173	142
WASHINGTON	157	80	77	167	94	73	144	73	71
WAYNE	107	71	36	118	83	35	102	70	32
WEBSTER	67	52	15	61	52	9	71	56	15
WILKINSON	44	17	27	52	25	27	36	9	27
WINSTON	110	56	54	115	62	53	102	52	50
YALOBUSHA	70	45	25	79	50	29	82	55	27
YAZOO	165	77	88	186	85	101	156	74	82
OUT OF STATE	*	*	*	*	*	*	1,232	910	322

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 2004

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>13,003</u>	<u>8,876</u>	<u>3,123</u>	<u>1,004</u>					
ADAMS	114	58	47	9	LINCOLN	95	60	18	17
ALCORN	245	220	14	11	LOWNDES	286	171	101	14
AMITE	50	38	12	0	MADISON	310	218	92	0
ATTALA	92	67	23	2	MARION	159	118	31	10
BENTON	43	37	6	0	MARSHALL	147	88	53	6
BOLIVAR	148	66	81	1	MONROE	193	153	35	5
CALHOUN	72	61	9	2	MONTGOMERY	47	26	21	0
CARROLL	26	20	6	0	NESHOBA	123	93	30	0
CHICKASAW	47	31	12	4	NEWTON	104	82	17	5
CHOCTAW	42	32	8	2	NOXUBEE	31	7	22	2
CLAIBORNE	32	8	24	0	OKTIBBEHA	132	80	52	0
CLARKE	90	61	29	0	PANOLA	166	115	51	0
CLAY	63	22	34	7	PEARL RIVER	253	235	16	2
COAHOMA	90	29	61	0	PERRY	75	65	9	1
COPIAH	133	81	43	9	PIKE	197	114	63	20
COVINGTON	85	65	15	5	PONTOTOC	0	0	0	0
DESOTO	755	567	84	104	PRENTISS	160	122	9	29
FORREST	353	261	91	1	QUITMAN	20	9	11	0
FRANKLIN	40	29	11	0	RANKIN	719	629	90	0
GEORGE	0	0	0	0	SCOTT	156	116	38	2
GREENE	33	26	0	7	SHARKEY	7	5	2	0
GRENADA	125	78	47	0	SIMPSON	115	90	25	0
HANCOCK	219	148	12	59	SMITH	87	72	15	0
HARRISON	1,160	585	135	440	STONE	79	66	6	7
HINDS	897	339	518	40	SUNFLOWER	32	12	18	2
HOLMES	62	14	48	0	TALLAHATCHIE	38	20	18	0
HUMPHREYS	0	0	0	0	TATE	75	59	16	0
ISSAQUENA	6	5	1	0	TIPPAH	169	137	17	15
ITAWAMBA	149	122	3	24	TISHOMINGO	103	102	1	0
JACKSON	774	689	85	0	TUNICA	46	16	30	0
JASPER	68	34	33	1	UNION	165	135	20	10
JEFFERSON	12	3	9	0	WALTHALL	59	40	19	0
JEFF DAVIS	20	14	6	0	WARREN	229	158	65	6
JONES	320	253	59	8	WASHINGTON	232	120	112	0
KEMPER	23	9	14	0	WAYNE	95	74	20	1
LAFAYETTE	126	97	26	3	WEBSTER	54	41	12	1
LAMAR	227	198	22	7	WILKINSON	0	0	0	0
LAUDERDALE	350	235	115	0	WINSTON	32	21	11	0
LAWRENCE	71	55	16	0	YALOBUSHA	68	50	18	0
LEAKE	97	73	24	0	YAZOO	95	55	36	4
LEE	480	317	70	93					
LEFLORE	111	55	50	6					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE 17
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2004**

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>3,396</u>	<u>801</u>	<u>2,594</u>	<u>1</u>					
ADAMS	54	5	49	0	LINCOLN	29	16	13	0
ALCORN	0	0	0	0	LOWNDES	2	0	2	0
AMITE	10	5	5	0	MADISON	264	76	188	0
ATTALA	33	5	28	0	MARION	16	6	10	0
BENTON	0	0	0	0	MARSHALL	2	0	2	0
BOLIVAR	26	8	18	0	MONROE	1	0	1	0
CALHOUN	2	1	1	0	MONTGOMERY	10	2	8	0
CARROLL	12	1	11	0	NESHOBA	40	16	24	0
CHICKASAW	4	1	3	0	NEWTON	19	6	13	0
CHOCTAW	1	0	1	0	NOXUBEE	0	0	0	0
CLAIBORNE	32	0	32	0	OKTIBBEHA	25	11	14	0
CLARKE	6	1	5	0	PANOLA	1	1	0	0
CLAY	1	0	1	0	PEARL RIVER	3	1	2	0
COAHOMA	4	1	3	0	PERRY	6	2	4	0
COPIAH	70	10	60	0	PIKE	68	13	55	0
COVINGTON	23	6	17	0	PONTOTOC	0	0	0	0
DESOTO	2	1	1	0	PRENTISS	0	0	0	0
FORREST	183	60	123	0	QUITMAN	1	0	1	0
FRANKLIN	12	1	11	0	RANKIN	261	148	113	0
GEORGE	2	2	0	0	SCOTT	63	23	40	0
GREENE	2	0	2	0	SHARKEY	11	2	9	0
GRENADA	20	13	7	0	SIMPSON	43	15	28	0
HANCOCK	1	1	0	0	SMITH	12	7	5	0
HARRISON	20	8	12	0	STONE	1	1	0	0
HINDS	1,209	141	1,068	0	SUNFLOWER	22	1	21	0
HOLMES	78	4	74	0	TALLAHATCHIE	2	0	2	0
HUMPHREYS	20	1	19	0	TATE	1	0	1	0
ISSAQUENA	3	1	2	0	TIPPAH	0	0	0	0
ITAWAMBA	2	2	0	0	TISHOMINGO	0	0	0	0
JACKSON	7	4	3	0	TUNICA	1	0	1	0
JASPER	14	3	11	0	UNION	1	0	1	0
JEFFERSON	35	1	34	0	WALTHALL	15	7	8	0
JEFF DAVIS	9	3	6	0	WARREN	140	34	106	0
JONES	59	24	34	1	WASHINGTON	65	14	51	0
KEMPER	3	1	2	0	WAYNE	11	2	9	0
LAFAYETTE	11	4	7	0	WEBSTER	3	3	0	0
LAMAR	40	25	15	0	WILKINSON	2	0	2	0
LAUDERDALE	37	11	26	0	WINSTON	20	2	18	0
LAWRENCE	19	7	12	0	YALOBUSHA	3	3	0	0
LEAKE	46	9	37	0	YAZOO	61	9	52	0
LEE	3	1	2	0					
LEFLORE	56	8	48	0					

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2004

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>7,673</u>	<u>240</u>	<u>7,433</u>	<u>3,131</u>	<u>37</u>	<u>3,094</u>	<u>4,538</u>	<u>203</u>	<u>4,335</u>
ADAMS	91	1	90	25	0	25	66	1	65
ALCORN	75	3	72	63	1	62	12	2	10
AMITE	26	0	26	8	0	8	18	0	18
ATTALA	43	2	41	12	0	12	31	2	29
BENTON	13	0	13	11	0	11	2	0	2
BOLIVAR	142	4	138	20	0	20	122	4	118
CALHOUN	41	0	41	23	0	23	18	0	18
CARROLL	14	1	13	4	0	4	10	1	9
CHICKASAW	70	4	66	29	0	29	41	4	37
CHOCTAW	16	1	15	7	0	7	9	1	8
CLAIBORNE	32	1	31	2	0	2	30	1	29
CLARKE	50	1	49	26	0	26	24	1	23
CLAY	69	1	68	21	0	21	48	1	47
COAHOMA	117	6	111	11	0	11	106	6	100
COPIAH	105	2	103	21	0	21	84	2	82
COVINGTON	60	1	59	27	0	27	33	1	32
DESOTO	213	0	213	167	0	167	46	0	46
FORREST	202	6	196	89	2	87	113	4	109
FRANKLIN	15	0	15	5	0	5	10	0	10
GEORGE	54	1	53	43	0	43	11	1	10
GREENE	20	0	20	10	0	10	10	0	10
GRENADA	65	2	63	26	1	25	39	1	38
HANCOCK	84	1	83	79	1	78	5	0	5
HARRISON	440	12	428	253	3	250	186	9	177
HINDS	866	37	829	100	1	99	765	36	729
HOLMES	91	9	82	3	0	3	88	9	79
HUMPHREYS	45	2	43	2	0	2	43	2	41
ISSAQUENA	3	0	3	0	0	0	3	0	3
ITAWAMBA	54	1	53	45	1	44	9	0	9
JACKSON	293	4	289	177	1	176	116	3	113
JASPER	35	2	33	9	0	9	26	2	24
JEFFERSON	32	1	31	0	0	0	32	1	31
JEFF DAVIS	36	1	35	12	0	12	24	1	23
JONES	195	6	189	109	3	106	86	3	83
KEMPER	20	1	19	6	0	6	14	1	13
LAFAYETTE	55	1	54	29	1	28	25	0	25
LAMAR	81	1	80	61	1	60	20	0	20
LAUDERDALE	206	6	200	63	1	62	143	5	138
LAWRENCE	24	0	24	12	0	12	12	0	12
LEAKE	78	2	76	34	1	33	44	1	43
LEE	202	2	200	106	0	106	96	2	94
LEFLORE	107	3	104	11	0	11	96	3	93

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2004

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	53	1	52	27	0	27	26	1	25
LOWNDES	180	5	175	61	1	60	118	4	114
MADISON	196	11	185	48	0	48	148	11	137
MARION	77	2	75	40	0	40	37	2	35
MARSHALL	84	1	83	38	0	38	46	1	45
MONROE	94	3	91	53	0	53	41	3	38
MONTGOMERY	38	3	35	11	1	10	27	2	25
NESHOBA	114	4	110	44	0	44	70	4	66
NEWTON	43	2	41	19	0	19	24	2	22
NOXUBEE	38	2	36	1	0	1	37	2	35
OKTIBBEHA	82	3	79	27	0	27	55	3	52
PANOLA	117	4	113	31	1	30	86	3	83
PEARL RIVER	113	3	110	91	3	88	22	0	22
PERRY	29	1	28	22	0	22	7	1	6
PIKE	112	5	107	40	1	39	72	4	68
PONTOTOC	75	1	74	69	1	68	6	0	6
PRENTISS	48	3	45	36	2	34	12	1	11
QUITMAN	21	1	20	5	1	4	16	0	16
RANKIN	261	4	257	190	2	188	71	2	69
SCOTT	109	3	106	59	0	59	50	3	47
SHARKEY	18	0	18	3	0	3	15	0	15
SIMPSON	80	1	79	41	0	41	39	1	38
SMITH	37	2	35	22	2	20	15	0	15
STONE	26	1	25	20	0	20	6	1	5
SUNFLOWER	115	4	111	9	0	9	106	4	102
TALLAHATCHIE	46	1	45	9	0	9	37	1	36
TATE	82	2	80	40	0	40	42	2	40
TIPPAH	58	3	55	51	1	50	7	2	5
TISHOMINGO	33	0	33	32	0	32	1	0	1
TUNICA	37	3	34	2	0	2	35	3	32
UNION	55	0	55	39	0	39	16	0	16
WALTHALL	34	1	33	7	0	7	27	1	26
WARREN	139	6	133	43	0	43	96	6	90
WASHINGTON	220	13	207	36	2	34	184	11	173
WAYNE	56	1	55	23	0	23	33	1	32
WEBSTER	32	2	30	19	1	18	13	1	12
WILKINSON	25	2	23	1	0	1	24	2	22
WINSTON	61	2	59	14	0	14	47	2	45
YALOBUSHA	44	1	43	24	0	24	20	1	19
YAZOO	111	4	107	23	0	23	88	4	84

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2004

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>36.4</u>	<u>2.3</u>	<u>70.3</u>	<u>28.3</u>	<u>0.7</u>	<u>55.1</u>	<u>45.3</u>	<u>4.0</u>	<u>87.4</u>
ADAMS	38.7	0.8	77.6	31.4	-	62.8	42.5	1.3	85.4
ALCORN	35.3	2.7	71.9	35.4	1.1	73.8	34.4	10.6	62.1
AMITE	27.9	-	54.8	18.6	-	38.5	35.7	-	67.7
ATTALA	32.0	2.9	61.6	19.4	-	39.6	42.8	5.5	80.1
BENTON	25.0	-	56.3	39.8	-	82.1	8.2	-	20.6
BOLIVAR	44.3	2.7	80.2	28.0	-	48.1	48.9	3.4	90.5
CALHOUN	42.4	-	86.3	40.1	-	82.1	45.8	-	92.3
CARROLL	21.0	3.0	38.6	11.5	-	23.0	31.4	6.4	55.2
CHICKASAW	50.2	5.6	96.4	45.3	-	97.6	54.4	11.0	95.4
CHOCTAW	21.5	2.8	39.3	15.2	-	30.2	31.5	7.4	53.3
CLAIBORNE	28.7	2.5	43.4	26.7	-	45.4	28.8	2.7	43.3
CLARKE	41.0	1.6	83.3	36.3	-	76.5	47.7	3.9	92.7
CLAY	42.2	1.2	85.6	42.5	-	83.3	42.1	1.7	86.7
COAHOMA	45.5	4.7	86.3	23.1	-	43.8	50.6	5.7	96.6
COPIAH	45.8	2.0	79.4	24.4	-	41.9	58.7	3.2	103.0
COVINGTON	38.8	1.3	77.6	32.3	-	68.2	46.3	2.9	87.9
DESOTO	22.7	-	47.6	22.7	-	47.2	22.7	-	49.0
FORREST	37.4	2.5	64.8	30.8	1.6	52.1	45.0	3.4	80.7
FRANKLIN	25.2	-	47.6	16.8	-	34.0	33.7	-	59.5
GEORGE	37.3	1.3	79.2	33.8	-	73.4	62.8	10.9	120.5
GREENE	25.3	-	53.6	16.4	-	35.3	54.6	-	111.1
GRENADA	37.2	2.2	76.5	30.7	2.2	61.7	43.4	2.1	90.9
HANCOCK	27.4	0.6	54.6	29.2	0.7	58.0	13.8	-	28.6
HARRISON	33.5	1.8	66.9	29.4	0.7	58.7	40.8	3.7	82.7
HINDS	45.8	4.0	86.0	21.2	0.5	38.0	53.8	5.0	103.6
HOLMES	49.2	10.1	85.2	11.8	-	17.2	55.1	11.1	100.2
HUMPHREYS	50.6	4.4	98.2	14.2	-	29.0	57.5	5.3	111.1
ISSAQUENA	17.3	-	33.3	-	-	-	22.2	-	41.7
ITAWAMBA	30.7	1.2	57.9	28.6	1.3	55.6	48.6	-	73.2
JACKSON	30.2	0.8	62.5	26.1	0.3	54.4	39.8	2.0	81.2
JASPER	26.1	2.9	50.8	19.9	-	41.7	29.3	4.4	55.3
JEFFERSON	43.5	2.9	79.5	-	-	-	47.0	3.1	87.3
JEFF DAVIS	36.7	2.0	72.5	43.6	-	86.3	34.0	2.8	66.9
JONES	44.2	2.8	84.6	39.7	2.3	74.3	51.6	3.5	102.7
KEMPER	27.8	3.0	49.0	28.6	-	48.4	27.6	4.1	49.2
LAFAYETTE	17.4	1.0	25.0	12.9	1.6	17.2	27.5	-	46.9
LAMAR	26.7	0.6	54.9	25.0	0.8	50.8	34.1	-	72.2
LAUDERDALE	37.9	2.2	73.8	24.3	0.8	46.7	50.3	3.4	99.8
LAWRENCE	24.6	-	52.9	20.8	-	43.0	30.0	-	68.6
LEAKE	47.6	2.3	98.4	46.4	2.6	96.5	48.7	2.1	100.0
LEE	36.9	0.7	76.6	30.1	-	62.8	49.2	1.9	101.8
LEFLORE	36.8	2.1	69.8	18.9	-	35.7	41.3	2.6	78.7

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2004

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	23.0	0.8	49.0	18.7	-	39.9	30.2	2.1	65.1
LOWNDES	39.5	2.2	76.7	29.5	1.0	55.5	47.3	3.1	95.0
MADISON	31.3	3.5	59.2	14.8	-	30.3	49.0	7.4	88.7
MARION	42.4	2.2	83.9	39.2	-	78.9	46.4	4.9	90.4
MARSHALL	32.9	0.8	63.3	39.0	-	80.7	29.1	1.4	53.5
MONROE	34.2	2.1	68.9	31.3	-	64.2	38.9	5.4	76.8
MONTGOMERY	43.6	6.5	85.6	32.4	5.6	62.1	50.8	7.0	100.8
NESHOBA	51.8	3.5	104.0	38.8	-	76.5	65.6	6.8	136.6
NEWTON	26.2	2.5	48.8	21.0	-	40.2	32.6	5.4	59.8
NOXUBEE	39.3	4.0	78.1	5.4	-	11.4	47.2	4.9	93.8
OKTIBBEHA	28.1	2.9	41.6	19.3	-	27.4	36.2	5.0	56.8
PANOLA	43.7	3.1	82.0	29.6	2.0	54.7	52.7	3.7	100.0
PEARL RIVER	30.2	1.6	57.1	29.7	2.0	55.1	32.2	-	66.9
PERRY	33.1	2.1	70.9	38.2	-	85.6	23.3	6.2	43.5
PIKE	39.1	3.4	77.5	34.9	1.7	68.1	41.8	4.4	84.2
PONTOTOC	38.2	1.0	77.6	43.1	1.2	87.7	16.7	-	33.5
PRENTISS	26.1	3.6	44.9	23.8	2.9	41.8	36.1	6.9	58.5
QUITMAN	25.8	2.4	50.2	31.0	12.6	48.8	24.5	-	50.6
RANKIN	31.1	1.0	61.4	29.5	0.6	58.6	36.6	2.1	70.3
SCOTT	51.7	2.8	103.2	56.1	-	111.1	47.4	5.4	94.8
SHARKEY	35.0	-	74.7	28.6	-	63.8	36.6	-	77.3
SIMPSON	40.3	0.9	85.5	38.5	-	81.5	42.4	2.0	90.3
SMITH	33.1	3.4	65.7	28.9	5.0	54.6	42.2	-	89.8
STONE	23.1	2.0	40.2	23.8	-	41.8	21.1	7.1	35.0
SUNFLOWER	47.3	3.2	93.5	18.9	-	36.7	54.3	4.0	108.3
TALLAHATCHIE	36.8	1.5	77.7	26.1	-	52.9	40.9	2.0	88.0
TATE	39.3	2.1	70.7	31.5	-	61.1	51.5	5.9	84.0
TIPPAH	40.1	4.4	72.4	45.2	1.9	82.9	22.0	12.4	31.8
TISHOMINGO	28.1	-	60.6	28.1	-	60.7	27.0	-	55.6
TUNICA	45.8	7.4	84.2	20.6	-	39.2	49.2	8.4	90.6
UNION	32.0	-	68.0	28.1	-	59.1	48.3	-	107.4
WALTHALL	30.9	1.8	60.8	15.6	-	30.0	41.6	3.0	83.9
WARREN	37.8	3.0	77.7	25.6	-	52.9	48.0	5.4	100.1
WASHINGTON	47.0	5.4	91.4	34.0	3.8	64.3	50.8	5.8	99.6
WAYNE	36.2	1.2	73.0	27.8	-	55.3	45.7	2.6	95.0
WEBSTER	47.0	5.7	90.9	39.1	3.9	79.3	67.0	11.0	116.5
WILKINSON	35.8	5.6	66.9	7.0	-	12.5	43.2	6.8	83.3
WINSTON	45.0	2.9	88.7	24.2	-	52.2	60.6	5.3	113.4
YALOBUSHA	50.0	2.1	105.4	59.6	-	121.2	41.9	3.7	90.5
YAZOO	53.4	3.7	108.0	34.9	-	65.3	61.9	5.1	131.4

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 139 through 159 with identical data for each county as well as for the state.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2004

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>378</u>	<u>189</u>	<u>189</u>	<u>11.6</u>	<u>13.2</u>	<u>10.3</u>	<u>397</u>	<u>364</u>	<u>33</u>	<u>11.3</u>	<u>11.8</u>	<u>7.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	14	8	6	43.0	55.9	32.8	6	6	0	17.0	19.4	-
HIV DISEASE (039-043)	1	0	1	3.1	-	5.5	2	2	0	5.7	6.5	250.7
MALIGNANT NEOPLASMS (056-108)	69	43	26	211.7	300.5	142.2	95	84	11	269.6	272.3	-
DIABETES MELLITUS (124)	3	1	2	9.2	7.0	10.9	3	3	0	8.5	9.7	-
ALZHEIMERS DISEASE (148)	6	4	2	18.4	28.0	10.9	24	24	0	68.1	77.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	125	55	70	383.5	384.4	382.9	136	122	14	386.0	395.6	319.1
HEART DISEASES (156-160,162, 164-181)	93	38	55	285.4	265.6	300.8	100	96	4	283.8	311.2	91.2
HYPERTENSION (161,163)	1	0	1	3.1	-	5.5	2	1	1	5.7	3.2	22.8
CEREBROVASCULAR DISEASES (182-186)	25	13	12	76.7	90.8	65.6	31	24	7	88.0	77.8	159.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	4	7	33.8	28.0	38.3	8	7	1	22.7	22.7	22.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	10	7	52.2	69.9	38.3	30	29	1	85.2	94.0	22.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	0	4	12.3	-	21.9	2	2	0	5.7	6.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	6	8	43.0	41.9	43.8	4	3	1	11.4	9.7	22.8
MATERNAL CAUSES (261-273)	2	2	0	483.1	1,298.7	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	7.2	-	11.5	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	2	0	6.1	14.0	-	2	2	0	5.7	6.5	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.4	-	3.8	1	1	0	2.2	2.5	-
ACCIDENTS (295-330)	17	8	9	52.2	55.9	49.2	22	22	0	62.4	71.3	-
MOTOR VEHICLE ACCIDENTS# (296-306)	10	5	5	30.7	34.9	27.3	10	10	0	28.4	32.4	-
SUICIDE (331-337)	5	5	0	15.3	34.9	-	10	10	0	28.4	32.4	-
HOMICIDE (338-346)	1	0	1	3.1	-	5.5	4	3	1	11.4	9.7	22.8

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>138</u>	<u>84</u>	<u>54</u>	<u>10.3</u>	<u>10.9</u>	<u>9.4</u>	<u>278</u>	<u>184</u>	<u>94</u>	<u>14.1</u>	<u>15.9</u>	<u>11.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	14.9	13.0	17.5	3	2	1	15.3	17.3	12.3
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	10.2	-	24.7
MALIGNANT NEOPLASMS (056-108)	23	17	6	171.4	221.0	104.8	60	40	20	305.3	346.3	246.8
DIABETES MELLITUS (124)	6	3	3	44.7	39.0	52.4	6	3	3	30.5	26.0	37.0
ALZHEIMERS DISEASE (148)	4	1	3	29.8	13.0	52.4	8	8	0	40.7	69.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	62	39	23	462.1	507.0	401.7	109	76	33	554.6	658.0	407.3
HEART DISEASES (156-160,162, 164-181)	49	30	19	365.2	390.0	331.9	71	51	20	361.3	441.5	246.8
HYPERTENSION (161,163)	1	0	1	7.4	-	17.5	14	8	6	71.2	69.2	74.0
CEREBROVASCULAR DISEASES (182-186)	11	9	2	82.0	117.0	34.9	23	16	7	117.0	138.5	86.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	22.4	13.0	34.9	9	7	2	45.8	60.6	24.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	14.9	26.0	-	16	15	1	81.4	129.8	12.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	7.4	-	17.5	3	1	2	15.3	8.6	24.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	22.4	13.0	34.9	2	0	2	10.2	-	24.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.8	-	11.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	7.4	-	17.5	1	0	1	5.1	-	12.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	2	6	59.6	26.0	104.8	17	11	6	86.5	95.2	74.0
MOTOR VEHICLE ACCIDENTS# (296-306)	8	2	6	59.6	26.0	104.8	12	8	4	61.0	69.2	49.4
SUICIDE (331-337)	1	1	0	7.4	13.0	-	4	2	2	20.4	17.3	24.7
HOMICIDE (338-346)	1	0	1	7.4	-	17.5	4	1	3	20.4	8.6	37.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>86</u>	<u>60</u>	<u>26</u>	<u>11.0</u>	<u>12.0</u>	<u>9.2</u>	<u>406</u>	<u>152</u>	<u>254</u>	<u>10.4</u>	<u>11.7</u>	<u>9.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	25.5	39.9	-	12	7	5	30.8	54.0	19.2
HIV DISEASE (039-043)	1	0	1	12.7	-	35.3	2	0	2	5.1	-	7.7
MALIGNANT NEOPLASMS (056-108)	17	14	3	216.7	279.3	106.0	99	37	62	254.3	285.5	238.8
DIABETES MELLITUS (124)	4	4	0	51.0	79.8	-	26	7	19	66.8	54.0	73.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	11	6	5	28.2	46.3	19.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	27	13	509.9	538.6	459.2	156	56	100	400.7	432.1	385.1
HEART DISEASES (156-160,162, 164-181)	37	25	12	471.7	498.7	423.9	109	43	66	280.0	331.8	254.2
HYPERTENSION (161,163)	0	0	0	-	-	-	9	2	7	23.1	15.4	27.0
CEREBROVASCULAR DISEASES (182-186)	3	2	1	38.2	39.9	35.3	35	11	24	89.9	84.9	92.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	12.7	19.9	-	12	6	6	30.8	46.3	23.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	25.5	39.9	-	13	8	5	33.4	61.7	19.2
PEPTIC ULCER (217-220)	1	1	0	12.7	19.9	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	12.7	19.9	-	2	1	1	5.1	7.7	3.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	38.2	59.8	-	12	3	9	30.8	23.1	34.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	3.3	-	4.5
CONGENITAL MALFORMATIONS (282-290)	2	2	0	25.5	39.9	-	3	0	3	7.7	-	11.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.6	-	2.2
ACCIDENTS (295-330)	6	1	5	76.5	19.9	176.6	13	5	8	33.4	38.6	30.8
MOTOR VEHICLE ACCIDENTS# (296-306)	4	0	4	51.0	-	141.3	6	2	4	15.4	15.4	15.4
SUICIDE (331-337)	0	0	0	-	-	-	1	1	0	2.6	7.7	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	2.6	-	3.8

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>174</u>	<u>131</u>	<u>43</u>	<u>11.7</u>	<u>12.6</u>	<u>9.6</u>	<u>103</u>	<u>68</u>	<u>35</u>	<u>9.8</u>	<u>9.9</u>	<u>9.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	4	1	33.6	38.4	22.4	1	1	0	9.5	14.6	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	38	26	12	255.6	249.9	269.0	25	18	7	237.7	263.1	190.4
DIABETES MELLITUS (124)	4	4	0	26.9	38.4	-	1	1	0	9.5	14.6	-
ALZHEIMERS DISEASE (148)	10	10	0	67.3	96.1	-	2	1	1	19.0	14.6	27.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	67	53	14	450.8	509.5	313.8	39	23	16	370.8	336.2	435.2
HEART DISEASES (156-160,162, 164-181)	42	34	8	282.6	326.8	179.3	26	15	11	247.2	219.3	299.2
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	9.5	14.6	-
CEREBROVASCULAR DISEASES (182-186)	20	16	4	134.6	153.8	89.7	11	6	5	104.6	87.7	136.0
ATHEROSCLEROSIS (187)	1	0	1	6.7	-	22.4	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	3	2	33.6	28.8	44.8	2	2	0	19.0	29.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	8	1	60.5	76.9	22.4	4	3	1	38.0	43.8	27.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	13.4	19.2	-	1	1	0	9.5	14.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	6.7	9.6	-	2	1	1	19.0	14.6	27.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.1	-	14.5	1	1	0	9.2	16.9	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	6	4	67.3	57.7	89.7	9	8	1	85.6	116.9	27.2
MOTOR VEHICLE ACCIDENTS# (296-306)	8	4	4	53.8	38.4	89.7	6	5	1	57.0	73.1	27.2
SUICIDE (331-337)	3	3	0	20.2	28.8	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	1	0	6.7	9.6	-	1	1	0	9.5	14.6	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2004

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>182</u>	<u>114</u>	<u>68</u>	<u>9.4</u>	<u>10.2</u>	<u>8.3</u>	<u>78</u>	<u>57</u>	<u>21</u>	<u>8.1</u>	<u>8.6</u>	<u>7.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	1	1	0	10.4	15.2	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	41	26	15	212.2	233.4	183.4	16	11	5	166.6	166.8	166.4
DIABETES MELLITUS (124)	2	1	1	10.4	9.0	12.2	2	1	1	20.8	15.2	33.3
ALZHEIMERS DISEASE (148)	3	3	0	15.5	26.9	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	73	47	26	377.9	421.9	317.9	30	22	8	312.5	333.5	266.2
HEART DISEASES (156-160,162, 164-181)	53	36	17	274.4	323.2	207.9	25	18	7	260.4	272.9	232.9
HYPERTENSION (161,163)	3	2	1	15.5	18.0	12.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	13	7	6	67.3	62.8	73.4	3	2	1	31.2	30.3	33.3
ATHEROSCLEROSIS (187)	1	0	1	5.2	-	12.2	1	1	0	10.4	15.2	-
INFLUENZA AND PNEUMONIA (195-198)	8	6	2	41.4	53.9	24.4	1	1	0	10.4	15.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	10	1	56.9	89.8	12.2	13	10	3	135.4	151.6	99.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.2	9.0	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	15.5	18.0	12.2	2	1	1	20.8	15.2	33.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	7.1	7.4	6.9	1	0	1	12.2	-	35.7
CONGENITAL MALFORMATIONS (282-290)	1	0	1	5.2	-	12.2	1	1	0	10.4	15.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	15	5	10	77.6	44.9	122.3	1	1	0	10.4	15.2	-
MOTOR VEHICLE ACCIDENTS# (296-306)	6	1	5	31.0	9.0	61.1	0	0	0	-	-	-
SUICIDE (331-337)	1	1	0	5.2	9.0	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>99</u>	<u>22</u>	<u>77</u>	<u>8.6</u>	<u>12.5</u>	<u>7.9</u>	<u>186</u>	<u>127</u>	<u>59</u>	<u>10.5</u>	<u>11.0</u>	<u>9.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	17.3	56.8	10.2	2	2	0	11.3	17.3	-
HIV DISEASE (039-043)	3	0	3	26.0	-	30.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	17	5	12	147.2	284.2	122.6	42	31	11	238.2	267.9	181.5
DIABETES MELLITUS (124)	4	1	3	34.6	56.8	30.6	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	5	5	0	28.4	43.2	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	43	13	30	372.4	739.0	306.5	68	49	19	385.6	423.4	313.5
HEART DISEASES (156-160,162, 164-181)	37	13	24	320.4	739.0	245.2	56	42	14	317.6	362.9	231.0
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	3	0	3	26.0	-	30.6	11	6	5	62.4	51.8	82.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	5	4	1	28.4	34.6	16.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	1	2	26.0	56.8	20.4	12	7	5	68.0	60.5	82.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	5.7	8.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	17.3	-	20.4	7	2	5	39.7	17.3	82.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	13.0	-	14.4	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	5.7	-	16.5
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	1	8	77.9	56.8	81.7	12	7	5	68.0	60.5	82.5
MOTOR VEHICLE ACCIDENTS# (296-306)	7	1	6	60.6	56.8	61.3	8	5	3	45.4	43.2	49.5
SUICIDE (331-337)	0	0	0	-	-	-	3	3	0	17.0	25.9	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2004

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>208</u>	<u>104</u>	<u>104</u>	<u>9.6</u>	<u>11.3</u>	<u>8.3</u>	<u>322</u>	<u>101</u>	<u>221</u>	<u>11.0</u>	<u>13.0</u>	<u>10.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	3.4	12.9	-
SEPTICEMIA (018)	7	5	2	32.3	54.4	16.0	5	1	4	17.1	12.9	18.6
HIV DISEASE (039-043)	2	0	2	9.2	-	16.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	35	18	17	161.7	196.0	136.4	65	18	47	222.6	232.5	219.0
DIABETES MELLITUS (124)	10	3	7	46.2	32.7	56.1	18	6	12	61.6	77.5	55.9
ALZHEIMERS DISEASE (148)	4	1	3	18.5	10.9	24.1	3	1	2	10.3	12.9	9.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	74	37	37	341.8	402.9	296.8	105	41	64	359.6	529.5	298.2
HEART DISEASES (156-160,162, 164-181)	51	27	24	235.6	294.0	192.5	83	37	46	284.2	477.8	214.4
HYPERTENSION (161,163)	5	1	4	23.1	10.9	32.1	3	1	2	10.3	12.9	9.3
CEREBROVASCULAR DISEASES (182-186)	17	8	9	78.5	87.1	72.2	15	2	13	51.4	25.8	60.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.4	12.9	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	13.8	10.9	16.0	11	2	9	37.7	25.8	41.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	5	3	37.0	54.4	24.1	12	7	5	41.1	90.4	23.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	9.2	10.9	8.0	3	1	2	10.3	12.9	9.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	32.3	43.6	24.1	9	1	8	30.8	12.9	37.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	6.8	-	10.7	6	0	6	11.8	-	13.9
CONGENITAL MALFORMATIONS (282-290)	2	0	2	9.2	-	16.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	3.4	-	5.3	3	0	3	5.9	-	6.9
ACCIDENTS (295-330)	21	9	12	97.0	98.0	96.2	29	8	21	99.3	103.3	97.9
MOTOR VEHICLE ACCIDENTS# (296-306)	16	7	9	73.9	76.2	72.2	12	3	9	41.1	38.7	41.9
SUICIDE (331-337)	0	0	0	-	-	-	2	1	1	6.8	12.9	4.7
HOMICIDE (338-346)	1	0	1	4.6	-	8.0	13	1	12	44.5	12.9	55.9

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>282</u>	<u>155</u>	<u>127</u>	<u>9.7</u>	<u>10.9</u>	<u>8.5</u>	<u>204</u>	<u>160</u>	<u>44</u>	<u>10.1</u>	<u>12.5</u>	<u>5.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	10.3	7.0	13.4	3	3	0	14.8	23.5	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	60	35	25	205.8	245.6	167.8	38	28	10	187.9	219.1	134.3
DIABETES MELLITUS (124)	5	1	4	17.2	7.0	26.8	3	2	1	14.8	15.6	13.4
ALZHEIMERS DISEASE (148)	4	4	0	13.7	28.1	-	6	6	0	29.7	46.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	126	69	57	432.2	484.2	382.6	70	55	15	346.1	430.4	201.5
HEART DISEASES (156-160,162, 164-181)	93	52	41	319.0	364.9	275.2	53	41	12	262.0	320.8	161.2
HYPERTENSION (161,163)	8	3	5	27.4	21.0	33.6	4	4	0	19.8	31.3	-
CEREBROVASCULAR DISEASES (182-186)	20	10	10	68.6	70.2	67.1	12	9	3	59.3	70.4	40.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	4.9	7.8	-
INFLUENZA AND PNEUMONIA (195-198)	8	5	3	27.4	35.1	20.1	5	4	1	24.7	31.3	13.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	6	6	41.2	42.1	40.3	18	17	1	89.0	133.0	13.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	2	3	17.2	14.0	20.1	5	4	1	24.7	31.3	13.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	9.0	6.4	10.4	1	0	1	3.5	-	8.0
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.4	-	6.7	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	3.5	6.4	-
ACCIDENTS (295-330)	15	8	7	51.4	56.1	47.0	15	10	5	74.2	78.2	67.2
MOTOR VEHICLE ACCIDENTS# (296-306)	9	5	4	30.9	35.1	26.8	8	5	3	39.6	39.1	40.3
SUICIDE (331-337)	5	4	1	17.2	28.1	6.7	3	2	1	14.8	15.6	13.4
HOMICIDE (338-346)	2	1	1	6.9	7.0	6.7	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>872</u>	<u>745</u>	<u>127</u>	<u>6.7</u>	<u>6.9</u>	<u>5.5</u>	<u>668</u>	<u>461</u>	<u>207</u>	<u>9.0</u>	<u>9.8</u>	<u>7.6</u>
TUBERCULOSIS (009,010)	1	1	0	0.8	0.9	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	6	1	5.4	5.6	4.3	13	7	6	17.4	14.8	21.9
HIV DISEASE (039-043)	5	3	2	3.8	2.8	8.6	5	1	4	6.7	2.1	14.6
MALIGNANT NEOPLASMS (056-108)	225	192	33	172.3	178.8	142.3	135	92	43	181.3	195.3	157.2
DIABETES MELLITUS (124)	40	29	11	30.6	27.0	47.4	17	10	7	22.8	21.2	25.6
ALZHEIMERS DISEASE (148)	14	13	1	10.7	12.1	4.3	21	17	4	28.2	36.1	14.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	306	256	50	234.3	238.4	215.6	255	187	68	342.4	397.0	248.5
HEART DISEASES (156-160,162, 164-181)	254	219	35	194.5	203.9	150.9	198	148	50	265.9	314.2	182.7
HYPERTENSION (161,163)	6	4	2	4.6	3.7	8.6	9	5	4	12.1	10.6	14.6
CEREBROVASCULAR DISEASES (182-186)	37	29	8	28.3	27.0	34.5	36	23	13	48.3	48.8	47.5
ATHEROSCLEROSIS (187)	1	0	1	0.8	-	4.3	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	18	16	2	13.8	14.9	8.6	11	8	3	14.8	17.0	11.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	43	42	1	32.9	39.1	4.3	28	24	4	37.6	50.9	14.6
PEPTIC ULCER (217-220)	1	1	0	0.8	0.9	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	13	12	1	10.0	11.2	4.3	1	1	0	1.3	2.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	19	15	4	14.6	14.0	17.2	12	6	6	16.1	12.7	21.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	8	4	4	7.0	6.2	8.0
CONGENITAL MALFORMATIONS (282-290)	5	3	2	3.8	2.8	8.6	5	2	3	6.7	4.2	11.0
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	1.0	0.6	2.9	5	2	3	4.3	3.1	6.0
ACCIDENTS (295-330)	60	54	6	45.9	50.3	25.9	31	16	15	41.6	34.0	54.8
MOTOR VEHICLE ACCIDENTS# (296-306)	40	36	4	30.6	33.5	17.2	16	9	7	21.5	19.1	25.6
SUICIDE (331-337)	12	11	1	9.2	10.2	4.3	6	5	1	8.0	10.6	3.6
HOMICIDE (338-346)	4	3	1	3.1	2.8	4.3	9	5	4	12.1	10.6	14.6

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>98</u>	<u>61</u>	<u>37</u>	<u>11.6</u>	<u>11.6</u>	<u>11.8</u>	<u>237</u>	<u>222</u>	<u>15</u>	<u>11.4</u>	<u>11.9</u>	<u>6.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	11.9	-	31.9	6	6	0	28.8	32.1	-
HIV DISEASE (039-043)	0	0	0	-	-	-	1	1	0	4.8	5.4	-
MALIGNANT NEOPLASMS (056-108)	16	10	6	190.2	189.5	191.5	52	50	2	249.5	267.8	92.2
DIABETES MELLITUS (124)	5	2	3	59.4	37.9	95.8	17	16	1	81.6	85.7	46.1
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	9	8	1	43.2	42.8	46.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	46	30	16	546.9	568.4	510.7	84	77	7	403.1	412.4	322.9
HEART DISEASES (156-160,162, 164-181)	38	26	12	451.8	492.6	383.0	63	58	5	302.3	310.6	230.6
HYPERTENSION (161,163)	0	0	0	-	-	-	4	4	0	19.2	21.4	-
CEREBROVASCULAR DISEASES (182-186)	6	3	3	71.3	56.8	95.8	14	12	2	67.2	64.3	92.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	11.9	-	31.9	4	4	0	19.2	21.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	2	1	35.7	37.9	31.9	11	11	0	52.8	58.9	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	4.8	5.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	6	6	0	28.8	32.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	23.8	18.9	31.9	6	6	0	28.8	32.1	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	3.0	3.3	-
ACCIDENTS (295-330)	10	6	4	118.9	113.7	127.7	18	17	1	86.4	91.0	46.1
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	47.6	37.9	63.8	12	11	1	57.6	58.9	46.1
SUICIDE (331-337)	2	2	0	23.8	37.9	-	2	1	1	9.6	5.4	46.1
HOMICIDE (338-346)	0	0	0	-	-	-	2	2	0	9.6	10.7	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>115</u>	<u>95</u>	<u>20</u>	<u>8.7</u>	<u>9.8</u>	<u>5.7</u>	<u>308</u>	<u>184</u>	<u>124</u>	<u>13.5</u>	<u>14.0</u>	<u>12.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	4.4	7.6	-
SEPTICEMIA (018)	3	2	1	22.8	20.7	28.4	9	6	3	39.6	45.8	31.1
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	25	22	3	189.9	228.0	85.3	68	40	28	299.1	305.3	290.6
DIABETES MELLITUS (124)	9	4	5	68.4	41.4	142.2	9	5	4	39.6	38.2	41.5
ALZHEIMERS DISEASE (148)	3	3	0	22.8	31.1	-	7	7	0	30.8	53.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	41	34	7	311.4	352.3	199.1	125	70	55	549.8	534.3	570.9
HEART DISEASES (156-160,162, 164-181)	34	28	6	258.2	290.2	170.6	90	44	46	395.8	335.8	477.5
HYPERTENSION (161,163)	1	1	0	7.6	10.4	-	8	5	3	35.2	38.2	31.1
CEREBROVASCULAR DISEASES (182-186)	4	3	1	30.4	31.1	28.4	24	19	5	105.6	145.0	51.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	15.2	10.4	28.4	11	5	6	48.4	38.2	62.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	5	0	38.0	51.8	-	14	12	2	61.6	91.6	20.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	1	2	13.2	7.6	20.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	22.8	31.1	-	7	5	2	30.8	38.2	20.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	359.7	740.7	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	6.6	8.9	-	3	0	3	10.8	-	21.0
CONGENITAL MALFORMATIONS (282-290)	1	1	0	7.6	10.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	3.6	7.4	-
ACCIDENTS (295-330)	10	9	1	76.0	93.3	28.4	18	11	7	79.2	84.0	72.6
MOTOR VEHICLE ACCIDENTS# (296-306)	6	6	0	45.6	62.2	-	9	8	1	39.6	61.0	10.4
SUICIDE (331-337)	2	2	0	15.2	20.7	-	6	6	0	26.4	45.8	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	3	0	13.2	22.9	-

CAUSE AND GROUP NUMBER	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>454</u>	<u>427</u>	<u>27</u>	<u>9.9</u>	<u>10.3</u>	<u>6.2</u>	<u>1,799</u>	<u>1,463</u>	<u>336</u>	<u>9.4</u>	<u>10.5</u>	<u>6.4</u>
TUBERCULOSIS (009,010)	1	1	0	2.2	2.4	-	1	1	0	0.5	0.7	-
SEPTICEMIA (018)	14	14	0	30.5	33.6	-	40	34	6	20.8	24.3	11.4
HIV DISEASE (039-043)	0	0	0	-	-	-	5	4	1	2.6	2.9	1.9
MALIGNANT NEOPLASMS (056-108)	101	95	6	219.9	228.3	138.7	420	350	70	218.3	250.6	132.7
DIABETES MELLITUS (124)	6	5	1	13.1	12.0	23.1	20	17	3	10.4	12.2	5.7
ALZHEIMERS DISEASE (148)	8	8	0	17.4	19.2	-	32	28	4	16.6	20.0	7.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	159	146	13	346.2	350.9	300.6	674	547	127	350.3	391.7	240.8
HEART DISEASES (156-160,162, 164-181)	125	118	7	272.1	283.6	161.8	575	469	106	298.9	335.8	201.0
HYPERTENSION (161,163)	0	0	0	-	-	-	7	3	4	3.6	2.1	7.6
CEREBROVASCULAR DISEASES (182-186)	29	23	6	63.1	55.3	138.7	81	66	15	42.1	47.3	28.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	0.5	0.7	-
INFLUENZA AND PNEUMONIA (195-198)	5	4	1	10.9	9.6	23.1	33	29	4	17.2	20.8	7.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	28	26	2	61.0	62.5	46.2	84	77	7	43.7	55.1	13.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	5	5	0	2.6	3.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	10.9	12.0	-	32	31	1	16.6	22.2	1.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	11	0	23.9	26.4	-	38	29	9	19.8	20.8	17.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	1.8	2.0	-	11	4	7	3.6	2.0	7.2
CONGENITAL MALFORMATIONS (282-290)	4	4	0	8.7	9.6	-	11	5	6	5.7	3.6	11.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.8	2.0	-	5	3	2	1.7	1.5	2.1
ACCIDENTS (295-330)	39	37	2	84.9	88.9	46.2	114	85	29	59.2	60.9	55.0
MOTOR VEHICLE ACCIDENTS# (296-306)	9	8	1	19.6	19.2	23.1	34	25	9	17.7	17.9	17.1
SUICIDE (331-337)	8	8	0	17.4	19.2	-	36	31	5	18.7	22.2	9.5
HOMICIDE (338-346)	4	4	0	8.7	9.6	-	10	5	5	5.2	3.6	9.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,994	889	1,105	8.0	10.4	6.7	293	93	200	13.8	23.0	11.7
TUBERCULOSIS (009,010)	2	0	2	0.8	-	1.2	0	0	0	-	-	-
SEPTICEMIA (018)	39	13	26	15.6	15.2	15.8	6	0	6	28.4	-	35.1
HIV DISEASE (039-043)	42	3	39	16.8	3.5	23.7	2	0	2	9.4	-	11.7
MALIGNANT NEOPLASMS (056-108)	354	145	209	141.6	169.0	127.3	65	21	44	307.4	519.5	257.2
DIABETES MELLITUS (124)	34	11	23	13.6	12.8	14.0	2	1	1	9.4	24.7	5.8
ALZHEIMERS DISEASE (148)	41	23	18	16.4	26.8	11.0	10	6	4	47.3	148.4	23.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	808	383	425	323.2	446.5	258.8	101	29	72	477.6	717.5	420.9
HEART DISEASES (156-160,162, 164-181)	635	300	335	254.0	349.8	204.0	64	20	44	302.6	494.8	257.2
HYPERTENSION (161,163)	25	7	18	10.0	8.2	11.0	14	3	11	66.2	74.2	64.3
CEREBROVASCULAR DISEASES (182-186)	124	63	61	49.6	73.4	37.1	21	6	15	99.3	148.4	87.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	42	23	19	16.8	26.8	11.6	11	4	7	52.0	99.0	40.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	60	46	14	24.0	53.6	8.5	20	12	8	94.6	296.9	46.8
PEPTIC ULCER (217-220)	4	4	0	1.6	4.7	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	16	12	4	6.4	14.0	2.4	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	47	17	30	18.8	19.8	18.3	12	5	7	56.7	123.7	40.9
MATERNAL CAUSES (261-273)	1	0	1	25.5	-	34.0	1	0	1	256.4	-	292.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	22	0	22	5.6	-	7.5	1	0	1	2.6	-	2.9
CONGENITAL MALFORMATIONS (282-290)	4	3	1	1.6	3.5	0.6	2	0	2	9.4	-	11.7
SUDDEN INFANT DEATH SYNDROME# (292)	10	1	9	2.5	1.0	3.1	0	0	0	-	-	-
ACCIDENTS (295-330)	107	47	60	42.8	54.8	36.5	26	2	24	122.9	49.5	140.3
MOTOR VEHICLE ACCIDENTS# (296-306)	57	23	34	22.8	26.8	20.7	17	2	15	80.4	49.5	87.7
SUICIDE (331-337)	24	13	11	9.6	15.2	6.7	2	1	1	9.4	24.7	5.8
HOMICIDE (338-346)	51	6	45	20.4	7.0	27.4	4	0	4	18.9	-	23.4

CAUSE AND GROUP NUMBER	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	105	31	74	9.9	11.2	9.4	8	4	4	4.0	5.5	3.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	21	6	15	197.6	216.0	191.1	1	1	0	50.6	138.1	-
DIABETES MELLITUS (124)	1	0	1	9.4	-	12.7	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	1	0	1	9.4	-	12.7	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	47	11	36	442.2	396.0	458.6	2	0	2	101.1	-	159.5
HEART DISEASES (156-160,162, 164-181)	38	7	31	357.5	252.0	394.9	1	0	1	50.6	-	79.7
HYPERTENSION (161,163)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	4	4	75.3	144.0	51.0	1	0	1	50.6	-	79.7
ATHEROSCLEROSIS (187)	1	0	1	9.4	-	12.7	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	37.6	72.0	25.5	1	0	1	50.6	-	79.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	1	1	18.8	36.0	12.7	1	1	0	50.6	138.1	-
PEPTIC ULCER (217-220)	1	0	1	9.4	-	12.7	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	18.8	-	25.5	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	10.8	-	12.5	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	9.4	-	12.7	1	1	0	50.6	138.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	5.4	40.0	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	3	3	56.4	108.0	38.2	0	0	0	-	-	-
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	47.0	108.0	25.5	0	0	0	-	-	-
SUICIDE (331-337)	1	0	1	9.4	-	12.7	0	0	0	-	-	-
HOMICIDE (338-346)	3	0	3	28.2	-	38.2	1	0	1	50.6	-	79.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2004

CAUSE AND GROUP NUMBER	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>279</u>	<u>266</u>	<u>13</u>	<u>12.0</u>	<u>12.3</u>	<u>7.7</u>	<u>1.164</u>	<u>953</u>	<u>211</u>	<u>8.6</u>	<u>9.4</u>	<u>6.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	17.2	18.5	-	19	13	6	14.0	12.8	17.6
HIV DISEASE (039-043)	1	1	0	4.3	4.6	-	7	1	6	5.2	1.0	17.6
MALIGNANT NEOPLASMS (056-108)	58	53	5	248.8	245.2	295.0	258	211	47	190.5	208.2	137.8
DIABETES MELLITUS (124)	10	10	0	42.9	46.3	-	19	17	2	14.0	16.8	5.9
ALZHEIMERS DISEASE (148)	12	11	1	51.5	50.9	59.0	26	22	4	19.2	21.7	11.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	101	97	4	433.3	448.8	236.0	398	321	77	293.9	316.8	225.7
HEART DISEASES (156-160,162, 164-181)	80	78	2	343.2	360.9	118.0	309	254	55	228.2	250.7	161.2
HYPERTENSION (161,163)	2	2	0	8.6	9.2	-	9	7	2	6.6	6.9	5.9
CEREBROVASCULAR DISEASES (182-186)	18	16	2	77.2	74.0	118.0	64	48	16	47.2	47.4	46.9
ATHEROSCLEROSIS (187)	1	1	0	4.3	4.6	-	1	1	0	0.7	1.0	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	17.2	13.9	59.0	17	16	1	12.6	15.8	2.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	17	0	72.9	78.6	-	57	55	2	42.1	54.3	5.9
PEPTIC ULCER (217-220)	1	1	0	4.3	4.6	-	1	1	0	0.7	1.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	14	10	4	10.3	9.9	11.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	6	0	25.7	27.8	-	28	18	10	20.7	17.8	29.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	10.4	7.8	32.2	6	3	3	3.2	2.2	5.6
CONGENITAL MALFORMATIONS (282-290)	2	2	0	8.6	9.2	-	4	4	0	3.0	3.9	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	0.5	0.7	-
ACCIDENTS (295-330)	16	16	0	68.6	74.0	-	76	65	11	56.1	64.1	32.2
MOTOR VEHICLE ACCIDENTS# (296-306)	11	11	0	47.2	50.9	-	27	24	3	19.9	23.7	8.8
SUICIDE (331-337)	4	4	0	17.2	18.5	-	25	22	3	18.4	21.7	8.8
HOMICIDE (338-346)	2	2	0	8.6	9.2	-	18	7	11	13.3	6.9	32.2

CAUSE AND GROUP NUMBER	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>152</u>	<u>86</u>	<u>66</u>	<u>8.4</u>	<u>10.2</u>	<u>6.9</u>	<u>101</u>	<u>14</u>	<u>87</u>	<u>10.7</u>	<u>10.9</u>	<u>10.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	5.6	11.9	-	2	1	1	21.2	78.1	12.2
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	38	23	15	211.0	273.2	156.5	18	1	17	190.4	78.1	207.9
DIABETES MELLITUS (124)	2	1	1	11.1	11.9	10.4	4	0	4	42.3	-	48.9
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	1	0	1	10.6	-	12.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	71	43	28	394.3	510.7	292.1	47	8	39	497.0	625.0	477.0
HEART DISEASES (156-160,162, 164-181)	64	40	24	355.4	475.0	250.4	40	6	34	423.0	468.8	415.8
HYPERTENSION (161,163)	0	0	0	-	-	-	4	1	3	42.3	78.1	36.7
CEREBROVASCULAR DISEASES (182-186)	6	2	4	33.3	23.8	41.7	2	0	2	21.2	-	24.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	11.1	23.8	-	4	0	4	42.3	-	48.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	2	0	11.1	23.8	-	1	0	1	10.6	-	12.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	11.1	-	20.9	3	0	3	31.7	-	36.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	12.2	-	19.5	1	0	1	7.3	-	7.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	7.3	-	7.9
ACCIDENTS (295-330)	9	6	3	50.0	71.2	31.3	4	0	4	42.3	-	48.9
MOTOR VEHICLE ACCIDENTS# (296-306)	6	4	2	33.3	47.5	20.9	4	0	4	42.3	-	48.9
SUICIDE (331-337)	2	2	0	11.1	23.8	-	3	0	3	31.7	-	36.7
HOMICIDE (338-346)	4	0	4	22.2	-	41.7	2	0	2	21.2	-	24.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>139</u>	<u>69</u>	<u>70</u>	<u>10.6</u>	<u>12.7</u>	<u>9.1</u>	<u>744</u>	<u>557</u>	<u>187</u>	<u>11.3</u>	<u>11.8</u>	<u>10.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	22.9	36.8	13.1	23	17	6	35.0	36.2	32.1
HIV DISEASE (039-043)	0	0	0	-	-	-	4	2	2	6.1	4.2	10.7
MALIGNANT NEOPLASMS (056-108)	41	26	15	313.3	478.7	195.9	147	114	33	223.9	242.6	176.7
DIABETES MELLITUS (124)	4	1	3	30.6	18.4	39.2	9	4	5	13.7	8.5	26.8
ALZHEIMERS DISEASE (148)	1	0	1	7.6	-	13.1	16	14	2	24.4	29.8	10.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	56	28	28	427.9	515.6	365.7	256	199	57	389.9	423.5	305.2
HEART DISEASES (156-160,162, 164-181)	35	20	15	267.4	368.2	195.9	209	164	45	318.3	349.0	241.0
HYPERTENSION (161,163)	2	1	1	15.3	18.4	13.1	10	7	3	15.2	14.9	16.1
CEREBROVASCULAR DISEASES (182-186)	15	4	11	114.6	73.6	143.7	34	26	8	51.8	55.3	42.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	1.5	2.1	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	30.6	36.8	26.1	40	30	10	60.9	63.8	53.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	1	1	15.3	18.4	13.1	38	30	8	57.9	63.8	42.8
PEPTIC ULCER (217-220)	1	0	1	7.6	-	13.1	1	1	0	1.5	2.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	7	6	1	10.7	12.8	5.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	1	3	30.6	18.4	39.2	20	11	9	30.4	23.4	48.2
MATERNAL CAUSES (261-273) CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	6.7	-	10.1	2	0	2	1.9	-	5.6
CONGENITAL MALFORMATIONS (282-290)	2	1	1	15.3	18.4	13.1	5	4	1	7.6	8.5	5.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.0	-	2.8
ACCIDENTS (295-330) MOTOR VEHICLE ACCIDENTS# (296-306)	6	2	4	45.8	36.8	52.2	44	34	10	67.0	72.4	53.5
SUICIDE (331-337)	0	0	0	-	-	-	4	4	0	6.1	8.5	-
HOMICIDE (338-346)	1	0	1	7.6	-	13.1	7	3	4	10.7	6.4	21.4

CAUSE AND GROUP NUMBER	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>97</u>	<u>49</u>	<u>48</u>	<u>9.4</u>	<u>12.3</u>	<u>7.5</u>	<u>293</u>	<u>208</u>	<u>85</u>	<u>7.2</u>	<u>7.0</u>	<u>7.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	9.7	-	15.7	3	0	3	7.4	-	26.8
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	17	9	8	164.4	226.8	125.6	68	44	24	166.9	148.9	214.5
DIABETES MELLITUS (124)	3	1	2	29.0	25.2	31.4	7	4	3	17.2	13.5	26.8
ALZHEIMERS DISEASE (148)	3	2	1	29.0	50.4	15.7	23	19	4	56.4	64.3	35.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	41	24	17	396.6	604.7	266.9	96	74	22	235.6	250.4	196.6
HEART DISEASES (156-160,162, 164-181)	28	19	9	270.8	478.7	141.3	75	59	16	184.1	199.6	143.0
HYPERTENSION (161,163)	0	0	0	-	-	-	4	2	2	9.8	6.8	17.9
CEREBROVASCULAR DISEASES (182-186)	12	5	7	116.1	126.0	109.9	17	13	4	41.7	44.0	35.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	29.0	75.6	-	4	3	1	9.8	10.2	8.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	1	2	29.0	25.2	31.4	20	15	5	49.1	50.7	44.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	2	1	7.4	6.8	8.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	9.7	-	15.7	7	7	0	17.2	23.7	-
MATERNAL CAUSES (261-273) CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	23.6	24.4	23.2	1	0	1	2.0	-	5.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330) MOTOR VEHICLE ACCIDENTS# (296-306)	6	3	3	58.0	75.6	47.1	21	14	7	51.5	47.4	62.6
SUICIDE (331-337)	1	1	0	9.7	25.2	-	2	1	1	4.9	3.4	8.9
HOMICIDE (338-346)	1	0	1	9.7	-	15.7	1	0	1	2.4	-	8.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2004

CAUSE AND GROUP NUMBER	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>323</u>	<u>284</u>	<u>39</u>	<u>7.5</u>	<u>7.8</u>	<u>5.9</u>	<u>931</u>	<u>614</u>	<u>317</u>	<u>12.0</u>	<u>13.6</u>	<u>9.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	2	3	11.6	5.4	45.3	13	9	4	16.8	19.9	12.4
HIV DISEASE (039-043)	0	0	0	-	-	-	8	1	7	10.3	2.2	21.7
MALIGNANT NEOPLASMS (056-108)	74	68	6	171.0	185.6	90.6	205	134	71	264.7	296.2	220.4
DIABETES MELLITUS (124)	5	4	1	11.6	10.9	15.1	15	9	6	19.4	19.9	18.6
ALZHEIMERS DISEASE (148)	9	9	0	20.8	24.6	-	43	34	9	55.5	75.2	27.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	109	92	17	252.0	251.1	256.8	323	214	109	417.0	473.0	338.4
HEART DISEASES (156-160,162, 164-181)	89	76	13	205.7	207.4	196.4	251	166	85	324.1	366.9	263.9
HYPERTENSION (161,163)	2	2	0	4.6	5.4	-	4	2	2	5.2	4.4	6.2
CEREBROVASCULAR DISEASES (182-186)	16	12	4	37.0	32.7	60.4	62	44	18	80.0	97.3	55.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	1.3	2.2	-
INFLUENZA AND PNEUMONIA (195-198)	10	9	1	23.1	24.6	15.1	18	12	6	23.2	26.5	18.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	18	17	1	41.6	46.4	15.1	45	38	7	58.1	84.0	21.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	1.3	-	3.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	13.9	16.4	-	4	3	1	5.2	6.6	3.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	5	0	11.6	13.6	-	19	10	9	24.5	22.1	27.9
MATERNAL CAUSES (261-273) CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	3.0	3.7	-	13	3	10	10.9	4.8	17.6
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.3	2.7	-	1	1	0	1.3	2.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	1	2	2.5	1.6	3.5
ACCIDENTS (295-330) MOTOR VEHICLE ACCIDENTS# (296-306)	23	21	2	53.2	57.3	30.2	47	25	22	60.7	55.3	68.3
SUICIDE (331-337)	7	6	1	16.2	16.4	15.1	14	12	2	18.1	26.5	6.2
HOMICIDE (338-346)	1	0	1	2.3	-	15.1	8	5	3	10.3	11.0	9.3

CAUSE AND GROUP NUMBER	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>137</u>	<u>97</u>	<u>40</u>	<u>10.2</u>	<u>10.8</u>	<u>9.0</u>	<u>235</u>	<u>162</u>	<u>73</u>	<u>10.5</u>	<u>13.0</u>	<u>7.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	14.9	11.1	22.6	5	2	3	22.4	16.0	30.5
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	9.0	-	20.3
MALIGNANT NEOPLASMS (056-108)	28	21	7	208.2	232.8	158.2	53	38	15	237.6	304.6	152.6
DIABETES MELLITUS (124)	3	1	2	22.3	11.1	45.2	6	3	3	26.9	24.0	30.5
ALZHEIMERS DISEASE (148)	3	3	0	22.3	33.3	-	1	0	1	4.5	-	10.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	56	39	17	416.5	432.4	384.1	92	68	24	412.4	545.1	244.1
HEART DISEASES (156-160,162, 164-181)	43	29	14	319.8	321.5	316.3	67	51	16	300.4	408.8	162.7
HYPERTENSION (161,163)	1	1	0	7.4	11.1	-	13	8	5	58.3	64.1	50.8
CEREBROVASCULAR DISEASES (182-186)	10	8	2	74.4	88.7	45.2	11	8	3	49.3	64.1	30.5
ATHEROSCLEROSIS (187)	1	1	0	7.4	11.1	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	14.9	22.2	-	6	3	3	26.9	24.0	30.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	3	0	22.3	33.3	-	14	11	3	62.8	88.2	30.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	14.9	22.2	-	5	4	1	22.4	32.1	10.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	14.9	-	45.2	5	3	2	22.4	24.0	20.3
MATERNAL CAUSES (261-273) CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	7.4	-	22.6	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330) MOTOR VEHICLE ACCIDENTS# (296-306)	10	9	1	74.4	99.8	22.6	21	14	7	94.1	112.2	71.2
SUICIDE (331-337)	4	3	1	29.8	33.3	22.6	1	1	0	4.5	8.0	-
HOMICIDE (338-346)	3	0	3	22.3	-	67.8	3	1	2	13.4	8.0	20.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2004

CAUSE AND GROUP NUMBER	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	721	591	130	9.2	10.4	6.1	372	152	220	10.3	14.2	8.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	17	12	5	21.8	21.1	23.6	4	2	2	11.1	18.7	7.8
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	2.8	-	3.9
MALIGNANT NEOPLASMS (056-108)	156	128	28	199.7	224.8	132.4	63	23	40	174.3	215.2	157.1
DIABETES MELLITUS (124)	14	10	4	17.9	17.6	18.9	4	3	1	11.1	28.1	3.9
ALZHEIMERS DISEASE (148)	15	15	0	19.2	26.3	-	1	0	1	2.8	-	3.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	279	227	52	357.2	398.6	245.8	179	73	106	495.2	683.1	416.4
HEART DISEASES (156-160,162, 164-181)	216	181	35	276.6	317.8	165.4	131	56	75	362.4	524.0	294.6
HYPERTENSION (161,163)	14	11	3	17.9	19.3	14.2	7	1	6	19.4	9.4	23.6
CEREBROVASCULAR DISEASES (182-186)	44	31	13	56.3	54.4	61.4	39	16	23	107.9	149.7	90.3
ATHEROSCLEROSIS (187)	1	1	0	1.3	1.8	-	2	0	2	5.5	-	7.8
INFLUENZA AND PNEUMONIA (195-198)	20	19	1	25.6	33.4	4.7	8	2	6	22.1	18.7	23.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	39	38	1	49.9	66.7	4.7	22	18	4	60.9	168.4	15.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	11	11	0	14.1	19.3	-	3	1	2	8.3	9.4	7.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	2	5	9.0	3.5	23.6	9	0	9	24.9	-	35.4
MATERNAL CAUSES (261-273)	1	1	0	80.8	118.9	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	4.0	1.2	10.1	5	0	5	9.2	-	11.7
CONGENITAL MALFORMATIONS (282-290)	5	3	2	6.4	5.3	9.4	1	0	1	2.8	-	3.9
SUDDEN INFANT DEATH SYNDROME# (292)	4	2	2	3.2	2.4	5.0	0	0	0	-	-	-
ACCIDENTS (295-330)	31	23	8	39.7	40.4	37.8	26	16	10	71.9	149.7	39.3
MOTOR VEHICLE ACCIDENTS# (296-306)	17	12	5	21.8	21.1	23.6	14	6	8	38.7	56.1	31.4
SUICIDE (331-337)	5	5	0	6.4	8.8	-	1	0	1	2.8	-	3.9
HOMICIDE (338-346)	4	3	1	5.1	5.3	4.7	10	0	10	27.7	-	39.3

CAUSE AND GROUP NUMBER	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	329	230	99	9.8	9.8	9.6	531	329	202	8.8	9.8	7.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	3	2	14.8	12.8	19.5	8	3	5	13.2	8.9	18.6
HIV DISEASE (039-043)	1	1	0	3.0	4.3	-	4	0	4	6.6	-	14.9
MALIGNANT NEOPLASMS (056-108)	64	46	18	189.9	196.2	175.4	123	70	53	203.3	208.2	197.3
DIABETES MELLITUS (124)	15	9	6	44.5	38.4	58.5	4	1	3	6.6	3.0	11.2
ALZHEIMERS DISEASE (148)	4	4	0	11.9	17.1	-	22	16	6	36.4	47.6	22.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	125	86	39	370.9	366.9	380.1	189	113	76	312.5	336.1	282.9
HEART DISEASES (156-160,162, 164-181)	97	67	30	287.8	285.8	292.4	149	91	58	246.3	270.6	215.9
HYPERTENSION (161,163)	9	7	2	26.7	29.9	19.5	8	4	4	13.2	11.9	14.9
CEREBROVASCULAR DISEASES (182-186)	16	11	5	47.5	46.9	48.7	28	15	13	46.3	44.6	48.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	5	2	20.8	21.3	19.5	8	6	2	13.2	17.8	7.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	19	14	5	56.4	59.7	48.7	37	31	6	61.2	92.2	22.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.6	3.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	7	6	1	20.8	25.6	9.7	2	1	1	3.3	3.0	3.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	9	2	32.6	38.4	19.5	13	7	6	21.5	20.8	22.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	6	1	5	6.6	2.2	10.9
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.0	4.3	-	2	0	2	3.3	-	7.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.2	3.4	-	2	0	2	2.2	-	4.4
ACCIDENTS (295-330)	21	13	8	62.3	55.5	78.0	20	11	9	33.1	32.7	33.5
MOTOR VEHICLE ACCIDENTS# (296-306)	14	9	5	41.5	38.4	48.7	6	3	3	9.9	8.9	11.2
SUICIDE (331-337)	0	0	0	-	-	-	13	12	1	21.5	35.7	3.7
HOMICIDE (338-346)	3	1	2	8.9	4.3	19.5	2	1	1	3.3	3.0	3.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>984</u>	<u>635</u>	<u>349</u>	<u>12.0</u>	<u>12.9</u>	<u>10.7</u>	<u>324</u>	<u>233</u>	<u>91</u>	<u>12.7</u>	<u>13.7</u>	<u>10.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	6	1	8.5	12.2	3.0	10	5	5	39.3	29.5	59.0
HIV DISEASE (039-043)	13	1	12	15.8	2.0	36.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	313	196	117	381.8	397.8	357.7	57	37	20	224.0	218.2	235.8
DIABETES MELLITUS (124)	16	5	11	19.5	10.1	33.6	9	4	5	35.4	23.6	59.0
ALZHEIMERS DISEASE (148)	28	26	2	34.2	52.8	6.1	11	10	1	43.2	59.0	11.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	288	189	99	351.3	383.6	302.7	116	87	29	456.0	513.0	341.9
HEART DISEASES (156-160,162, 164-181)	222	149	73	270.8	302.4	223.2	80	60	20	314.5	353.8	235.8
HYPERTENSION (161,163)	13	6	7	15.8	12.2	21.4	2	1	1	7.9	5.9	11.8
CEREBROVASCULAR DISEASES (182-186)	48	30	18	58.6	60.9	55.0	31	24	7	121.8	141.5	82.5
ATHEROSCLEROSIS (187)	2	1	1	2.4	2.0	3.0	2	2	0	7.9	11.8	-
INFLUENZA AND PNEUMONIA (195-198)	19	17	2	23.2	34.5	6.1	8	7	1	31.4	41.3	11.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	35	28	7	42.7	56.8	21.4	14	14	0	55.0	82.6	-
PEPTIC ULCER (217-220)	3	0	3	3.7	-	9.2	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	16	12	4	19.5	24.4	12.2	2	2	0	7.9	11.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	29	11	18	35.4	22.3	55.0	10	6	4	39.3	35.4	47.2
MATERNAL CAUSES (261-273) CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	2.4	1.5	3.5	2	1	1	4.7	4.0	5.9
CONGENITAL MALFORMATIONS (282-290)	2	1	1	2.4	2.0	3.0	2	2	0	7.9	11.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	0.8	1.5	-	1	0	1	2.4	-	5.9
ACCIDENTS (295-330) MOTOR VEHICLE ACCIDENTS# (296-306)	28	11	17	34.2	22.3	52.0	16	11	5	62.9	64.9	59.0
SUICIDE (331-337)	10	9	1	12.2	18.3	3.0	2	2	0	7.9	11.8	-
HOMICIDE (338-346)	13	5	8	15.8	10.1	24.4	4	2	2	15.7	11.8	23.6

CAUSE AND GROUP NUMBER	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>357</u>	<u>210</u>	<u>147</u>	<u>10.0</u>	<u>12.0</u>	<u>8.1</u>	<u>420</u>	<u>321</u>	<u>99</u>	<u>11.1</u>	<u>12.4</u>	<u>8.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	2.6	3.8	-
SEPTICEMIA (018)	4	3	1	11.3	17.2	5.5	8	4	4	21.1	15.4	33.4
HIV DISEASE (039-043)	3	1	2	8.4	5.7	11.1	1	0	1	2.6	-	8.4
MALIGNANT NEOPLASMS (056-108)	92	54	38	259.2	309.8	210.3	91	71	20	239.8	273.3	167.0
DIABETES MELLITUS (124)	10	6	4	28.2	34.4	22.1	4	1	3	10.5	3.8	25.0
ALZHEIMERS DISEASE (148)	4	3	1	11.3	17.2	5.5	7	7	0	18.4	26.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	121	70	51	340.9	401.6	282.3	174	132	42	458.5	508.2	350.8
HEART DISEASES (156-160,162, 164-181)	96	58	38	270.4	332.8	210.3	137	109	28	361.0	419.6	233.9
HYPERTENSION (161,163)	13	7	6	36.6	40.2	33.2	13	6	7	34.2	23.1	58.5
CEREBROVASCULAR DISEASES (182-186)	10	5	5	28.2	28.7	27.7	21	14	7	55.3	53.9	58.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	8.4	11.5	5.5	8	7	1	21.1	26.9	8.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	19	4	64.8	109.0	22.1	29	27	2	76.4	103.9	16.7
PEPTIC ULCER (217-220)	1	0	1	2.8	-	5.5	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	2.8	-	5.5	4	3	1	10.5	11.6	8.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	2	7	25.4	11.5	38.7	15	11	4	39.5	42.3	33.4
MATERNAL CAUSES (261-273) CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.0	4.0	-	1	1	0	1.9	3.1	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	2.6	3.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.0	-	4.2	1	1	0	1.9	3.1	-
ACCIDENTS (295-330) MOTOR VEHICLE ACCIDENTS# (296-306)	33	23	10	93.0	132.0	55.3	26	18	8	68.5	69.3	66.8
SUICIDE (331-337)	3	1	2	8.4	5.7	11.1	3	2	1	7.9	7.7	8.4
HOMICIDE (338-346)	1	0	1	2.8	-	5.5	1	0	1	2.6	-	8.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHIBA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	MONTGOMERY COUNTY						NESHIBA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	<u>129</u>	<u>71</u>	<u>58</u>	<u>11.0</u>	<u>11.3</u>	<u>10.7</u>	<u>300</u>	<u>221</u>	<u>79</u>	<u>10.2</u>	<u>11.7</u>	<u>7.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	17.1	15.9	18.4	6	5	1	20.3	26.5	9.4
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.4	-	9.4
MALIGNANT NEOPLASMS (056-108)	22	10	12	187.7	159.2	220.5	56	42	14	189.8	222.5	131.7
DIABETES MELLITUS (124)	2	0	2	17.1	-	36.8	10	5	5	33.9	26.5	47.0
ALZHEIMERS DISEASE (148)	2	1	1	17.1	15.9	18.4	7	7	0	23.7	37.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	53	25	28	452.2	398.1	514.6	119	91	28	403.2	482.0	263.3
HEART DISEASES (156-160,162, 164-181)	42	20	22	358.3	318.5	404.3	97	79	18	328.7	418.5	169.3
HYPERTENSION (161,163)	3	1	2	25.6	15.9	36.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	7	3	4	59.7	47.8	73.5	20	11	9	67.8	58.3	84.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	3.4	-	9.4
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	25.6	31.8	18.4	17	14	3	57.6	74.2	28.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	8	3	93.8	127.4	55.1	10	9	1	33.9	47.7	9.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	3.4	5.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	7	3	4	23.7	15.9	37.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	34.1	47.8	18.4	11	8	3	37.3	42.4	28.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	5	1	4	9.6	4.2	14.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	6	4	85.3	95.5	73.5	17	14	3	57.6	74.2	28.2
MOTOR VEHICLE ACCIDENTS# (296-306)	5	2	3	42.6	31.8	55.1	10	7	3	33.9	37.1	28.2
SUICIDE (331-337)	1	1	0	8.5	15.9	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	<u>224</u>	<u>152</u>	<u>72</u>	<u>10.1</u>	<u>10.5</u>	<u>9.3</u>	<u>112</u>	<u>36</u>	<u>76</u>	<u>9.1</u>	<u>9.9</u>	<u>8.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	13.5	6.9	25.8	4	3	1	32.6	82.7	11.6
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	46	32	14	207.5	221.8	180.8	18	8	10	146.5	220.6	115.5
DIABETES MELLITUS (124)	5	4	1	22.6	27.7	12.9	2	0	2	16.3	-	23.1
ALZHEIMERS DISEASE (148)	1	1	0	4.5	6.9	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	95	70	25	428.6	485.3	323.0	53	15	38	431.5	413.7	439.0
HEART DISEASES (156-160,162, 164-181)	75	59	16	338.4	409.0	206.7	44	13	31	358.2	358.5	358.1
HYPERTENSION (161,163)	2	0	2	9.0	-	25.8	1	0	1	8.1	-	11.6
CEREBROVASCULAR DISEASES (182-186)	16	10	6	72.2	69.3	77.5	6	0	6	48.8	-	69.3
ATHEROSCLEROSIS (187)	1	0	1	4.5	-	12.9	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	7	2	40.6	48.5	25.8	3	2	1	24.4	55.2	11.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	12	8	4	54.1	55.5	51.7	6	3	3	48.8	82.7	34.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	9.0	6.9	12.9	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	22.6	20.8	25.8	3	0	3	24.4	-	34.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.9	-	6.8	3	0	3	15.2	-	18.9
CONGENITAL MALFORMATIONS (282-290)	2	1	1	9.0	6.9	12.9	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.9	5.0	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	3	7	45.1	20.8	90.4	6	2	4	48.8	55.2	46.2
MOTOR VEHICLE ACCIDENTS# (296-306)	7	3	4	31.6	20.8	51.7	5	1	4	40.7	27.6	46.2
SUICIDE (331-337)	2	2	0	9.0	13.9	-	2	1	1	16.3	27.6	11.6
HOMICIDE (338-346)	4	2	2	18.0	13.9	25.8	4	1	3	32.6	27.6	34.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2004

CAUSE AND GROUP NUMBER	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	276	165	111	6.7	6.7	6.6	325	199	126	9.2	11.0	7.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	5	1	14.5	20.4	5.9	2	0	2	5.6	-	11.6
HIV DISEASE (039-043)	1	0	1	2.4	-	5.9	3	2	1	8.5	11.0	5.8
MALIGNANT NEOPLASMS (056-108)	57	31	26	138.0	126.7	154.4	65	41	24	183.8	225.8	139.4
DIABETES MELLITUS (124)	8	3	5	19.4	12.3	29.7	10	6	4	28.3	33.0	23.2
ALZHEIMERS DISEASE (148)	10	4	6	24.2	16.3	35.6	4	1	3	11.3	5.5	17.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	106	67	39	256.6	273.8	231.6	126	76	50	356.2	418.6	290.4
HEART DISEASES (156-160,162, 164-181)	87	52	35	210.6	212.5	207.8	100	64	36	282.7	352.5	209.1
HYPERTENSION (161,163)	4	1	3	9.7	4.1	17.8	5	3	2	14.1	16.5	11.6
CEREBROVASCULAR DISEASES (182-186)	12	11	1	29.0	45.0	5.9	20	8	12	56.5	44.1	69.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	7	1	19.4	28.6	5.9	5	3	2	14.1	16.5	11.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	4	2	14.5	16.3	11.9	13	11	2	36.8	60.6	11.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	2	1	1	5.6	5.5	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	7.3	8.2	5.9	8	7	1	22.6	38.6	5.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	12	7	5	29.0	28.6	29.7	7	3	4	19.8	16.5	23.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	173.0	-	285.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.7	-	3.1	1	0	1	1.7	-	2.8
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.4	4.1	-	1	0	1	2.8	-	5.8
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	3.4	3.7	3.1	0	0	0	-	-	-
ACCIDENTS (295-330)	14	7	7	33.9	28.6	41.6	27	16	11	76.3	88.1	63.9
MOTOR VEHICLE ACCIDENTS# (296-306)	7	1	6	16.9	4.1	35.6	18	9	9	50.9	49.6	52.3
SUICIDE (331-337)	2	1	1	4.8	4.1	5.9	3	3	0	8.5	16.5	-
HOMICIDE (338-346)	2	0	2	4.8	-	11.9	4	1	3	11.3	5.5	17.4

CAUSE AND GROUP NUMBER	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	493	433	60	9.5	9.7	8.1	110	87	23	9.0	9.3	7.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	5	3	15.4	11.2	40.6	1	1	0	8.2	10.7	-
HIV DISEASE (039-043)	3	1	2	5.8	2.2	27.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	127	111	16	245.0	249.7	216.6	25	19	6	204.3	203.8	205.9
DIABETES MELLITUS (124)	16	12	4	30.9	27.0	54.2	4	1	3	32.7	10.7	103.0
ALZHEIMERS DISEASE (148)	15	15	0	28.9	33.7	-	1	1	0	8.2	10.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	160	143	17	308.7	321.7	230.2	31	26	5	253.4	278.9	171.6
HEART DISEASES (156-160,162, 164-181)	121	111	10	233.4	249.7	135.4	26	22	4	212.5	236.0	137.3
HYPERTENSION (161,163)	5	4	1	9.6	9.0	13.5	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	31	25	6	59.8	56.2	81.2	5	4	1	40.9	42.9	34.3
ATHEROSCLEROSIS (187)	1	1	0	1.9	2.2	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	8	0	15.4	18.0	-	2	2	0	16.3	21.4	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	19	1	38.6	42.7	13.5	9	7	2	73.6	75.1	68.6
PEPTIC ULCER (217-220)	2	2	0	3.8	4.5	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	7	6	1	13.5	13.5	13.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	10	4	27.0	22.5	54.2	4	2	2	32.7	21.4	68.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	3	0	4.5	5.3	-	1	0	1	6.9	-	31.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	6.9	8.9	-
ACCIDENTS (295-330)	34	31	3	65.6	69.7	40.6	9	8	1	73.6	85.8	34.3
MOTOR VEHICLE ACCIDENTS# (296-306)	13	12	1	25.1	27.0	13.5	6	5	1	49.0	53.6	34.3
SUICIDE (331-337)	3	3	0	5.8	6.7	-	2	2	0	16.3	21.4	-
HOMICIDE (338-346)	1	1	0	1.9	2.2	-	2	2	0	16.3	21.4	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRETISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>445</u>	<u>251</u>	<u>194</u>	<u>11.3</u>	<u>12.8</u>	<u>9.9</u>	<u>228</u>	<u>207</u>	<u>21</u>	<u>8.1</u>	<u>8.7</u>	<u>4.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	2	6	20.4	10.2	30.6	3	3	0	10.7	12.6	-
HIV DISEASE (039-043)	2	0	2	5.1	-	10.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	82	51	31	208.9	259.6	158.0	52	45	7	185.1	189.3	161.8
DIABETES MELLITUS (124)	37	10	27	94.2	50.9	137.6	6	4	2	21.4	16.8	46.2
ALZHEIMERS DISEASE (148)	4	4	0	10.2	20.4	-	4	4	0	14.2	16.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	176	113	63	448.3	575.3	321.1	87	78	9	309.6	328.1	208.0
HEART DISEASES (156-160,162, 164-181)	140	89	51	356.6	453.1	260.0	67	62	5	238.4	260.8	115.6
HYPERTENSION (161,163)	7	3	4	17.8	15.3	20.4	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	25	19	6	63.7	96.7	30.6	17	13	4	60.5	54.7	92.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	5	3	20.4	25.4	15.3	5	5	0	17.8	21.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	14	2	40.8	71.3	10.2	18	17	1	64.0	71.5	23.1
PEPTIC ULCER (217-220)	1	0	1	2.5	-	5.1	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	1	2	7.6	5.1	10.2	2	2	0	7.1	8.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	16	4	12	40.8	20.4	61.2	6	6	0	21.4	25.2	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	5.1	5.1	5.1	3	2	1	10.7	8.4	23.1
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.6	-	2.6	1	1	0	2.2	2.4	-
ACCIDENTS (295-330)	28	13	15	71.3	66.2	76.5	13	12	1	46.3	50.5	23.1
MOTOR VEHICLE ACCIDENTS# (296-306)	15	8	7	38.2	40.7	35.7	4	4	0	14.2	16.8	-
SUICIDE (331-337)	5	5	0	12.7	25.4	-	3	3	0	10.7	12.6	-
HOMICIDE (338-346)	5	0	5	12.7	-	25.5	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	PRETISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>260</u>	<u>233</u>	<u>27</u>	<u>10.1</u>	<u>10.6</u>	<u>7.2</u>	<u>120</u>	<u>50</u>	<u>70</u>	<u>12.4</u>	<u>17.1</u>	<u>10.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	11.6	9.1	26.8	1	0	1	10.3	-	14.7
HIV DISEASE (039-043)	2	2	0	7.8	9.1	-	1	0	1	10.3	-	14.7
MALIGNANT NEOPLASMS (056-108)	52	48	4	202.0	218.0	107.3	17	6	11	175.0	205.6	161.8
DIABETES MELLITUS (124)	5	5	0	19.4	22.7	-	1	1	0	10.3	34.3	-
ALZHEIMERS DISEASE (148)	8	7	1	31.1	31.8	26.8	1	0	1	10.3	-	14.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	98	86	12	380.6	390.6	322.0	49	19	30	504.4	651.1	441.4
HEART DISEASES (156-160,162, 164-181)	76	69	7	295.2	313.4	187.8	42	15	27	432.3	514.0	397.2
HYPERTENSION (161,163)	3	1	2	11.6	4.5	53.7	1	1	0	10.3	34.3	-
CEREBROVASCULAR DISEASES (182-186)	19	16	3	73.8	72.7	80.5	4	1	3	41.2	34.3	44.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	4	2	23.3	18.2	53.7	3	2	1	30.9	68.5	14.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	21	0	81.6	95.4	-	5	4	1	51.5	137.1	14.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	10.3	-	14.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	4	0	15.5	18.2	-	7	2	5	72.0	68.5	73.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.0	-	17.2	1	0	1	7.4	-	8.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	10.3	-	14.7
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	6.1	3.7	17.2	0	0	0	-	-	-
ACCIDENTS (295-330)	18	16	2	69.9	72.7	53.7	12	7	5	123.5	239.9	73.6
MOTOR VEHICLE ACCIDENTS# (296-306)	13	11	2	50.5	50.0	53.7	9	5	4	92.6	171.4	58.8
SUICIDE (331-337)	3	3	0	11.6	13.6	-	1	1	0	10.3	34.3	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	0	2	20.6	-	29.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>829</u>	<u>710</u>	<u>119</u>	<u>6.4</u>	<u>6.9</u>	<u>4.6</u>	<u>264</u>	<u>177</u>	<u>87</u>	<u>9.2</u>	<u>10.3</u>	<u>7.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	6	6	9.3	5.8	23.4	5	3	2	17.4	17.5	17.4
HIV DISEASE (039-043)	6	0	6	4.7	-	23.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	146	127	19	113.7	123.6	74.2	56	38	18	195.4	221.2	156.8
DIABETES MELLITUS (124)	11	11	0	8.6	10.7	-	8	3	5	27.9	17.5	43.6
ALZHEIMERS DISEASE (148)	7	7	0	5.4	6.8	-	2	2	0	7.0	11.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	364	320	44	283.5	311.3	171.9	108	74	34	376.9	430.8	296.2
HEART DISEASES (156-160,162, 164-181)	311	275	36	242.2	267.6	140.6	88	62	26	307.1	360.9	226.5
HYPERTENSION (161,163)	2	2	0	1.6	1.9	-	4	0	4	14.0	-	34.8
CEREBROVASCULAR DISEASES (182-186)	41	34	7	31.9	33.1	27.3	12	8	4	41.9	46.6	34.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	3.5	5.8	-
INFLUENZA AND PNEUMONIA (195-198)	17	13	4	13.2	12.6	15.6	7	4	3	24.4	23.3	26.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	41	40	1	31.9	38.9	3.9	8	7	1	27.9	40.8	8.7
PEPTIC ULCER (217-220)	2	2	0	1.6	1.9	-	1	1	0	3.5	5.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	3.1	2.9	3.9	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	21	16	5	16.4	15.6	19.5	7	4	3	24.4	23.3	26.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	6	0	3.2	3.9	-	2	0	2	4.1	-	10.8
CONGENITAL MALFORMATIONS (282-290)	5	3	2	3.9	2.9	7.8	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	1.1	1.3	-	3	2	1	6.1	6.6	5.4
ACCIDENTS (295-330)	63	54	9	49.1	52.5	35.2	20	16	4	69.8	93.1	34.8
MOTOR VEHICLE ACCIDENTS# (296-306)	35	34	1	27.3	33.1	3.9	16	12	4	55.8	69.8	34.8
SUICIDE (331-337)	18	16	2	14.0	15.6	7.8	3	3	0	10.5	17.5	-
HOMICIDE (338-346)	7	5	2	5.4	4.9	7.8	3	1	2	10.5	5.8	17.4

CAUSE AND GROUP NUMBER	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>58</u>	<u>22</u>	<u>36</u>	<u>9.5</u>	<u>12.2</u>	<u>8.4</u>	<u>280</u>	<u>192</u>	<u>88</u>	<u>10.1</u>	<u>10.7</u>	<u>8.9</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	32.9	-	46.7	8	4	4	28.8	22.3	40.5
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.6	-	10.1
MALIGNANT NEOPLASMS (056-108)	9	4	5	148.0	221.8	116.8	46	29	17	165.6	161.9	172.2
DIABETES MELLITUS (124)	2	0	2	32.9	-	46.7	3	2	1	10.8	11.2	10.1
ALZHEIMERS DISEASE (148)	4	4	0	65.8	221.8	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	24	7	17	394.5	388.2	397.2	121	84	37	435.5	469.0	374.7
HEART DISEASES (156-160,162, 164-181)	21	6	15	345.2	332.8	350.5	91	62	29	327.5	346.2	293.7
HYPERTENSION (161,163)	0	0	0	-	-	-	5	3	2	18.0	16.8	20.2
CEREBROVASCULAR DISEASES (182-186)	2	1	1	32.9	55.5	23.4	19	14	5	68.4	78.2	50.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	5	4	1	18.0	22.3	10.1
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	16.4	55.5	-	9	8	1	32.4	44.7	10.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	4	1	82.2	221.8	23.4	23	20	3	82.8	111.7	30.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	16.4	55.5	-	2	1	1	7.2	5.6	10.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	16.4	-	23.4	7	3	4	25.2	16.8	40.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	1	3	9.4	3.9	17.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	3.6	5.6	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.4	-	5.9
ACCIDENTS (295-330)	5	1	4	82.2	55.5	93.4	18	11	7	64.8	61.4	70.9
MOTOR VEHICLE ACCIDENTS# (296-306)	4	1	3	65.8	55.5	70.1	9	5	4	32.4	27.9	40.5
SUICIDE (331-337)	1	0	1	16.4	-	23.4	8	8	0	28.8	44.7	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	3.6	5.6	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2004

CAUSE AND GROUP NUMBER	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>172</u>	<u>143</u>	<u>29</u>	<u>10.8</u>	<u>11.8</u>	<u>7.7</u>	<u>141</u>	<u>116</u>	<u>25</u>	<u>9.8</u>	<u>10.2</u>	<u>8.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	12.6	16.5	-	4	3	1	27.7	26.4	32.6
HIV DISEASE (039-043)	1	1	0	6.3	8.2	-	1	1	0	6.9	8.8	-
MALIGNANT NEOPLASMS (056-108)	51	43	8	321.6	355.0	213.7	20	17	3	138.4	149.4	97.7
DIABETES MELLITUS (124)	4	4	0	25.2	33.0	-	2	1	1	13.8	8.8	32.6
ALZHEIMERS DISEASE (148)	9	9	0	56.8	74.3	-	5	4	1	34.6	35.2	32.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	54	40	14	340.5	330.2	374.0	55	46	9	380.8	404.4	293.2
HEART DISEASES (156-160,162, 164-181)	40	31	9	252.2	255.9	240.4	45	38	7	311.5	334.1	228.0
HYPERTENSION (161,163)	1	0	1	6.3	-	26.7	1	1	0	6.9	8.8	-
CEREBROVASCULAR DISEASES (182-186)	6	4	2	37.8	33.0	53.4	8	6	2	55.4	52.7	65.1
ATHEROSCLEROSIS (187)	3	2	1	18.9	16.5	26.7	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	12.6	16.5	-	2	2	0	13.8	17.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	7	1	50.4	57.8	26.7	7	7	0	48.5	61.5	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	12.6	16.5	-	2	2	0	13.8	17.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	2	0	12.6	16.5	-	3	3	0	20.8	26.4	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	10.2	14.5	-	3	1	2	14.6	6.4	39.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	5.1	7.2	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	5	3	50.4	41.3	80.2	7	5	2	48.5	44.0	65.1
MOTOR VEHICLE ACCIDENTS# (296-306)	8	5	3	50.4	41.3	80.2	4	2	2	27.7	17.6	65.1
SUICIDE (331-337)	4	4	0	25.2	33.0	-	2	2	0	13.8	17.6	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	6.9	8.8	-

CAUSE AND GROUP NUMBER	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>300</u>	<u>117</u>	<u>183</u>	<u>9.0</u>	<u>12.8</u>	<u>7.6</u>	<u>139</u>	<u>77</u>	<u>62</u>	<u>9.8</u>	<u>13.8</u>	<u>7.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	0	4	12.0	-	16.5	3	2	1	21.0	35.9	11.5
HIV DISEASE (039-043)	10	1	9	29.9	10.9	37.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	70	26	44	209.6	283.6	181.6	34	22	12	238.5	394.9	138.2
DIABETES MELLITUS (124)	11	3	8	32.9	32.7	33.0	2	1	1	14.0	18.0	11.5
ALZHEIMERS DISEASE (148)	8	3	5	24.0	32.7	20.6	5	5	0	35.1	89.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	118	54	64	353.4	588.9	264.2	43	21	22	301.6	377.0	253.3
HEART DISEASES (156-160,162, 164-181)	97	47	50	290.5	512.6	206.4	31	17	14	217.5	305.2	161.2
HYPERTENSION (161,163)	3	2	1	9.0	21.8	4.1	4	1	3	28.1	18.0	34.5
CEREBROVASCULAR DISEASES (182-186)	16	4	12	47.9	43.6	49.5	6	1	5	42.1	18.0	57.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	2	3	15.0	21.8	12.4	7	4	3	49.1	71.8	34.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	4	5	27.0	43.6	20.6	6	3	3	42.1	53.8	34.5
PEPTIC ULCER (217-220)	1	0	1	3.0	-	4.1	1	0	1	7.0	-	11.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.0	10.9	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	2	5	21.0	21.8	20.6	7	4	3	49.1	71.8	34.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	1	3	8.7	14.1	7.7	1	0	1	5.6	-	7.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	7.0	-	11.5
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	19	8	11	56.9	87.2	45.4	14	5	9	98.2	89.8	103.6
MOTOR VEHICLE ACCIDENTS# (296-306)	12	4	8	35.9	43.6	33.0	6	2	4	42.1	35.9	46.1
SUICIDE (331-337)	0	0	0	-	-	-	3	2	1	21.0	35.9	11.5
HOMICIDE (338-346)	2	1	1	6.0	10.9	4.1	1	0	1	7.0	-	11.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	TATE COUNTY						TIPPAAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>230</u>	<u>181</u>	<u>49</u>	<u>8.8</u>	<u>10.1</u>	<u>5.9</u>	<u>225</u>	<u>194</u>	<u>31</u>	<u>10.7</u>	<u>11.3</u>	<u>8.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	15.3	11.2	24.2	3	2	1	14.3	11.6	26.4
HIV DISEASE (039-043)	0	0	0	-	-	-	1	1	0	4.8	5.8	-
MALIGNANT NEOPLASMS (056-108)	48	40	8	183.7	224.0	96.7	38	32	6	181.1	186.2	158.4
DIABETES MELLITUS (124)	7	3	4	26.8	16.8	48.4	3	2	1	14.3	11.6	26.4
ALZHEIMERS DISEASE (148)	5	5	0	19.1	28.0	-	4	4	0	19.1	23.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	89	64	25	340.6	358.3	302.2	113	99	14	538.6	575.9	369.5
HEART DISEASES (156-160,162, 164-181)	75	53	22	287.0	296.8	265.9	92	80	12	438.5	465.4	316.7
HYPERTENSION (161,163)	1	0	1	3.8	-	12.1	6	5	1	28.6	29.1	26.4
CEREBROVASCULAR DISEASES (182-186)	8	6	2	30.6	33.6	24.2	14	13	1	66.7	75.6	26.4
ATHEROSCLEROSIS (187)	1	1	0	3.8	5.6	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	15.3	22.4	-	2	2	0	9.5	11.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	17	0	65.0	95.2	-	14	14	0	66.7	81.4	-
PEPTIC ULCER (217-220)	1	1	0	3.8	5.6	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.8	5.6	-	2	2	0	9.5	11.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	15.3	16.8	12.1	5	4	1	23.8	23.3	26.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	3.0	-	14.9
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.8	5.6	-	1	1	0	4.8	5.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	15	12	3	57.4	67.2	36.3	8	8	0	38.1	46.5	-
MOTOR VEHICLE ACCIDENTS# (296-306)	10	8	2	38.3	44.8	24.2	5	5	0	23.8	29.1	-
SUICIDE (331-337)	3	3	0	11.5	16.8	-	4	4	0	19.1	23.3	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	4.8	5.8	-

CAUSE AND GROUP NUMBER	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>252</u>	<u>244</u>	<u>8</u>	<u>13.2</u>	<u>13.4</u>	<u>10.2</u>	<u>101</u>	<u>36</u>	<u>65</u>	<u>10.0</u>	<u>13.4</u>	<u>8.8</u>
TUBERCULOSIS (009,010)	1	0	1	5.2	-	126.9	0	0	0	-	-	-
SEPTICEMIA (018)	4	4	0	21.0	21.9	-	1	0	1	9.9	-	13.6
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	29.8	-	40.7
MALIGNANT NEOPLASMS (056-108)	53	52	1	278.2	284.7	126.9	20	8	12	198.7	297.4	162.7
DIABETES MELLITUS (124)	5	5	0	26.2	27.4	-	6	3	3	59.6	111.5	40.7
ALZHEIMERS DISEASE (148)	6	6	0	31.5	32.8	-	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	106	102	4	556.4	558.5	507.6	34	11	23	337.8	408.9	311.8
HEART DISEASES (156-160,162, 164-181)	84	82	2	440.9	449.0	253.8	28	10	18	278.2	371.7	244.0
HYPERTENSION (161,163)	1	1	0	5.2	5.5	-	1	0	1	9.9	-	13.6
CEREBROVASCULAR DISEASES (182-186)	16	14	2	84.0	76.6	253.8	3	0	3	29.8	-	40.7
ATHEROSCLEROSIS (187)	2	2	0	10.5	11.0	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	31.5	32.8	-	4	1	3	39.7	37.2	40.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	15	0	78.7	82.1	-	4	3	1	39.7	111.5	13.6
PEPTIC ULCER (217-220)	1	1	0	5.2	5.5	-	1	1	0	9.9	37.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	9.9	-	13.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	4	2	2	39.7	74.3	27.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.4	4.6	-	1	0	1	5.3	-	6.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	9.9	-	13.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	14	0	73.5	76.6	-	7	2	5	69.5	74.3	67.8
MOTOR VEHICLE ACCIDENTS# (296-306)	6	6	0	31.5	32.8	-	3	1	2	29.8	37.2	27.1
SUICIDE (331-337)	4	4	0	21.0	21.9	-	1	1	0	9.9	37.2	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	0	2	19.9	-	27.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>243</u>	<u>215</u>	<u>28</u>	<u>9.2</u>	<u>9.7</u>	<u>6.6</u>	<u>157</u>	<u>99</u>	<u>58</u>	<u>10.3</u>	<u>11.9</u>	<u>8.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	6	0	22.7	27.0	-	7	3	4	46.1	36.1	58.1
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	6.6	-	14.5
MALIGNANT NEOPLASMS (056-108)	61	56	5	230.6	251.9	118.4	34	24	10	223.8	288.8	145.3
DIABETES MELLITUS (124)	5	3	2	18.9	13.5	47.4	4	2	2	26.3	24.1	29.0
ALZHEIMERS DISEASE (148)	2	2	0	7.6	9.0	-	1	1	0	6.6	12.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	93	81	12	351.6	364.4	284.2	57	36	21	375.2	433.3	305.0
HEART DISEASES (156-160,162, 164-181)	81	69	12	306.2	310.4	284.2	42	26	16	276.4	312.9	232.4
HYPERTENSION (161,163)	3	3	0	11.3	13.5	-	5	2	3	32.9	24.1	43.6
CEREBROVASCULAR DISEASES (182-186)	8	8	0	30.2	36.0	-	9	7	2	59.2	84.2	29.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	15.1	13.5	23.7	5	2	3	32.9	24.1	43.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	14	0	52.9	63.0	-	3	3	0	19.7	36.1	-
PEPTIC ULCER (217-220)	1	1	0	3.8	4.5	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.8	4.5	-	2	2	0	13.2	24.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	6	1	26.5	27.0	23.7	6	2	4	39.5	24.1	58.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.9	3.5	-	1	0	1	4.6	-	8.2
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	6.6	12.0	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	13	3	60.5	58.5	71.0	13	8	5	85.6	96.3	72.6
MOTOR VEHICLE ACCIDENTS# (296-306)	10	9	1	37.8	40.5	23.7	10	5	5	65.8	60.2	72.6
SUICIDE (331-337)	2	2	0	7.6	9.0	-	2	1	1	13.2	12.0	14.5
HOMICIDE (338-346)	1	1	0	3.8	4.5	-	1	1	0	6.6	12.0	-

CAUSE AND GROUP NUMBER	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>508</u>	<u>305</u>	<u>203</u>	<u>10.3</u>	<u>11.7</u>	<u>8.8</u>	<u>606</u>	<u>256</u>	<u>350</u>	<u>10.2</u>	<u>13.3</u>	<u>8.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	3	3	12.2	11.5	13.1	9	5	4	15.1	26.1	9.9
HIV DISEASE (039-043)	2	0	2	4.1	-	8.7	5	0	5	8.4	-	12.4
MALIGNANT NEOPLASMS (056-108)	108	62	46	219.9	237.1	200.3	138	49	89	231.7	255.4	220.4
DIABETES MELLITUS (124)	11	4	7	22.4	15.3	30.5	7	3	4	11.8	15.6	9.9
ALZHEIMERS DISEASE (148)	9	7	2	18.3	26.8	8.7	8	7	1	13.4	36.5	2.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	218	132	86	443.9	504.8	374.5	253	108	145	424.7	563.0	359.1
HEART DISEASES (156-160,162, 164-181)	173	108	65	352.2	413.0	283.0	196	88	108	329.0	458.7	267.4
HYPERTENSION (161,163)	4	0	4	8.1	-	17.4	11	3	8	18.5	15.6	19.8
CEREBROVASCULAR DISEASES (182-186)	31	18	13	63.1	68.8	56.6	39	12	27	65.5	62.6	66.9
ATHEROSCLEROSIS (187)	4	3	1	8.1	11.5	4.4	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	4	4	16.3	15.3	17.4	10	4	6	16.8	20.8	14.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	21	4	50.9	80.3	17.4	34	22	12	57.1	114.7	29.7
PEPTIC ULCER (217-220)	1	1	0	2.0	3.8	-	1	1	0	1.7	5.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	10.2	15.3	4.4	5	2	3	8.4	10.4	7.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	4	4	16.3	15.3	17.4	7	4	3	11.8	20.8	7.4
MATERNAL CAUSES (261-273)	2	0	2	264.9	-	466.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	2.6	3.1	2.3	6	1	5	6.6	4.3	7.3
CONGENITAL MALFORMATIONS (282-290)	3	0	3	6.1	-	13.1	5	1	4	8.4	5.2	9.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	22	20	2	44.8	76.5	8.7	29	14	15	48.7	73.0	37.1
MOTOR VEHICLE ACCIDENTS# (296-306)	8	7	1	16.3	26.8	4.4	17	8	9	28.5	41.7	22.3
SUICIDE (331-337)	3	3	0	6.1	11.5	-	4	1	3	6.7	5.2	7.4
HOMICIDE (338-346)	3	1	2	6.1	3.8	8.7	8	1	7	13.4	5.2	17.3

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2004

CAUSE AND GROUP NUMBER	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>200</u>	<u>137</u>	<u>63</u>	<u>9.4</u>	<u>10.4</u>	<u>7.8</u>	<u>136</u>	<u>107</u>	<u>29</u>	<u>13.4</u>	<u>13.3</u>	<u>14.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	18.8	22.8	12.4	6	5	1	59.3	62.1	48.4
HIV DISEASE (039-043)	1	0	1	4.7	-	12.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	45	29	16	212.0	220.6	197.9	23	17	6	227.4	211.2	290.1
DIABETES MELLITUS (124)	6	2	4	28.3	15.2	49.5	1	0	1	9.9	-	48.4
ALZHEIMERS DISEASE (148)	3	3	0	14.1	22.8	-	6	5	1	59.3	62.1	48.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	64	46	18	301.5	350.0	222.7	49	38	11	484.4	472.2	531.9
HEART DISEASES (156-160,162, 164-181)	39	28	11	183.7	213.0	136.1	41	35	6	405.3	434.9	290.1
HYPERTENSION (161,163)	1	1	0	4.7	7.6	-	1	0	1	9.9	-	48.4
CEREBROVASCULAR DISEASES (182-186)	18	12	6	84.8	91.3	74.2	6	3	3	59.3	37.3	145.1
ATHEROSCLEROSIS (187)	2	2	0	9.4	15.2	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	14	9	5	66.0	68.5	61.8	5	4	1	49.4	49.7	48.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	5	1	28.3	38.0	12.4	2	2	0	19.8	24.8	-
PEPTIC ULCER (217-220)	2	1	1	9.4	7.6	12.4	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	4.7	-	12.4	4	3	1	39.5	37.3	48.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	28.3	38.0	12.4	2	1	1	19.8	12.4	48.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	6.9	-	20.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	9.9	12.4	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	6.9	10.4	-
ACCIDENTS (295-330)	16	14	2	75.4	106.5	24.7	8	7	1	79.1	87.0	48.4
MOTOR VEHICLE ACCIDENTS# (296-306)	9	7	2	42.4	53.2	24.7	4	4	0	39.5	49.7	-
SUICIDE (331-337)	3	3	0	14.1	22.8	-	1	1	0	9.9	12.4	-
HOMICIDE (338-346)	2	0	2	9.4	-	24.7	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>133</u>	<u>53</u>	<u>80</u>	<u>13.1</u>	<u>16.9</u>	<u>11.3</u>	<u>221</u>	<u>137</u>	<u>84</u>	<u>11.2</u>	<u>12.6</u>	<u>9.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	9.8	-	14.2	4	3	1	20.2	27.6	11.2
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	34	14	20	333.9	447.4	283.6	33	22	11	166.7	202.5	123.2
DIABETES MELLITUS (124)	5	1	4	49.1	32.0	56.7	9	5	4	45.5	46.0	44.8
ALZHEIMERS DISEASE (148)	1	1	0	9.8	32.0	-	9	8	1	45.5	73.6	11.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	52	19	33	510.7	607.2	467.9	99	66	33	500.1	607.4	369.5
HEART DISEASES (156-160,162, 164-181)	41	16	25	402.7	511.3	354.4	85	55	30	429.4	506.2	335.9
HYPERTENSION (161,163)	2	0	2	19.6	-	28.4	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	2	6	78.6	63.9	85.1	12	9	3	60.6	82.8	33.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	5.0	9.2	-
INFLUENZA AND PNEUMONIA (195-198)	8	3	5	78.6	95.9	70.9	3	2	1	15.2	18.4	11.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1	1	0	9.8	32.0	-	7	4	3	35.4	36.8	33.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	0	2	19.6	-	28.4	4	1	3	20.2	9.2	33.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	6	1	5	30.3	9.2	56.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	7.6	-	9.7	1	0	1	3.6	-	6.1
CONGENITAL MALFORMATIONS (282-290)	3	1	2	29.5	32.0	28.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	3.6	8.8	-
ACCIDENTS (295-330)	3	2	1	29.5	63.9	14.2	13	6	7	65.7	55.2	78.4
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	9.8	32.0	-	7	4	3	35.4	36.8	33.6
SUICIDE (331-337)	1	1	0	9.8	32.0	-	4	3	1	20.2	27.6	11.2
HOMICIDE (338-346)	3	1	2	29.5	32.0	28.4	1	0	1	5.0	-	11.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA, YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2004**

CAUSE AND GROUP NUMBER	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>164</u>	<u>133</u>	<u>31</u>	<u>12.3</u>	<u>16.4</u>	<u>5.9</u>	<u>262</u>	<u>126</u>	<u>136</u>	<u>9.3</u>	<u>10.0</u>	<u>8.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	15.0	12.4	19.0	6	2	4	21.3	15.8	25.6
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.5	-	6.4
MALIGNANT NEOPLASMS (056-108)	40	33	7	299.9	408.3	133.2	51	24	27	180.8	190.2	173.2
DIABETES MELLITUS (124)	4	2	2	30.0	24.7	38.1	16	6	10	56.7	47.5	64.1
ALZHEIMERS DISEASE (148)	3	3	0	22.5	37.1	-	2	1	1	7.1	7.9	6.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	54	45	9	404.9	556.7	171.3	96	49	47	340.3	388.2	301.5
HEART DISEASES (156-160,162, 164-181)	42	34	8	314.9	420.6	152.3	75	40	35	265.8	316.9	224.5
HYPERTENSION (161,163)	1	1	0	7.5	12.4	-	4	2	2	14.2	15.8	12.8
CEREBROVASCULAR DISEASES (182-186)	11	10	1	82.5	123.7	19.0	15	6	9	53.2	47.5	57.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	15.0	24.7	-	3	3	0	10.6	23.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	12	3	112.5	148.5	57.1	13	9	4	46.1	71.3	25.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	3.5	7.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	22.5	24.7	19.0	3	3	0	10.6	23.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	22.5	12.4	38.1	12	1	11	42.5	7.9	70.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.0	-	12.3	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	15.0	12.4	19.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	0	3	7.1	-	10.3
ACCIDENTS (295-330)	12	11	1	90.0	136.1	19.0	19	5	14	67.4	39.6	89.8
MOTOR VEHICLE ACCIDENTS# (296-306)	5	4	1	37.5	49.5	19.0	13	4	9	46.1	31.7	57.7
SUICIDE (331-337)	4	4	0	30.0	49.5	-	4	4	0	14.2	31.7	-
HOMICIDE (338-346)	1	1	0	7.5	12.4	-	8	4	4	28.4	31.7	25.6

CAUSE AND GROUP NUMBER	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>27,748</u>	<u>18,689</u>	<u>9,059</u>	<u>9.6</u>	<u>10.5</u>	<u>8.1</u>
TUBERCULOSIS (009,010)	9	6	3	0.3	0.3	0.3
SEPTICEMIA (018)	500	310	190	17.2	17.4	16.9
HIV DISEASE (039-043)	164	31	133	5.6	1.7	11.8
MALIGNANT NEOPLASMS (056-108)	5,964	4,054	1,910	205.4	227.7	170.1
DIABETES MELLITUS (124)	658	352	306	22.7	19.8	27.2
ALZHEIMERS DISEASE (148)	622	514	108	21.4	28.9	9.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	10,505	7,089	3,416	361.9	398.2	304.3
HEART DISEASES (156-160,162, 164-181)	8,246	5,685	2,561	284.0	319.3	228.1
HYPERTENSION (161,163)	347	172	175	12.0	9.7	15.6
CEREBROVASCULAR DISEASES (182-186)	1,632	1,037	595	56.2	58.2	53.0
ATHEROSCLEROSIS (187)	42	30	12	1.4	1.7	1.1
INFLUENZA AND PNEUMONIA (195-198)	635	446	189	21.9	25.0	16.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,343	1,137	206	46.3	63.9	18.3
PEPTIC ULCER (217-220)	43	31	12	1.5	1.7	1.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	265	202	63	9.1	11.3	5.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	663	361	302	22.8	20.3	26.9
MATERNAL CAUSES (261-273)	11	4	7	25.7	17.0	36.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	189	49	140	4.4	2.1	7.3
CONGENITAL MALFORMATIONS (282-290)	116	63	53	4.0	3.5	4.7
SUDDEN INFANT DEATH SYNDROME# (292)	71	32	39	1.6	1.4	2.0
ACCIDENTS (295-330)	1,689	1,110	579	58.2	62.3	51.6
MOTOR VEHICLE ACCIDENTS# (296-306)	907	561	346	31.2	31.5	30.8
SUICIDE (331-337)	349	295	54	12.0	16.6	4.8
HOMICIDE (338-346)	279	93	186	9.6	5.2	16.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2004
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2004)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2004

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7
2001**	42,277	22,798	19,479	14.9	13.0	17.7
2002**	41,511	22,620	18,891	14.4	12.8	17.0
2003**	42,321	23,118	19,203	14.7	13.1	17.2
2004**	42,809	23,524	19,285	14.8	13.2	17.2

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2004,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2004)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2004

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5
2001	28,134	18,774	9,360	9.9	10.8	8.5
2002	28,765	19,168	9,597	10.0	10.9	8.6
2003	28,333	19,013	9,320	9.8	10.8	8.3
2004	27,748	18,689	9,059	9.6	10.5	8.1

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2004,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2004)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	447	162	285	1,087.5	740.6	1,482.1
1914	413	124	289	1,016.7	580.5	1,500.3
1915	289	88	201	731.9	419.1	1,087.4
1916	326	102	224	835.2	506.7	1,185.0
1917	297	105	192	799.6	551.0	1,061.6
1918	302	82	220	766.7	409.9	1,134.8
1919	407	173	234	957.8	785.4	1,143.5
1920	393	127	266	898.4	566.0	1,248.5
1921	391	145	246	841.2	611.7	1,079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1,267.2
1925	435	143	292	954.7	642.3	1,253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1,098.2
1928	421	161	260	874.8	681.0	1,061.9
1929	410	152	258	899.7	687.6	1,099.5
1930	489	171	318	1,019.1	737.3	1,282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABE 22 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-2004

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2
2001	12	4	8	28.4	17.5	41.1
2002	9	2	7	21.7	8.8	37.0
2003	7	3	4	16.5	13.0	20.8
2004	11	4	7	25.7	17.0	36.3

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-2004
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2004)

COUNTY	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2004

COUNTY	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1
2001	443	157	286	10.5	6.9	14.7
2002	428	155	273	10.3	6.8	14.4
2003	453	158	295	10.7	6.8	15.4
2004	417	144	273	9.7	6.1	14.2

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2004
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2004)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924-2004

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6
2001	277	96	181	6.6	4.2	9.3
2002	281	100	181	6.8	4.4	9.6
2003	246	78	168	5.8	3.4	8.7
2004	256	82	174	6.0	3.5	9.0

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2004
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2004)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924 - 2004

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5
2001	166	61	105	3.9	2.7	5.4
2002	147	55	92	3.5	2.4	4.9
2003	207	80	127	4.9	3.5	6.6
2004	161	62	99	3.8	2.6	5.1

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2004

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2004

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312
2001	18,605	12,483	6,122	14,198**	10,683	3,370
2002	18,447	12,451	5,996	14,169**	10,548	3,466
2003	17,827	12,081	5,746	13,330**	9,737	3,325
2004	17,105	12,055	5,650	13,003**	8,876	3,123

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2004

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2004

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8
2004#	7,673	3,131	4,538	36.4	28.3	45.3

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53
023	Gonococcal infection	A54

Group	Cause of Death	ICD-10 Codes Included
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65

Group	Cause of Death	ICD-10 Codes Included
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45

Group	Cause of Death	ICD-10 Codes Included
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93

Group	Cause of Death	ICD-10 Codes Included
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88

Group	Cause of Death	ICD-10 Codes Included
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13

Group	Cause of Death	ICD-10 Codes Included
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03

Group	Cause of Death	ICD-10 Codes Included
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J10-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38

Group	Cause of Death	ICD-10 Codes Included
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27

Group	Cause of Death	ICD-10 Codes Included
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96

Group	Cause of Death	ICD-10 Codes Included
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78

Group	Cause of Death	ICD-10 Codes Included
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49

Group	Cause of Death	ICD-10 Codes Included
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24

Group	Cause of Death	ICD-10 Codes Included
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

**APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY**

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J10-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

**APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED**

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J10-J18</u>
046	Influenza	J10-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	<u># Disorders related to short gestation and low birth weight, not elsewhere classified</u>	<u>P07</u>
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.

MISSISSIPPI DEPARTMENT OF HEALTH

www.HealthyMS.com

1-866-HLTHY4U

1-866-458-4948