

## Status of Selected Year 2000 National Health Objectives for the State of Mississippi, 1996

Objective Number	Objective	Mississippi 1996 Status	Year 2000 Objective (National)
<b>1.</b>	<b>Physical Activity and Fitness</b>		
1.1	Coronary heart disease deaths	141.4	100.0 per 100,000 <sup>1</sup>
1.1a	Blacks	169.9	115.0 per 100,000 <sup>1</sup>
1.2	Reduce overweight (based on body mass index)	34	20.0 percent
1.3	Light to moderate physical activity	17	30.0 percent
1.4	Vigorous physical activity	11	20.0 percent
1.4a	Income less than \$20,000	8	12.0 percent
1.5	No leisure-time activity	40	15.0 percent
1.5a	65+ year olds	49	22.0 percent
1.5c	Income less than \$20,000	49	17.0 percent
<b>2.</b>	<b>Nutrition</b>		
2.2	Cancer deaths	151.2	130.0 per 100,000 <sup>1</sup>
<b>3.</b>	<b>Tobacco</b>		
3.2	Lung cancer deaths	47.2	42.0 per 100,000 <sup>1</sup>
3.3	Chronic obstructive pulmonary disease deaths	22.9	25.0 per 100,000 <sup>1</sup>
3.4	Cigarette smoking	23	15.0 percent
3.4a	High school education or less	27	20.0 percent
3.4d	Blacks	21	18.0 percent
<b>4.</b>	<b>Alcohol and Other Drugs</b>		
4.1	Alcohol-related motor vehicle crash deaths	33.1	8.5 per 100,000 <sup>1</sup>
4.1b	15-24 year olds	59.6	18.0 per 100,000
4.2	Cirrhosis deaths	9.0	6.0 per 100,000 <sup>1</sup>
4.2a	Black males	13.9	12.0 per 100,000 <sup>1</sup>
4.3	Drug-related deaths	2.8	3.0 per 100,000 <sup>1</sup>
<b>5.</b>	<b>Family Planning</b>		
5.1	Pregnancies 15-17 years old	66.3	50.0 per 1,000 females
5.1a	Blacks 15-19 years old	125.9	120.0 per 1,000 females
<b>6.</b>	<b>Mental Health and Mental Disorders</b>		
6.1	Suicides	12.0	10.5 per 100,000 <sup>1</sup>
6.1a	15-19 year olds	7.6	8.2 per 100,000
6.1b	Men 20-34 years old	27.9	21.4 per 100,000
6.1c	White men 65+ years old	35.6	39.2 per 100,000
<b>7.</b>	<b>Violent and Abusive Behavior</b>		
7.1	Homicides	15.0	7.2 per 100,000 <sup>1</sup>
7.1a	# 3 years old	6.4	3.1 per 100,000
7.1c	Black males 15-34 years old	79.7	72.4 per 100,000
7.1e	Black females 15-34 years old	16.0	16.0 per 100,000
7.3	Weapons-related violent deaths	22.3	12.6 per 100,000 <sup>1</sup>
<b>9.</b>	<b>Unintentional Injuries</b>		

## Status of Selected Year 2000 National Health Objectives for the State of Mississippi, 1996

Objective Number	Objective	Mississippi 1996 Status	Year 2000 Objective (National)
9.1a	Unintentional injury deaths	53.7	29.3 per 100,000 <sup>1</sup>
9.1b	Black males	95.5	51.9 per 100,000
9.1c	White males	73.2	42.9 per 100,000
9.3	Motor vehicle crash deaths	33.7	16.8 per 100,000 <sup>1</sup>
9.3a	# 14 years	9.4	5.5 per 100,000
9.3b	15-24 years	60.3	33.0 per 100,000
9.3c	70+ years	41.5	20.0 per 100,000
9.3e	Motorcyclists	0.4	1.5 per 100,000 <sup>1</sup>
9.3f	Pedestrians	2.2	2.7 per 100,000 <sup>1</sup>
9.4	Falls and fall-related deaths	2.9	2.3 per 100,000 <sup>1</sup>
9.4a	65-84 years	22.1	14.4 per 100,000
9.4b	85+ years	142.7	105.0 per 100,000
9.4c	Black males 30-69 years old	5.6	5.6 per 100,000
9.5	Drowning deaths	2.7	1.3 per 100,000 <sup>1</sup>
9.5a	# 4 year olds	2.6	2.3 per 100,000
9.5b	Males 15-34 years old	6.2	2.5 per 100,000
9.5c	Black males	7.6	3.6 per 100,000
9.6	Fire deaths	3.5	1.2 per 100,000 <sup>1</sup>
9.6a	# 4 year olds	9.2	3.3 per 100,000
9.6b	65+ year olds	8.4	3.3 per 100,000
9.6c	Black males	8.7	4.3 per 100,000
9.6d	Black females	5.5	2.6 per 100,000
<b>13.</b>	<b>Oral Health</b>		
13.7	Oral cavity and pharynx cancer deaths		
	Males 45-74 years	18.4	10.5 per 100,000
	Females 45-74 years	2.6	4.1 per 100,000
<b>14.</b>	<b>Maternal and Infant Health</b>		
14.1	Infant mortality rate	11.0	7.0 per 1,000 LB <sup>2</sup>
14.1a	Blacks	14.6	11.0 per 1,000 LB
14.1d	Neonatal mortality rate	7.2	4.5 per 1,000 LB
14.1e	Blacks	9.9	7.0 per 1,000 LB
14.1g	Postneonatal mortality rate	3.8	2.5 per 1,000 LB
14.1h	Blacks	4.6	4.0 per 1,000 LB
14.2	Fetal deaths	10.8	5.0 per 1,000 LB + FD <sup>3</sup>
14.2a	Blacks	15.5	7.5 per 1,000 LB
14.3	Maternal mortality rate	2.4	3.3 per 100,000 LB
14.3a	Blacks	5.3	5.0 per 100,000 LB
14.5	Low birth weight (< 2,500 g)	9.9	5.0 percent of LB
14.5a	Blacks	12.9	9.0 percent of LB
	Very low birth weight (< 1,500 g)	1.9	1.0 percent of LB
	Blacks	2.8	2.0 percent of LB
14.8	Cesarean deliveries	26.0	15.0 percent of LB + FD <sup>3</sup>
14.8a	Primary	17.9	12.0 percent of LB + FD <sup>3</sup>
14.8b	Repeat	76.3	65.0 percent of LB + FD <sup>3,4</sup>

## Status of Selected Year 2000 National Health Objectives for the State of Mississippi, 1996

Objective Number	Objective	Mississippi 1996 Status	Year 2000 Objective (National)
14.10	Abstinence from tobacco use	86.9	90.0 percent of LB
	Abstinence from alcohol use	98.9	95.0 percent of LB
14.11	Prenatal care-1st trimester	78.2	90.0 percent of LB
14.11a	Blacks	67.4	90.0 percent of LB
<b>15.</b>	<b>Stroke</b>		
15.2	Stroke deaths	34.3	20.0 per 100,000 <sup>1</sup>
15.2a	Blacks	51.0	27.0 per 100,000 <sup>1</sup>
<b>16.</b>	<b>Cancer</b>		
16.3	Breast cancer deaths	23.5	20.6 per 100,000 females <sup>1</sup>
16.4	Uterine cervix cancer deaths	3.1	1.3 per 100,000 females <sup>1</sup>
16.5	Colorectal cancer deaths	13.5	13.2 per 100,000 <sup>1</sup>
16.11	Ever received a CBE <sup>5</sup> and mammogram (Women 40+)	71	80.0 percent
16.11b	Income less than \$10,000	56	80.0 percent
16.11c	Less than a high school education	56	80.0 percent
16.11d	Women aged 70+	60	80.0 percent
16.11e	Black women	59	80.0 percent
16.11	CBE <sup>5</sup> and mammogram in past 2 yrs (Women 50+)	53	60.0 percent
16.11b	Income less than \$10,000	38	60.0 percent
16.11c	Less than a high school education	39	60.0 percent
16.11d	Women aged 70+	47	60.0 percent
16.11e	Black women	45	60.0 percent
16.12	Ever received a pap test (Women aged 18+) <sup>6</sup>	93	95.0 percent
16.12b	Women aged 70+	79	95.0 percent
16.12c	Less than a high school education	87	95.0 percent
16.12d	Income less than \$10,000	81	95.0 percent
16.12	Pap test in the past 3 yrs (Women aged 18+) <sup>6</sup>	82	85.0 percent
16.12b	Women aged 70+	50	70.0 percent
16.12c	Less than a high school education	66	75.0 percent
16.12d	Income less than \$10,000	64	80.0 percent
<b>17.</b>	<b>Diabetes and Chronic Disabling Conditions</b>		
17.9	Diabetes-related deaths	47.4	38.0 per 100,000 <sup>1</sup>
	Blacks	76.6	58.0 per 100,000 <sup>1</sup>
<b>19.</b>	<b>Sexually Transmitted Disease</b>		
19.1	Gonorrhea	253.5	225.0 per 100,000
19.3	Primary and secondary syphilis	30.5	10.0 per 100,000
	<b>Immunization and Infectious Disease</b>		
20.3	Hepatitis A	8.7	23.0 per 100,000
20.4	Incidence of tuberculosis	9.2	3.5 per 100,000
20.7	Bacterial meningitis	2.1	4.7 per 100,000
	<b>Age-related Objectives</b>		

## Status of Selected Year 2000 National Health Objectives for the State of Mississippi, 1996

Objective Number	Objective	Mississippi 1996 Status	Year 2000 Objective (National)
	Death rate for children 1-14 years old	40.2	28.0 per 100,000 children 1-14
	Death rate for adolescents and young adults 15-24	142.8	85.0 per 100,000 people 15-24
	Death rate for adults 25-64	569.3	340.0 per 100,000 people 25-64

<sup>1</sup> Current and target rates are age-adjusted to the 1940 U.S. census population

<sup>2</sup> Live Births

<sup>3</sup> Live Births + Fetal Deaths

<sup>4</sup> Percentage of women who had previous Cesarean sections

<sup>5</sup> Clinical breast exam

<sup>6</sup> Women with an intact uterine cervix

Sources: Healthy People 2000: National Health Promotion and Disease Prevention Objectives. PHS, U.S. Department of Health and Human Services, September 1990; Vital Statistics, 1995. Mississippi State Department of Health, Bureau of Public Health Statistics; "Mississippi Morbidity Report", Office of Epidemiology, Mississippi State Department of Health; and the Behavioral Risk Factor Surveillance System.