

Vital Statistics Mississippi 1998



Office of Community Health Services
Bureau of Public Health Statistics
Post Office Box 1700
Jackson, Mississippi 392151700

Telephone: 601/576-7960

TABLE OF CONTENTS

| | Page |
|---|------|
| INTRODUCTION | |
| Description of Bulletin | 1 |
| Definitions of Live Birth, Fetal Death, Induced Termination, and Death | 1 |
| Occurrence and Residence Allocation | 2 |
| Population | 2 |
| Race | 2 |
| Rates | 3 |
| Classification of Cause of Death | 3 |
| SUMMARY TABLES, 1998 | |
| POPULATION | |
| Table P1. Estimated Population, by Age, Race, and Sex, Mississippi, 1998 ... | 7 |
| LIVE BIRTHS | |
| Table A1. Live Births and Average per Day, by Month | 8 |
| Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1998 | 8 |
| Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother | 9 |
| Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother | 10 |
| Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother | 10 |
| Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother | 11 |
| Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother | 11 |
| Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother | 12 |
| Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother | 12 |
| Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother | 13 |
| Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother | 14 |
| Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother | 15 |
| Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother | 16 |
| Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother | 16 |
| Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother | 17 |
| Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother | 17 |
| FETAL DEATHS | |
| Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother | 18 |

SUMMARY TABLES, 1998

FETAL DEATHS (continued)

| | | |
|-----------|---|----|
| Table B2. | Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother | 19 |
| Table B3. | Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother | 19 |
| Table B4. | Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1996-1998 | 20 |

DEATHS

| | | |
|-------------|---|----|
| Table C1. | Deaths and Average per Day, by Month | 21 |
| Table C2. | Deaths, Percentage Distribution, and Rates, by Age and Race | 21 |
| Table C3A. | Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race | 22 |
| Table C3B. | Death Rates, by Age, Race, and Sex | 22 |
| Table C4. | Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race | 23 |
| Table C5. | Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause | 24 |
| Table C6. | Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race | 25 |
| Table C7. | Deaths from Major Chronic Respiratory Diseases, 1973, 1978, 1983, 1988, 1993, 1998 | 25 |
| Table C8. | Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race | 26 |
| Table C9. | Deaths from Selected Types of Accidents, by Sex, also by Age | 27 |
| Table C10. | Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1998 | 28 |
| Table C11. | Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race | 29 |
| Table C12. | Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race | 29 |
| Table C13A. | Years of Potential Life Lost Before Age 75, for Selected Causes of Death | 30 |
| Table C13B. | Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females | 31 |
| Table C13C. | Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females | 32 |

MARRIAGES

| | | |
|-----------|--|----|
| Table D1. | Marriages and Average per Day, by Month | 33 |
| Table D2. | Brides and Grooms and Percentage Distribution, by Age and Race ... | 34 |
| Table D3. | Median Age of Bride and Groom, for All Marriages and First Marriages, by Race | 35 |
| Table D4. | Brides and Grooms and Percentage Distribution, by Marriage Order and Race | 36 |
| Table D5. | Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race | 37 |
| Table D6. | Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride | 38 |

SUMMARY TABLES, 1998

Page

DIVORCES

| | | |
|-----------|--|----|
| Table E1. | Divorces and Percentage Distribution, by Cause and Race | 39 |
| Table E2. | Divorces and Percentage Distribution, by Number of Minor Children and Race | 39 |
| Table E3. | Divorces and Percentage Distribution, by Number of Years Married and Race | 40 |

INDUCED TERMINATIONS OF PREGNANCY

| | | |
|-----------|--|----|
| Table F1. | Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi | 41 |
| Table F2. | Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi | 42 |
| Table F3. | Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi | 43 |

MAJOR TABLES, 1998

POPULATION

| | | |
|----------|---|----|
| Table i. | 1998 Estimated Population and Percent Change From 1990 Census Population, Mississippi | 47 |
|----------|---|----|

LIVE BIRTHS

| | | |
|-----------|---|----|
| Table 1A. | Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1998 | 49 |
| Table 1B. | Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1998 | 52 |
| Table 2. | Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1998 | 53 |
| Table 3A. | Total Live Births, by County of Residence and Age of Mother, Mississippi, 1998 | 56 |
| Table 3B. | Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1998 | 58 |
| Table 3C. | Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1998 | 60 |
| Table 4. | Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1998 ... | 62 |
| Table 5A. | Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1998 | 64 |
| Table 5B. | Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1998 | 66 |
| Table 5C. | Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1998 | 68 |
| Table 6A. | Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1998 | 70 |

MAJOR TABLES, 1998

LIVE BIRTHS (continued)

| | | |
|-----------|--|----|
| Table 6B. | Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1998 | 72 |
| Table 7. | Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1998 | 74 |

FETAL DEATHS

| | | |
|----------|--|----|
| Table 8. | Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1998 | 76 |
|----------|--|----|

DEATHS

| | | |
|------------|---|-----|
| Table 9. | Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1998 | 78 |
| Table 10. | Deaths, by Cause and Race, Mississippi Residents, 1998 | 81 |
| Table 11. | Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1998 | 95 |
| Table 12A. | Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1998 | 102 |
| Table 12B. | Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1993-1998 (5-Year Average) | 104 |
| Table 13. | Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1998 | 106 |
| Table 14. | Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1998 | 108 |

MARRIAGES

| | | |
|-----------|--|-----|
| Table 15. | Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1998 | 110 |
|-----------|--|-----|

DIVORCES

| | | |
|-----------|--|-----|
| Table 16. | Divorces, by County of Occurrence and Race, Mississippi, 1998 | 112 |
|-----------|--|-----|

INDUCED TERMINATIONS

| | | |
|-----------|---|-----|
| Table 17. | Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1998 | 113 |
|-----------|---|-----|

DEATHS (COUNTY AND STATE SUMMARIES)

| | | |
|-----------|---|-----|
| Table 18. | Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents | |
| | The Counties (in alphabetical order) | 115 |
| | The State | 135 |

TIME SERIES TABLES

Page

| | | |
|-----------|---|-----|
| Table 19. | Live Births and Rates, by Year and Race, Mississippi, 1913-1998, (Occurrence Data 1913-1943, Residence Data 1944-1998) | 139 |
| Table 20. | Deaths and Rates, by Year and Race, Mississippi, 1913-1998, (Occurrence Data 1913-1943, Residence Data 1944-1998) | 141 |
| Table 21. | Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1998, (Occurrence Data 1913-1943, Residence Data 1944-1998) | 143 |
| Table 22. | Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1998, (Occurrence Data 1917-1943, Residence Data 1944-1998) | 145 |
| Table 23. | Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1998, (Occurrence Data 1924-1944, Residence Data 1945-1998) | 147 |
| Table 24. | Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1998, (Occurrence Data 1924-1943, Residence Data 1944-1998) | 149 |
| Table 25. | Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1998 | 151 |
| Table 26. | Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1998 | 153 |

VITAL STATISTICS MISSISSIPPI, 1998

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1997; the second part contains major statistical tables for 1998. Time series tables numbered 19 through 26 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this bulletin are 1998 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories, such as age/race/sex groups, should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1998

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

**TABLE P1. ESTIMATED POPULATION* BY AGE, RACE, AND SEX,
MISSISSIPPI, 1998**

| AGE | TOTAL | | | WHITE | | | NONWHITE | | |
|-------------------|--------------------|--------------------|--------------------|--------------------|-----------------|-----------------|--------------------|-----------------|-----------------|
| | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| TOTAL | 2, 752, 092 | 1, 318, 939 | 1, 433, 153 | 1, 719, 483 | 837, 551 | 881, 932 | 1, 032, 609 | 481, 388 | 551, 221 |
| 0- 4 | 202, 072 | 102, 916 | 99, 156 | 108, 478 | 55, 822 | 52, 656 | 93, 594 | 47, 094 | 46, 500 |
| (UNDER 1) | (40, 341) | (20, 382) | (19, 959) | (21, 511) | (11, 022) | (10, 489) | (18, 830) | (9, 360) | (9, 470) |
| (1- 4) | (161, 731) | (82, 534) | (79, 197) | (86, 967) | (44, 800) | (42, 167) | (74, 764) | (37, 734) | (37, 030) |
| 5- 9 | 208, 590 | 106, 443 | 102, 147 | 110, 916 | 56, 960 | 53, 956 | 97, 674 | 49, 483 | 48, 191 |
| 10- 14 | 208, 216 | 106, 523 | 101, 693 | 112, 015 | 57, 590 | 54, 425 | 96, 201 | 48, 933 | 47, 268 |
| 15- 19 | 231, 769 | 117, 798 | 113, 971 | 123, 476 | 63, 741 | 59, 735 | 108, 293 | 54, 057 | 54, 236 |
| 20- 24 | 206, 007 | 101, 555 | 104, 452 | 115, 093 | 58, 821 | 56, 272 | 90, 914 | 42, 734 | 48, 180 |
| 25- 29 | 197, 844 | 94, 693 | 103, 151 | 119, 503 | 59, 312 | 60, 191 | 78, 341 | 35, 381 | 42, 960 |
| 30- 34 | 182, 894 | 87, 968 | 94, 926 | 114, 690 | 57, 334 | 57, 356 | 68, 204 | 30, 634 | 37, 570 |
| 35- 39 | 206, 839 | 100, 532 | 106, 307 | 131, 960 | 66, 515 | 65, 445 | 74, 879 | 34, 017 | 40, 862 |
| 40- 44 | 207, 723 | 101, 576 | 106, 147 | 132, 597 | 66, 568 | 66, 029 | 75, 126 | 35, 008 | 40, 118 |
| 45- 49 | 179, 589 | 86, 516 | 93, 073 | 119, 755 | 59, 117 | 60, 638 | 59, 834 | 27, 399 | 32, 435 |
| 50- 54 | 150, 012 | 71, 254 | 78, 758 | 109, 132 | 53, 197 | 55, 935 | 40, 880 | 18, 057 | 22, 823 |
| 55- 59 | 124, 485 | 57, 987 | 66, 498 | 91, 875 | 44, 189 | 47, 686 | 32, 610 | 13, 798 | 18, 812 |
| 60- 64 | 109, 746 | 50, 166 | 59, 580 | 81, 477 | 38, 611 | 42, 866 | 28, 269 | 11, 555 | 16, 714 |
| 65- 69 | 98, 056 | 43, 346 | 54, 710 | 72, 548 | 32, 846 | 39, 702 | 25, 508 | 10, 500 | 15, 008 |
| 70- 74 | 85, 716 | 36, 322 | 49, 394 | 64, 548 | 27, 995 | 36, 553 | 21, 168 | 8, 327 | 12, 841 |
| 75- 79 | 67, 838 | 26, 413 | 41, 425 | 50, 699 | 20, 022 | 30, 677 | 17, 139 | 6, 391 | 10, 748 |
| 80- 84 | 44, 649 | 15, 543 | 29, 106 | 33, 234 | 11, 509 | 21, 725 | 11, 415 | 4, 034 | 7, 381 |
| 85 AND OVER | 40, 047 | 11, 388 | 28, 659 | 27, 487 | 7, 402 | 20, 085 | 12, 560 | 3, 986 | 8, 574 |
| UNDER 15 | 618, 878 | 315, 882 | 302, 996 | 331, 409 | 170, 372 | 161, 037 | 287, 469 | 145, 510 | 141, 959 |
| 15- 64 | 1, 796, 908 | 870, 045 | 926, 863 | 1, 139, 558 | 567, 405 | 572, 153 | 657, 350 | 302, 640 | 354, 710 |
| 65 & OVER | 336, 306 | 133, 012 | 203, 294 | 248, 516 | 99, 774 | 148, 742 | 87, 790 | 33, 238 | 54, 552 |
| MEDIAN AGE | 33. 3 | 31. 7 | 34. 8 | 37. 1 | 35. 7 | 38. 5 | 26. 9 | 24. 8 | 28. 6 |

* THIS 1998 POPULATION ESTIMATE WAS OBTAINED FROM THE U. S. BUREAU OF THE CENSUS.

LIVE BIRTHS

**TABLE A1. BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1998**

| MONTH | BIRTHS | AVERAGE PER DAY | MONTH | BIRTHS | AVERAGE PER DAY |
|--------------|----------------|--------------------|-----------|--------|--------------------|
| TOTAL | 42, 917 | 118 | | | |
| JANUARY | 3, 683 | 119 | JULY | 3, 713 | 120 |
| FEBRUARY | 3, 333 | 119 | AUGUST | 3, 874 | 125 |
| MARCH | 3, 499 | 113 | SEPTEMBER | 3, 893 | 130 |
| APRIL | 3, 267 | 109 | OCTOBER | 3, 556 | 115 |
| MAY | 3, 324 | 107 | NOVEMBER | 3, 535 | 118 |
| JUNE | 3, 450 | 115 | DECEMBER | 3, 790 | 122 |

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-1998**

| YEAR | TOTAL | WHITE | NON- WHITE | YEAR | TOTAL | WHITE | NON- WHITE |
|-------|-------|-------|---------------|-------|-------|-------|---------------|
| 1940 | 14. 1 | 27. 1 | 3. 9 | | | | |
| 1950 | 46. 1 | 83. 3 | 18. 9 | | | | |
| 1960 | 73. 2 | 99. 0 | 51. 3 | | | | |
| 1970# | 90. 0 | 99. 7 | 79. 7 | 1980# | 99. 4 | 99. 7 | 99. 1 |
| 1971# | 92. 2 | 99. 6 | 84. 2 | 1981# | 99. 3 | 99. 6 | 99. 0 |
| 1972# | 95. 2 | 99. 8 | 90. 4 | 1982# | 99. 4 | 99. 6 | 99. 2 |
| 1973# | 96. 4 | 99. 7 | 92. 8 | 1983# | 99. 5 | 99. 6 | 99. 4 |
| 1974# | 97. 4 | 99. 7 | 94. 8 | 1984# | 99. 5 | 99. 6 | 99. 4 |
| 1975# | 97. 9 | 99. 6 | 96. 0 | 1985# | 99. 6 | 99. 7 | 99. 4 |
| 1976# | 98. 5 | 99. 7 | 97. 3 | 1986# | 99. 6 | 99. 7 | 99. 5 |
| 1977# | 98. 9 | 99. 7 | 98. 1 | 1987# | 99. 6 | 99. 8 | 99. 5 |
| 1978# | 99. 1 | 99. 7 | 98. 4 | 1988# | 99. 6 | 99. 7 | 99. 6 |
| 1979# | 99. 3 | 99. 7 | 98. 9 | 1989# | 99. 6 | 99. 8 | 99. 5 |
| | | | | 1990# | 99. 6 | 99. 6 | 99. 6 |
| | | | | 1991# | 99. 6 | 99. 6 | 99. 6 |
| | | | | 1992# | 99. 7 | 99. 7 | 99. 7 |
| | | | | 1993# | 99. 7 | 99. 7 | 99. 6 |
| | | | | 1994# | 99. 7 | 99. 7 | 99. 7 |
| | | | | 1995# | 99. 7 | 99. 7 | 99. 6 |
| | | | | 1996# | 99. 7 | 99. 7 | 99. 7 |
| | | | | 1997# | 99. 7 | 99. 8 | 99. 7 |
| | | | | 1998# | 99. 6 | 99. 7 | 99. 6 |

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1998**

| PLACE OF DELIVERY AND RACE | NUMBER | | | | | | PERCENT | | | | | |
|---------------------------------------|---------------|----------------|-------------------------------------|-------------------|--------------------------|--------------|--------------|----------------|-------------------------------------|-------------------|--------------------------|--------------|
| | TOTAL | PHYSI- CIAN | CERTI - FIED NURSE MIDWIFE | GRANNY MIDWIFE | OTHER NAMED PERSON | UN- KNOWN | TOTAL | PHYSI- CIAN | CERTI - FIED NURSE MIDWIFE | GRANNY MIDWIFE | OTHER NAMED PERSON | UN- KNOWN |
| TOTAL | 42,917 | 42,063 | 652 | 21 | 151 | 30 | 100.0 | 98.0 | 1.5 | * | 0.4 | 0.1 |
| HOSPITAL CLINIC/DOCTOR'S OFFICE | 42,758 | 42,049 | 647 | 0 | 45 | 17 | 99.6 | 98.0 | 1.5 | - | 0.1 | * |
| HOME | 2 | 1 | 1 | 0 | 0 | 0 | * | * | * | - | - | - |
| OTHER PLACE | 134 | 5 | 4 | 21 | 98 | 6 | 0.3 | * | * | * | 0.2 | * |
| UNKNOWN PLACE | 22 | 8 | 0 | 0 | 8 | 6 | * | * | - | - | * | * |
| | 1 | 0 | 0 | 0 | 0 | 1 | * | - | - | - | - | * |
| WHITE | 22,950 | 22,668 | 190 | 18 | 64 | 10 | 100.0 | 98.8 | 0.8 | 0.1 | 0.3 | * |
| HOSPITAL CLINIC/DOCTOR'S OFFICE | 22,874 | 22,666 | 185 | 0 | 15 | 8 | 99.7 | 98.8 | 0.8 | - | 0.1 | * |
| HOME | 2 | 1 | 1 | 0 | 0 | 0 | * | * | * | - | - | - |
| OTHER PLACE | 70 | 1 | 4 | 18 | 47 | 0 | 0.3 | * | * | 0.1 | 0.2 | - |
| UNKNOWN PLACE | 3 | 0 | 0 | 0 | 2 | 1 | * | - | - | - | * | * |
| | 1 | 0 | 0 | 0 | 0 | 1 | * | - | - | - | - | * |
| NONWHITE | 19,967 | 19,395 | 462 | 3 | 87 | 20 | 100.0 | 97.1 | 2.3 | * | 0.4 | 0.1 |
| HOSPITAL CLINIC/DOCTOR'S OFFICE | 19,884 | 19,383 | 462 | 0 | 30 | 9 | 99.6 | 97.1 | 2.3 | - | 0.2 | * |
| HOME | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| OTHER PLACE | 64 | 4 | 0 | 3 | 51 | 6 | 0.3 | * | - | * | 0.2 | * |
| UNKNOWN PLACE | 19 | 8 | 0 | 0 | 6 | 5 | 0.1 | * | - | - | * | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1998**

| AGE OF MOTHER | NUMBER | | | PERCENT | | | FERTILITY RATE* | | |
|---------------|---------------|---------------|---------------|--------------|--------------|--------------|-----------------|-------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TOTAL | 42,917 | 22,950 | 19,967 | 100.0 | 100.0 | 100.0 | 68.2 | 62.9 | 75.6 |
| UNDER 15 | 285 | 28 | 257 | 0.7 | 0.1 | 1.3 | 2.8 | 0.5 | 5.4 |
| 15-19 | 8,313 | 3,207 | 5,106 | 19.4 | 14.0 | 25.6 | 72.9 | 53.7 | 94.1 |
| 20-24 | 14,152 | 6,844 | 7,308 | 33.0 | 29.8 | 36.6 | 135.5 | 121.6 | 151.7 |
| 25-29 | 10,966 | 6,887 | 4,079 | 25.6 | 30.0 | 20.4 | 106.3 | 114.4 | 94.9 |
| 30-34 | 6,196 | 4,113 | 2,083 | 14.4 | 17.9 | 10.4 | 65.3 | 71.7 | 55.4 |
| 35-39 | 2,551 | 1,620 | 931 | 5.9 | 7.0 | 4.7 | 24.0 | 24.8 | 22.8 |
| 40-44 | 435 | 237 | 198 | 1.0 | 1.0 | 1.0 | 4.1 | 3.6 | 4.9 |
| 45-49 | 14 | 11 | 3 | ** | ** | ** | 0.2 | 0.2 | 0.1 |
| UNKNOWN | 5 | 3 | 2 | ** | ** | ** | | | |

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 1998**

| YEARS OF SCHOOL COMPLETED BY MOTHER | NUMBER | | | PERCENT* | | | CUMULATIVE PERCENT* | | |
|-------------------------------------|---------------|---------------|---------------|--------------|--------------|--------------|---------------------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TOTAL BIRTHS | 42,917 | 22,950 | 19,967 | 100.0 | 100.0 | 100.0 | | | |
| 0-6 YEARS | 275 | 133 | 142 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.7 |
| 7-9 YEARS | 3,845 | 1,884 | 1,961 | 9.0 | 8.2 | 9.8 | 9.6 | 8.8 | 10.6 |
| 10, 11 YEARS | 7,102 | 2,780 | 4,322 | 16.6 | 12.1 | 21.7 | 26.2 | 20.9 | 32.2 |
| 12 YEARS | 14,110 | 6,802 | 7,308 | 32.9 | 29.7 | 36.7 | 59.2 | 50.6 | 68.9 |
| 1-3 YEARS COLLEGE | 10,712 | 6,139 | 4,573 | 25.0 | 26.8 | 23.0 | 84.2 | 77.4 | 91.9 |
| 4 OR MORE YEARS OF COLLEGE | 6,782 | 5,164 | 1,618 | 15.8 | 22.5 | 8.1 | 100.0 | 100.0 | 100.0 |
| UNKNOWN | 91 | 48 | 43 | | | | | | |
| MEDIAN YEARS COMPLETED* | 12.7 | 13.0 | 12.5 | | | | | | |

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1998**

| AGE OF MOTHER | NUMBER | | | PERCENT | | |
|---------------|---------------|--------------|---------------|-------------|-------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TOTAL | 19,500 | 4,680 | 14,820 | 45.4 | 20.4 | 74.2 |
| UNDER 15 | 284 | 27 | 257 | 99.6 | 96.4 | 100.0 |
| 15-19 | 6,694 | 1,763 | 4,931 | 80.5 | 55.0 | 96.6 |
| 20-24 | 7,669 | 1,705 | 5,964 | 54.2 | 24.9 | 81.6 |
| 25-29 | 3,032 | 687 | 2,345 | 27.6 | 10.0 | 57.5 |
| 30-34 | 1,206 | 323 | 883 | 19.5 | 7.8 | 42.4 |
| 35-39 | 504 | 148 | 356 | 19.8 | 9.1 | 38.2 |
| 40-44 | 106 | 24 | 82 | 24.4 | 10.1 | 41.4 |
| 45-49 | 2 | 1 | 1 | 14.3 | 9.1 | 33.3 |
| UNKNOWN | 3 | 2 | 1 | | | |

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 1998**

| TOTAL-BIRTH ORDER* | NUMBER | | | PERCENT | | | FERTILITY RATE** | | | MEDIAN AGE OF MOTHER | | |
|--------------------|---------------|---------------|---------------|--------------|--------------|--------------|------------------|-------------|-------------|----------------------|-------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TOTAL | 42,917 | 22,950 | 19,967 | 100.0 | 100.0 | 100.0 | 68.2 | 62.9 | 75.6 | 24.5 | 26.0 | 22.8 |
| FIRST | 15,023 | 8,285 | 6,738 | 35.0 | 36.1 | 33.7 | 23.9 | 22.7 | 25.5 | 21.1 | 22.9 | 19.7 |
| SECOND | 13,283 | 7,449 | 5,834 | 31.0 | 32.4 | 29.2 | 21.1 | 20.4 | 22.1 | 24.7 | 26.2 | 22.9 |
| THIRD | 8,044 | 4,209 | 3,835 | 18.7 | 18.3 | 19.2 | 12.8 | 11.5 | 14.5 | 26.5 | 28.2 | 24.5 |
| FOURTH | 3,654 | 1,732 | 1,922 | 8.5 | 7.5 | 9.6 | 5.8 | 4.7 | 7.3 | 27.6 | 29.3 | 26.0 |
| FIFTH | 1,609 | 737 | 872 | 3.7 | 3.2 | 4.4 | 2.6 | 2.0 | 3.3 | 29.0 | 30.4 | 28.0 |
| SIXTH | 666 | 277 | 389 | 1.6 | 1.2 | 1.9 | 1.0 | 0.8 | 1.5 | 29.3 | 30.9 | 28.2 |
| SEVENTH | 288 | 114 | 174 | 0.7 | 0.5 | 0.9 | 0.4 | 0.3 | 0.6 | 31.5 | 33.6 | 30.2 |
| EIGHTH | 153 | 58 | 95 | 0.4 | 0.2 | 0.5 | 0.2 | 0.2 | 0.4 | 32.2 | 34.3 | 31.5 |
| NINTH | 73 | 29 | 44 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 32.2 | 36.0 | 30.9 |
| TENTH & OVER | 82 | 35 | 47 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 35.4 | 37.2 | 34.3 |
| UNKNOWN | 42 | 25 | 17 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | | | |

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 1998**

| PRENATAL CARE AND TIME CARE BEGAN | NUMBER | | | PERCENT | | |
|--------------------------------------|---------------|---------------|---------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL</u> | <u>42,917</u> | <u>22,950</u> | <u>19,967</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| NO PRENATAL CARE | 505 | 98 | 407 | 1.2 | 0.4 | 2.0 |
| <u>SOME PRENATAL CARE</u> | <u>42,207</u> | <u>22,772</u> | <u>19,435</u> | <u>98.3</u> | <u>99.2</u> | <u>97.3</u> |
| FIRST TRIMESTER | 34,388 | 20,412 | 13,976 | 80.1 | 88.9 | 70.0 |
| SECOND TRIMESTER | 6,552 | 2,045 | 4,507 | 15.3 | 8.9 | 22.6 |
| THIRD TRIMESTER | 1,133 | 277 | 856 | 2.6 | 1.2 | 4.3 |
| UNKNOWN MONTH | 134 | 38 | 96 | 0.3 | 0.2 | 0.5 |
| UNKNOWN WHETHER ANY PRENATAL CARE | 205 | 80 | 125 | 0.5 | 0.3 | 0.6 |

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 1998**

| MATURITY* | NUMBER | | | PERCENT | | |
|-------------------------------------|---------------|---------------|---------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL</u> | <u>42,917</u> | <u>22,950</u> | <u>19,967</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| IMMATURE ONLY** | 1,675 | 666 | 1,009 | 3.9 | 2.9 | 5.0 |
| PREMATURE ONLY** | 3,943 | 1,771 | 2,172 | 9.2 | 7.7 | 10.9 |
| BOTH IMMATURE AND PREMATURE | 2,671 | 991 | 1,680 | 6.2 | 4.3 | 8.4 |
| TOTAL IMMATURE | 4,346 | 1,657 | 2,689 | 10.1 | 7.2 | 13.5 |
| TOTAL PREMATURE | 6,614 | 2,762 | 3,852 | 15.4 | 12.0 | 19.3 |
| TOTAL IMMATURE AND/OR PREMATURE | 8,289 | 3,428 | 4,861 | 19.3 | 14.9 | 24.3 |
| NEITHER IMMATURE NOR PREMATURE** | 34,628 | 19,522 | 15,106 | 80.7 | 85.1 | 75.6 |

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 1998**

| <u>CONGENITAL ANOMALY</u> | <u>TOTAL</u> | <u>WHITE</u> | <u>NON- WHITE</u> |
|--|-------------------|-------------------|-----------------------|
| <u>TOTAL ANOMALIES REPORTED</u> | <u>658</u> | <u>266</u> | <u>392</u> |
| ANENCEPHALUS | 3 | 3 | 0 |
| SPINA BIFIDA/MENINGOCELE | 10 | 3 | 7 |
| HYDROCEPHALUS | 15 | 5 | 10 |
| MICROCEPHALUS | 2 | 0 | 2 |
| OTHER CENTRAL NERVOUS SYSTEM ANOMALIES | 5 | 2 | 3 |
| HEART MALFORMATIONS | 41 | 20 | 21 |
| OTHER CIRCULATORY/RESPIRATORY ANOMALIES | 38 | 15 | 23 |
| RECTAL ATRESIA/STENOSIS | 8 | 7 | 1 |
| TRACHEO- ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA | 6 | 2 | 4 |
| OMPHALOCELE/GASTROSCHISIS | 52 | 9 | 43 |
| OTHER GASTROINTESTINAL ANOMALIES | 18 | 7 | 11 |
| MALFORMED GENITALIA | 77 | 28 | 49 |
| RENAL AGENESIS | 11 | 6 | 5 |
| OTHER UROGENITAL ANOMALIES | 29 | 19 | 10 |
| CLEFT LIP/PALATE | 54 | 31 | 23 |
| POLYDACTYLY/SYNDACTYLY/ADACTYLY | 95 | 14 | 81 |
| CLUB FOOT | 35 | 15 | 20 |
| DIAPHRAGMATIC HERNIA | 12 | 6 | 6 |
| OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES | 90 | 46 | 44 |
| DOWNS SYNDROME | 18 | 12 | 6 |
| OTHER CHROMOSOMAL ANOMALIES | 5 | 3 | 2 |
| <u>OTHER</u> | <u>34</u> | <u>13</u> | <u>21</u> |

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 1998**

| <u>MEDICAL RISK FACTOR</u> | <u>TOTAL</u> | <u>WHITE</u> | <u>NON- WHITE</u> |
|--|----------------|---------------|-----------------------|
| <u>TOTAL RISK FACTORS REPORTED</u> | <u>13, 022</u> | <u>5, 968</u> | <u>7, 054</u> |
| ANEMIA (HCT. < 30/HGB. < 10) | 1, 021 | 366 | 655 |
| CARDIAC DISEASE | 217 | 154 | 63 |
| ACUTE OR CHRONIC LUNG DISEASE | 420 | 205 | 215 |
| DIABETES | 1, 121 | 602 | 519 |
| GENITAL HERPES | 246 | 155 | 91 |
| HYDRAMNIOS/OLIGOHYDRAMNIOS | 549 | 230 | 319 |
| HEMOGLOBINOPATHY | 257 | 10 | 247 |
| HYPERTENSION, CHRONIC | 660 | 240 | 420 |
| HYPERTENSION, PREGNANCY- ASSOCIATED | 2, 511 | 1, 254 | 1, 257 |
| ECLAMPSIA | 221 | 119 | 102 |
| INCOMPETENT CERVIX | 79 | 36 | 43 |
| PREVIOUS INFANT 4000+ GRAMS | 222 | 136 | 86 |
| PREVIOUS PRETERM OR SMALL- FOR- GESTATIONAL- AGE INFANT | 627 | 249 | 378 |
| RENAL DISEASE | 123 | 85 | 38 |
| RH SENSITIZATION | 316 | 238 | 78 |
| UTERINE BLEEDING | 233 | 160 | 73 |
| OTHER | 4, 199 | 1, 729 | 2, 470 |

TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER, MISSISSIPPI, 1998

| RISK FACTOR | NUMBER | | | PERCENT | | |
|---------------------------------------|---------------|---------------|---------------|--------------|--------------|--------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TOTAL LIVE BIRTHS | 42,917 | 22,950 | 19,967 | 100.0 | 100.0 | 100.0 |
| TOBACCO USE DURING PREGNANCY | | | | | | |
| NONE | 37,272 | 18,522 | 18,750 | 86.8 | 80.7 | 93.9 |
| <u>SOME</u> | <u>5,566</u> | <u>4,390</u> | <u>1,176</u> | <u>13.0</u> | <u>19.1</u> | <u>5.9</u> |
| 1-9 CIGARETTES PER DAY | 1,710 | 1,166 | 544 | 4.0 | 5.1 | 2.7 |
| 10-19 CIGARETTES PER DAY | 2,222 | 1,789 | 433 | 5.2 | 7.8 | 2.2 |
| 20-29 CIGARETTES PER DAY | 1,308 | 1,179 | 129 | 3.0 | 5.1 | 0.6 |
| 30-39 CIGARETTES PER DAY | 129 | 119 | 10 | 0.3 | 0.5 | * |
| 40-49 CIGARETTES PER DAY | 42 | 34 | 8 | 0.1 | 0.1 | * |
| 50-59 CIGARETTES PER DAY | 2 | 2 | 0 | * | * | - |
| 60 OR MORE PER DAY | 1 | 1 | 0 | * | * | - |
| UNKNOWN AMOUNT | 152 | 100 | 52 | 0.4 | 0.4 | 0.3 |
| NOT STATED | 79 | 38 | 41 | 0.2 | 0.2 | 0.2 |
| ALCOHOL USE DURING PREGNANCY | | | | | | |
| NONE | 42,571 | 22,809 | 19,762 | 99.2 | 99.4 | 99.0 |
| <u>SOME</u> | <u>267</u> | <u>103</u> | <u>164</u> | <u>0.6</u> | <u>0.4</u> | <u>0.8</u> |
| 1 DRINK PER WEEK | 67 | 33 | 34 | 0.2 | 0.1 | 0.2 |
| 2 DRINKS PER WEEK | 62 | 19 | 43 | 0.1 | 0.1 | 0.2 |
| 3 DRINKS PER WEEK | 16 | 4 | 12 | * | * | 0.1 |
| 4 DRINKS PER WEEK | 6 | 1 | 5 | * | * | * |
| 5 DRINKS PER WEEK | 3 | 2 | 1 | * | * | * |
| 6 OR MORE PER WEEK | 39 | 7 | 32 | 0.1 | * | 0.2 |
| UNKNOWN AMOUNT | 74 | 37 | 37 | 0.2 | 0.2 | 0.2 |
| NOT STATED | 79 | 38 | 41 | 0.2 | 0.2 | 0.2 |
| WEIGHT GAINED DURING PREGNANCY | | | | | | |
| NONE OR LOST WEIGHT | 834 | 323 | 511 | 1.9 | 1.4 | 2.6 |
| 1-4 POUNDS | 421 | 174 | 247 | 1.0 | 0.8 | 1.2 |
| 5-9 POUNDS | 1,065 | 439 | 626 | 2.5 | 1.9 | 3.1 |
| 10-14 POUNDS | 2,400 | 951 | 1,449 | 5.6 | 4.1 | 7.2 |
| 15-19 POUNDS | 3,207 | 1,530 | 1,677 | 7.5 | 6.7 | 8.4 |
| 20-24 POUNDS | 6,224 | 2,957 | 3,267 | 14.5 | 12.9 | 16.4 |
| 25-29 POUNDS | 5,548 | 3,073 | 2,475 | 12.9 | 13.4 | 12.4 |
| 30-34 POUNDS | 6,710 | 3,846 | 2,864 | 15.6 | 16.8 | 14.3 |
| 35-39 POUNDS | 4,279 | 2,632 | 1,647 | 10.0 | 11.5 | 8.2 |
| 40-44 POUNDS | 4,197 | 2,543 | 1,654 | 9.8 | 11.1 | 8.3 |
| 45 OR MORE POUNDS | 6,070 | 3,820 | 2,250 | 14.1 | 16.6 | 11.3 |
| UNKNOWN AMOUNT | 1,962 | 662 | 1,300 | 4.6 | 2.9 | 6.5 |
| MEDIAN WEIGHT GAIN (LBS)** | 30.6 | 32.2 | 28.1 | | | |

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 1998**

| <u>COMPLICATION</u> | <u>TOTAL</u> | <u>WHITE</u> | <u>NON- WHITE</u> |
|---|----------------|---------------|-----------------------|
| <u>TOTAL COMPLICATONS REPORTED</u> | <u>15, 699</u> | <u>8, 349</u> | <u>7, 350</u> |
| FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.) | 409 | 225 | 184 |
| MECONIUM, MODERATE/HEAVY | 2, 462 | 1, 041 | 1, 421 |
| PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS) | 1, 512 | 617 | 895 |
| ABRUPTIO PLACENTA | 285 | 145 | 140 |
| PLACENTA PREVIA | 135 | 80 | 55 |
| OTHER EXCESSIVE BLEEDING | 94 | 40 | 54 |
| SEIZURES DURING LABOR | 30 | 9 | 21 |
| PRECIPITOUS LABOR (< 3 HOURS) | 544 | 261 | 283 |
| PROLONGED LABOR (> 20 HOURS) | 318 | 200 | 118 |
| DYSFUNCTIONAL LABOR | 1, 214 | 632 | 582 |
| BREECH/MALPRESENTATION | 1, 752 | 1, 073 | 679 |
| CEPHALOPELVIC DISPROPORTION | 1, 315 | 799 | 516 |
| CORD PROLAPSE | 67 | 35 | 32 |
| ANESTHETIC COMPLICATIONS | 18 | 18 | 0 |
| FETAL DISTRESS | 2, 841 | 1, 447 | 1, 394 |
| OTHER | 2, 703 | 1, 727 | 976 |

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 1998**

| <u>METHOD OF DELIVERY</u> | <u>TOTAL</u> | <u>WHITE</u> | <u>NON- WHITE</u> |
|---|----------------|----------------|-----------------------|
| <u>TOTAL METHODS OF DELIVERY REPORTED</u> | <u>47, 386</u> | <u>25, 467</u> | <u>21, 919</u> |
| VAGINAL | 30, 340 | 16, 032 | 14, 308 |
| VAGINAL BIRTH AFTER PREVIOUS C- SECTION | 866 | 441 | 425 |
| PRIMARY C- SECTION | 6, 728 | 3, 765 | 2, 963 |
| REPEAT C- SECTION | 4, 944 | 2, 685 | 2, 259 |
| FORCEPS | 1, 970 | 1, 157 | 813 |
| VACUUM | 2, 538 | 1, 387 | 1, 151 |

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 1998**

| <u>OBSTETRIC PROCEDURE</u> | <u>TOTAL</u> | <u>WHITE</u> | <u>NON- WHITE</u> |
|--|----------------|----------------|-----------------------|
| <u>TOTAL OBSTETRIC PROCEDURES REPORTED</u> | <u>76, 128</u> | <u>43, 573</u> | <u>32, 555</u> |
| AMNIOCENTESIS | 375 | 257 | 118 |
| ELECTRONIC FETAL MONITORING | 36, 634 | 20, 106 | 16, 528 |
| INDUCTION OF LABOR | 6, 386 | 4, 296 | 2, 090 |
| STIMULATION OF LABOR | 6, 746 | 4, 033 | 2, 713 |
| TOCOLYSIS | 1, 138 | 524 | 614 |
| ULTRASOUND | 24, 417 | 14, 113 | 10, 304 |
| OTHER | 432 | 244 | 188 |

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 1998**

| <u>ABNORMAL CONDITION OF NEWBORN</u> | <u>TOTAL</u> | <u>WHITE</u> | <u>NON- WHITE</u> |
|---|---------------|---------------|-----------------------|
| <u>TOTAL ABNORMAL CONDITIONS REPORTED</u> | <u>5, 153</u> | <u>2, 788</u> | <u>2, 365</u> |
| ANEMIA (HCT. < 39/HGB. < 13) | 92 | 42 | 50 |
| BIRTH INJURY | 140 | 86 | 54 |
| FETAL ALCOHOL SYNDROME | 2 | 2 | 0 |
| HYALINE MEMBRANE DISEASE/RDS | 662 | 329 | 333 |
| MECONIUM ASPIRATION SYNDROME | 124 | 54 | 70 |
| ASSISTED VENTILATION < 30 MINUTES | 1, 771 | 1, 191 | 580 |
| ASSISTED VENTILATION 30 MINUTES OR MORE | 653 | 254 | 399 |
| SEIZURES | 17 | 8 | 9 |
| OTHER | 1, 692 | 822 | 870 |

FETAL DEATHS

**TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1998**

| PLACE OF DELIVERY AND RACE | NUMBER | | | | | | PERCENT | | | | | |
|---------------------------------|------------|------------|--------------------------|----------------|--------------------|----------|--------------|-------------|--------------------------|----------------|--------------------|------------|
| | TOTAL | PHYSI-CIAN | CERTI-FIED NURSE MIDWIFE | GRANNY MIDWIFE | OTHER NAMED PERSON | UN-KNOWN | TOTAL | PHYSI-CIAN | CERTI-FIED NURSE MIDWIFE | GRANNY MIDWIFE | OTHER NAMED PERSON | UN-KNOWN |
| TOTAL | 427 | 413 | 5 | 0 | 5 | 4 | 100.0 | 96.7 | 1.2 | - | 1.2 | 0.9 |
| HOSPITAL CLINIC/DOCTOR'S OFFICE | 419 | 409 | 5 | 0 | 3 | 2 | 98.1 | 95.8 | 1.2 | - | 0.7 | 0.5 |
| HOME | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| OTHER PLACE | 7 | 4 | 0 | 0 | 2 | 1 | 1.6 | 0.9 | - | - | 0.5 | 0.2 |
| | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | - | - | - | - | 0.2 |
| WHITE | 147 | 146 | 1 | 0 | 0 | 0 | 100.0 | 99.3 | 0.7 | - | - | - |
| HOSPITAL CLINIC/DOCTOR'S OFFICE | 146 | 145 | 1 | 0 | 0 | 0 | 99.3 | 98.6 | 0.7 | - | - | - |
| HOME | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| OTHER PLACE | 1 | 1 | 0 | 0 | 0 | 0 | 0.7 | 0.7 | - | - | - | - |
| | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| NONWHITE | 280 | 267 | 4 | 0 | 5 | 4 | 100.0 | 95.4 | 1.4 | - | 1.8 | 1.4 |
| HOSPITAL CLINIC/DOCTOR'S OFFICE | 273 | 264 | 4 | 0 | 3 | 2 | 97.5 | 94.3 | 1.4 | - | 1.1 | 0.7 |
| HOME | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| OTHER PLACE | 6 | 3 | 0 | 0 | 2 | 1 | 2.1 | 1.1 | - | - | 0.7 | 0.4 |
| | 1 | 0 | 0 | 0 | 0 | 1 | 0.4 | - | - | - | - | 0.4 |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1998**

| AGE OF MOTHER | NUMBER | | | RATIO** | | |
|---------------|------------|------------|------------|------------|------------|-------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TOTAL | 427 | 147 | 280 | 9.9 | 6.4 | 14.0 |
| UNDER 15 | 6 | 2 | 4 | 21.0 | # | 15.6 |
| 15-19 | 80 | 13 | 67 | 9.6 | 4.0 | 13.1 |
| 20-24 | 139 | 45 | 94 | 9.8 | 6.6 | 12.9 |
| 25-29 | 114 | 55 | 59 | 10.4 | 8.0 | 14.5 |
| 30-34 | 55 | 22 | 33 | 8.9 | 5.3 | 15.8 |
| 35-39 | 24 | 7 | 17 | 9.4 | 4.3 | 18.3 |
| 40-44 | 7 | 3 | 4 | 16.1 | 12.6 | 20.2 |
| 45-49 | 2 | 0 | 2 | # | - | # |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 1998**

| PRENATAL CARE | LIVE BIRTHS | | | REPORTABLE* FETAL DEATHS | | |
|--------------------------|--------------|--------------|--------------|--------------------------|--------------|--------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TOTAL | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| NO CARE | 1.2 | 0.4 | 2.0 | 11.0 | 6.8 | 13.2 |
| SOME CARE | 98.0 | 99.0 | 96.8 | 81.3 | 83.7 | 80.0 |
| UNKNOWN WHETHER ANY CARE | 0.8 | 0.5 | 1.1 | 7.7 | 9.5 | 6.8 |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 1996-1998**

| COMPLETED WEEKS OF GESTATION** | TOTAL | | | WHITE | | | NONWHITE | | |
|-------------------------------------|-------------|-------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | 1996 | 1997 | 1998 | 1996 | 1997 | 1998 | 1996 | 1997 | 1998 |
| REPORTABLE* FETAL DEATHS | | | | | | | | | |
| TOTAL | <u>453</u> | <u>526</u> | <u>427</u> | <u>148</u> | <u>163</u> | <u>147</u> | <u>305</u> | <u>363</u> | <u>280</u> |
| UNDER 20 | 19 | 38 | 33 | 0 | 11 | 12 | 19 | 27 | 21 |
| <u>20 AND OVER</u> | <u>359</u> | <u>404</u> | <u>331</u> | <u>129</u> | <u>132</u> | <u>120</u> | <u>230</u> | <u>272</u> | <u>211</u> |
| 20-22 | 84 | 97 | 83 | 22 | 30 | 21 | 62 | 67 | 62 |
| 23-27 | 99 | 109 | 80 | 36 | 29 | 26 | 63 | 80 | 54 |
| 28-36 | 115 | 123 | 104 | 41 | 45 | 44 | 74 | 78 | 60 |
| 37 AND OVER | 61 | 75 | 64 | 30 | 28 | 29 | 31 | 47 | 35 |
| UNKNOWN | 75 | 84 | 63 | 19 | 20 | 15 | 56 | 64 | 48 |
| FETAL DEATH RATIOS# | | | | | | | | | |
| TOTAL | <u>11.0</u> | <u>12.7</u> | <u>9.9</u> | <u>6.9</u> | <u>7.4</u> | <u>6.4</u> | <u>15.6</u> | <u>18.6</u> | <u>14.0</u> |
| UNDER 20 | 0.5 | 0.9 | 0.8 | - | 0.5 | 0.5 | 1.0 | 1.4 | 1.0 |
| <u>20 AND OVER</u> | <u>8.8</u> | <u>9.7</u> | <u>7.7</u> | <u>6.0</u> | <u>6.0</u> | <u>5.2</u> | <u>11.8</u> | <u>13.9</u> | <u>10.6</u> |
| 20-22 | 2.0 | 2.3 | 1.9 | 1.0 | 1.4 | 0.9 | 3.2 | 3.4 | 3.1 |
| 23-27 | 2.4 | 2.6 | 1.9 | 1.7 | 1.3 | 1.1 | 3.2 | 4.1 | 2.7 |
| 28-36 | 2.8 | 3.0 | 2.4 | 1.9 | 2.0 | 1.9 | 3.8 | 4.0 | 3.0 |
| 37 AND OVER | 1.5 | 1.8 | 1.5 | 1.4 | 1.3 | 1.3 | 1.6 | 2.4 | 1.8 |
| UNKNOWN | 1.8 | 2.0 | 1.5 | 0.9 | 0.9 | 0.6 | 2.9 | 3.3 | 2.4 |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1998**

| MONTH | DEATHS | AVERAGE PER DAY | MONTH | DEATHS | AVERAGE PER DAY |
|--------------|----------------|--------------------|-----------|--------|--------------------|
| TOTAL | 27, 737 | 76 | | | |
| JANUARY | 2, 834 | 91 | JULY | 2, 223 | 72 |
| FEBRUARY | 2, 324 | 83 | AUGUST | 2, 153 | 69 |
| MARCH | 2, 397 | 77 | SEPTEMBER | 2, 136 | 71 |
| APRIL | 2, 284 | 76 | OCTOBER | 2, 227 | 72 |
| MAY | 2, 309 | 74 | NOVEMBER | 2, 218 | 74 |
| JUNE | 2, 133 | 71 | DECEMBER | 2, 499 | 81 |

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1998**

| AGE | NUMBER | | | PERCENT | | | RATE* | | |
|--------------|----------------|----------------|---------------|---------------|---------------|---------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| TOTAL | 27, 737 | 18, 343 | 9, 394 | 100. 0 | 100. 0 | 100. 0 | 10. 1 | 10. 7 | 9. 1 |
| UNDER 1 | 436 | 146 | 290 | 1. 6 | 0. 8 | 3. 1 | 10. 8 | 6. 8 | 15. 4 |
| 1- 4 | 92 | 34 | 58 | 0. 3 | 0. 2 | 0. 6 | 0. 6 | 0. 4 | 0. 8 |
| 5- 9 | 70 | 30 | 40 | 0. 2 | 0. 2 | 0. 4 | 0. 3 | 0. 3 | 0. 4 |
| 10- 14 | 81 | 41 | 40 | 0. 3 | 0. 2 | 0. 4 | 0. 4 | 0. 4 | 0. 4 |
| 15- 24 | 545 | 282 | 263 | 2. 0 | 1. 5 | 2. 8 | 1. 2 | 1. 2 | 1. 3 |
| 25- 34 | 622 | 302 | 320 | 2. 2 | 1. 6 | 3. 4 | 1. 6 | 1. 3 | 2. 2 |
| 35- 44 | 1, 283 | 620 | 663 | 4. 6 | 3. 4 | 7. 0 | 3. 1 | 2. 3 | 4. 4 |
| 45- 54 | 1, 994 | 1, 118 | 876 | 7. 2 | 6. 1 | 9. 3 | 6. 0 | 4. 9 | 8. 7 |
| 55- 64 | 3, 233 | 2, 029 | 1, 204 | 11. 6 | 11. 1 | 12. 8 | 13. 8 | 11. 7 | 19. 8 |
| 65- 74 | 5, 567 | 3, 862 | 1, 705 | 20. 1 | 21. 0 | 18. 2 | 30. 3 | 28. 2 | 36. 5 |
| 75 AND OVER | 13, 811 | 9, 877 | 3, 934 | 49. 8 | 53. 8 | 41. 9 | 90. 5 | 88. 6 | 95. 7 |
| UNKNOWN | 3 | 2 | 1 | ** | ** | ** | | | |

* DEATHS PER 1, 000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0. 06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 1998**

| AGE | TOTAL | | | WHITE | | | NONWHITE | | |
|-------------------|----------------|----------------|------------------------|---------------|---------------|------------------------|---------------|---------------|------------------------|
| | MALE | FEMALE | MALES PER FEMALE | MALE | FEMALE | MALES PER FEMALE | MALE | FEMALE | MALES PER FEMALE |
| TOTAL | 14, 123 | 13, 614 | 1. 04 | 9, 298 | 9, 045 | 1. 03 | 4, 825 | 4, 569 | 1. 06 |
| UNDER 1 | 245 | 191 | 1. 28 | 78 | 68 | 1. 15 | 167 | 123 | 1. 36 |
| 1- 4 | 44 | 48 | 0. 92 | 15 | 19 | 0. 79 | 29 | 29 | 1. 00 |
| 5- 9 | 42 | 28 | 1. 50 | 21 | 9 | 2. 33 | 21 | 19 | 1. 10 |
| 10- 14 | 58 | 23 | 2. 52 | 29 | 12 | 2. 42 | 29 | 11 | 2. 64 |
| 15- 24 | 393 | 152 | 2. 58 | 203 | 79 | 2. 57 | 190 | 73 | 2. 60 |
| 25- 34 | 449 | 173 | 2. 60 | 215 | 87 | 2. 47 | 234 | 86 | 2. 72 |
| 35- 44 | 804 | 479 | 1. 68 | 412 | 208 | 1. 98 | 392 | 271 | 1. 45 |
| 45- 54 | 1, 248 | 746 | 1. 67 | 728 | 390 | 1. 87 | 520 | 356 | 1. 46 |
| 55- 64 | 1, 984 | 1, 249 | 1. 59 | 1, 280 | 749 | 1. 71 | 704 | 500 | 1. 41 |
| 65- 74 | 3, 196 | 2, 371 | 1. 35 | 2, 316 | 1, 546 | 1. 50 | 880 | 825 | 1. 07 |
| 75- 84 | 3, 482 | 3, 819 | 0. 91 | 2, 545 | 2, 722 | 0. 94 | 937 | 1, 097 | 0. 85 |
| 85 AND OVER | 2, 177 | 4, 333 | 0. 50 | 1, 456 | 3, 154 | 0. 46 | 721 | 1, 179 | 0. 61 |
| UNKNOWN | 1 | 2 | | 0 | 2 | | 1 | 0 | |
| MEDIAN AGE | 70. 6 | 78. 5 | | 72. 2 | 80. 0 | | 66. 4 | 74. 9 | |

**TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1998**

| AGE | TOTAL | | WHITE | | NONWHITE | |
|--------------|--------------|-------------|--------------|--------------|--------------|-------------|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE |
| TOTAL | 10. 7 | 9. 5 | 11. 1 | 10. 2 | 10. 0 | 8. 3 |
| UNDER 1 | 12. 0 | 9. 6 | 7. 1 | 6. 5 | 17. 8 | 13. 0 |
| 1- 4 | 0. 5 | 0. 6 | 0. 3 | 0. 4 | 0. 8 | 0. 8 |
| 5- 9 | 0. 4 | 0. 3 | 0. 4 | 0. 2 | 0. 4 | 0. 4 |
| 10- 14 | 0. 5 | 0. 2 | 0. 5 | 0. 2 | 0. 6 | 0. 2 |
| 15- 24 | 1. 8 | 0. 7 | 1. 6 | 0. 7 | 2. 0 | 0. 7 |
| 25- 34 | 2. 4 | 0. 9 | 1. 8 | 0. 7 | 3. 5 | 1. 1 |
| 35- 44 | 4. 0 | 2. 2 | 3. 1 | 1. 6 | 5. 7 | 3. 3 |
| 45- 54 | 7. 9 | 4. 3 | 6. 5 | 3. 3 | 11. 4 | 6. 4 |
| 55- 64 | 18. 3 | 9. 9 | 15. 4 | 8. 3 | 27. 8 | 14. 1 |
| 65- 74 | 40. 1 | 22. 8 | 38. 1 | 20. 3 | 46. 7 | 29. 6 |
| 75 AND OVER | 106. 1 | 82. 2 | 102. 8 | 81. 1 | 115. 0 | 85. 2 |

* DEATHS PER 1, 000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER | NUMBER | | | RATE* | | | PERCENT | | |
|---|---------------|---------------|---------------|------------|------------|---------------|-------------|-------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| TOTAL OF TEN LEADING CAUSES | 22,873 | 15,218 | 7,655 | 8.3 | 8.8 | 7.4 | 82.5 | 83.0 | 81.5 |
| 1. HEART DISEASES (390-398, 402, 404-429) | 9,501 | 6,419 | 3,082 | 345.2 | 373.3 | 298.5 | 34.2 | 35.0 | 32.8 |
| 2. MALIGNANT NEOPLASMS (140-208) | 5,944 | 4,017 | 1,927 | 216.0 | 233.6 | 186.6 | 21.4 | 21.9 | 20.5 |
| 3. CEREBROVASCULAR DISEASES (430-438) | 1,804 | 1,131 | 673 | 65.6 | 65.8 | 65.2 | 6.5 | 6.2 | 7.2 |
| 4. ACCIDENTS (800-949) | 1,712 | 1,060 | 652 | 62.2 | 61.6 | 63.1 | 6.2 | 5.8 | 6.9 |
| 5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 1,128 | 939 | 189 | 41.0 | 54.6 | 18.3 | 4.1 | 5.1 | 2.0 |
| 6. PNEUMONIA AND INFLUENZA (480-487) | 1,065 | 775 | 290 | 38.7 | 45.1 | 28.1 | 3.8 | 4.2 | 3.1 |
| 7. DIABETES MELLITUS (250) | 628 | 333 | 295 | 22.8 | 19.4 | 28.6 | 2.3 | 1.8 | 3.1 |
| 8. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 402 | 237 | 165 | 14.6 | 13.8 | 16.0 | 1.4 | 1.3 | 1.8 |
| 9. HOMICIDE AND LEGAL INTERVENTION (960-978) | 358 | 118 | 240 | 13.0 | 6.9 | 23.2 | 1.3 | 0.6 | 2.6 |
| 10. SEPTICEMIA (038) | 331 | 189 | 142 | 12.0 | 11.0 | 13.8 | 1.2 | 1.0 | 1.5 |

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 1998**

| <u>AGE</u> | <u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u> | <u>NUMBER</u> | <u>PERCENT</u> | <u>RATE*</u> |
|--------------|---|---------------|----------------|--------------|
| 1-4 | <u>ALL CAUSES</u> | <u>92</u> | <u>100.0</u> | <u>0.6</u> |
| | 1. ACCIDENTS (800-949) | 43 | 46.7 | 26.6 |
| | 2. HOMICIDE AND LEGAL INTERVENTION (960-978) | 8 | 8.7 | 4.9 |
| | 3T. HEART DISEASES (390-398, 402, 404-429) | 4 | 4.3 | 2.5 |
| | 3T. CONGENITAL ANOMALIES (740-759) | 4 | 4.3 | 2.5 |
| | 5T. CEREBROVASCULAR DISEASES (430-438) | 3 | 3.3 | 1.9 |
| | 5T. PNEUMONIA AND INFLUENZA (480-487) | 3 | 3.3 | 1.9 |
| 5-14 | <u>ALL CAUSES</u> | <u>151</u> | <u>100.0</u> | <u>0.4</u> |
| | 1. ACCIDENTS (800-949) | 89 | 58.9 | 21.4 |
| | 2T. HEART DISEASES (390-398, 402, 404-429) | 8 | 5.3 | 1.9 |
| | 2T. SUICIDE (950-959) | 8 | 5.3 | 1.9 |
| | 2T. HOMICIDE AND LEGAL INTERVENTION (960-978) | 8 | 5.3 | 1.9 |
| | 5T. MALIGNANT NEOPLASMS (140-208) | 5 | 3.3 | 1.2 |
| | 5T. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 5 | 3.3 | 1.2 |
| 15-24 | <u>ALL CAUSES</u> | <u>545</u> | <u>100.0</u> | <u>1.2</u> |
| | 1. ACCIDENTS (800-949) | 278 | 51.0 | 63.5 |
| | 2. HOMICIDE AND LEGAL INTERVENTION (960-978) | 84 | 15.4 | 19.2 |
| | 3. SUICIDE (950-959) | 59 | 10.8 | 13.5 |
| | 4. HEART DISEASES (390-398, 402, 404-429) | 26 | 4.8 | 5.9 |
| | 5. MALIGNANT NEOPLASMS (140-208) | 21 | 3.9 | 4.8 |
| 25-44 | <u>ALL CAUSES</u> | <u>1,905</u> | <u>100.0</u> | <u>2.4</u> |
| | 1. ACCIDENTS (800-949) | 456 | 23.9 | 57.3 |
| | 2. HEART DISEASES (390-398, 402, 404-429) | 324 | 17.0 | 40.7 |
| | 3. MALIGNANT NEOPLASMS (140-208) | 267 | 14.0 | 33.6 |
| | 4. HOMICIDE AND LEGAL INTERVENTION (960-978) | 161 | 8.5 | 20.2 |
| | 5. SUICIDE (950-959) | 126 | 6.6 | 15.8 |
| 45-64 | <u>ALL CAUSES</u> | <u>5,227</u> | <u>100.0</u> | <u>9.3</u> |
| | 1. MALIGNANT NEOPLASMS (140-208) | 1,620 | 31.0 | 287.3 |
| | 2. HEART DISEASES (390-398, 402, 404-429) | 1,615 | 30.9 | 286.4 |
| | 3. ACCIDENTS (800-949) | 316 | 6.0 | 56.0 |
| | 4. CEREBROVASCULAR DISEASES (430-438) | 267 | 5.1 | 47.4 |
| | 5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 175 | 3.3 | 31.0 |
| 65 & OVER | <u>ALL CAUSES</u> | <u>19,378</u> | <u>100.0</u> | <u>57.6</u> |
| | 1. HEART DISEASES (390-398, 402, 404-429) | 7,511 | 38.8 | 2,233.4 |
| | 2. MALIGNANT NEOPLASMS (140-208) | 4,028 | 20.8 | 1,197.7 |
| | 3. CEREBROVASCULAR DISEASES (430-438) | 1,470 | 7.6 | 437.1 |
| | 4. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 933 | 4.8 | 277.4 |
| | 5. PNEUMONIA AND INFLUENZA (480-487) | 911 | 4.7 | 270.9 |

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1998**

| PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER | NUMBER | | | | RATE* | | | |
|---|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | MALE | | FEMALE | | MALE | | FEMALE | |
| | WHITE | NON- WHITE | WHITE | NON- WHITE | WHITE | NON- WHITE | WHITE | NON- WHITE |
| TOTAL | 2, 276 | 1, 076 | 1, 741 | 851 | 271. 7 | 223. 5 | 197. 4 | 154. 4 |
| 1. RESPIRATORY AND INTRA- THORACIC ORGANS (160-165) | 955 | 380 | 465 | 154 | 114. 0 | 78. 9 | 52. 7 | 27. 9 |
| 2. DIGESTIVE ORGANS AND PERITONEUM (150-159) | 433 | 240 | 347 | 242 | 51. 7 | 49. 9 | 39. 3 | 43. 9 |
| 3. GENITAL ORGANS (179-187) | 202 | 224 | 160 | 100 | 24. 1 | 46. 5 | 18. 1 | 18. 1 |
| 4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208) | 213 | 80 | 221 | 69 | 25. 4 | 16. 6 | 25. 1 | 12. 5 |
| 5. BREAST (174, 175) | 1 | 0 | 244 | 152 | 0. 1 | - | 27. 7 | 27. 6 |
| 6. URINARY ORGANS (188, 189) | 101 | 31 | 54 | 22 | 12. 1 | 6. 4 | 6. 1 | 4. 0 |
| 7. BRAIN (191) | 63 | 16 | 49 | 11 | 7. 5 | 3. 3 | 5. 6 | 2. 0 |
| 8. LIP, ORAL CAVITY, AND PHARYNX (140-149) | 41 | 24 | 24 | 7 | 4. 9 | 5. 0 | 2. 7 | 1. 3 |
| 9. SKIN (172, 173) | 58 | 2 | 24 | 5 | 6. 9 | 0. 4 | 2. 7 | 0. 9 |
| 10. BONE AND CONNECTIVE TISSUE (170, 171) | 28 | 8 | 23 | 15 | 3. 3 | 1. 7 | 2. 6 | 2. 7 |
| - OTHER AND UNSPECIFIED SITES (190, 192-199) | 181 | 71 | 130 | 74 | 21. 6 | 14. 7 | 14. 7 | 13. 4 |

* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1973, 1978, 1983, 1988, 1993, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER | 1973 | 1978 | 1983 | 1988 | 1993 | 1998 |
|---|------|--------|--------|--------|--------|--------|
| TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012) | 31 | 42 | 23 | 23 | 21 | 11 |
| MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165) | 811 | 1, 113 | 1, 378 | 1, 619 | 1, 713 | 1, 954 |
| MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162) | 768 | 1, 069 | 1, 340 | 1, 567 | 1, 761 | 1, 887 |
| CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491) | 42 | 38 | 32 | 44 | 41 | 33 |
| EMPHYSEMA (492) | 191 | 138 | 85 | 132 | 154 | 150 |
| ASTHMA (493) | 21 | 23 | 35 | 38 | 64 | 63 |

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1998**

| TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER | NUMBER | | | PERCENT | | |
|--|--------------|------------|---------------|-------------|-------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL OF FIVE LEADING CAUSES</u> | <u>1,410</u> | <u>865</u> | <u>545</u> | <u>82.4</u> | <u>81.6</u> | <u>83.6</u> |
| 1. MOTOR VEHICLE (810-825) | 957 | 586 | 371 | 55.9 | 55.3 | 56.9 |
| 2. FALLS (880-888) | 181 | 154 | 27 | 10.6 | 14.5 | 4.1 |
| 3. FIRES AND FLAMES (890-899) | 105 | 34 | 71 | 6.1 | 3.2 | 10.9 |
| 4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912) | 86 | 51 | 35 | 5.0 | 4.8 | 5.4 |
| 5. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910) | 81 | 40 | 41 | 4.7 | 3.8 | 6.3 |

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1998**

| TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER | TOTAL | SEX | | AGE | | | | | | | | |
|--|---------------|---------------|------------|------------|-----------|-----------|------------|------------|------------|------------|--------------|--------------|
| | | MALE | FEMALE | UNDER 1 | 1- 4 | 5- 14 | 15- 24 | 25- 34 | 35- 44 | 45- 64 | 65 & OVER | UN- KNOWN |
| <u>ALL ACCIDENTS</u> | <u>1, 712</u> | <u>1, 090</u> | <u>622</u> | <u>10</u> | <u>43</u> | <u>89</u> | <u>278</u> | <u>221</u> | <u>235</u> | <u>316</u> | <u>519</u> | <u>1</u> |
| MOTOR VEHICLE (810- 825) | 957 | 634 | 323 | 2 | 19 | 46 | 219 | 172 | 146 | 194 | 158 | 1 |
| <u>WATER TRANSPORT (830- 838)</u> | <u>16</u> | <u>16</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>2</u> | <u>4</u> | <u>5</u> | <u>2</u> | <u>3</u> | <u>0</u> |
| SUBMERSION, DROWNING (830, 832) | 15 | 15 | 0 | 0 | 0 | 0 | 2 | 4 | 4 | 2 | 3 | 0 |
| OTHER (831, 833- 838) | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| AIR AND SPACE TRANSPORT (840- 845) | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 |
| <u>POISONING (850- 869)</u> | <u>57</u> | <u>40</u> | <u>17</u> | <u>0</u> | <u>3</u> | <u>2</u> | <u>4</u> | <u>5</u> | <u>23</u> | <u>11</u> | <u>9</u> | <u>0</u> |
| BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850- 858) | 45 | 30 | 15 | 0 | 0 | 0 | 3 | 4 | 22 | 9 | 7 | 0 |
| BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860- 869) | 12 | 10 | 2 | 0 | 3 | 2 | 1 | 1 | 1 | 2 | 2 | 0 |
| FALLS (880- 888) | 181 | 83 | 98 | 0 | 0 | 0 | 3 | 5 | 7 | 15 | 151 | 0 |
| FIRES AND FLAMES (890- 899) | 105 | 55 | 50 | 1 | 11 | 14 | 9 | 8 | 12 | 19 | 31 | 0 |
| DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910) | 81 | 66 | 15 | 0 | 6 | 14 | 21 | 9 | 9 | 11 | 11 | 0 |
| INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912) | 86 | 37 | 49 | 3 | 2 | 2 | 0 | 4 | 3 | 11 | 61 | 0 |
| MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913) | 13 | 11 | 2 | 4 | 1 | 2 | 0 | 2 | 1 | 1 | 2 | 0 |
| STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916- 918) | 14 | 13 | 1 | 0 | 0 | 0 | 2 | 1 | 3 | 6 | 2 | 0 |
| CAUSED BY MACHINERY (919) | 22 | 21 | 1 | 0 | 0 | 2 | 1 | 1 | 2 | 7 | 9 | 0 |
| CAUSED BY FIREARM MISSILE (922) | 18 | 13 | 5 | 0 | 1 | 5 | 6 | 1 | 0 | 4 | 1 | 0 |
| CAUSED BY ELECTRIC CURRENT (925) | 12 | 11 | 1 | 0 | 0 | 1 | 3 | 2 | 4 | 2 | 0 | 0 |

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1998

| YEAR | OCCURRENCE DATA | | RESIDENCE DATA | |
|------|-----------------|-------|----------------|-------|
| | NUMBER | RATE* | NUMBER | RATE* |
| 1950 | 530 | ** | 515 | 23.6 |
| 1955 | 568 | ** | 541 | 24.8 |
| 1960 | 676 | 9.3 | 620 | 28.5 |
| 1965 | 748 | 8.4 | 742 | 31.8 |
| 1970 | 960 | 8.2 | 937 | 42.3 |
| 1971 | 1,011 | 8.2 | 984 | 44.4 |
| 1972 | 1,019 | 7.8 | 989 | 43.8 |
| 1973 | 956 | 7.0 | 954 | 41.2 |
| 1974 | 711 | 5.2 | 717 | 30.7 |
| 1975 | 671 | 4.7 | 681 | 29.1 |
| 1976 | 725 | 4.7 | 696 | 29.4 |
| 1977 | 763 | 4.8 | 771 | 32.3 |
| 1978 | 884 | 5.2 | 877 | 36.5 |
| 1979 | 801 | 4.7 | 783 | 32.5 |
| 1980 | 796 | 4.8 | 743 | 29.5 |
| 1981 | 792 | 4.7 | 793 | 31.5 |
| 1982 | 777 | 4.5 | 755 | 29.6 |
| 1983 | 744 | 4.2 | 725 | 28.0 |
| 1984 | 707 | 3.8 | 697 | 26.9 |
| 1985 | 691 | 4.0 | 683 | 25.7 |
| 1986 | 785 | 5.7 | 782 | 29.4 |
| 1987 | 802 | 4.0 | 804 | 29.6 |
| 1988 | 791 | 3.6 | 776 | 28.2 |
| 1989 | 806 | 3.5 | 797 | 28.7 |
| 1990 | 863 | 3.5 | 854 | 33.2 |
| 1991 | 811 | 3.3 | 810 | 31.5 |
| 1992 | 838 | 3.2 | 826 | 32.1 |
| 1993 | 897 | 3.3 | 868 | 33.7 |
| 1994 | 854 | 3.0 | 844 | 32.8 |
| 1995 | 904 | 3.0 | 898 | 33.3 |
| 1996 | 851 | 2.8 | 868 | 32.2 |
| 1997 | 896 | 2.9 | 868 | 32.2 |
| 1998 | 983 | 2.9 | 957 | 34.8 |

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 1998**

| AGE | NUMBER | | | PERCENT | | | RATE* | | |
|---|------------|------------|---------------|--------------|--------------|---------------|-------------|------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| TOTAL UNDER 1 YEAR | 436 | 146 | 290 | 100.0 | 100.0 | 100.0 | 10.2 | 6.4 | 14.5 |
| NEONATAL (UNDER 28 DAYS) | 265 | 76 | 189 | 60.8 | 52.0 | 65.2 | 6.2 | 3.3 | 9.5 |
| HEBDOMADAL (UNDER 7 DAYS) | 205 | 60 | 145 | 47.0 | 41.1 | 50.0 | 4.8 | 2.6 | 7.3 |
| UNDER 1 DAY | 150 | 45 | 105 | 34.4 | 30.8 | 36.2 | 3.5 | 2.0 | 5.2 |
| 1-6 DAYS | 55 | 15 | 40 | 12.6 | 10.3 | 13.8 | 1.3 | 0.6 | 2.0 |
| 7-27 DAYS | 60 | 16 | 44 | 13.8 | 11.0 | 15.2 | 1.4 | 0.7 | 2.2 |
| POSTNEONATAL (28 DAYS TO 1 YEAR) | 171 | 70 | 101 | 39.2 | 47.9 | 34.8 | 4.0 | 3.0 | 5.0 |

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER | NUMBER | | | RATE* | | |
|--|------------|------------|---------------|-------------|------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| ALL CAUSES | 436 | 146 | 290 | 10.2 | 6.4 | 14.5 |
| 1. CONGENITAL ANOMALIES (740-759) | 79 | 36 | 43 | 1.8 | 1.6 | 2.2 |
| 2. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765) | 78 | 17 | 61 | 1.8 | 0.7 | 3.0 |
| 3. SUDDEN INFANT DEATH SYNDROME (798.0) | 61 | 25 | 36 | 1.4 | 1.1 | 1.8 |
| 4. RESPIRATORY DISTRESS SYNDROME (769) | 22 | 5 | 17 | 0.5 | 0.2 | 0.8 |
| 5. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771) | 13 | 3 | 10 | 0.3 | 0.1 | 0.5 |
| 6. PNEUMONIA AND INFLUENZA (480- 487) | 12 | 4 | 8 | 0.3 | 0.2 | 0.4 |
| 7. ACCIDENTS (800-949) | 10 | 1 | 9 | 0.2 | ** | 0.4 |
| 8. MATERNAL COMPLICATIONS OF PREGNANCY (761) | 8 | 2 | 6 | 0.2 | 0.1 | 0.3 |
| 9T. SEPTICEMIA (038) | 7 | 3 | 4 | 0.2 | 0.1 | 0.2 |
| 9T. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768) | 7 | 4 | 3 | 0.2 | 0.2 | 0.2 |

* DEATHS PER 1,000 LIVE BIRTHS.

** LESS THAN 0.06.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH,
MISSISSIPPI, 1998**

| <u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u> | <u>YEARS</u> | <u>RATE*</u> |
|---|-----------------|-------------------|
| <u>ALL RACES - ALL CAUSES</u> | <u>279, 535</u> | <u>10, 753. 2</u> |
| HEART DISEASES (390-398, 402, 404-429) | 54, 138 | 2, 082. 6 |
| ISCHEMIC HEART DISEASE (410-414) | 29, 578 | 1, 137. 8 |
| CEREBROVASCULAR DISEASES (430-438) | 9, 834 | 378. 3 |
| MALIGNANT NEOPLASMS (140-208) | 50, 111 | 1, 927. 7 |
| RESPIRATORY SYSTEM (160-165) | 15, 923 | 612. 5 |
| COLORECTAL (153, 154) | 3, 755 | 144. 4 |
| PROSTATE (185)** | 1, 038 | 82. 0 |
| BREAST (174)# | 4, 939 | 370. 2 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 5, 668 | 218. 0 |
| PNEMONIA AND INFLUENZA (480-487) | 5, 133 | 197. 4 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 4, 149 | 159. 6 |
| DIABETES MELLITUS (250) | 5, 207 | 200. 3 |
| HIV INFECTION (042-044) | 4, 983 | 191. 7 |
| UNINTENTIONAL INJURIES (800-949) | 51, 060 | 1, 964. 2 |
| MOTOR VEHICLE CRASHES (810-825) | 34, 345 | 1, 321. 2 |
| SUICIDE (950-959) | 10, 687 | 411. 1 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 14, 112 | 542. 9 |

* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000 POPULATION UNDER AGE 75.

** MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH,
WHITE MALES AND FEMALES
MISSISSIPPI, 1998**

| <u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u> | <u>YEARS</u> | <u>RATE*</u> |
|---|----------------|-------------------|
| <u>WHITE MALES - ALL CAUSES</u> | 94, 786 | 11, 868. 8 |
| HEART DISEASES (390-398, 402, 404-429) | 20, 715 | 2, 593. 8 |
| ISCHEMIC HEART DISEASE (410-414) | 13, 220 | 1, 655. 4 |
| CEREBROVASCULAR DISEASES (430-438) | 2, 222 | 278. 2 |
| MALIGNANT NEOPLASMS (140-208) | 17, 983 | 2, 251. 8 |
| RESPIRATORY SYSTEM (160-165) | 7, 171 | 897. 9 |
| COLORECTAL (153, 154) | 1, 576 | 197. 3 |
| PROSTATE (185) | 378 | 47. 3 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 2, 436 | 305. 0 |
| PNEMONIA AND INFLUENZA (480-487) | 1, 070 | 134. 0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1, 974 | 247. 2 |
| DIABETES MELLITUS (250) | 1, 411 | 176. 7 |
| HIV INFECTION (042-044) | 733 | 91. 8 |
| UNINTENTIONAL INJURIES (800-949) | 20, 193 | 2, 528. 5 |
| MOTOR VEHICLE CRASHES (810-825) | 13, 510 | 1, 691. 7 |
| SUICIDE (950-959) | 7, 351 | 920. 5 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2, 835 | 355. 0 |
| <u>WHITE FEMALES - ALL CAUSES</u> | 51, 953 | 6, 418. 3 |
| HEART DISEASES (390-398, 402, 404-429) | 8, 502 | 1, 050. 3 |
| ISCHEMIC HEART DISEASE (410-414) | 4, 365 | 539. 2 |
| CEREBROVASCULAR DISEASES (430-438) | 1, 937 | 239. 3 |
| MALIGNANT NEOPLASMS (140-208) | 13, 256 | 1, 637. 7 |
| RESPIRATORY SYSTEM (160-165) | 3, 532 | 436. 3 |
| COLORECTAL (153, 154) | 792 | 97. 8 |
| BREAST (174) | 2, 671 | 330. 0 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 1, 782 | 220. 2 |
| PNEMONIA AND INFLUENZA (480-487) | 1, 364 | 168. 5 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 796 | 98. 3 |
| DIABETES MELLITUS (250) | 1, 133 | 140. 0 |
| HIV INFECTION (042-044) | 246 | 30. 4 |
| UNINTENTIONAL INJURIES (800-949) | 8, 378 | 1, 035. 0 |
| MOTOR VEHICLE CRASHES (810-825) | 6, 273 | 775. 0 |
| SUICIDE (950-959) | 1, 506 | 186. 0 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1, 245 | 153. 8 |

* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100, 000 POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH,
NONWHITE MALES AND FEMALES
MISSISSIPPI, 1998**

| <u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u> | <u>YEARS</u> | <u>RATE*</u> |
|---|----------------|-------------------|
| <u>NONWHITE MALES - ALL CAUSES</u> | 81, 363 | 17, 423. 3 |
| HEART DISEASES (390-398, 402, 404-429) | 14, 925 | 3, 196. 1 |
| ISCHEMIC HEART DISEASE (410-414) | 7, 429 | 1, 590. 9 |
| CEREBROVASCULAR DISEASES (430-438) | 2, 912 | 623. 6 |
| MALIGNANT NEOPLASMS (140-208) | 10, 054 | 2, 153. 0 |
| RESPIRATORY SYSTEM (160-165) | 3, 746 | 802. 2 |
| COLORECTAL (153, 154) | 696 | 149. 0 |
| PROSTATE (185) | 660 | 141. 3 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 822 | 176. 0 |
| PNEMONIA AND INFLUENZA (480-487) | 1, 568 | 335. 8 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 973 | 208. 4 |
| DIABETES MELLITUS (250) | 1, 161 | 248. 6 |
| HIV INFECTION (042-044) | 2, 966 | 635. 1 |
| UNINTENTIONAL INJURIES (800-949) | 15, 722 | 3, 366. 8 |
| MOTOR VEHICLE CRASHES (810-825) | 10, 047 | 2, 151. 5 |
| SUICIDE (950-959) | 1, 511 | 323. 6 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 7, 950 | 1, 702. 4 |
| <u>NONWHITE FEMALES - ALL CAUSES</u> | 51, 433 | 9, 805. 8 |
| HEART DISEASES (390-398, 402, 404-429) | 9, 996 | 1, 905. 8 |
| ISCHEMIC HEART DISEASE (410-414) | 4, 564 | 870. 1 |
| CEREBROVASCULAR DISEASES (430-438) | 2, 763 | 526. 8 |
| MALIGNANT NEOPLASMS (140-208) | 8, 818 | 1, 681. 2 |
| RESPIRATORY SYSTEM (160-165) | 1, 474 | 281. 0 |
| COLORECTAL (153, 154) | 691 | 131. 7 |
| BREAST (174) | 2, 268 | 432. 4 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 628 | 119. 7 |
| PNEMONIA AND INFLUENZA (480-487) | 1, 131 | 215. 6 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 406 | 77. 4 |
| DIABETES MELLITUS (250) | 1, 502 | 286. 4 |
| HIV INFECTION (042-044) | 1, 038 | 197. 9 |
| UNINTENTIONAL INJURIES (800-949) | 6, 767 | 1, 290. 1 |
| MOTOR VEHICLE CRASHES (810-825) | 4, 515 | 860. 8 |
| SUICIDE (950-959) | 319 | 60. 8 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2, 082 | 396. 9 |

* YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100, 000 POPULATION UNDER AGE 75.

MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1998

| <u>MONTH</u> | <u>MARRIAGES</u> | <u>AVERAGE PER DAY</u> | <u>MONTH</u> | <u>MARRIAGES</u> | <u>AVERAGE PER DAY</u> |
|--------------|------------------|----------------------------|--------------|------------------|----------------------------|
| <u>TOTAL</u> | <u>20,911</u> | <u>57</u> | | | |
| JANUARY | 1,096 | 35 | JULY | 2,001 | 64 |
| FEBRUARY | 1,627 | 58 | AUGUST | 1,910 | 62 |
| MARCH | 1,586 | 51 | SEPTEMBER | 1,686 | 56 |
| APRIL | 1,605 | 54 | OCTOBER | 1,542 | 50 |
| MAY | 2,144 | 69 | NOVEMBER | 1,522 | 51 |
| JUNE | 2,608 | 87 | DECEMBER | 1,584 | 51 |

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1998**

| AGE | NUMBER | | | | | | PERCENT | | | | | |
|-----------------|---------------|---------------|---------------|---------------|---------------|---------------|--------------|--------------|---------------|--------------|--------------|---------------|
| | BRIDE | | | GROOM | | | BRIDE | | | GROOM | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| TOTAL | 20,911 | 14,222 | 6,689 | 20,911 | 14,158 | 6,753 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| UNDER 20 | 2,487 | 2,155 | 332 | 925 | 804 | 121 | 11.9 | 15.2 | 5.0 | 4.4 | 5.7 | 1.8 |
| 14 | 6 | 5 | 1 | 0 | 0 | 0 | * | * | * | - | - | - |
| 15 | 83 | 79 | 4 | 0 | 0 | 0 | 0.4 | 0.6 | 0.1 | - | - | - |
| 16 | 192 | 171 | 21 | 18 | 18 | 0 | 0.9 | 1.2 | 0.3 | 0.1 | 0.1 | - |
| 17 | 430 | 390 | 40 | 90 | 87 | 3 | 2.0 | 2.7 | 0.6 | 0.4 | 0.6 | * |
| 18 | 819 | 739 | 80 | 307 | 272 | 35 | 3.9 | 5.2 | 1.2 | 1.5 | 1.9 | 0.5 |
| 19 | 957 | 771 | 186 | 510 | 427 | 83 | 4.6 | 5.4 | 2.8 | 2.4 | 3.0 | 1.2 |
| 20-24 | 5,918 | 4,243 | 1,675 | 5,283 | 3,923 | 1,360 | 28.3 | 29.8 | 25.0 | 25.3 | 27.7 | 20.1 |
| 25-34 | 6,786 | 4,058 | 2,728 | 7,883 | 4,942 | 2,941 | 32.4 | 28.5 | 40.8 | 37.7 | 34.9 | 43.6 |
| 35-44 | 3,510 | 2,166 | 1,344 | 3,833 | 2,418 | 1,415 | 16.8 | 15.2 | 20.1 | 18.3 | 17.1 | 21.0 |
| 45-54 | 1,429 | 988 | 441 | 1,748 | 1,170 | 578 | 6.8 | 6.9 | 6.6 | 8.4 | 8.3 | 8.6 |
| 55-64 | 507 | 378 | 129 | 702 | 484 | 218 | 2.4 | 2.6 | 1.9 | 3.4 | 3.4 | 3.2 |
| 65-74 | 206 | 178 | 28 | 389 | 303 | 86 | 1.0 | 1.2 | 0.4 | 1.9 | 2.1 | 1.3 |
| 75 & OVER | 68 | 56 | 12 | 148 | 114 | 34 | 0.3 | 0.4 | 0.2 | 0.7 | 0.8 | 0.5 |

* LESS THAN 0.06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1998**

| ALL AND FIRST MARRIAGES | BRIDE | | | GROOM | | |
|------------------------------------|--------------|--------------|-----------------------|--------------|--------------|-----------------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| ALL MARRIAGES | 28.0 | 26.8 | 29.9 | 30.4 | 29.8 | 31.4 |
| FIRST MARRIAGES | 23.5 | 22.4 | 26.7 | 25.5 | 24.2 | 28.4 |

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1998**

| MARRIAGE ORDER | NUMBER | | | | | | PERCENT | | | | | |
|-------------------|---------------|---------------|---------------|---------------|---------------|---------------|--------------|--------------|---------------|--------------|--------------|---------------|
| | BRIDE | | | GROOM | | | BRIDE | | | GROOM | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| TOTAL | 20,911 | 14,222 | 6,689 | 20,911 | 14,158 | 6,753 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| FIRST | 12,260 | 7,634 | 4,626 | 12,310 | 7,787 | 4,523 | 58.6 | 53.7 | 69.2 | 58.9 | 55.0 | 67.0 |
| REMARRIAGE | 8,642 | 6,582 | 2,060 | 8,594 | 6,367 | 2,227 | 41.3 | 46.3 | 30.8 | 41.1 | 45.0 | 33.0 |
| SECOND | 5,748 | 4,073 | 1,675 | 5,855 | 4,104 | 1,751 | 27.5 | 28.6 | 25.0 | 28.0 | 29.0 | 25.9 |
| OVER TWO | 2,893 | 2,508 | 385 | 2,737 | 2,261 | 476 | 13.8 | 17.6 | 5.8 | 13.1 | 16.0 | 7.0 |
| THIRD | 2,044 | 1,730 | 314 | 2,000 | 1,623 | 377 | 9.8 | 12.2 | 4.7 | 9.6 | 11.5 | 5.6 |
| FOURTH | 630 | 569 | 61 | 555 | 476 | 79 | 3.0 | 4.0 | 0.9 | 2.6 | 3.4 | 1.2 |
| FIFTH | 155 | 148 | 7 | 126 | 111 | 15 | 0.7 | 1.0 | 0.1 | 0.6 | 0.8 | 0.2 |
| SIXTH | 47 | 45 | 2 | 39 | 34 | 5 | 0.2 | 0.3 | # | 0.2 | 0.2 | 0.1 |
| SEVENTH | 10 | 10 | 0 | 15 | 15 | 0 | # | 0.1 | - | 0.1 | 0.1 | - |
| EIGHTH | 6 | 5 | 1 | 2 | 2 | 0 | # | # | # | # | # | - |
| NINTH | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - |
| TENTH | 1 | 1 | 0 | 0 | 0 | 0 | # | # | - | - | - | - |
| UNKNOWN* | 1 | 1 | 0 | 2 | 2 | 0 | # | # | - | # | # | - |
| UNKNOWN** | 9 | 6 | 3 | 7 | 4 | 3 | # | # | # | # | # | # |

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1998**

| PREVIOUS MARITAL STATUS | BRIDE | | | GROOM | | |
|----------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| NUMBER | | | | | | |
| TOTAL | <u>20,911</u> | <u>14,222</u> | <u>6,689</u> | <u>20,911</u> | <u>14,158</u> | <u>6,753</u> |
| NOT PREVIOUSLY MARRIED | 12,260 | 7,634 | 4,626 | 12,310 | 7,787 | 4,523 |
| REMARRIAGES | <u>8,642</u> | <u>6,582</u> | <u>2,060</u> | <u>8,594</u> | <u>6,367</u> | <u>2,227</u> |
| WIDOWED | 815 | 611 | 204 | 769 | 545 | 224 |
| DIVORCED* | 7,815 | 5,961 | 1,854 | 7,819 | 5,821 | 1,998 |
| UNKNOWN** | 12 | 10 | 2 | 6 | 1 | 5 |
| UNKNOWN# | 9 | 6 | 3 | 7 | 4 | 3 |
| PERCENT | | | | | | |
| TOTAL | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| NOT PREVIOUSLY MARRIED | 58.6 | 53.7 | 69.2 | 58.9 | 55.0 | 67.0 |
| REMARRIAGES | <u>41.3</u> | <u>46.3</u> | <u>30.8</u> | <u>41.1</u> | <u>45.0</u> | <u>33.0</u> |
| WIDOWED | 3.9 | 4.3 | 3.0 | 3.7 | 3.8 | 3.3 |
| DIVORCED* | 37.4 | 41.9 | 27.7 | 37.4 | 41.1 | 29.6 |
| UNKNOWN** | ## | 0.1 | ## | ## | ## | 0.1 |
| UNKNOWN# | ## | ## | ## | ## | ## | ## |

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 1998**

| RESIDENCE OF GROOM | RACE AND RESIDENCE OF BRIDE | | | | | | | | | | | |
|-----------------------|-----------------------------|------------------|--------------|--------------|---------------|------------------|------------|--------------|--------------|------------------|------------|--------------|
| | TOTAL | | | | WHITE | | | | NONWHITE | | | |
| | TOTAL | MISSIS- SIPPI | OTHER | UN- KNOWN | TOTAL | MISSIS- SIPPI | OTHER | UN- KNOWN | TOTAL | MISSIS- SIPPI | OTHER | UN- KNOWN |
| NUMBER | | | | | | | | | | | | |
| <u>TOTAL</u> | <u>20,911</u> | <u>19,700</u> | <u>1,208</u> | <u>3</u> | <u>14,222</u> | <u>13,324</u> | <u>895</u> | <u>3</u> | <u>6,689</u> | <u>6,376</u> | <u>313</u> | <u>0</u> |
| MISSISSIPPI | 19,251 | 18,981 | 267 | 3 | 13,002 | 12,802 | 197 | 3 | 6,249 | 6,179 | 70 | 0 |
| OTHER | 1,659 | 718 | 941 | 0 | 1,220 | 522 | 698 | 0 | 439 | 196 | 243 | 0 |
| UNKNOWN | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| PERCENT | | | | | | | | | | | | |
| <u>TOTAL</u> | <u>100.0</u> | <u>94.2</u> | <u>5.8</u> | <u>*</u> | <u>100.0</u> | <u>93.7</u> | <u>6.3</u> | <u>*</u> | <u>100.0</u> | <u>95.3</u> | <u>4.7</u> | <u>-</u> |
| MISSISSIPPI | 92.1 | 90.8 | 1.3 | * | 91.4 | 90.0 | 1.4 | * | 93.4 | 92.4 | 1.0 | - |
| OTHER | 7.9 | 3.4 | 4.5 | - | 8.6 | 3.7 | 4.9 | - | 6.6 | 2.9 | 3.6 | - |
| UNKNOWN | * | * | - | - | - | - | - | - | * | * | - | - |

* LESS THAN 0.06 PERCENT.

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1998**

| CAUSE | NUMBER | | | | PERCENT | | | |
|-----------------------------|---------------|---------------|---------------|--------------|--------------|--------------|---------------|--------------|
| | TOTAL | WHITE | NON- WHITE | UN- KNOWN | TOTAL | WHITE | NON- WHITE | UN- KNOWN |
| TOTAL | 13,748 | 10,310 | 3,004 | 434 | 100.0 | 100.0 | 100.0 | 100.0 |
| IRRECONCILABLE DIFFERENCES | 11,827 | 9,161 | 2,312 | 354 | 86.0 | 88.8 | 77.0 | 81.6 |
| CRUEL AND INHUMAN TREATMENT | 1,047 | 678 | 325 | 44 | 7.6 | 6.6 | 10.8 | 10.1 |
| DESERTION | 425 | 174 | 232 | 19 | 3.1 | 1.7 | 7.7 | 4.4 |
| ADULTERY | 292 | 198 | 86 | 8 | 2.1 | 1.9 | 2.9 | 1.8 |
| DRUNKENNESS | 64 | 34 | 26 | 4 | 0.5 | 0.3 | 0.9 | 0.9 |
| PENITENTIARY | 56 | 35 | 18 | 3 | 0.4 | 0.3 | 0.6 | 0.7 |
| ANNULMENT | 26 | 20 | 4 | 2 | 0.2 | 0.2 | 0.1 | 0.5 |
| BIGAMY | 4 | 3 | 1 | 0 | ** | ** | ** | - |
| MISCELLANEOUS AND OTHER | 5 | 5 | 0 | 0 | ** | ** | - | - |
| UNKNOWN | 2 | 2 | 0 | 0 | ** | ** | - | - |

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1998**

| NUMBER OF MINOR CHILDREN | NUMBER | | | | PERCENT | | | |
|--------------------------|---------------|---------------|---------------|--------------|--------------|--------------|---------------|--------------|
| | TOTAL | WHITE | NON- WHITE | UN- KNOWN | TOTAL | WHITE | NON- WHITE | UN- KNOWN |
| TOTAL DIVORCES | 13,748 | 10,310 | 3,004 | 434 | 100.0 | 100.0 | 100.0 | 100.0 |
| NONE | 6,964 | 5,312 | 1,414 | 238 | 50.6 | 51.5 | 47.1 | 54.8 |
| ONE | 3,468 | 2,576 | 790 | 102 | 25.2 | 25.0 | 26.3 | 23.5 |
| TWO | 2,462 | 1,853 | 543 | 66 | 17.9 | 18.0 | 18.1 | 15.2 |
| THREE OR MORE | 852 | 568 | 257 | 27 | 6.2 | 5.5 | 8.6 | 6.2 |
| UNKNOWN | 2 | 1 | 0 | 1 | ** | ** | - | 0.2 |

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1998**

| NUMBER OF YEARS MARRIED | NUMBER | | | | PERCENT | | | |
|----------------------------|---------------|---------------|---------------|--------------|--------------|--------------|---------------|--------------|
| | TOTAL | WHITE | NON- WHITE | UN- KNOWN | TOTAL | WHITE | NON- WHITE | UN- KNOWN |
| TOTAL DIVORCES | 13,748 | 10,310 | 3,004 | 434 | 100.0 | 100.0 | 100.0 | 100.0 |
| UNDER FIVE | 5,468 | 4,387 | 910 | 171 | 39.8 | 42.6 | 30.3 | 39.4 |
| UNDER ONE | 661 | 559 | 78 | 24 | 4.8 | 5.4 | 2.6 | 5.5 |
| ONE | 1,277 | 1,077 | 164 | 36 | 9.3 | 10.4 | 5.4 | 8.3 |
| TWO | 1,227 | 983 | 205 | 39 | 8.9 | 9.5 | 6.8 | 9.0 |
| THREE | 1,205 | 924 | 248 | 33 | 8.8 | 9.0 | 8.2 | 7.6 |
| FOUR | 1,098 | 844 | 215 | 39 | 8.0 | 8.2 | 7.2 | 9.0 |
| FIVE-NINE | 3,600 | 2,642 | 849 | 109 | 26.2 | 25.6 | 28.3 | 25.1 |
| TEN-NINETEEN | 3,036 | 2,165 | 792 | 79 | 22.1 | 21.0 | 26.4 | 18.2 |
| TWENTY AND OVER | 1,530 | 1,063 | 427 | 40 | 11.1 | 10.3 | 14.2 | 9.2 |
| UNKNOWN | 114 | 53 | 26 | 35 | 0.8 | 0.5 | 0.9 | 8.1 |

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 1998**

| AGE OF PATIENT | NUMBER | | | | PERCENT | | | INDUCED TERMINATION RATIO* | | |
|-------------------|--------------|--------------|---------------|--------------|--------------|--------------|---------------|-------------------------------|-------------|---------------|
| | TOTAL | WHITE | NON- WHITE | UNK. RACE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| TOTAL | 3,955 | 1,215 | 2,737 | 3 | 100.0 | 100.0 | 100.0 | 92.2 | 52.9 | 137.1 |
| UNDER 15 | 37 | 4 | 33 | 0 | 0.9 | 0.3 | 1.2 | 129.8 | 142.8 | 128.4 |
| 15-19 | 783 | 286 | 497 | 0 | 19.8 | 23.5 | 18.2 | 94.2 | 89.2 | 97.3 |
| 20-24 | 1,468 | 407 | 1,061 | 0 | 37.1 | 33.5 | 38.8 | 103.7 | 59.5 | 145.2 |
| 25-29 | 892 | 224 | 666 | 2 | 22.6 | 18.4 | 24.3 | 81.3 | 32.5 | 163.3 |
| 30-34 | 423 | 146 | 276 | 1 | 10.7 | 12.0 | 10.1 | 68.3 | 35.5 | 132.5 |
| 35-39 | 277 | 117 | 160 | 0 | 7.0 | 9.6 | 5.8 | 108.6 | 72.2 | 171.8 |
| 40-44 | 69 | 30 | 39 | 0 | 1.7 | 2.5 | 1.4 | 158.6 | 126.6 | 197.0 |
| 45-49 | 3 | 1 | 2 | 0 | 0.1 | 0.1 | 0.1 | 214.3 | 90.9 | 666.7 |
| UNKNOWN | 3 | 0 | 3 | 0 | 0.1 | - | 0.1 | | | |

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1998**

| CHARACTERISTICS OF PATIENT | NUMBER | | | | PERCENT | | |
|--|--------------|--------------|---------------|--------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | UNK. RACE | TOTAL | WHITE | NON- WHITE |
| <u>TOTAL</u> | <u>3,955</u> | <u>1,215</u> | <u>2,737</u> | <u>3</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| MISSISSIPPI RESIDENT | 3,789 | 1,138 | 2,648 | 3 | 95.8 | 93.7 | 96.7 |
| <u>NONRESIDENT</u> | <u>166</u> | <u>77</u> | <u>89</u> | <u>0</u> | <u>4.2</u> | <u>6.3</u> | <u>3.2</u> |
| BORDER STATE | 160 | 76 | 84 | 0 | 4.0 | 6.2 | 3.1 |
| OTHER STATE | 6 | 1 | 5 | 0 | 0.2 | 0.1 | 0.2 |
| <u>MARITAL STATUS</u> | | | | | | | |
| MARRIED | 581 | 259 | 320 | 2 | 14.7 | 21.3 | 11.7 |
| NOT MARRIED | 3,358 | 952 | 2,406 | 0 | 84.9 | 78.4 | 87.9 |
| UNKNOWN | 16 | 4 | 11 | 1 | 0.4 | 0.3 | 0.4 |
| <u>EDUCATION (COMPLETED YEARS)</u> | | | | | | | |
| 0-6 YEARS | 8 | 3 | 5 | 0 | 0.2 | 0.2 | 0.2 |
| 7-9 YEARS | 132 | 44 | 88 | 0 | 3.3 | 3.6 | 3.2 |
| 10, 11 YEARS | 391 | 149 | 242 | 0 | 9.9 | 12.3 | 8.8 |
| 12 YEARS | 1,322 | 394 | 928 | 0 | 33.4 | 32.4 | 33.9 |
| 1-3 YEARS COLLEGE | 1,521 | 456 | 1,065 | 0 | 38.4 | 37.5 | 38.9 |
| 4 OR MORE YEARS COLLEGE | 510 | 155 | 355 | 0 | 12.9 | 12.8 | 13.0 |
| UNKNOWN | 71 | 14 | 54 | 3 | 1.8 | 1.2 | 2.0 |
| <u>NUMBER OF LIVING CHILDREN</u> | | | | | | | |
| NONE | 1,533 | 612 | 921 | 0 | 38.8 | 50.4 | 33.6 |
| ONE | 1,195 | 338 | 855 | 2 | 30.2 | 27.8 | 31.2 |
| TWO | 811 | 201 | 609 | 1 | 20.5 | 16.5 | 22.2 |
| THREE | 294 | 47 | 247 | 0 | 7.4 | 3.9 | 9.0 |
| FOUR | 87 | 12 | 75 | 0 | 2.2 | 1.0 | 2.7 |
| FIVE OR MORE | 34 | 4 | 30 | 0 | 0.9 | 0.3 | 1.1 |
| UNKNOWN | 1 | 1 | 0 | 0 | * | 0.1 | - |
| <u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u> | | | | | | | |
| NONE | 2,841 | 911 | 1,929 | 1 | 71.8 | 75.0 | 70.5 |
| ONE | 839 | 234 | 604 | 1 | 21.2 | 19.2 | 22.1 |
| TWO | 214 | 56 | 158 | 0 | 5.4 | 4.6 | 5.8 |
| THREE OR MORE | 58 | 13 | 45 | 0 | 1.5 | 1.1 | 1.6 |
| UNKNOWN | 3 | 1 | 1 | 1 | 0.1 | 0.1 | * |

* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1998**

| <u>MEDICAL CHARACTERISTICS</u> | <u>NUMBER</u> | | | | <u>PERCENT</u> | | |
|--|---------------|---------------|-----------------------|----------------------|----------------|---------------|-----------------------|
| | <u>TOTAL</u> | <u>WHITE</u> | <u>NON- WHITE</u> | <u>UNK. RACE</u> | <u>TOTAL</u> | <u>WHITE</u> | <u>NON- WHITE</u> |
| <u>TOTAL</u> | <u>3, 955</u> | <u>1, 215</u> | <u>2, 737</u> | <u>3</u> | <u>100. 0</u> | <u>100. 0</u> | <u>100. 0</u> |
| <u>COMPLETED WEEKS OF GESTATION*</u> | | | | | | | |
| UNDER 9 | 1, 922 | 616 | 1, 304 | 2 | 48. 6 | 50. 7 | 47. 6 |
| 9, 10 | 986 | 308 | 678 | 0 | 24. 9 | 25. 4 | 24. 8 |
| 11, 12 | 575 | 143 | 432 | 0 | 14. 5 | 11. 8 | 15. 8 |
| 13- 15 | 326 | 103 | 223 | 0 | 8. 2 | 8. 5 | 8. 1 |
| 16- 20 | 56 | 10 | 46 | 0 | 1. 4 | 0. 8 | 1. 7 |
| 21 OR MORE | 23 | 11 | 12 | 0 | 0. 6 | 0. 9 | 0. 4 |
| UNKNOWN | 67 | 24 | 42 | 1 | 1. 7 | 2. 0 | 1. 5 |
| <u>PRIMARY PROCEDURE</u> | | | | | | | |
| SUCTION CURRETTAGE | 2, 622 | 795 | 1, 827 | 0 | 66. 3 | 65. 4 | 66. 8 |
| SHARP CURRETTAGE | 0 | 0 | 0 | 0 | - | - | - |
| DILATION & EVACUATION | 1, 287 | 401 | 883 | 3 | 32. 5 | 33. 0 | 32. 3 |
| INTRA- UTERINE SALINE INSTILLATION | 1 | 0 | 1 | 0 | ** | - | ** |
| INTRA- UTERINE PROSTA- GLANDIN INSTILLATION | 31 | 13 | 18 | 0 | 0. 8 | 1. 1 | 0. 6 |
| HYSTEROTOMY | 0 | 0 | 0 | 0 | - | - | - |
| HYSTERECTOMY | 0 | 0 | 0 | 0 | - | - | - |
| OTHER | 13 | 5 | 8 | 0 | 0. 3 | 0. 4 | 0. 3 |
| UNKNOWN | 1 | 1 | 0 | 0 | ** | 0. 1 | - |
| <u>COMPLICATIONS</u> | | | | | | | |
| NO KNOWN COMPLICATIONS | 3, 947 | 1, 210 | 2, 734 | 3 | 99. 8 | 99. 6 | 99. 9 |
| <u>SOME COMPLICATIONS</u> | <u>5</u> | <u>2</u> | <u>3</u> | <u>0</u> | <u>0. 1</u> | <u>0. 2</u> | <u>0. 1</u> |
| HEMORRHAGE | 1 | 0 | 1 | 0 | ** | - | ** |
| RETAINED PRODUCTS | 4 | 2 | 2 | 0 | 0. 1 | 0. 2 | 0. 1 |
| UNKNOWN | 3 | 3 | 0 | 0 | 0. 1 | 0. 2 | - |

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0. 06 PERCENT.

MAJOR TABLES

1998

TABLE i
1998 ESTIMATED POPULATION AND PERCENT CHANGE FROM 1990 CENSUS POPULATION
MISSISSIPPI

| COUNTY | 1998 POPULATION | | | PERCENT CHANGE SINCE 1990 | | |
|--------------------|--------------------|--------------------|--------------------|---------------------------|-------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| STATE TOTAL | 2, 752, 092 | 1, 719, 483 | 1, 032, 609 | 7. 0 | 5. 3 | 9. 9 |
| ADAMS | 34, 225 | 16, 713 | 17, 512 | - 3. 2 | - 7. 3 | 1. 1 |
| ALCORN | 32, 716 | 28, 607 | 4, 109 | 3. 1 | 1. 8 | 13. 0 |
| AMITE | 13, 752 | 7, 200 | 6, 552 | 3. 2 | - 1. 0 | 8. 2 |
| ATTALA | 18, 404 | 10, 642 | 7, 762 | - 0. 4 | - 4. 2 | 5. 4 |
| BENTON | 8, 140 | 4, 779 | 3, 361 | 1. 2 | - 1. 8 | 5. 8 |
| BOLI VAR | 40, 318 | 14, 045 | 26, 273 | - 3. 7 | - 8. 0 | - 1. 3 |
| CALHOUN | 14, 822 | 10, 541 | 4, 281 | - 0. 6 | - 2. 7 | 5. 0 |
| CARROLL | 9, 995 | 5, 775 | 4, 220 | 8. 2 | 3. 9 | 14. 8 |
| CHI CKASAW | 18, 013 | 10, 588 | 7, 425 | - 0. 4 | - 4. 3 | 5. 7 |
| CHOCTAW | 9, 385 | 6, 355 | 3, 030 | 3. 5 | 0. 6 | 10. 1 |
| CLAI BORNE | 11, 662 | 1, 988 | 9, 674 | 2. 6 | - 0. 3 | 3. 2 |
| CLARKE | 18, 231 | 11, 535 | 6, 696 | 5. 3 | 2. 0 | 11. 6 |
| CLAY | 21, 637 | 9, 581 | 12, 056 | 2. 4 | - 2. 1 | 6. 4 |
| COAHOMA | 31, 089 | 10, 344 | 20, 745 | - 1. 8 | - 6. 0 | 0. 4 |
| COPIAH | 28, 944 | 13, 658 | 15, 286 | 4. 9 | 0. 4 | 9. 3 |
| COVINGTON | 17, 802 | 11, 116 | 6, 686 | 7. 7 | 3. 9 | 14. 7 |
| DESOTO | 96, 897 | 82, 754 | 14, 143 | 42. 7 | 40. 6 | 56. 3 |
| FORREST | 74, 364 | 49, 062 | 25, 302 | 8. 8 | 5. 1 | 16. 9 |
| FRANKLIN | 8, 319 | 5, 095 | 3, 224 | - 0. 7 | - 3. 7 | 4. 4 |
| GEORGE | 19, 645 | 17, 531 | 2, 114 | 17. 8 | 16. 7 | 28. 3 |
| GREENE | 11, 766 | 8, 869 | 2, 897 | 15. 1 | 10. 9 | 30. 4 |
| GRENADA | 22, 427 | 12, 524 | 9, 903 | 4. 0 | - 0. 3 | 10. 1 |
| HANCOCK | 40, 327 | 35, 988 | 4, 339 | 27. 0 | 25. 7 | 38. 4 |
| HARRI SON | 177, 981 | 133, 624 | 44, 357 | 7. 6 | 4. 7 | 17. 5 |
| HINDS | 247, 144 | 113, 778 | 133, 366 | - 2. 9 | - 7. 6 | 1. 6 |
| HOLMES | 21, 522 | 4, 909 | 16, 613 | - 0. 4 | - 5. 2 | 1. 1 |
| HUMPHREYS | 11, 344 | 3, 416 | 7, 928 | - 6. 5 | - 11. 4 | - 4. 2 |
| I SSAQUENA | 1, 629 | 665 | 964 | - 14. 7 | - 20. 2 | - 10. 4 |
| ITAWAMBA | 21, 072 | 19, 400 | 1, 672 | 5. 3 | 4. 3 | 17. 7 |
| JACKSON | 130, 910 | 99, 974 | 30, 936 | 13. 6 | 10. 9 | 23. 1 |
| JASPER | 17, 672 | 8, 269 | 9, 403 | 3. 3 | - 1. 7 | 8. 0 |
| JEFFERSON | 8, 427 | 1, 104 | 7, 323 | - 2. 6 | - 6. 8 | - 1. 9 |
| JEFF DAVIS | 13, 860 | 5, 944 | 7, 916 | - 1. 4 | - 6. 1 | 2. 5 |
| JONES | 63, 461 | 46, 151 | 17, 310 | 2. 3 | - 0. 1 | 9. 3 |
| KEMPER | 10, 575 | 4, 271 | 6, 304 | 2. 1 | - 3. 1 | 6. 0 |
| LAFAYETTE | 34, 555 | 24, 097 | 10, 458 | 8. 6 | 4. 1 | 20. 6 |
| LAMAR | 36, 888 | 31, 809 | 5, 079 | 21. 2 | 19. 6 | 32. 8 |
| LAUDERDALE | 76, 143 | 47, 452 | 28, 691 | 0. 8 | - 2. 6 | 6. 9 |
| LAWRENCE | 13, 053 | 8, 412 | 4, 641 | 4. 8 | 1. 3 | 11. 6 |
| LEAKE | 19, 372 | 11, 185 | 8, 187 | 5. 1 | 0. 9 | 11. 4 |
| LEE | 74, 637 | 57, 008 | 17, 629 | 13. 8 | 11. 2 | 23. 1 |
| LEFLORE | 36, 951 | 13, 530 | 23, 421 | - 1. 0 | - 6. 8 | 2. 6 |

TABLE i - PAGE 2
 1998 ESTIMATED POPULATION - MISSISSIPPI

| COUNTY | 1998 POPULATION | | | PERCENT CHANGE SINCE 1990 | | |
|--------------|-----------------|--------|---------------|---------------------------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 31,771 | 21,467 | 10,304 | 4.9 | 1.4 | 13.0 |
| LOWNDES | 61,208 | 36,591 | 24,617 | 3.2 | -0.4 | 9.1 |
| MADISON | 72,857 | 38,452 | 34,405 | 35.4 | 29.1 | 43.3 |
| MARION | 26,386 | 17,734 | 8,652 | 3.3 | * | 10.8 |
| MARSHALL | 32,296 | 15,124 | 17,172 | 6.4 | 1.9 | 10.6 |
| MONROE | 38,263 | 25,754 | 12,509 | 4.6 | 1.4 | 11.8 |
| MONTGOMERY | 12,425 | 6,670 | 5,755 | 0.3 | -3.6 | 5.2 |
| NESHOBA | 27,653 | 18,278 | 9,375 | 11.5 | 7.9 | 19.4 |
| NEWTON | 21,516 | 14,026 | 7,490 | 6.0 | 2.4 | 13.6 |
| NOXUBEE | 12,366 | 3,674 | 8,692 | -1.9 | -7.2 | 0.5 |
| OKTIBBEHA | 39,291 | 23,439 | 15,852 | 2.4 | -2.6 | 10.8 |
| PANOLA | 33,400 | 16,394 | 17,006 | 11.3 | 6.6 | 16.3 |
| PEARL RIVER | 46,862 | 39,236 | 7,626 | 21.0 | 19.3 | 30.9 |
| PERRY | 11,798 | 8,822 | 2,976 | 8.6 | 5.9 | 17.5 |
| PIKE | 37,920 | 19,616 | 18,304 | 2.8 | -1.6 | 8.0 |
| PONTOTOC | 25,397 | 21,185 | 4,212 | 14.2 | 12.0 | 26.9 |
| PRENTISS | 24,295 | 21,056 | 3,239 | 4.4 | 2.8 | 15.6 |
| QUITMAN | 9,914 | 3,813 | 6,101 | -5.5 | -10.3 | -2.2 |
| RANKIN | 109,613 | 88,440 | 21,173 | 25.8 | 22.8 | 40.0 |
| SCOTT | 25,001 | 14,865 | 10,136 | 3.6 | 0.2 | 8.9 |
| SHARKEY | 6,650 | 2,071 | 4,579 | -5.9 | -11.5 | -3.1 |
| SIMPSON | 25,338 | 16,533 | 8,805 | 5.8 | 2.5 | 12.5 |
| SMITH | 15,296 | 11,622 | 3,674 | 3.4 | 0.9 | 11.9 |
| STONE | 13,166 | 9,980 | 3,186 | 22.5 | 19.3 | 33.4 |
| SUNFLOWER | 34,577 | 11,273 | 23,304 | 5.2 | -2.9 | 9.6 |
| TALLAHATCHIE | 14,893 | 5,802 | 9,091 | -2.1 | -7.3 | 1.5 |
| TATE | 23,923 | 15,051 | 8,872 | 11.6 | 7.9 | 18.5 |
| TIPPAH | 21,031 | 17,207 | 3,824 | 7.7 | 5.9 | 16.9 |
| TISHOMINGO | 18,654 | 17,846 | 808 | 5.5 | 4.9 | 20.0 |
| TUNICA | 8,039 | 1,860 | 6,179 | -1.5 | -6.6 | 0.1 |
| UNION | 23,828 | 19,946 | 3,882 | 7.9 | 6.1 | 18.3 |
| WALTHALL | 14,369 | 7,924 | 6,445 | 0.1 | -4.0 | 5.6 |
| WARREN | 49,404 | 28,668 | 20,736 | 3.2 | -0.7 | 9.1 |
| WASHINGTON | 65,264 | 25,782 | 39,482 | -3.9 | -9.0 | -0.3 |
| WAYNE | 20,368 | 12,543 | 7,825 | 4.4 | 0.3 | 11.6 |
| WEBSTER | 10,547 | 8,044 | 2,503 | 3.2 | 1.1 | 10.3 |
| WILKINSON | 9,174 | 2,811 | 6,363 | -5.2 | -10.0 | -2.9 |
| WINSTON | 19,387 | 10,740 | 8,647 | -0.2 | -3.7 | 4.4 |
| YALOBUSHA | 12,366 | 7,409 | 4,957 | 2.8 | -0.9 | 8.8 |
| YAZOO | 25,510 | 11,447 | 14,063 | * | -4.3 | 3.8 |

* LESS THAN 0.06 PERCENT CHANGE.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1998

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|---------------|---------------|----------------|---------------|---------------|-------------|-------------|---------------|
| | NUMBER | | | NUMBER | | | RATE* | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| STATE | 41,942 | 21,748 | 20,194 | 42,917 | 22,950 | 19,967 | 15.6 | 13.3 | 19.3 |
| ADAMS | 1,039 | 375 | 664 | 534 | 198 | 336 | 15.6 | 11.8 | 19.2 |
| ALCORN | 384 | 317 | 67 | 460 | 388 | 72 | 14.1 | 13.6 | 17.5 |
| AMITE | 0 | 0 | 0 | 165 | 79 | 86 | 12.0 | 11.0 | 13.1 |
| ATTALA | 218 | 113 | 105 | 259 | 144 | 115 | 14.1 | 13.5 | 14.8 |
| BENTON | 0 | 0 | 0 | 108 | 60 | 48 | 13.3 | 12.6 | 14.3 |
| BOLIVAR | 692 | 123 | 569 | 689 | 161 | 528 | 17.1 | 11.5 | 20.1 |
| CALHOUN | 0 | 0 | 0 | 202 | 133 | 69 | 13.6 | 12.6 | 16.1 |
| CARROLL | 0 | 0 | 0 | 107 | 62 | 45 | 10.7 | 10.7 | 10.7 |
| CHICKASAW | 1 | 0 | 1 | 310 | 186 | 124 | 17.2 | 17.6 | 16.7 |
| CHOCTAW | 1 | 0 | 1 | 129 | 83 | 46 | 13.7 | 13.1 | 15.2 |
| CLAIBORNE | 2 | 0 | 2 | 163 | 13 | 150 | 14.0 | 6.5 | 15.5 |
| CLARKE | 1 | 0 | 1 | 223 | 123 | 100 | 12.2 | 10.7 | 14.9 |
| CLAY | 449 | 178 | 271 | 355 | 106 | 249 | 16.4 | 11.1 | 20.6 |
| COAHOMA | 1,084 | 218 | 866 | 629 | 115 | 514 | 20.2 | 11.1 | 24.8 |
| COPIAH | 188 | 51 | 137 | 435 | 177 | 258 | 15.0 | 13.0 | 16.9 |
| COVINGTON | 208 | 71 | 137 | 320 | 177 | 143 | 18.0 | 15.9 | 21.4 |
| DESOTO | 1,017 | 588 | 429 | 1,570 | 1,356 | 214 | 16.2 | 16.4 | 15.1 |
| FORREST | 2,905 | 1,977 | 928 | 1,076 | 579 | 497 | 14.5 | 11.8 | 19.6 |
| FRANKLIN | 1 | 0 | 1 | 132 | 77 | 55 | 15.9 | 15.1 | 17.1 |
| GEORGE | 171 | 140 | 31 | 365 | 319 | 46 | 18.6 | 18.2 | 21.8 |
| GREENE | 0 | 0 | 0 | 159 | 124 | 35 | 13.5 | 14.0 | 12.1 |
| GRENADA | 785 | 401 | 384 | 343 | 174 | 169 | 15.3 | 13.9 | 17.1 |
| HANCOCK | 312 | 279 | 33 | 458 | 419 | 39 | 11.4 | 11.6 | 9.0 |
| HARRISON | 3,391 | 2,432 | 959 | 2,866 | 1,994 | 872 | 16.1 | 14.9 | 19.6 |
| HINDS | 6,567 | 2,001 | 4,566 | 4,027 | 1,130 | 2,897 | 16.3 | 9.9 | 21.7 |
| HOLMES | 138 | 8 | 130 | 409 | 49 | 360 | 19.0 | 10.0 | 21.7 |
| HUMPHREYS | 3 | 1 | 2 | 210 | 48 | 162 | 18.5 | 14.0 | 20.4 |
| ISSAQUENA | 0 | 0 | 0 | 24 | 4 | 20 | 14.7 | 6.0 | 20.7 |
| ITAWAMBA | 0 | 0 | 0 | 242 | 225 | 17 | 11.5 | 11.6 | 10.2 |
| JACKSON | 1,407 | 936 | 471 | 1,862 | 1,308 | 554 | 14.2 | 13.1 | 17.9 |
| JASPER | 1 | 0 | 1 | 309 | 106 | 203 | 17.5 | 12.8 | 21.6 |
| JEFFERSON | 1 | 0 | 1 | 114 | 12 | 102 | 13.5 | 10.9 | 13.9 |
| JEFF DAVIS | 1 | 0 | 1 | 223 | 69 | 154 | 16.1 | 11.6 | 19.4 |
| JONES | 1,013 | 433 | 580 | 904 | 538 | 366 | 14.2 | 11.6 | 21.1 |
| KEMPER | 0 | 0 | 0 | 149 | 32 | 117 | 14.1 | 7.5 | 18.6 |
| LAFAYETTE | 818 | 460 | 358 | 419 | 240 | 179 | 12.1 | 10.0 | 17.1 |
| LAMAR | 674 | 471 | 203 | 635 | 540 | 95 | 17.2 | 17.0 | 18.7 |
| LAUDERDALE | 2,534 | 1,338 | 1,196 | 1,187 | 617 | 570 | 15.6 | 13.0 | 19.9 |
| LAWRENCE | 1 | 0 | 1 | 185 | 115 | 70 | 14.2 | 13.7 | 15.1 |
| LEAKE | 3 | 2 | 1 | 344 | 157 | 187 | 17.8 | 14.0 | 22.8 |
| LEE | 2,375 | 1,839 | 536 | 1,199 | 815 | 384 | 16.1 | 14.3 | 21.8 |
| LEFLORE | 777 | 138 | 639 | 645 | 151 | 494 | 17.4 | 11.2 | 21.1 |

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1998

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|-------|---------------|----------------|-------|---------------|-------|-------|---------------|
| | NUMBER | | | NUMBER | | | RATE* | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 629 | 402 | 227 | 510 | 309 | 201 | 16.0 | 14.4 | 19.5 |
| LOWNDES | 980 | 422 | 558 | 983 | 497 | 486 | 16.1 | 13.6 | 19.7 |
| MADISON | 333 | 7 | 326 | 1,243 | 661 | 582 | 17.1 | 17.2 | 16.9 |
| MARION | 5 | 2 | 3 | 374 | 229 | 145 | 14.2 | 12.9 | 16.8 |
| MARSHALL | 3 | 2 | 1 | 500 | 228 | 272 | 15.5 | 15.1 | 15.8 |
| MONROE | 791 | 544 | 247 | 545 | 338 | 207 | 14.2 | 13.1 | 16.5 |
| MONTGOMERY | 46 | 8 | 38 | 191 | 72 | 119 | 15.4 | 10.8 | 20.7 |
| NESHOPA | 7 | 2 | 5 | 447 | 220 | 227 | 16.2 | 12.0 | 24.2 |
| NEWTON | 3 | 0 | 3 | 346 | 190 | 156 | 16.1 | 13.5 | 20.8 |
| NOXUBEE | 5 | 1 | 4 | 207 | 52 | 155 | 16.7 | 14.2 | 17.8 |
| OKTIBBEHA | 1,074 | 508 | 566 | 502 | 232 | 270 | 12.8 | 9.9 | 17.0 |
| PANOLA | 140 | 39 | 101 | 553 | 219 | 334 | 16.6 | 13.4 | 19.6 |
| PEARL RIVER | 315 | 230 | 85 | 635 | 521 | 114 | 13.6 | 13.3 | 14.9 |
| PERRY | 0 | 0 | 0 | 197 | 142 | 55 | 16.7 | 16.1 | 18.5 |
| PIKE | 912 | 374 | 538 | 631 | 246 | 385 | 16.6 | 12.5 | 21.0 |
| PONTOTOC | 4 | 4 | 0 | 372 | 322 | 50 | 14.6 | 15.2 | 11.9 |
| PRENTISS | 211 | 191 | 20 | 352 | 308 | 44 | 14.5 | 14.6 | 13.6 |
| QUITMAN | 2 | 0 | 2 | 176 | 29 | 147 | 17.8 | 7.6 | 24.1 |
| RANKIN | 2,864 | 2,307 | 557 | 1,569 | 1,255 | 314 | 14.3 | 14.2 | 14.8 |
| SCOTT | 6 | 1 | 5 | 439 | 236 | 203 | 17.6 | 15.9 | 20.0 |
| SHARKEY | 1 | 0 | 1 | 126 | 24 | 102 | 18.9 | 11.6 | 22.3 |
| SIMPSON | 5 | 2 | 3 | 424 | 227 | 197 | 16.7 | 13.7 | 22.4 |
| SMITH | 0 | 0 | 0 | 241 | 163 | 78 | 15.8 | 14.0 | 21.2 |
| STONE | 0 | 0 | 0 | 185 | 128 | 57 | 14.0 | 12.8 | 17.9 |
| SUNFLOWER | 404 | 99 | 305 | 528 | 113 | 415 | 15.3 | 10.0 | 17.8 |
| TALLAHATCHIE | 2 | 0 | 2 | 219 | 74 | 145 | 14.7 | 12.8 | 16.0 |
| TATE | 27 | 4 | 23 | 385 | 232 | 153 | 16.1 | 15.4 | 17.2 |
| TIPPAAH | 0 | 0 | 0 | 316 | 264 | 52 | 15.0 | 15.3 | 13.6 |
| TISHOMINGO | 0 | 0 | 0 | 246 | 240 | 6 | 13.2 | 13.4 | 7.4 |
| TUNICA | 0 | 0 | 0 | 173 | 28 | 145 | 21.5 | 15.0 | 23.5 |
| UNION | 989 | 723 | 266 | 358 | 271 | 87 | 15.0 | 13.6 | 22.4 |
| WALTHALL | 3 | 2 | 1 | 227 | 99 | 128 | 15.8 | 12.5 | 19.9 |
| WARREN | 1,290 | 451 | 839 | 781 | 371 | 410 | 15.8 | 12.9 | 19.8 |
| WASHINGTON | 1,283 | 360 | 923 | 1,222 | 321 | 901 | 18.7 | 12.4 | 22.8 |
| WAYNE | 350 | 149 | 201 | 368 | 185 | 183 | 18.1 | 14.7 | 23.4 |
| WEBSTER | 1 | 1 | 0 | 132 | 90 | 42 | 12.5 | 11.2 | 16.8 |
| WILKINSON | 84 | 20 | 64 | 144 | 36 | 108 | 15.7 | 12.8 | 17.0 |
| WINSTON | 2 | 1 | 1 | 245 | 96 | 149 | 12.6 | 8.9 | 17.2 |
| YALOBUSHA | 0 | 0 | 0 | 192 | 101 | 91 | 15.5 | 13.6 | 18.4 |
| YAZOO | 9 | 2 | 7 | 489 | 178 | 311 | 19.2 | 15.6 | 22.1 |
| OUT OF STATE | 2,518 | 2,096 | 422 | 1,543 | 894 | 649 | | | |

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1998

| TOWN** | RESIDENCE DATA | | |
|---------------|----------------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE |
| BI LOXI | 824 | 554 | 270 |
| BRANDON | 332 | 266 | 66 |
| BROOKHAVEN | 176 | 69 | 107 |
| CANTON | 305 | 35 | 270 |
| CLARKSDALE | 456 | 82 | 374 |
| CLEVELAND | 241 | 90 | 151 |
| CLINTON | 283 | 188 | 95 |
| COLUMBUS | 439 | 152 | 287 |
| CORINTH | 216 | 156 | 60 |
| GAUTIER | 231 | 140 | 91 |
| GREENVILLE | 865 | 187 | 678 |
| GREENWOOD | 400 | 85 | 315 |
| GRENADA | 229 | 87 | 142 |
| GULFPORT | 1, 080 | 605 | 475 |
| HATTIESBURG | 718 | 263 | 455 |
| INDIANOLA | 211 | 38 | 173 |
| JACKSON | 3, 188 | 661 | 2, 527 |
| LAUREL | 324 | 76 | 248 |
| LONG BEACH | 220 | 193 | 27 |
| MCCOMB | 231 | 62 | 169 |
| MERIDIAN | 654 | 220 | 434 |
| MOSS POINT | 260 | 53 | 207 |
| NATCHEZ | 325 | 107 | 218 |
| OCEAN SPRINGS | 269 | 241 | 28 |
| PASCAGOULA | 502 | 331 | 171 |
| PEARL | 293 | 229 | 64 |
| PI CAYUNE | 189 | 118 | 71 |
| RIDGELAND | 281 | 210 | 71 |
| SOUTHAVEN | 386 | 362 | 24 |
| STARKVILLE | 308 | 137 | 171 |
| TUPELO | 520 | 299 | 221 |
| VICKSBURG | 478 | 138 | 340 |
| YAZOO CITY | 281 | 53 | 228 |

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | TOTAL | WHITE | NON- WHITE | COUNTY | TOTAL | WHITE | NON- WHITE |
|--------------|-------------|-------------|---------------|--------------|-------|-------|---------------|
| STATE | 68.2 | 62.9 | 75.6 | | | | |
| ADAMS | 71.4 | 61.8 | 78.5 | LINCOLN | 74.4 | 72.7 | 77.3 |
| ALCORN | 66.6 | 66.0 | 70.1 | LOWNDES | 64.6 | 59.2 | 71.3 |
| AMITE | 58.2 | 59.8 | 56.8 | MADISON | 66.4 | 67.0 | 65.8 |
| ATTALA | 68.5 | 75.8 | 61.1 | MARION | 66.9 | 65.5 | 69.1 |
| BENTON | 65.4 | 69.8 | 60.7 | MARSHALL | 66.6 | 74.7 | 61.1 |
| BOLIVAR | 68.1 | 50.8 | 76.0 | MONROE | 64.8 | 65.1 | 64.1 |
| CALHOUN | 67.0 | 69.0 | 63.5 | MONTGOMERY | 74.1 | 61.4 | 84.6 |
| CARROLL | 52.1 | 57.0 | 46.5 | NESHOBA | 75.1 | 60.3 | 98.7 |
| CHICKASAW | 78.2 | 88.6 | 66.4 | NEWTON | 74.7 | 69.2 | 82.8 |
| CHOCTAW | 66.4 | 66.8 | 65.6 | NOXUBEE | 76.0 | 82.1 | 74.2 |
| CLAIBORNE | 49.9 | 41.0 | 50.8 | OKTIBBEHA | 46.8 | 36.8 | 61.1 |
| CLARKE | 57.3 | 54.7 | 60.8 | PANOLA | 74.0 | 68.4 | 78.3 |
| CLAY | 71.5 | 57.2 | 79.9 | PEARL RIVER | 62.5 | 63.7 | 57.5 |
| COAHOMA | 90.1 | 58.6 | 102.4 | PERRY | 75.8 | 75.7 | 75.9 |
| COPIAH | 66.9 | 67.7 | 66.3 | PIKE | 74.5 | 63.7 | 83.6 |
| COVINGTON | 82.8 | 79.4 | 87.4 | PONTOTOC | 66.7 | 72.0 | 45.2 |
| DESOTO | 69.3 | 70.4 | 63.0 | PRETISS | 66.8 | 70.0 | 50.7 |
| FORREST | 55.6 | 47.9 | 68.6 | QUITMAN | 80.7 | 40.4 | 100.5 |
| FRANKLIN | 77.8 | 82.8 | 71.7 | RANKIN | 61.0 | 61.2 | 60.4 |
| GEORGE | 85.5 | 84.5 | 93.3 | SCOTT | 81.1 | 81.8 | 80.4 |
| GREENE | 68.5 | 69.5 | 65.0 | SHARKEY | 79.6 | 58.5 | 87.0 |
| GRENADA | 67.8 | 67.9 | 67.7 | SIMPSON | 78.8 | 70.1 | 91.9 |
| HANCOCK | 56.7 | 59.6 | 37.2 | SMITH | 75.8 | 71.8 | 85.8 |
| HARRISON | 71.2 | 69.0 | 76.8 | STONE | 61.3 | 58.9 | 67.4 |
| HINDS | 65.0 | 45.6 | 78.0 | SUNFLOWER | 79.3 | 60.2 | 86.7 |
| HOLMES | 83.8 | 56.1 | 89.8 | TALLAHATCHIE | 68.1 | 71.2 | 66.6 |
| HUMPHREYS | 81.7 | 73.3 | 84.6 | TATE | 68.3 | 70.4 | 65.5 |
| ISSAQUENA | 72.1 | 29.8 | 100.5 | TIPPAH | 71.5 | 75.9 | 55.0 |
| ITAWAMBA | 54.8 | 55.7 | 44.6 | TISHOMINGO | 65.5 | 67.7 | 29.0 |
| JACKSON | 63.7 | 61.9 | 68.5 | TUNICA | 92.9 | 80.7 | 95.7 |
| JASPER | 81.9 | 68.6 | 91.2 | UNION | 70.2 | 65.9 | 88.0 |
| JEFFERSON | 59.5 | 73.6 | 58.2 | WALTHALL | 77.6 | 69.6 | 85.2 |
| JEFF DAVIS | 73.6 | 61.1 | 81.1 | WARREN | 69.1 | 61.2 | 78.2 |
| JONES | 66.0 | 57.2 | 85.2 | WASHINGTON | 80.8 | 61.6 | 90.8 |
| KEMPER | 64.1 | 43.6 | 73.6 | WAYNE | 78.9 | 70.4 | 89.9 |
| LAFAYETTE | 43.4 | 36.0 | 60.2 | WEBSTER | 60.8 | 58.0 | 68.1 |
| LAMAR | 72.1 | 73.2 | 66.3 | WILKINSON | 73.4 | 75.8 | 72.7 |
| LAUDERDALE | 68.5 | 62.6 | 76.2 | WINSTON | 59.7 | 49.3 | 69.1 |
| LAWRENCE | 66.0 | 70.6 | 59.7 | YALOBUSHA | 73.9 | 76.0 | 71.6 |
| LEAKE | 85.7 | 76.1 | 95.8 | YAZOO | 90.5 | 83.2 | 95.2 |
| LEE | 69.4 | 64.3 | 83.7 | | | | |
| LEFLORE | 77.4 | 59.3 | 85.4 | | | | |

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE (1998 POPULATION ESTIMATE).

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1998

| COUNTY | WHITE | | | | | NONWHITE | | | | SEX | |
|--------------|----------------|----------------|-----------------|---------------------|-----------|----------------|-----------------|---------------------|-----------|----------------|----------------|
| | TOTAL | TOTAL | HOSP. OR CLINIC | PHYS. , OTHER PLACE | OTHER | TOTAL | HOSP. OR CLINIC | PHYS. , OTHER PLACE | OTHER | MALE | FEMALE |
| STATE | 42, 917 | 22, 950 | 22, 874 | 2 | 74 | 19, 967 | 19, 884 | 12 | 71 | 21, 841 | 21, 076 |
| ADAMS | 534 | 198 | 196 | 0 | 2 | 336 | 334 | 0 | 2 | 273 | 261 |
| ALCORN | 460 | 388 | 388 | 0 | 0 | 72 | 72 | 0 | 0 | 234 | 226 |
| AMITE | 165 | 79 | 79 | 0 | 0 | 86 | 86 | 0 | 0 | 92 | 73 |
| ATTALA | 259 | 144 | 144 | 0 | 0 | 115 | 113 | 0 | 2 | 137 | 122 |
| BENTON | 108 | 60 | 60 | 0 | 0 | 48 | 48 | 0 | 0 | 52 | 56 |
| BOLIVAR | 689 | 161 | 161 | 0 | 0 | 528 | 528 | 0 | 0 | 373 | 316 |
| CALHOUN | 202 | 133 | 133 | 0 | 0 | 69 | 67 | 0 | 2 | 99 | 103 |
| CARROLL | 107 | 62 | 62 | 0 | 0 | 45 | 45 | 0 | 0 | 58 | 49 |
| CHICKASAW | 310 | 186 | 185 | 0 | 1 | 124 | 123 | 0 | 1 | 167 | 143 |
| CHOCTAW | 129 | 83 | 83 | 0 | 0 | 46 | 45 | 0 | 1 | 66 | 63 |
| CLAIBORNE | 163 | 13 | 13 | 0 | 0 | 150 | 150 | 0 | 0 | 70 | 93 |
| CLARKE | 223 | 123 | 123 | 0 | 0 | 100 | 100 | 0 | 0 | 107 | 116 |
| CLAY | 355 | 106 | 105 | 0 | 1 | 249 | 248 | 0 | 1 | 186 | 169 |
| COAHOMA | 629 | 115 | 115 | 0 | 0 | 514 | 513 | 0 | 1 | 305 | 324 |
| COPIAH | 435 | 177 | 177 | 0 | 0 | 258 | 257 | 1 | 0 | 222 | 213 |
| COVINGTON | 320 | 177 | 176 | 0 | 1 | 143 | 143 | 0 | 0 | 161 | 159 |
| DESOTO | 1, 570 | 1, 356 | 1, 353 | 0 | 3 | 214 | 212 | 0 | 2 | 797 | 773 |
| FORREST | 1, 076 | 579 | 574 | 0 | 5 | 497 | 493 | 0 | 4 | 541 | 535 |
| FRANKLIN | 132 | 77 | 76 | 0 | 1 | 55 | 55 | 0 | 0 | 69 | 63 |
| GEORGE | 365 | 319 | 319 | 0 | 0 | 46 | 46 | 0 | 0 | 185 | 180 |
| GREENE | 159 | 124 | 124 | 0 | 0 | 35 | 35 | 0 | 0 | 75 | 84 |
| GRENADA | 343 | 174 | 173 | 0 | 1 | 169 | 168 | 0 | 1 | 169 | 174 |
| HANCOCK | 458 | 419 | 418 | 0 | 1 | 39 | 39 | 0 | 0 | 247 | 211 |
| HARRISON | 2, 866 | 1, 994 | 1, 986 | 0 | 8 | 872 | 872 | 0 | 0 | 1, 419 | 1, 447 |

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1998

| COUNTY | TOTAL | WHITE | | | | NONWHITE | | | | SEX | |
|------------|-------|-------|-----------------|---------------------|-------|----------|-----------------|---------------------|-------|-------|--------|
| | | TOTAL | HOSP. OR CLINIC | PHYS. , OTHER PLACE | OTHER | TOTAL | HOSP. OR CLINIC | PHYS. , OTHER PLACE | OTHER | MALE | FEMALE |
| HINDS | 4,027 | 1,130 | 1,125 | 0 | 5 | 2,897 | 2,882 | 0 | 15 | 2,023 | 2,004 |
| HOLMES | 409 | 49 | 49 | 0 | 0 | 360 | 357 | 0 | 3 | 206 | 203 |
| HUMPHREYS | 210 | 48 | 47 | 0 | 1 | 162 | 162 | 0 | 0 | 95 | 115 |
| ISSAQUENA | 24 | 4 | 4 | 0 | 0 | 20 | 20 | 0 | 0 | 9 | 15 |
| ITAWAMBA | 242 | 225 | 225 | 0 | 0 | 17 | 17 | 0 | 0 | 124 | 118 |
| JACKSON | 1,862 | 1,308 | 1,301 | 0 | 7 | 554 | 554 | 0 | 0 | 933 | 929 |
| JASPER | 309 | 106 | 106 | 0 | 0 | 203 | 202 | 0 | 1 | 161 | 148 |
| JEFFERSON | 114 | 12 | 12 | 0 | 0 | 102 | 100 | 1 | 1 | 45 | 69 |
| JEFF DAVIS | 223 | 69 | 69 | 0 | 0 | 154 | 154 | 0 | 0 | 99 | 124 |
| JONES | 904 | 538 | 537 | 0 | 1 | 366 | 366 | 0 | 0 | 443 | 461 |
| KEMPER | 149 | 32 | 32 | 0 | 0 | 117 | 116 | 1 | 0 | 63 | 86 |
| LAFAYETTE | 419 | 240 | 237 | 0 | 3 | 179 | 178 | 1 | 0 | 226 | 193 |
| LAMAR | 635 | 540 | 537 | 0 | 3 | 95 | 95 | 0 | 0 | 302 | 333 |
| LAUDERDALE | 1,187 | 617 | 617 | 0 | 0 | 570 | 569 | 0 | 1 | 612 | 575 |
| LAWRENCE | 185 | 115 | 115 | 0 | 0 | 70 | 69 | 0 | 1 | 97 | 88 |
| LEAKE | 344 | 157 | 156 | 0 | 1 | 187 | 187 | 0 | 0 | 185 | 159 |
| LEE | 1,199 | 815 | 811 | 0 | 4 | 384 | 382 | 0 | 2 | 621 | 578 |
| LEFLORE | 645 | 151 | 151 | 0 | 0 | 494 | 492 | 1 | 1 | 319 | 326 |
| LINCOLN | 510 | 309 | 308 | 0 | 1 | 201 | 201 | 0 | 0 | 248 | 262 |
| LOWNDES | 983 | 497 | 496 | 0 | 1 | 486 | 484 | 0 | 2 | 507 | 476 |
| MADISON | 1,243 | 661 | 661 | 0 | 0 | 582 | 580 | 0 | 2 | 611 | 632 |
| MARION | 374 | 229 | 228 | 0 | 1 | 145 | 142 | 0 | 3 | 194 | 180 |
| MARSHALL | 500 | 228 | 225 | 0 | 3 | 272 | 271 | 1 | 0 | 251 | 249 |
| MONROE | 545 | 338 | 337 | 0 | 1 | 207 | 206 | 0 | 1 | 270 | 275 |
| MONTGOMERY | 191 | 72 | 71 | 1 | 0 | 119 | 119 | 0 | 0 | 97 | 94 |
| NESHOBA | 447 | 220 | 220 | 0 | 0 | 227 | 226 | 1 | 0 | 229 | 218 |
| NEWTON | 346 | 190 | 190 | 0 | 0 | 156 | 156 | 0 | 0 | 178 | 168 |
| NOXUBEE | 207 | 52 | 51 | 0 | 1 | 155 | 154 | 0 | 1 | 110 | 97 |
| OKTIBBEHA | 502 | 232 | 232 | 0 | 0 | 270 | 270 | 0 | 0 | 247 | 255 |
| PANOLA | 553 | 219 | 219 | 0 | 0 | 334 | 333 | 0 | 1 | 294 | 259 |

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1998

| COUNTY | TOTAL | WHITE | | | | NONWHITE | | | | SEX | |
|--------------|-------|-------|-----------------|---------------------|-------|----------|-----------------|---------------------|-------|------|--------|
| | | TOTAL | HOSP. OR CLINIC | PHYS. , OTHER PLACE | OTHER | TOTAL | HOSP. OR CLINIC | PHYS. , OTHER PLACE | OTHER | MALE | FEMALE |
| PEARL RIVER | 635 | 521 | 520 | 0 | 1 | 114 | 114 | 0 | 0 | 338 | 297 |
| PERRY | 197 | 142 | 142 | 0 | 0 | 55 | 55 | 0 | 0 | 99 | 98 |
| PIKE | 631 | 246 | 246 | 0 | 0 | 385 | 384 | 1 | 0 | 320 | 311 |
| PONTOTOC | 372 | 322 | 318 | 0 | 4 | 50 | 50 | 0 | 0 | 185 | 187 |
| PRENTISS | 352 | 308 | 308 | 0 | 0 | 44 | 44 | 0 | 0 | 188 | 164 |
| QUITMAN | 176 | 29 | 29 | 0 | 0 | 147 | 146 | 0 | 1 | 99 | 77 |
| RANKIN | 1,569 | 1,255 | 1,251 | 1 | 3 | 314 | 312 | 0 | 2 | 807 | 762 |
| SCOTT | 439 | 236 | 236 | 0 | 0 | 203 | 202 | 0 | 1 | 227 | 212 |
| SHARKEY | 126 | 24 | 24 | 0 | 0 | 102 | 102 | 0 | 0 | 70 | 56 |
| SIMPSON | 424 | 227 | 226 | 0 | 1 | 197 | 197 | 0 | 0 | 223 | 201 |
| SMITH | 241 | 163 | 163 | 0 | 0 | 78 | 77 | 0 | 1 | 133 | 108 |
| STONE | 185 | 128 | 128 | 0 | 0 | 57 | 57 | 0 | 0 | 101 | 84 |
| SUNFLOWER | 528 | 113 | 113 | 0 | 0 | 415 | 413 | 1 | 1 | 281 | 247 |
| TALLAHATCHIE | 219 | 74 | 74 | 0 | 0 | 145 | 144 | 1 | 0 | 107 | 112 |
| TATE | 385 | 232 | 231 | 0 | 1 | 153 | 152 | 1 | 0 | 227 | 158 |
| TIPPAH | 316 | 264 | 264 | 0 | 0 | 52 | 52 | 0 | 0 | 179 | 137 |
| TISHOMINGO | 246 | 240 | 240 | 0 | 0 | 6 | 6 | 0 | 0 | 134 | 112 |
| TUNICA | 173 | 28 | 28 | 0 | 0 | 145 | 144 | 0 | 1 | 84 | 89 |
| UNION | 358 | 271 | 271 | 0 | 0 | 87 | 87 | 0 | 0 | 201 | 157 |
| WALTHALL | 227 | 99 | 96 | 0 | 3 | 128 | 128 | 0 | 0 | 114 | 113 |
| WARREN | 781 | 371 | 371 | 0 | 0 | 410 | 407 | 1 | 2 | 379 | 402 |
| WASHINGTON | 1,222 | 321 | 319 | 0 | 2 | 901 | 895 | 0 | 6 | 646 | 576 |
| WAYNE | 368 | 185 | 185 | 0 | 0 | 183 | 182 | 0 | 1 | 176 | 192 |
| WEBSTER | 132 | 90 | 89 | 0 | 1 | 42 | 42 | 0 | 0 | 66 | 66 |
| WILKINSON | 144 | 36 | 36 | 0 | 0 | 108 | 108 | 0 | 0 | 68 | 76 |
| WINSTON | 245 | 96 | 95 | 0 | 1 | 149 | 148 | 0 | 1 | 122 | 123 |
| YALOBUSHA | 192 | 101 | 101 | 0 | 0 | 91 | 91 | 0 | 0 | 100 | 92 |
| YAZOO | 489 | 178 | 178 | 0 | 0 | 311 | 309 | 0 | 2 | 264 | 225 |

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|---------------|---------------|--------------|---------------|---------------|--------------|--------------|------------|-----------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| STATE | 42,917 | 285 | 8,313 | 14,152 | 10,966 | 6,196 | 2,551 | 435 | 14 | 5 |
| ADAMS | 534 | 3 | 106 | 180 | 135 | 66 | 38 | 6 | 0 | 0 |
| ALCORN | 460 | 3 | 90 | 137 | 136 | 72 | 19 | 3 | 0 | 0 |
| AMITE | 165 | 0 | 30 | 58 | 43 | 23 | 9 | 2 | 0 | 0 |
| ATTALA | 259 | 1 | 47 | 86 | 72 | 39 | 14 | 0 | 0 | 0 |
| BENTON | 108 | 0 | 14 | 51 | 19 | 15 | 6 | 3 | 0 | 0 |
| BOLIVAR | 689 | 10 | 196 | 235 | 150 | 63 | 28 | 7 | 0 | 0 |
| CALHOUN | 202 | 3 | 40 | 67 | 54 | 33 | 3 | 2 | 0 | 0 |
| CARROLL | 107 | 1 | 24 | 42 | 21 | 14 | 4 | 1 | 0 | 0 |
| CHICKASAW | 310 | 1 | 70 | 95 | 79 | 42 | 20 | 3 | 0 | 0 |
| CHOCTAW | 129 | 1 | 25 | 43 | 34 | 19 | 5 | 2 | 0 | 0 |
| CLAIBORNE | 163 | 3 | 36 | 57 | 38 | 16 | 8 | 5 | 0 | 0 |
| CLARKE | 223 | 3 | 40 | 88 | 63 | 19 | 9 | 1 | 0 | 0 |
| CLAY | 355 | 4 | 72 | 117 | 84 | 50 | 24 | 4 | 0 | 0 |
| COAHOMA | 629 | 9 | 195 | 229 | 105 | 58 | 25 | 8 | 0 | 0 |
| COPIAH | 435 | 9 | 90 | 143 | 98 | 58 | 31 | 6 | 0 | 0 |
| COVINGTON | 320 | 0 | 77 | 116 | 65 | 36 | 20 | 5 | 1 | 0 |
| DESOTO | 1,570 | 3 | 209 | 419 | 524 | 284 | 116 | 13 | 2 | 0 |
| FORREST | 1,076 | 1 | 189 | 396 | 271 | 151 | 60 | 8 | 0 | 0 |
| FRANKLIN | 132 | 1 | 26 | 52 | 28 | 17 | 8 | 0 | 0 | 0 |
| GEORGE | 365 | 0 | 73 | 135 | 89 | 50 | 14 | 3 | 0 | 1 |
| GREENE | 159 | 0 | 27 | 63 | 41 | 20 | 8 | 0 | 0 | 0 |
| GRENADA | 343 | 3 | 64 | 124 | 92 | 47 | 11 | 2 | 0 | 0 |
| HANCOCK | 458 | 0 | 78 | 147 | 116 | 73 | 37 | 7 | 0 | 0 |
| HARRISON | 2,866 | 7 | 491 | 959 | 740 | 437 | 189 | 41 | 1 | 1 |
| HINDS | 4,027 | 38 | 761 | 1,230 | 993 | 639 | 297 | 68 | 0 | 1 |
| HOLMES | 409 | 3 | 97 | 144 | 99 | 46 | 17 | 3 | 0 | 0 |
| HUMPHREYS | 210 | 6 | 54 | 83 | 33 | 25 | 4 | 4 | 1 | 0 |
| ISSAQUENA | 24 | 0 | 7 | 5 | 7 | 2 | 2 | 1 | 0 | 0 |
| ITAWAMBA | 242 | 1 | 38 | 75 | 74 | 43 | 5 | 5 | 0 | 1 |
| JACKSON | 1,862 | 6 | 345 | 566 | 512 | 287 | 127 | 19 | 0 | 0 |
| JASPER | 309 | 0 | 61 | 119 | 69 | 39 | 21 | 0 | 0 | 0 |
| JEFFERSON | 114 | 0 | 21 | 40 | 25 | 16 | 10 | 2 | 0 | 0 |
| JEFF DAVIS | 223 | 2 | 75 | 69 | 44 | 18 | 12 | 3 | 0 | 0 |
| JONES | 904 | 4 | 213 | 317 | 214 | 108 | 42 | 6 | 0 | 0 |
| KEMPER | 149 | 3 | 29 | 53 | 33 | 18 | 9 | 4 | 0 | 0 |
| LAFAYETTE | 419 | 4 | 64 | 123 | 100 | 85 | 38 | 4 | 1 | 0 |
| LAMAR | 635 | 1 | 66 | 192 | 182 | 147 | 41 | 6 | 0 | 0 |
| LAUDERDALE | 1,187 | 16 | 194 | 379 | 350 | 186 | 56 | 5 | 1 | 0 |
| LAWRENCE | 185 | 0 | 39 | 63 | 42 | 24 | 16 | 1 | 0 | 0 |
| LEAKE | 344 | 0 | 74 | 107 | 97 | 42 | 20 | 4 | 0 | 0 |
| LEE | 1,199 | 2 | 210 | 362 | 334 | 195 | 86 | 10 | 0 | 0 |
| LEFLORE | 645 | 9 | 181 | 234 | 135 | 61 | 23 | 2 | 0 | 0 |

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 510 | 4 | 111 | 169 | 127 | 61 | 36 | 2 | 0 | 0 |
| LOWNDES | 983 | 6 | 167 | 301 | 264 | 185 | 51 | 9 | 0 | 0 |
| MADISON | 1,243 | 15 | 155 | 265 | 354 | 306 | 132 | 15 | 1 | 0 |
| MARION | 374 | 2 | 80 | 141 | 89 | 44 | 15 | 3 | 0 | 0 |
| MARSHALL | 500 | 3 | 99 | 179 | 126 | 58 | 27 | 8 | 0 | 0 |
| MONROE | 545 | 0 | 106 | 181 | 163 | 67 | 21 | 6 | 0 | 1 |
| MONTGOMERY | 191 | 3 | 55 | 67 | 32 | 23 | 9 | 2 | 0 | 0 |
| NESHOBA | 447 | 2 | 105 | 144 | 123 | 58 | 12 | 3 | 0 | 0 |
| NEWTON | 346 | 3 | 66 | 131 | 85 | 45 | 15 | 1 | 0 | 0 |
| NOXUBEE | 207 | 0 | 38 | 87 | 45 | 21 | 14 | 2 | 0 | 0 |
| OKTIBBEHA | 502 | 4 | 65 | 147 | 148 | 91 | 39 | 8 | 0 | 0 |
| PANOLA | 553 | 8 | 126 | 225 | 112 | 47 | 31 | 4 | 0 | 0 |
| PEARL RIVER | 635 | 1 | 121 | 227 | 165 | 81 | 33 | 7 | 0 | 0 |
| PERRY | 197 | 1 | 46 | 78 | 37 | 27 | 8 | 0 | 0 | 0 |
| PIKE | 631 | 8 | 135 | 219 | 138 | 77 | 46 | 8 | 0 | 0 |
| PONTOTOC | 372 | 2 | 60 | 117 | 108 | 63 | 16 | 6 | 0 | 0 |
| PRETISS | 352 | 0 | 73 | 126 | 84 | 47 | 22 | 0 | 0 | 0 |
| QUITMAN | 176 | 3 | 45 | 66 | 41 | 10 | 10 | 1 | 0 | 0 |
| RANKIN | 1,569 | 5 | 204 | 403 | 498 | 316 | 130 | 12 | 1 | 0 |
| SCOTT | 439 | 2 | 83 | 177 | 102 | 50 | 23 | 2 | 0 | 0 |
| SHARKEY | 126 | 1 | 31 | 51 | 23 | 17 | 3 | 0 | 0 | 0 |
| SIMPSON | 424 | 7 | 88 | 173 | 99 | 38 | 12 | 7 | 0 | 0 |
| SMITH | 241 | 1 | 53 | 78 | 67 | 30 | 8 | 4 | 0 | 0 |
| STONE | 185 | 1 | 22 | 66 | 49 | 29 | 15 | 2 | 1 | 0 |
| SUNFLOWER | 528 | 9 | 152 | 185 | 106 | 50 | 22 | 4 | 0 | 0 |
| TALLAHATCHIE | 219 | 3 | 58 | 84 | 44 | 24 | 5 | 1 | 0 | 0 |
| TATE | 385 | 0 | 68 | 124 | 104 | 57 | 27 | 5 | 0 | 0 |
| TIPPAH | 316 | 0 | 65 | 115 | 82 | 36 | 17 | 0 | 1 | 0 |
| TISHOMINGO | 246 | 0 | 31 | 84 | 79 | 36 | 16 | 0 | 0 | 0 |
| TUNICA | 173 | 1 | 51 | 63 | 33 | 16 | 9 | 0 | 0 | 0 |
| UNION | 358 | 0 | 60 | 139 | 100 | 45 | 14 | 0 | 0 | 0 |
| WALTHALL | 227 | 2 | 43 | 94 | 50 | 26 | 11 | 1 | 0 | 0 |
| WARREN | 781 | 3 | 166 | 251 | 204 | 107 | 42 | 8 | 0 | 0 |
| WASHINGTON | 1,222 | 7 | 321 | 450 | 263 | 135 | 37 | 9 | 0 | 0 |
| WAYNE | 368 | 4 | 72 | 135 | 88 | 41 | 26 | 1 | 1 | 0 |
| WEBSTER | 132 | 1 | 27 | 42 | 33 | 20 | 8 | 1 | 0 | 0 |
| WILKINSON | 144 | 0 | 31 | 51 | 30 | 19 | 12 | 1 | 0 | 0 |
| WINSTON | 245 | 2 | 57 | 83 | 70 | 21 | 8 | 3 | 1 | 0 |
| YALOBUSHA | 192 | 1 | 32 | 74 | 45 | 27 | 11 | 1 | 1 | 0 |
| YAZOO | 489 | 9 | 107 | 160 | 116 | 62 | 26 | 9 | 0 | 0 |

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|------------|-----------|--------------|
| | | UNDER 15 | 15- 19 | 20- 24 | 25- 29 | 30- 34 | 35- 39 | 40- 44 | 45- 49 | |
| STATE | 22, 950 | 28 | 3, 207 | 6, 844 | 6, 887 | 4, 113 | 1, 620 | 237 | 11 | 3 |
| ADAMS | 198 | 0 | 29 | 62 | 56 | 34 | 14 | 3 | 0 | 0 |
| ALCORN | 388 | 3 | 71 | 113 | 118 | 64 | 16 | 3 | 0 | 0 |
| AMITE | 79 | 0 | 4 | 26 | 29 | 12 | 8 | 0 | 0 | 0 |
| ATTALA | 144 | 0 | 23 | 47 | 43 | 23 | 8 | 0 | 0 | 0 |
| BENTON | 60 | 0 | 6 | 24 | 12 | 12 | 4 | 2 | 0 | 0 |
| BOLIVAR | 161 | 0 | 25 | 44 | 59 | 26 | 6 | 1 | 0 | 0 |
| CALHOUN | 133 | 1 | 22 | 40 | 39 | 27 | 3 | 1 | 0 | 0 |
| CARROLL | 62 | 0 | 13 | 21 | 16 | 9 | 3 | 0 | 0 | 0 |
| CHICKASAW | 186 | 0 | 36 | 55 | 59 | 23 | 13 | 0 | 0 | 0 |
| CHOCTAW | 83 | 1 | 12 | 30 | 21 | 14 | 4 | 1 | 0 | 0 |
| CLAIBORNE | 13 | 0 | 1 | 5 | 4 | 2 | 1 | 0 | 0 | 0 |
| CLARKE | 123 | 1 | 21 | 45 | 35 | 13 | 7 | 1 | 0 | 0 |
| CLAY | 106 | 0 | 13 | 30 | 35 | 17 | 9 | 2 | 0 | 0 |
| COAHOMA | 115 | 0 | 15 | 38 | 31 | 21 | 8 | 2 | 0 | 0 |
| COPIAH | 177 | 1 | 27 | 49 | 53 | 32 | 14 | 1 | 0 | 0 |
| COVINGTON | 177 | 0 | 38 | 56 | 35 | 27 | 17 | 3 | 1 | 0 |
| DESOTO | 1, 356 | 0 | 162 | 352 | 470 | 255 | 102 | 13 | 2 | 0 |
| FORREST | 579 | 0 | 67 | 184 | 168 | 115 | 38 | 7 | 0 | 0 |
| FRANKLIN | 77 | 0 | 12 | 32 | 22 | 9 | 2 | 0 | 0 | 0 |
| GEORGE | 319 | 0 | 57 | 120 | 80 | 45 | 13 | 3 | 0 | 1 |
| GREENE | 124 | 0 | 19 | 48 | 35 | 17 | 5 | 0 | 0 | 0 |
| GRENADA | 174 | 0 | 27 | 58 | 54 | 30 | 5 | 0 | 0 | 0 |
| HANCOCK | 419 | 0 | 72 | 133 | 111 | 64 | 34 | 5 | 0 | 0 |
| HARRISON | 1, 994 | 1 | 322 | 623 | 537 | 333 | 147 | 30 | 1 | 0 |
| HINDS | 1, 130 | 2 | 106 | 251 | 345 | 273 | 120 | 32 | 0 | 1 |
| HOLMES | 49 | 0 | 3 | 18 | 17 | 6 | 5 | 0 | 0 | 0 |
| HUMPHREYS | 48 | 0 | 3 | 21 | 10 | 11 | 2 | 0 | 1 | 0 |
| ISSAQUENA | 4 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 225 | 1 | 34 | 70 | 69 | 40 | 5 | 5 | 0 | 1 |
| JACKSON | 1, 308 | 2 | 210 | 358 | 391 | 235 | 100 | 12 | 0 | 0 |
| JASPER | 106 | 0 | 17 | 30 | 32 | 18 | 9 | 0 | 0 | 0 |
| JEFFERSON | 12 | 0 | 0 | 4 | 4 | 0 | 4 | 0 | 0 | 0 |
| JEFF DAVIS | 69 | 0 | 17 | 24 | 11 | 8 | 7 | 2 | 0 | 0 |
| JONES | 538 | 2 | 98 | 180 | 146 | 80 | 26 | 6 | 0 | 0 |
| KEMPER | 32 | 1 | 4 | 7 | 11 | 6 | 2 | 1 | 0 | 0 |
| LAFAYETTE | 240 | 0 | 24 | 51 | 68 | 68 | 26 | 2 | 1 | 0 |
| LAMAR | 540 | 1 | 57 | 158 | 162 | 123 | 36 | 3 | 0 | 0 |
| LAUDERDALE | 617 | 0 | 59 | 185 | 212 | 121 | 37 | 3 | 0 | 0 |
| LAWRENCE | 115 | 0 | 20 | 38 | 28 | 17 | 11 | 1 | 0 | 0 |
| LEAKE | 157 | 0 | 28 | 42 | 49 | 24 | 10 | 4 | 0 | 0 |
| LEE | 815 | 1 | 118 | 216 | 247 | 152 | 73 | 8 | 0 | 0 |
| LEFLORE | 151 | 0 | 23 | 41 | 49 | 31 | 6 | 1 | 0 | 0 |

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 309 | 1 | 49 | 96 | 95 | 42 | 25 | 1 | 0 | 0 |
| LOWNDES | 497 | 0 | 50 | 139 | 158 | 110 | 33 | 7 | 0 | 0 |
| MADISON | 661 | 0 | 21 | 80 | 232 | 226 | 93 | 8 | 1 | 0 |
| MARION | 229 | 0 | 46 | 84 | 59 | 28 | 11 | 1 | 0 | 0 |
| MARSHALL | 228 | 0 | 36 | 77 | 63 | 34 | 15 | 3 | 0 | 0 |
| MONROE | 338 | 0 | 51 | 108 | 116 | 44 | 16 | 3 | 0 | 0 |
| MONTGOMERY | 72 | 0 | 14 | 25 | 16 | 11 | 5 | 1 | 0 | 0 |
| NESHOBA | 220 | 0 | 46 | 66 | 65 | 37 | 6 | 0 | 0 | 0 |
| NEWTON | 190 | 1 | 39 | 70 | 53 | 19 | 8 | 0 | 0 | 0 |
| NOXUBEE | 52 | 0 | 3 | 22 | 14 | 8 | 4 | 1 | 0 | 0 |
| OKTIBBEHA | 232 | 0 | 9 | 58 | 89 | 55 | 19 | 2 | 0 | 0 |
| PANOLA | 219 | 1 | 33 | 90 | 55 | 25 | 13 | 2 | 0 | 0 |
| PEARL RIVER | 521 | 0 | 94 | 183 | 141 | 71 | 27 | 5 | 0 | 0 |
| PERRY | 142 | 0 | 29 | 60 | 24 | 21 | 8 | 0 | 0 | 0 |
| PIKE | 246 | 0 | 26 | 77 | 79 | 39 | 21 | 4 | 0 | 0 |
| PONTOTOC | 322 | 1 | 47 | 95 | 99 | 61 | 13 | 6 | 0 | 0 |
| PRETISS | 308 | 0 | 66 | 104 | 74 | 44 | 20 | 0 | 0 | 0 |
| QUITMAN | 29 | 0 | 1 | 13 | 10 | 1 | 4 | 0 | 0 | 0 |
| RANKIN | 1,255 | 1 | 145 | 289 | 426 | 272 | 111 | 10 | 1 | 0 |
| SCOTT | 236 | 0 | 33 | 98 | 56 | 35 | 13 | 1 | 0 | 0 |
| SHARKEY | 24 | 0 | 0 | 13 | 3 | 6 | 2 | 0 | 0 | 0 |
| SIMPSON | 227 | 2 | 37 | 84 | 70 | 22 | 8 | 4 | 0 | 0 |
| SMITH | 163 | 0 | 30 | 53 | 49 | 23 | 5 | 3 | 0 | 0 |
| STONE | 128 | 1 | 11 | 44 | 37 | 23 | 9 | 2 | 1 | 0 |
| SUNFLOWER | 113 | 0 | 14 | 31 | 37 | 24 | 6 | 1 | 0 | 0 |
| TALLAHATCHIE | 74 | 0 | 11 | 25 | 28 | 8 | 1 | 1 | 0 | 0 |
| TATE | 232 | 0 | 26 | 68 | 72 | 41 | 22 | 3 | 0 | 0 |
| TIPPAH | 264 | 0 | 51 | 100 | 66 | 33 | 13 | 0 | 1 | 0 |
| TISHOMINGO | 240 | 0 | 30 | 82 | 77 | 35 | 16 | 0 | 0 | 0 |
| TUNICA | 28 | 0 | 3 | 7 | 8 | 5 | 5 | 0 | 0 | 0 |
| UNION | 271 | 0 | 39 | 102 | 81 | 38 | 11 | 0 | 0 | 0 |
| WALTHALL | 99 | 0 | 10 | 39 | 30 | 14 | 6 | 0 | 0 | 0 |
| WARREN | 371 | 0 | 55 | 114 | 116 | 64 | 19 | 3 | 0 | 0 |
| WASHINGTON | 321 | 0 | 40 | 98 | 109 | 56 | 15 | 3 | 0 | 0 |
| WAYNE | 185 | 1 | 29 | 65 | 51 | 23 | 16 | 0 | 0 | 0 |
| WEBSTER | 90 | 0 | 16 | 26 | 23 | 16 | 8 | 1 | 0 | 0 |
| WILKINSON | 36 | 0 | 3 | 5 | 12 | 10 | 6 | 0 | 0 | 0 |
| WINSTON | 96 | 0 | 9 | 31 | 40 | 11 | 4 | 1 | 0 | 0 |
| YALOBUSHA | 101 | 0 | 14 | 36 | 23 | 18 | 8 | 1 | 1 | 0 |
| YAZOO | 178 | 1 | 26 | 57 | 55 | 23 | 15 | 1 | 0 | 0 |

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|----------------|---------------|---------------|---------------|---------------|---------------|------------|------------|----------|--------------|
| | | UNDER 15 | 15- 19 | 20- 24 | 25- 29 | 30- 34 | 35- 39 | 40- 44 | 45- 49 | |
| STATE | 19, 967 | 257 | 5, 106 | 7, 308 | 4, 079 | 2, 083 | 931 | 198 | 3 | 2 |
| ADAMS | 336 | 3 | 77 | 118 | 79 | 32 | 24 | 3 | 0 | 0 |
| ALCORN | 72 | 0 | 19 | 24 | 18 | 8 | 3 | 0 | 0 | 0 |
| AMITE | 86 | 0 | 26 | 32 | 14 | 11 | 1 | 2 | 0 | 0 |
| ATTALA | 115 | 1 | 24 | 39 | 29 | 16 | 6 | 0 | 0 | 0 |
| BENTON | 48 | 0 | 8 | 27 | 7 | 3 | 2 | 1 | 0 | 0 |
| BOLIVAR | 528 | 10 | 171 | 191 | 91 | 37 | 22 | 6 | 0 | 0 |
| CALHOUN | 69 | 2 | 18 | 27 | 15 | 6 | 0 | 1 | 0 | 0 |
| CARROLL | 45 | 1 | 11 | 21 | 5 | 5 | 1 | 1 | 0 | 0 |
| CHICKASAW | 124 | 1 | 34 | 40 | 20 | 19 | 7 | 3 | 0 | 0 |
| CHOCTAW | 46 | 0 | 13 | 13 | 13 | 5 | 1 | 1 | 0 | 0 |
| CLAIBORNE | 150 | 3 | 35 | 52 | 34 | 14 | 7 | 5 | 0 | 0 |
| CLARKE | 100 | 2 | 19 | 43 | 28 | 6 | 2 | 0 | 0 | 0 |
| CLAY | 249 | 4 | 59 | 87 | 49 | 33 | 15 | 2 | 0 | 0 |
| COAHOMA | 514 | 9 | 180 | 191 | 74 | 37 | 17 | 6 | 0 | 0 |
| COPIAH | 258 | 8 | 63 | 94 | 45 | 26 | 17 | 5 | 0 | 0 |
| COVINGTON | 143 | 0 | 39 | 60 | 30 | 9 | 3 | 2 | 0 | 0 |
| DESOTO | 214 | 3 | 47 | 67 | 54 | 29 | 14 | 0 | 0 | 0 |
| FORREST | 497 | 1 | 122 | 212 | 103 | 36 | 22 | 1 | 0 | 0 |
| FRANKLIN | 55 | 1 | 14 | 20 | 6 | 8 | 6 | 0 | 0 | 0 |
| GEORGE | 46 | 0 | 16 | 15 | 9 | 5 | 1 | 0 | 0 | 0 |
| GREENE | 35 | 0 | 8 | 15 | 6 | 3 | 3 | 0 | 0 | 0 |
| GRENADA | 169 | 3 | 37 | 66 | 38 | 17 | 6 | 2 | 0 | 0 |
| HANCOCK | 39 | 0 | 6 | 14 | 5 | 9 | 3 | 2 | 0 | 0 |
| HARRISON | 872 | 6 | 169 | 336 | 203 | 104 | 42 | 11 | 0 | 1 |
| HINDS | 2, 897 | 36 | 655 | 979 | 648 | 366 | 177 | 36 | 0 | 0 |
| HOLMES | 360 | 3 | 94 | 126 | 82 | 40 | 12 | 3 | 0 | 0 |
| HUMPHREYS | 162 | 6 | 51 | 62 | 23 | 14 | 2 | 4 | 0 | 0 |
| ISSAQUENA | 20 | 0 | 7 | 4 | 4 | 2 | 2 | 1 | 0 | 0 |
| ITAWAMBA | 17 | 0 | 4 | 5 | 5 | 3 | 0 | 0 | 0 | 0 |
| JACKSON | 554 | 4 | 135 | 208 | 121 | 52 | 27 | 7 | 0 | 0 |
| JASPER | 203 | 0 | 44 | 89 | 37 | 21 | 12 | 0 | 0 | 0 |
| JEFFERSON | 102 | 0 | 21 | 36 | 21 | 16 | 6 | 2 | 0 | 0 |
| JEFF DAVIS | 154 | 2 | 58 | 45 | 33 | 10 | 5 | 1 | 0 | 0 |
| JONES | 366 | 2 | 115 | 137 | 68 | 28 | 16 | 0 | 0 | 0 |
| KEMPER | 117 | 2 | 25 | 46 | 22 | 12 | 7 | 3 | 0 | 0 |
| LAFAYETTE | 179 | 4 | 40 | 72 | 32 | 17 | 12 | 2 | 0 | 0 |
| LAMAR | 95 | 0 | 9 | 34 | 20 | 24 | 5 | 3 | 0 | 0 |
| LAUDERDALE | 570 | 16 | 135 | 194 | 138 | 65 | 19 | 2 | 1 | 0 |
| LAWRENCE | 70 | 0 | 19 | 25 | 14 | 7 | 5 | 0 | 0 | 0 |
| LEAKE | 187 | 0 | 46 | 65 | 48 | 18 | 10 | 0 | 0 | 0 |
| LEE | 384 | 1 | 92 | 146 | 87 | 43 | 13 | 2 | 0 | 0 |
| LEFLORE | 494 | 9 | 158 | 193 | 86 | 30 | 17 | 1 | 0 | 0 |

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 201 | 3 | 62 | 73 | 32 | 19 | 11 | 1 | 0 | 0 |
| LOWNDES | 486 | 6 | 117 | 162 | 106 | 75 | 18 | 2 | 0 | 0 |
| MADISON | 582 | 15 | 134 | 185 | 122 | 80 | 39 | 7 | 0 | 0 |
| MARION | 145 | 2 | 34 | 57 | 30 | 16 | 4 | 2 | 0 | 0 |
| MARSHALL | 272 | 3 | 63 | 102 | 63 | 24 | 12 | 5 | 0 | 0 |
| MONROE | 207 | 0 | 55 | 73 | 47 | 23 | 5 | 3 | 0 | 1 |
| MONTGOMERY | 119 | 3 | 41 | 42 | 16 | 12 | 4 | 1 | 0 | 0 |
| NESHOBA | 227 | 2 | 59 | 78 | 58 | 21 | 6 | 3 | 0 | 0 |
| NEWTON | 156 | 2 | 27 | 61 | 32 | 26 | 7 | 1 | 0 | 0 |
| NOXUBEE | 155 | 0 | 35 | 65 | 31 | 13 | 10 | 1 | 0 | 0 |
| OKTIBBEHA | 270 | 4 | 56 | 89 | 59 | 36 | 20 | 6 | 0 | 0 |
| PANOLA | 334 | 7 | 93 | 135 | 57 | 22 | 18 | 2 | 0 | 0 |
| PEARL RIVER | 114 | 1 | 27 | 44 | 24 | 10 | 6 | 2 | 0 | 0 |
| PERRY | 55 | 1 | 17 | 18 | 13 | 6 | 0 | 0 | 0 | 0 |
| PIKE | 385 | 8 | 109 | 142 | 59 | 38 | 25 | 4 | 0 | 0 |
| PONTOTOC | 50 | 1 | 13 | 22 | 9 | 2 | 3 | 0 | 0 | 0 |
| PRETISS | 44 | 0 | 7 | 22 | 10 | 3 | 2 | 0 | 0 | 0 |
| QUITMAN | 147 | 3 | 44 | 53 | 31 | 9 | 6 | 1 | 0 | 0 |
| RANKIN | 314 | 4 | 59 | 114 | 72 | 44 | 19 | 2 | 0 | 0 |
| SCOTT | 203 | 2 | 50 | 79 | 46 | 15 | 10 | 1 | 0 | 0 |
| SHARKEY | 102 | 1 | 31 | 38 | 20 | 11 | 1 | 0 | 0 | 0 |
| SIMPSON | 197 | 5 | 51 | 89 | 29 | 16 | 4 | 3 | 0 | 0 |
| SMITH | 78 | 1 | 23 | 25 | 18 | 7 | 3 | 1 | 0 | 0 |
| STONE | 57 | 0 | 11 | 22 | 12 | 6 | 6 | 0 | 0 | 0 |
| SUNFLOWER | 415 | 9 | 138 | 154 | 69 | 26 | 16 | 3 | 0 | 0 |
| TALLAHATCHIE | 145 | 3 | 47 | 59 | 16 | 16 | 4 | 0 | 0 | 0 |
| TATE | 153 | 0 | 42 | 56 | 32 | 16 | 5 | 2 | 0 | 0 |
| TIPPAH | 52 | 0 | 14 | 15 | 16 | 3 | 4 | 0 | 0 | 0 |
| TISHOMINGO | 6 | 0 | 1 | 2 | 2 | 1 | 0 | 0 | 0 | 0 |
| TUNICA | 145 | 1 | 48 | 56 | 25 | 11 | 4 | 0 | 0 | 0 |
| UNION | 87 | 0 | 21 | 37 | 19 | 7 | 3 | 0 | 0 | 0 |
| WALTHALL | 128 | 2 | 33 | 55 | 20 | 12 | 5 | 1 | 0 | 0 |
| WARREN | 410 | 3 | 111 | 137 | 88 | 43 | 23 | 5 | 0 | 0 |
| WASHINGTON | 901 | 7 | 281 | 352 | 154 | 79 | 22 | 6 | 0 | 0 |
| WAYNE | 183 | 3 | 43 | 70 | 37 | 18 | 10 | 1 | 1 | 0 |
| WEBSTER | 42 | 1 | 11 | 16 | 10 | 4 | 0 | 0 | 0 | 0 |
| WILKINSON | 108 | 0 | 28 | 46 | 18 | 9 | 6 | 1 | 0 | 0 |
| WINSTON | 149 | 2 | 48 | 52 | 30 | 10 | 4 | 2 | 1 | 0 |
| YALOBUSHA | 91 | 1 | 18 | 38 | 22 | 9 | 3 | 0 | 0 | 0 |
| YAZOO | 311 | 8 | 81 | 103 | 61 | 39 | 11 | 8 | 0 | 0 |

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|----------------|---------------|----------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>STATE</u> | <u>19, 500</u> | <u>4, 680</u> | <u>14, 820</u> | <u>45. 4</u> | <u>20. 4</u> | <u>74. 2</u> |
| ADAMS | 310 | 46 | 264 | 58. 0 | 23. 2 | 78. 6 |
| ALCORN | 122 | 68 | 54 | 26. 5 | 17. 5 | 75. 0 |
| AMITE | 68 | 9 | 59 | 41. 2 | 11. 4 | 68. 6 |
| ATTALA | 105 | 26 | 79 | 40. 5 | 18. 0 | 68. 7 |
| BENTON | 48 | 14 | 34 | 44. 4 | 23. 3 | 70. 8 |
| BOLIVAR | 469 | 25 | 444 | 68. 1 | 15. 5 | 84. 1 |
| CALHOUN | 88 | 32 | 56 | 43. 6 | 24. 1 | 81. 2 |
| CARROLL | 44 | 13 | 31 | 41. 1 | 21. 0 | 68. 9 |
| CHICKASAW | 118 | 39 | 79 | 38. 1 | 21. 0 | 63. 7 |
| CHOCTAW | 48 | 14 | 34 | 37. 2 | 16. 9 | 73. 9 |
| CLAIBORNE | 122 | 1 | 121 | 74. 8 | 7. 7 | 80. 7 |
| CLARKE | 101 | 28 | 73 | 45. 3 | 22. 8 | 73. 0 |
| CLAY | 206 | 14 | 192 | 58. 0 | 13. 2 | 77. 1 |
| COAHOMA | 479 | 30 | 449 | 76. 2 | 26. 1 | 87. 4 |
| COPIAH | 212 | 30 | 182 | 48. 7 | 16. 9 | 70. 5 |
| COVINGTON | 153 | 36 | 117 | 47. 8 | 20. 3 | 81. 8 |
| DESOTO | 405 | 269 | 136 | 25. 8 | 19. 8 | 63. 6 |
| FORREST | 467 | 114 | 353 | 43. 4 | 19. 7 | 71. 0 |
| FRANKLIN | 54 | 14 | 40 | 40. 9 | 18. 2 | 72. 7 |
| GEORGE | 101 | 69 | 32 | 27. 7 | 21. 6 | 69. 6 |
| GREENE | 45 | 21 | 24 | 28. 3 | 16. 9 | 68. 6 |
| GRENADA | 160 | 36 | 124 | 46. 6 | 20. 7 | 73. 4 |
| HANCOCK | 162 | 141 | 21 | 35. 4 | 33. 6 | 53. 8 |
| HARRISON | 1, 189 | 601 | 588 | 41. 5 | 30. 1 | 67. 4 |
| HINDS | 2, 276 | 213 | 2, 063 | 56. 5 | 18. 8 | 71. 2 |
| HOLMES | 300 | 9 | 291 | 73. 4 | 18. 4 | 80. 8 |
| HUMPHREYS | 151 | 10 | 141 | 71. 9 | 20. 8 | 87. 0 |
| ISSAQUENA | 15 | 0 | 15 | 62. 5 | 0. 0 | 75. 0 |
| ITAWAMBA | 38 | 30 | 8 | 15. 7 | 13. 3 | 47. 0 |
| JACKSON | 731 | 349 | 382 | 39. 2 | 26. 7 | 69. 0 |
| JASPER | 152 | 19 | 133 | 49. 2 | 17. 9 | 65. 5 |
| JEFFERSON | 78 | 2 | 76 | 68. 4 | 16. 7 | 74. 5 |
| JEFF DAVIS | 133 | 16 | 117 | 59. 6 | 23. 2 | 76. 0 |
| JONES | 390 | 92 | 298 | 43. 1 | 17. 1 | 81. 4 |
| KEMPER | 92 | 9 | 83 | 61. 7 | 28. 1 | 70. 9 |
| LAFAYETTE | 154 | 29 | 125 | 36. 8 | 12. 1 | 69. 8 |
| LAMAR | 142 | 92 | 50 | 22. 4 | 17. 0 | 52. 6 |
| LAUDERDALE | 533 | 123 | 410 | 44. 9 | 19. 9 | 71. 9 |
| LAWRENCE | 62 | 15 | 47 | 33. 5 | 13. 0 | 67. 1 |
| LEAKE | 156 | 30 | 126 | 45. 3 | 19. 1 | 67. 4 |
| LEE | 417 | 159 | 258 | 34. 8 | 19. 5 | 67. 2 |
| LEFLORE | 442 | 26 | 416 | 68. 5 | 17. 2 | 84. 2 |

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1998

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|--------|-------|---------------|---------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 188 | 39 | 149 | 36.9 | 12.6 | 74.1 |
| LOWNDES | 415 | 91 | 324 | 42.2 | 18.3 | 66.7 |
| MADISON | 433 | 39 | 394 | 34.8 | 5.9 | 67.7 |
| MARION | 164 | 60 | 104 | 43.8 | 26.2 | 71.7 |
| MARSHALL | 260 | 67 | 193 | 52.0 | 29.4 | 71.0 |
| MONROE | 212 | 57 | 155 | 38.9 | 16.9 | 74.9 |
| MONTGOMERY | 116 | 20 | 96 | 60.7 | 27.8 | 80.7 |
| NESHOBA | 197 | 37 | 160 | 44.1 | 16.8 | 70.5 |
| NEWTON | 138 | 39 | 99 | 39.9 | 20.5 | 63.5 |
| NOXUBEE | 122 | 1 | 121 | 58.9 | 1.9 | 78.1 |
| OKTIBBEHA | 213 | 25 | 188 | 42.4 | 10.8 | 69.6 |
| PANOLA | 311 | 49 | 262 | 56.2 | 22.4 | 78.4 |
| PEARL RIVER | 210 | 135 | 75 | 33.1 | 25.9 | 65.8 |
| PERRY | 72 | 30 | 42 | 36.5 | 21.1 | 76.4 |
| PIKE | 322 | 45 | 277 | 51.0 | 18.3 | 71.9 |
| PONTOTOC | 86 | 53 | 33 | 23.1 | 16.5 | 66.0 |
| PRENTISS | 96 | 63 | 33 | 27.3 | 20.4 | 75.0 |
| QUITMAN | 126 | 5 | 121 | 71.6 | 17.2 | 82.3 |
| RANKIN | 404 | 213 | 191 | 25.7 | 17.0 | 60.8 |
| SCOTT | 220 | 59 | 161 | 50.1 | 25.0 | 79.3 |
| SHARKEY | 94 | 1 | 93 | 74.6 | 4.2 | 91.2 |
| SIMPSON | 182 | 43 | 139 | 42.9 | 18.9 | 70.6 |
| SMITH | 92 | 30 | 62 | 38.2 | 18.4 | 79.5 |
| STONE | 59 | 20 | 39 | 31.9 | 15.6 | 68.4 |
| SUNFLOWER | 369 | 16 | 353 | 69.9 | 14.2 | 85.1 |
| TALLAHATCHIE | 134 | 13 | 121 | 61.2 | 17.6 | 83.4 |
| TATE | 165 | 51 | 114 | 42.8 | 22.0 | 74.5 |
| TIPPAH | 91 | 56 | 35 | 28.8 | 21.2 | 67.3 |
| TISHOMINGO | 42 | 39 | 3 | 17.1 | 16.2 | 50.0 |
| TUNICA | 137 | 8 | 129 | 79.2 | 28.6 | 89.0 |
| UNION | 121 | 65 | 56 | 33.8 | 24.0 | 64.4 |
| WALTHALL | 104 | 11 | 93 | 45.8 | 11.1 | 72.6 |
| WARREN | 425 | 94 | 331 | 54.4 | 25.3 | 80.7 |
| WASHINGTON | 854 | 78 | 776 | 69.9 | 24.3 | 86.1 |
| WAYNE | 156 | 22 | 134 | 42.4 | 11.9 | 73.2 |
| WEBSTER | 43 | 17 | 26 | 32.6 | 18.9 | 61.9 |
| WILKINSON | 85 | 2 | 83 | 59.0 | 5.6 | 76.8 |
| WINSTON | 130 | 17 | 113 | 53.1 | 17.7 | 75.8 |
| YALOBUSHA | 88 | 21 | 67 | 45.8 | 20.8 | 73.6 |
| YAZOO | 286 | 36 | 250 | 58.5 | 20.2 | 80.4 |

**TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1998**

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|----------------|---------------|---------------|---------------|---------------|---------------|------------|------------|----------|--------------|
| | | UNDER 15 | 15- 19 | 20- 24 | 25- 29 | 30- 34 | 35- 39 | 40- 44 | 45- 49 | |
| STATE | 19, 500 | 284 | 6, 694 | 7, 669 | 3, 032 | 1, 206 | 504 | 106 | 2 | 3 |
| ADAMS | 310 | 3 | 91 | 126 | 52 | 23 | 14 | 1 | 0 | 0 |
| ALCORN | 122 | 3 | 43 | 47 | 19 | 5 | 4 | 1 | 0 | 0 |
| AMITE | 68 | 0 | 27 | 31 | 4 | 4 | 2 | 0 | 0 | 0 |
| ATTALA | 105 | 1 | 34 | 41 | 18 | 10 | 1 | 0 | 0 | 0 |
| BENTON | 48 | 0 | 11 | 29 | 4 | 3 | 0 | 1 | 0 | 0 |
| BOLIVAR | 469 | 10 | 182 | 172 | 67 | 25 | 10 | 3 | 0 | 0 |
| CALHOUN | 88 | 3 | 32 | 31 | 14 | 7 | 0 | 1 | 0 | 0 |
| CARROLL | 44 | 1 | 16 | 20 | 6 | 1 | 0 | 0 | 0 | 0 |
| CHICKASAW | 118 | 1 | 49 | 46 | 13 | 9 | 0 | 0 | 0 | 0 |
| CHOCTAW | 48 | 1 | 17 | 15 | 11 | 2 | 1 | 1 | 0 | 0 |
| CLAIBORNE | 122 | 3 | 34 | 48 | 24 | 6 | 4 | 3 | 0 | 0 |
| CLARKE | 101 | 3 | 26 | 49 | 16 | 3 | 4 | 0 | 0 | 0 |
| CLAY | 206 | 4 | 65 | 75 | 39 | 17 | 6 | 0 | 0 | 0 |
| COAHOMA | 479 | 9 | 189 | 180 | 59 | 31 | 10 | 1 | 0 | 0 |
| COPIAH | 212 | 9 | 76 | 87 | 23 | 8 | 8 | 1 | 0 | 0 |
| COVINGTON | 153 | 0 | 59 | 55 | 26 | 9 | 1 | 3 | 0 | 0 |
| DESOTO | 405 | 3 | 141 | 139 | 68 | 35 | 18 | 1 | 0 | 0 |
| FORREST | 467 | 1 | 152 | 210 | 70 | 24 | 9 | 1 | 0 | 0 |
| FRANKLIN | 54 | 1 | 17 | 23 | 6 | 5 | 2 | 0 | 0 | 0 |
| GEORGE | 101 | 0 | 41 | 36 | 10 | 7 | 5 | 1 | 0 | 1 |
| GREENE | 45 | 0 | 15 | 17 | 6 | 5 | 2 | 0 | 0 | 0 |
| GRENADA | 160 | 3 | 51 | 70 | 27 | 7 | 1 | 1 | 0 | 0 |
| HANCOCK | 162 | 0 | 51 | 74 | 21 | 10 | 4 | 2 | 0 | 0 |
| HARRISON | 1, 189 | 7 | 367 | 489 | 197 | 89 | 34 | 5 | 0 | 1 |
| HINDS | 2, 276 | 38 | 712 | 893 | 397 | 145 | 70 | 20 | 0 | 1 |
| HOLMES | 300 | 3 | 95 | 109 | 61 | 26 | 4 | 2 | 0 | 0 |
| HUMPHREYS | 151 | 6 | 53 | 58 | 21 | 9 | 1 | 2 | 1 | 0 |
| ISSAQUENA | 15 | 0 | 7 | 3 | 4 | 1 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 38 | 1 | 14 | 13 | 9 | 1 | 0 | 0 | 0 | 0 |
| JACKSON | 731 | 6 | 257 | 280 | 121 | 35 | 29 | 3 | 0 | 0 |
| JASPER | 152 | 0 | 48 | 70 | 19 | 7 | 8 | 0 | 0 | 0 |
| JEFFERSON | 78 | 0 | 21 | 33 | 13 | 7 | 3 | 1 | 0 | 0 |
| JEFF DAVIS | 133 | 2 | 61 | 46 | 18 | 4 | 1 | 1 | 0 | 0 |
| JONES | 390 | 3 | 153 | 151 | 54 | 20 | 9 | 0 | 0 | 0 |
| KEMPER | 92 | 3 | 27 | 42 | 12 | 5 | 2 | 1 | 0 | 0 |
| LAFAYETTE | 154 | 4 | 53 | 65 | 19 | 10 | 3 | 0 | 0 | 0 |
| LAMAR | 142 | 1 | 35 | 65 | 25 | 13 | 3 | 0 | 0 | 0 |
| LAUDERDALE | 533 | 16 | 170 | 184 | 106 | 39 | 15 | 2 | 1 | 0 |
| LAWRENCE | 62 | 0 | 23 | 21 | 8 | 9 | 1 | 0 | 0 | 0 |
| LEAKE | 156 | 0 | 58 | 54 | 29 | 12 | 3 | 0 | 0 | 0 |
| LEE | 417 | 2 | 146 | 159 | 75 | 22 | 11 | 2 | 0 | 0 |
| LEFLORE | 442 | 9 | 171 | 177 | 54 | 18 | 13 | 0 | 0 | 0 |

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 188 | 4 | 81 | 64 | 23 | 11 | 5 | 0 | 0 | 0 |
| LOWNDES | 415 | 6 | 135 | 154 | 62 | 42 | 14 | 2 | 0 | 0 |
| MADISON | 433 | 15 | 141 | 166 | 69 | 24 | 15 | 3 | 0 | 0 |
| MARION | 164 | 2 | 65 | 62 | 25 | 9 | 1 | 0 | 0 | 0 |
| MARSHALL | 260 | 3 | 82 | 108 | 42 | 13 | 10 | 2 | 0 | 0 |
| MONROE | 212 | 0 | 80 | 79 | 30 | 16 | 5 | 2 | 0 | 0 |
| MONTGOMERY | 116 | 3 | 50 | 44 | 9 | 9 | 1 | 0 | 0 | 0 |
| NESHOBA | 197 | 2 | 69 | 67 | 40 | 14 | 3 | 2 | 0 | 0 |
| NEWTON | 138 | 3 | 40 | 56 | 20 | 16 | 2 | 1 | 0 | 0 |
| NOXUBEE | 122 | 0 | 35 | 57 | 18 | 6 | 6 | 0 | 0 | 0 |
| OKTIBBEHA | 213 | 4 | 54 | 85 | 45 | 13 | 8 | 4 | 0 | 0 |
| PANOLA | 311 | 8 | 108 | 135 | 34 | 16 | 9 | 1 | 0 | 0 |
| PEARL RIVER | 210 | 1 | 85 | 79 | 32 | 8 | 4 | 1 | 0 | 0 |
| PERRY | 72 | 1 | 32 | 24 | 10 | 4 | 1 | 0 | 0 | 0 |
| PIKE | 322 | 8 | 112 | 137 | 33 | 19 | 11 | 2 | 0 | 0 |
| PONTOTOC | 86 | 2 | 36 | 28 | 11 | 8 | 0 | 1 | 0 | 0 |
| PRETISS | 96 | 0 | 39 | 38 | 13 | 5 | 1 | 0 | 0 | 0 |
| QUITMAN | 126 | 3 | 42 | 53 | 19 | 6 | 3 | 0 | 0 | 0 |
| RANKIN | 404 | 5 | 153 | 150 | 62 | 22 | 11 | 1 | 0 | 0 |
| SCOTT | 220 | 2 | 68 | 93 | 41 | 11 | 4 | 1 | 0 | 0 |
| SHARKEY | 94 | 1 | 31 | 37 | 16 | 8 | 1 | 0 | 0 | 0 |
| SIMPSON | 182 | 7 | 69 | 76 | 20 | 7 | 1 | 2 | 0 | 0 |
| SMITH | 92 | 1 | 33 | 33 | 15 | 7 | 2 | 1 | 0 | 0 |
| STONE | 59 | 1 | 15 | 28 | 11 | 3 | 1 | 0 | 0 | 0 |
| SUNFLOWER | 369 | 9 | 138 | 144 | 52 | 15 | 8 | 3 | 0 | 0 |
| TALLAHATCHIE | 134 | 3 | 53 | 55 | 13 | 10 | 0 | 0 | 0 | 0 |
| TATE | 165 | 0 | 56 | 62 | 29 | 12 | 4 | 2 | 0 | 0 |
| TIPPAH | 91 | 0 | 36 | 29 | 19 | 3 | 4 | 0 | 0 | 0 |
| TISHOMINGO | 42 | 0 | 16 | 12 | 10 | 2 | 2 | 0 | 0 | 0 |
| TUNICA | 137 | 1 | 48 | 53 | 25 | 8 | 2 | 0 | 0 | 0 |
| UNION | 121 | 0 | 45 | 51 | 19 | 4 | 2 | 0 | 0 | 0 |
| WALTHALL | 104 | 2 | 39 | 48 | 9 | 4 | 2 | 0 | 0 | 0 |
| WARREN | 425 | 3 | 143 | 164 | 72 | 23 | 15 | 5 | 0 | 0 |
| WASHINGTON | 854 | 7 | 312 | 347 | 118 | 53 | 14 | 3 | 0 | 0 |
| WAYNE | 156 | 4 | 52 | 62 | 20 | 13 | 4 | 1 | 0 | 0 |
| WEBSTER | 43 | 1 | 17 | 20 | 3 | 1 | 1 | 0 | 0 | 0 |
| WILKINSON | 85 | 0 | 28 | 38 | 14 | 3 | 2 | 0 | 0 | 0 |
| WINSTON | 130 | 2 | 49 | 48 | 22 | 5 | 3 | 1 | 0 | 0 |
| YALOBUSHA | 88 | 1 | 24 | 41 | 14 | 6 | 2 | 0 | 0 | 0 |
| YAZOO | 286 | 9 | 93 | 109 | 48 | 19 | 4 | 4 | 0 | 0 |

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|--------------|---------------|--------------|--------------|------------|------------|------------|-----------|----------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| STATE | 4,680 | 27 | 1,763 | 1,705 | 687 | 323 | 148 | 24 | 1 | 2 |
| ADAMS | 46 | 0 | 14 | 19 | 5 | 4 | 4 | 0 | 0 | 0 |
| ALCORN | 68 | 3 | 25 | 27 | 6 | 2 | 4 | 1 | 0 | 0 |
| AMITE | 9 | 0 | 2 | 5 | 1 | 0 | 1 | 0 | 0 | 0 |
| ATTALA | 26 | 0 | 10 | 9 | 3 | 4 | 0 | 0 | 0 | 0 |
| BENTON | 14 | 0 | 3 | 7 | 1 | 2 | 0 | 1 | 0 | 0 |
| BOLIVAR | 25 | 0 | 14 | 6 | 2 | 3 | 0 | 0 | 0 | 0 |
| CALHOUN | 32 | 1 | 14 | 8 | 4 | 4 | 0 | 1 | 0 | 0 |
| CARROLL | 13 | 0 | 6 | 5 | 2 | 0 | 0 | 0 | 0 | 0 |
| CHICKASAW | 39 | 0 | 16 | 15 | 7 | 1 | 0 | 0 | 0 | 0 |
| CHOCTAW | 14 | 1 | 4 | 5 | 2 | 2 | 0 | 0 | 0 | 0 |
| CLAIBORNE | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| CLARKE | 28 | 1 | 8 | 13 | 3 | 0 | 3 | 0 | 0 | 0 |
| CLAY | 14 | 0 | 7 | 3 | 2 | 2 | 0 | 0 | 0 | 0 |
| COAHOMA | 30 | 0 | 12 | 12 | 3 | 3 | 0 | 0 | 0 | 0 |
| COPIAH | 30 | 1 | 16 | 8 | 3 | 1 | 1 | 0 | 0 | 0 |
| COVINGTON | 36 | 0 | 22 | 7 | 4 | 2 | 0 | 1 | 0 | 0 |
| DESOTO | 269 | 0 | 97 | 90 | 45 | 27 | 9 | 1 | 0 | 0 |
| FORREST | 114 | 0 | 37 | 51 | 16 | 7 | 3 | 0 | 0 | 0 |
| FRANKLIN | 14 | 0 | 3 | 7 | 2 | 2 | 0 | 0 | 0 | 0 |
| GEORGE | 69 | 0 | 25 | 24 | 7 | 6 | 5 | 1 | 0 | 1 |
| GREENE | 21 | 0 | 8 | 6 | 3 | 3 | 1 | 0 | 0 | 0 |
| GRENADA | 36 | 0 | 14 | 18 | 3 | 1 | 0 | 0 | 0 | 0 |
| HANCOCK | 141 | 0 | 46 | 66 | 16 | 9 | 3 | 1 | 0 | 0 |
| HARRISON | 601 | 1 | 213 | 228 | 85 | 49 | 21 | 4 | 0 | 0 |
| HINDS | 213 | 2 | 70 | 72 | 39 | 19 | 6 | 4 | 0 | 1 |
| HOLMES | 9 | 0 | 2 | 4 | 2 | 0 | 1 | 0 | 0 | 0 |
| HUMPHREYS | 10 | 0 | 2 | 4 | 2 | 1 | 0 | 0 | 1 | 0 |
| ISSAQUENA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 30 | 1 | 10 | 10 | 8 | 1 | 0 | 0 | 0 | 0 |
| JACKSON | 349 | 2 | 130 | 121 | 59 | 19 | 17 | 1 | 0 | 0 |
| JASPER | 19 | 0 | 6 | 8 | 2 | 1 | 2 | 0 | 0 | 0 |
| JEFFERSON | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| JEFF DAVIS | 16 | 0 | 7 | 6 | 2 | 1 | 0 | 0 | 0 | 0 |
| JONES | 92 | 1 | 39 | 36 | 9 | 4 | 3 | 0 | 0 | 0 |
| KEMPER | 9 | 1 | 2 | 3 | 2 | 0 | 1 | 0 | 0 | 0 |
| LAFAYETTE | 29 | 0 | 14 | 9 | 3 | 3 | 0 | 0 | 0 | 0 |
| LAMAR | 92 | 1 | 26 | 39 | 17 | 8 | 1 | 0 | 0 | 0 |
| LAUDERDALE | 123 | 0 | 41 | 38 | 22 | 14 | 7 | 1 | 0 | 0 |
| LAWRENCE | 15 | 0 | 6 | 3 | 0 | 5 | 1 | 0 | 0 | 0 |
| LEAKE | 30 | 0 | 14 | 8 | 3 | 4 | 1 | 0 | 0 | 0 |
| LEE | 159 | 1 | 63 | 46 | 33 | 8 | 7 | 1 | 0 | 0 |
| LEFLORE | 26 | 0 | 16 | 2 | 2 | 4 | 2 | 0 | 0 | 0 |

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 39 | 1 | 21 | 7 | 5 | 4 | 1 | 0 | 0 | 0 |
| LOWNDES | 91 | 0 | 26 | 37 | 11 | 11 | 6 | 0 | 0 | 0 |
| MADISON | 39 | 0 | 12 | 15 | 7 | 2 | 3 | 0 | 0 | 0 |
| MARION | 60 | 0 | 31 | 20 | 6 | 3 | 0 | 0 | 0 | 0 |
| MARSHALL | 67 | 0 | 20 | 27 | 11 | 4 | 4 | 1 | 0 | 0 |
| MONROE | 57 | 0 | 29 | 17 | 8 | 2 | 1 | 0 | 0 | 0 |
| MONTGOMERY | 20 | 0 | 9 | 7 | 2 | 2 | 0 | 0 | 0 | 0 |
| NESHOBA | 37 | 0 | 18 | 11 | 4 | 4 | 0 | 0 | 0 | 0 |
| NEWTON | 39 | 1 | 14 | 16 | 6 | 2 | 0 | 0 | 0 | 0 |
| NOXUBEE | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| OKTIBBEHA | 25 | 0 | 3 | 14 | 6 | 1 | 1 | 0 | 0 | 0 |
| PANOLA | 49 | 1 | 19 | 22 | 4 | 0 | 3 | 0 | 0 | 0 |
| PEARL RIVER | 135 | 0 | 58 | 51 | 18 | 5 | 2 | 1 | 0 | 0 |
| PERRY | 30 | 0 | 16 | 8 | 3 | 2 | 1 | 0 | 0 | 0 |
| PIKE | 45 | 0 | 12 | 19 | 11 | 2 | 1 | 0 | 0 | 0 |
| PONTOTOC | 53 | 1 | 23 | 11 | 10 | 7 | 0 | 1 | 0 | 0 |
| PRETISS | 63 | 0 | 32 | 20 | 7 | 4 | 0 | 0 | 0 | 0 |
| QUITMAN | 5 | 0 | 0 | 4 | 0 | 0 | 1 | 0 | 0 | 0 |
| RANKIN | 213 | 1 | 97 | 67 | 32 | 10 | 5 | 1 | 0 | 0 |
| SCOTT | 59 | 0 | 18 | 29 | 9 | 2 | 1 | 0 | 0 | 0 |
| SHARKEY | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| SIMPSON | 43 | 2 | 19 | 15 | 6 | 1 | 0 | 0 | 0 | 0 |
| SMITH | 30 | 0 | 12 | 13 | 2 | 3 | 0 | 0 | 0 | 0 |
| STONE | 20 | 1 | 4 | 10 | 3 | 1 | 1 | 0 | 0 | 0 |
| SUNFLOWER | 16 | 0 | 4 | 6 | 3 | 3 | 0 | 0 | 0 | 0 |
| TALLAHATCHIE | 13 | 0 | 6 | 6 | 1 | 0 | 0 | 0 | 0 | 0 |
| TATE | 51 | 0 | 15 | 18 | 10 | 6 | 2 | 0 | 0 | 0 |
| TIPPAH | 56 | 0 | 24 | 21 | 8 | 2 | 1 | 0 | 0 | 0 |
| TISHOMINGO | 39 | 0 | 15 | 11 | 9 | 2 | 2 | 0 | 0 | 0 |
| TUNICA | 8 | 0 | 1 | 2 | 4 | 0 | 1 | 0 | 0 | 0 |
| UNION | 65 | 0 | 25 | 25 | 13 | 1 | 1 | 0 | 0 | 0 |
| WALTHALL | 11 | 0 | 6 | 4 | 0 | 0 | 1 | 0 | 0 | 0 |
| WARREN | 94 | 0 | 34 | 40 | 15 | 3 | 1 | 1 | 0 | 0 |
| WASHINGTON | 78 | 0 | 33 | 30 | 10 | 4 | 1 | 0 | 0 | 0 |
| WAYNE | 22 | 1 | 12 | 8 | 1 | 0 | 0 | 0 | 0 | 0 |
| WEBSTER | 17 | 0 | 7 | 9 | 0 | 0 | 1 | 0 | 0 | 0 |
| WILKINSON | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| WINSTON | 17 | 0 | 4 | 5 | 5 | 1 | 1 | 1 | 0 | 0 |
| YALOBUSHA | 21 | 0 | 6 | 12 | 1 | 1 | 1 | 0 | 0 | 0 |
| YAZOO | 36 | 1 | 13 | 17 | 4 | 1 | 0 | 0 | 0 | 0 |

**TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1998**

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|----------------|---------------|---------------|---------------|---------------|------------|------------|-----------|----------|--------------|
| | | UNDER 15 | 15- 19 | 20- 24 | 25- 29 | 30- 34 | 35- 39 | 40- 44 | 45- 49 | |
| STATE | 14, 820 | 257 | 4, 931 | 5, 964 | 2, 345 | 883 | 356 | 82 | 1 | 1 |
| ADAMS | 264 | 3 | 77 | 107 | 47 | 19 | 10 | 1 | 0 | 0 |
| ALCORN | 54 | 0 | 18 | 20 | 13 | 3 | 0 | 0 | 0 | 0 |
| AMITE | 59 | 0 | 25 | 26 | 3 | 4 | 1 | 0 | 0 | 0 |
| ATTALA | 79 | 1 | 24 | 32 | 15 | 6 | 1 | 0 | 0 | 0 |
| BENTON | 34 | 0 | 8 | 22 | 3 | 1 | 0 | 0 | 0 | 0 |
| BOLIVAR | 444 | 10 | 168 | 166 | 65 | 22 | 10 | 3 | 0 | 0 |
| CALHOUN | 56 | 2 | 18 | 23 | 10 | 3 | 0 | 0 | 0 | 0 |
| CARROLL | 31 | 1 | 10 | 15 | 4 | 1 | 0 | 0 | 0 | 0 |
| CHICKASAW | 79 | 1 | 33 | 31 | 6 | 8 | 0 | 0 | 0 | 0 |
| CHOCTAW | 34 | 0 | 13 | 10 | 9 | 0 | 1 | 1 | 0 | 0 |
| CLAIBORNE | 121 | 3 | 34 | 48 | 24 | 5 | 4 | 3 | 0 | 0 |
| CLARKE | 73 | 2 | 18 | 36 | 13 | 3 | 1 | 0 | 0 | 0 |
| CLAY | 192 | 4 | 58 | 72 | 37 | 15 | 6 | 0 | 0 | 0 |
| COAHOMA | 449 | 9 | 177 | 168 | 56 | 28 | 10 | 1 | 0 | 0 |
| COPIAH | 182 | 8 | 60 | 79 | 20 | 7 | 7 | 1 | 0 | 0 |
| COVINGTON | 117 | 0 | 37 | 48 | 22 | 7 | 1 | 2 | 0 | 0 |
| DESOTO | 136 | 3 | 44 | 49 | 23 | 8 | 9 | 0 | 0 | 0 |
| FORREST | 353 | 1 | 115 | 159 | 54 | 17 | 6 | 1 | 0 | 0 |
| FRANKLIN | 40 | 1 | 14 | 16 | 4 | 3 | 2 | 0 | 0 | 0 |
| GEORGE | 32 | 0 | 16 | 12 | 3 | 1 | 0 | 0 | 0 | 0 |
| GREENE | 24 | 0 | 7 | 11 | 3 | 2 | 1 | 0 | 0 | 0 |
| GRENADA | 124 | 3 | 37 | 52 | 24 | 6 | 1 | 1 | 0 | 0 |
| HANCOCK | 21 | 0 | 5 | 8 | 5 | 1 | 1 | 1 | 0 | 0 |
| HARRISON | 588 | 6 | 154 | 261 | 112 | 40 | 13 | 1 | 0 | 1 |
| HINDS | 2, 063 | 36 | 642 | 821 | 358 | 126 | 64 | 16 | 0 | 0 |
| HOLMES | 291 | 3 | 93 | 105 | 59 | 26 | 3 | 2 | 0 | 0 |
| HUMPHREYS | 141 | 6 | 51 | 54 | 19 | 8 | 1 | 2 | 0 | 0 |
| ISSAQUENA | 15 | 0 | 7 | 3 | 4 | 1 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 8 | 0 | 4 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| JACKSON | 382 | 4 | 127 | 159 | 62 | 16 | 12 | 2 | 0 | 0 |
| JASPER | 133 | 0 | 42 | 62 | 17 | 6 | 6 | 0 | 0 | 0 |
| JEFFERSON | 76 | 0 | 21 | 32 | 12 | 7 | 3 | 1 | 0 | 0 |
| JEFF DAVIS | 117 | 2 | 54 | 40 | 16 | 3 | 1 | 1 | 0 | 0 |
| JONES | 298 | 2 | 114 | 115 | 45 | 16 | 6 | 0 | 0 | 0 |
| KEMPER | 83 | 2 | 25 | 39 | 10 | 5 | 1 | 1 | 0 | 0 |
| LAFAYETTE | 125 | 4 | 39 | 56 | 16 | 7 | 3 | 0 | 0 | 0 |
| LAMAR | 50 | 0 | 9 | 26 | 8 | 5 | 2 | 0 | 0 | 0 |
| LAUDERDALE | 410 | 16 | 129 | 146 | 84 | 25 | 8 | 1 | 1 | 0 |
| LAWRENCE | 47 | 0 | 17 | 18 | 8 | 4 | 0 | 0 | 0 | 0 |
| LEAKE | 126 | 0 | 44 | 46 | 26 | 8 | 2 | 0 | 0 | 0 |
| LEE | 258 | 1 | 83 | 113 | 42 | 14 | 4 | 1 | 0 | 0 |
| LEFLORE | 416 | 9 | 155 | 175 | 52 | 14 | 11 | 0 | 0 | 0 |

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1998

| COUNTY | TOTAL | AGE OF MOTHER | | | | | | | | UN- KNOWN |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|--------------|
| | | UNDER 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | |
| LINCOLN | 149 | 3 | 60 | 57 | 18 | 7 | 4 | 0 | 0 | 0 |
| LOWNDES | 324 | 6 | 109 | 117 | 51 | 31 | 8 | 2 | 0 | 0 |
| MADISON | 394 | 15 | 129 | 151 | 62 | 22 | 12 | 3 | 0 | 0 |
| MARION | 104 | 2 | 34 | 42 | 19 | 6 | 1 | 0 | 0 | 0 |
| MARSHALL | 193 | 3 | 62 | 81 | 31 | 9 | 6 | 1 | 0 | 0 |
| MONROE | 155 | 0 | 51 | 62 | 22 | 14 | 4 | 2 | 0 | 0 |
| MONTGOMERY | 96 | 3 | 41 | 37 | 7 | 7 | 1 | 0 | 0 | 0 |
| NESHOBA | 160 | 2 | 51 | 56 | 36 | 10 | 3 | 2 | 0 | 0 |
| NEWTON | 99 | 2 | 26 | 40 | 14 | 14 | 2 | 1 | 0 | 0 |
| NOXUBEE | 121 | 0 | 35 | 56 | 18 | 6 | 6 | 0 | 0 | 0 |
| OKTIBBEHA | 188 | 4 | 51 | 71 | 39 | 12 | 7 | 4 | 0 | 0 |
| PANOLA | 262 | 7 | 89 | 113 | 30 | 16 | 6 | 1 | 0 | 0 |
| PEARL RIVER | 75 | 1 | 27 | 28 | 14 | 3 | 2 | 0 | 0 | 0 |
| PERRY | 42 | 1 | 16 | 16 | 7 | 2 | 0 | 0 | 0 | 0 |
| PIKE | 277 | 8 | 100 | 118 | 22 | 17 | 10 | 2 | 0 | 0 |
| PONTOTOC | 33 | 1 | 13 | 17 | 1 | 1 | 0 | 0 | 0 | 0 |
| PRETISS | 33 | 0 | 7 | 18 | 6 | 1 | 1 | 0 | 0 | 0 |
| QUITMAN | 121 | 3 | 42 | 49 | 19 | 6 | 2 | 0 | 0 | 0 |
| RANKIN | 191 | 4 | 56 | 83 | 30 | 12 | 6 | 0 | 0 | 0 |
| SCOTT | 161 | 2 | 50 | 64 | 32 | 9 | 3 | 1 | 0 | 0 |
| SHARKEY | 93 | 1 | 31 | 36 | 16 | 8 | 1 | 0 | 0 | 0 |
| SIMPSON | 139 | 5 | 50 | 61 | 14 | 6 | 1 | 2 | 0 | 0 |
| SMITH | 62 | 1 | 21 | 20 | 13 | 4 | 2 | 1 | 0 | 0 |
| STONE | 39 | 0 | 11 | 18 | 8 | 2 | 0 | 0 | 0 | 0 |
| SUNFLOWER | 353 | 9 | 134 | 138 | 49 | 12 | 8 | 3 | 0 | 0 |
| TALLAHATCHIE | 121 | 3 | 47 | 49 | 12 | 10 | 0 | 0 | 0 | 0 |
| TATE | 114 | 0 | 41 | 44 | 19 | 6 | 2 | 2 | 0 | 0 |
| TIPPAH | 35 | 0 | 12 | 8 | 11 | 1 | 3 | 0 | 0 | 0 |
| TISHOMINGO | 3 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| TUNICA | 129 | 1 | 47 | 51 | 21 | 8 | 1 | 0 | 0 | 0 |
| UNION | 56 | 0 | 20 | 26 | 6 | 3 | 1 | 0 | 0 | 0 |
| WALTHALL | 93 | 2 | 33 | 44 | 9 | 4 | 1 | 0 | 0 | 0 |
| WARREN | 331 | 3 | 109 | 124 | 57 | 20 | 14 | 4 | 0 | 0 |
| WASHINGTON | 776 | 7 | 279 | 317 | 108 | 49 | 13 | 3 | 0 | 0 |
| WAYNE | 134 | 3 | 40 | 54 | 19 | 13 | 4 | 1 | 0 | 0 |
| WEBSTER | 26 | 1 | 10 | 11 | 3 | 1 | 0 | 0 | 0 | 0 |
| WILKINSON | 83 | 0 | 27 | 38 | 13 | 3 | 2 | 0 | 0 | 0 |
| WINSTON | 113 | 2 | 45 | 43 | 17 | 4 | 2 | 0 | 0 | 0 |
| YALOBUSHA | 67 | 1 | 18 | 29 | 13 | 5 | 1 | 0 | 0 | 0 |
| YAZOO | 250 | 8 | 80 | 92 | 44 | 18 | 4 | 4 | 0 | 0 |

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|---------------|---------------|---------------|--------------|-------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>STATE</u> | <u>4, 346</u> | <u>1, 657</u> | <u>2, 689</u> | <u>10. 1</u> | <u>7. 2</u> | <u>13. 5</u> |
| ADAMS | 74 | 19 | 55 | 13. 8 | 9. 6 | 16. 4 |
| ALCORN | 49 | 35 | 14 | 10. 6 | 9. 0 | 19. 4 |
| AMITE | 26 | 8 | 18 | 15. 8 | 10. 1 | 20. 9 |
| ATTALA | 37 | 17 | 20 | 14. 3 | 11. 8 | 17. 4 |
| BENTON | 16 | 5 | 11 | 14. 8 | 8. 3 | 22. 9 |
| BOLIVAR | 72 | 12 | 60 | 10. 4 | 7. 4 | 11. 4 |
| CALHOUN | 23 | 13 | 10 | 11. 4 | 9. 8 | 14. 5 |
| CARROLL | 4 | 1 | 3 | 3. 7 | 1. 6 | 6. 7 |
| CHICKASAW | 23 | 12 | 11 | 7. 4 | 6. 4 | 8. 9 |
| CHOCTAW | 6 | 3 | 3 | 4. 6 | 3. 6 | 6. 5 |
| CLAIBORNE | 22 | 1 | 21 | 13. 5 | 7. 7 | 14. 0 |
| CLARKE | 23 | 10 | 13 | 10. 3 | 8. 1 | 13. 0 |
| CLAY | 39 | 8 | 31 | 11. 0 | 7. 5 | 12. 4 |
| COAHOMA | 73 | 9 | 64 | 11. 6 | 7. 8 | 12. 4 |
| COPIAH | 46 | 13 | 33 | 10. 6 | 7. 3 | 12. 8 |
| COVINGTON | 33 | 18 | 15 | 10. 3 | 10. 2 | 10. 5 |
| DESOTO | 108 | 80 | 28 | 6. 9 | 5. 9 | 13. 1 |
| FORREST | 102 | 40 | 62 | 9. 5 | 6. 9 | 12. 5 |
| FRANKLIN | 15 | 8 | 7 | 11. 4 | 10. 4 | 12. 7 |
| GEORGE | 29 | 24 | 5 | 7. 9 | 7. 5 | 10. 9 |
| GREENE | 20 | 16 | 4 | 12. 6 | 12. 9 | 11. 4 |
| GRENADA | 38 | 14 | 24 | 11. 1 | 8. 0 | 14. 2 |
| HANCOCK | 35 | 32 | 3 | 7. 6 | 7. 6 | 7. 7 |
| HARRISON | 223 | 122 | 101 | 7. 8 | 6. 1 | 11. 6 |
| HINDS | 529 | 84 | 445 | 13. 1 | 7. 4 | 15. 4 |
| HOLMES | 55 | 5 | 50 | 13. 4 | 10. 2 | 13. 9 |
| HUMPHREYS | 31 | 7 | 24 | 14. 8 | 14. 6 | 14. 8 |
| ISSAQUENA | 1 | 0 | 1 | 4. 2 | - | 5. 0 |
| ITAWAMBA | 20 | 18 | 2 | 8. 3 | 8. 0 | 11. 8 |
| JACKSON | 162 | 91 | 71 | 8. 7 | 7. 0 | 12. 8 |
| JASPER | 35 | 7 | 28 | 11. 3 | 6. 6 | 13. 8 |
| JEFFERSON | 12 | 0 | 12 | 10. 5 | - | 11. 8 |
| JEFF DAVIS | 13 | 2 | 11 | 5. 8 | 2. 9 | 7. 1 |
| JONES | 107 | 44 | 63 | 11. 8 | 8. 2 | 17. 2 |
| KEMPER | 15 | 3 | 12 | 10. 1 | 9. 4 | 10. 2 |
| LAFAYETTE | 38 | 14 | 24 | 9. 1 | 5. 8 | 13. 4 |
| LAMAR | 54 | 42 | 12 | 8. 5 | 7. 8 | 12. 6 |
| LAUDERDALE | 111 | 41 | 70 | 9. 4 | 6. 6 | 12. 3 |
| LAWRENCE | 12 | 7 | 5 | 6. 5 | 6. 1 | 7. 1 |
| LEAKE | 39 | 10 | 29 | 11. 3 | 6. 4 | 15. 5 |
| LEE | 120 | 67 | 53 | 10. 0 | 8. 2 | 13. 8 |
| LEFLORE | 54 | 12 | 42 | 8. 4 | 7. 9 | 8. 5 |

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 1998

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|--------|-------|---------------|---------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 45 | 23 | 22 | 8.8 | 7.4 | 10.9 |
| LOWNDES | 92 | 30 | 62 | 9.4 | 6.0 | 12.8 |
| MADISON | 126 | 43 | 83 | 10.1 | 6.5 | 14.3 |
| MARION | 40 | 19 | 21 | 10.7 | 8.3 | 14.5 |
| MARSHALL | 61 | 19 | 42 | 12.2 | 8.3 | 15.4 |
| MONROE | 57 | 30 | 27 | 10.4 | 8.9 | 13.0 |
| MONTGOMERY | 25 | 9 | 16 | 13.1 | 12.5 | 13.4 |
| NESHOBA | 42 | 20 | 22 | 9.4 | 9.1 | 9.7 |
| NEWTON | 34 | 15 | 19 | 9.8 | 7.9 | 12.2 |
| NOXUBEE | 25 | 1 | 24 | 12.1 | 1.9 | 15.5 |
| OKTIBBEHA | 45 | 13 | 32 | 9.0 | 5.6 | 11.8 |
| PANOLA | 68 | 18 | 50 | 12.3 | 8.2 | 15.0 |
| PEARL RIVER | 45 | 28 | 17 | 7.1 | 5.4 | 14.9 |
| PERRY | 16 | 8 | 8 | 8.1 | 5.6 | 14.5 |
| PIKE | 67 | 15 | 52 | 10.6 | 6.1 | 13.5 |
| PONTOTOC | 29 | 24 | 5 | 7.8 | 7.4 | 10.0 |
| PRENTISS | 25 | 17 | 8 | 7.1 | 5.5 | 18.2 |
| QUITMAN | 26 | 4 | 22 | 14.8 | 13.8 | 15.0 |
| RANKIN | 156 | 101 | 55 | 9.9 | 8.0 | 17.5 |
| SCOTT | 50 | 20 | 30 | 11.4 | 8.5 | 14.8 |
| SHARKEY | 15 | 1 | 14 | 11.9 | 4.2 | 13.7 |
| SIMPSON | 42 | 19 | 23 | 9.9 | 8.4 | 11.7 |
| SMITH | 21 | 12 | 9 | 8.7 | 7.4 | 11.5 |
| STONE | 11 | 4 | 7 | 5.9 | 3.1 | 12.3 |
| SUNFLOWER | 61 | 5 | 56 | 11.6 | 4.4 | 13.5 |
| TALLAHATCHIE | 32 | 3 | 29 | 14.6 | 4.0 | 20.0 |
| TATE | 36 | 17 | 19 | 9.4 | 7.3 | 12.4 |
| TIPPAH | 22 | 18 | 4 | 7.0 | 6.8 | 7.7 |
| TISHOMINGO | 23 | 23 | 0 | 9.4 | 9.6 | - |
| TUNICA | 24 | 3 | 21 | 13.9 | 10.7 | 14.5 |
| UNION | 35 | 22 | 13 | 9.8 | 8.1 | 14.9 |
| WALTHALL | 29 | 8 | 21 | 12.8 | 8.1 | 16.4 |
| WARREN | 80 | 23 | 57 | 10.2 | 6.2 | 13.9 |
| WASHINGTON | 123 | 20 | 103 | 10.1 | 6.2 | 11.4 |
| WAYNE | 32 | 12 | 20 | 8.7 | 6.5 | 10.9 |
| WEBSTER | 9 | 3 | 6 | 6.8 | 3.3 | 14.3 |
| WILKINSON | 17 | 1 | 16 | 11.8 | 2.8 | 14.8 |
| WINSTON | 34 | 7 | 27 | 13.9 | 7.3 | 18.1 |
| YALOBUSHA | 12 | 6 | 6 | 6.2 | 5.9 | 6.6 |
| YAZOO | 70 | 19 | 51 | 14.3 | 10.7 | 16.4 |

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|------------|------------|---------------|------------|------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>STATE</u> | <u>860</u> | <u>276</u> | <u>584</u> | <u>2.0</u> | <u>1.2</u> | <u>2.9</u> |
| ADAMS | 14 | 3 | 11 | 2.6 | 1.5 | 3.3 |
| ALCORN | 9 | 6 | 3 | 2.0 | 1.5 | 4.2 |
| AMITE | 6 | 2 | 4 | 3.6 | 2.5 | 4.6 |
| ATTALA | 8 | 4 | 4 | 3.1 | 2.8 | 3.5 |
| BENTON | 2 | 1 | 1 | 1.8 | 1.7 | 2.1 |
| BOLIVAR | 15 | 2 | 13 | 2.2 | 1.2 | 2.5 |
| CALHOUN | 0 | 0 | 0 | - | - | - |
| CARROLL | 1 | 1 | 0 | 0.9 | 1.6 | - |
| CHICKASAW | 6 | 2 | 4 | 1.9 | 1.1 | 3.2 |
| CHOCTAW | 0 | 0 | 0 | - | - | - |
| CLAIBORNE | 3 | 0 | 3 | 1.8 | - | 2.0 |
| CLARKE | 3 | 1 | 2 | 1.3 | 0.8 | 2.0 |
| CLAY | 8 | 0 | 8 | 2.2 | - | 3.2 |
| COAHOMA | 14 | 1 | 13 | 2.2 | 0.9 | 2.5 |
| COPIAH | 9 | 3 | 6 | 2.1 | 1.7 | 2.3 |
| COVINGTON | 5 | 5 | 0 | 1.6 | 2.8 | - |
| DESOTO | 21 | 17 | 4 | 1.3 | 1.2 | 1.9 |
| FORREST | 20 | 4 | 16 | 1.8 | 0.7 | 3.2 |
| FRANKLIN | 1 | 0 | 1 | 0.8 | - | 1.8 |
| GEORGE | 5 | 3 | 2 | 1.4 | 0.9 | 4.3 |
| GREENE | 6 | 4 | 2 | 3.8 | 3.2 | 5.7 |
| GRENADA | 8 | 7 | 1 | 2.3 | 4.0 | 0.6 |
| HANCOCK | 4 | 4 | 0 | 0.9 | 1.0 | - |
| HARRISON | 42 | 24 | 18 | 1.5 | 1.2 | 2.1 |
| HINDS | 118 | 17 | 101 | 2.9 | 1.5 | 3.5 |
| HOLMES | 15 | 0 | 15 | 3.7 | - | 4.2 |
| HUMPHREYS | 5 | 0 | 5 | 2.4 | - | 3.1 |
| ISSAQUENA | 0 | 0 | 0 | - | - | - |
| ITAWAMBA | 2 | 2 | 0 | 0.8 | 0.9 | - |
| JACKSON | 32 | 16 | 16 | 1.7 | 1.2 | 2.9 |
| JASPER | 10 | 2 | 8 | 3.2 | 1.9 | 3.9 |
| JEFFERSON | 3 | 0 | 3 | 2.6 | - | 2.9 |
| JEFF DAVIS | 1 | 0 | 1 | 0.4 | - | 0.6 |
| JONES | 19 | 5 | 14 | 2.1 | 0.9 | 3.8 |
| KEMPER | 2 | 0 | 2 | 1.3 | - | 1.7 |
| LAFAYETTE | 7 | 4 | 3 | 1.7 | 1.7 | 1.7 |
| LAMAR | 8 | 5 | 3 | 1.3 | 0.9 | 3.2 |
| LAUDERDALE | 25 | 8 | 17 | 2.1 | 1.3 | 3.0 |
| LAWRENCE | 2 | 1 | 1 | 1.1 | 0.9 | 1.4 |
| LEAKE | 7 | 1 | 6 | 2.0 | 0.6 | 3.2 |
| LEE | 30 | 9 | 21 | 2.5 | 1.1 | 5.5 |
| LEFLORE | 10 | 4 | 6 | 1.6 | 2.6 | 1.2 |

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 1998

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|--------|-------|---------------|---------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 8 | 4 | 4 | 1.6 | 1.3 | 2.0 |
| LOWNDES | 20 | 6 | 14 | 2.0 | 1.2 | 2.9 |
| MADISON | 26 | 7 | 19 | 2.1 | 1.0 | 3.3 |
| MARION | 11 | 1 | 10 | 2.9 | 0.4 | 6.9 |
| MARSHALL | 13 | 2 | 11 | 2.6 | 0.9 | 4.0 |
| MONROE | 12 | 6 | 6 | 2.2 | 1.8 | 2.9 |
| MONTGOMERY | 12 | 4 | 8 | 6.3 | 5.6 | 6.7 |
| NESHOBA | 10 | 4 | 6 | 2.2 | 1.8 | 2.6 |
| NEWTON | 9 | 3 | 6 | 2.6 | 1.6 | 3.8 |
| NOXUBEE | 7 | 0 | 7 | 3.4 | - | 4.5 |
| OKTIBBEHA | 8 | 0 | 8 | 1.6 | - | 3.0 |
| PANOLA | 12 | 3 | 9 | 2.2 | 1.4 | 2.7 |
| PEARL RIVER | 8 | 3 | 5 | 1.3 | 0.6 | 4.4 |
| PERRY | 2 | 0 | 2 | 1.0 | - | 3.6 |
| PIKE | 15 | 2 | 13 | 2.4 | 0.8 | 3.4 |
| PONTOTOC | 3 | 2 | 1 | 0.8 | 0.6 | 2.0 |
| PRETISS | 2 | 2 | 0 | 0.6 | 0.6 | - |
| QUITMAN | 9 | 1 | 8 | 5.1 | 3.4 | 5.4 |
| RANKIN | 27 | 16 | 11 | 1.7 | 1.3 | 3.5 |
| SCOTT | 8 | 4 | 4 | 1.8 | 1.7 | 2.0 |
| SHARKEY | 3 | 0 | 3 | 2.4 | - | 2.9 |
| SIMPSON | 8 | 4 | 4 | 1.9 | 1.8 | 2.0 |
| SMITH | 4 | 3 | 1 | 1.7 | 1.8 | 1.3 |
| STONE | 5 | 1 | 4 | 2.7 | 0.8 | 7.0 |
| SUNFLOWER | 11 | 0 | 11 | 2.1 | - | 2.6 |
| TALLAHATCHIE | 8 | 1 | 7 | 3.6 | 1.4 | 4.8 |
| TATE | 9 | 3 | 6 | 2.3 | 1.3 | 3.9 |
| TIPPAH | 3 | 3 | 0 | 0.9 | 1.1 | - |
| TISHOMINGO | 4 | 4 | 0 | 1.6 | 1.7 | - |
| TUNICA | 5 | 0 | 5 | 2.9 | - | 3.4 |
| UNION | 2 | 1 | 1 | 0.6 | 0.4 | 1.1 |
| WALTHALL | 4 | 1 | 3 | 1.8 | 1.0 | 2.3 |
| WARREN | 17 | 5 | 12 | 2.2 | 1.3 | 2.9 |
| WASHINGTON | 24 | 6 | 18 | 2.0 | 1.9 | 2.0 |
| WAYNE | 6 | 1 | 5 | 1.6 | 0.5 | 2.7 |
| WEBSTER | 2 | 0 | 2 | 1.5 | - | 4.8 |
| WILKINSON | 2 | 0 | 2 | 1.4 | - | 1.8 |
| WINSTON | 6 | 1 | 5 | 2.4 | 1.0 | 3.4 |
| YALOBUSHA | 2 | 1 | 1 | 1.0 | 1.0 | 1.1 |
| YAZOO | 7 | 3 | 4 | 1.4 | 1.7 | 1.3 |

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|---------------|---------------|---------------|--------------|--------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| <u>STATE</u> | <u>6, 614</u> | <u>2, 762</u> | <u>3, 852</u> | <u>15. 4</u> | <u>12. 0</u> | <u>19. 3</u> |
| ADAMS | 94 | 24 | 70 | 17. 6 | 12. 1 | 20. 8 |
| ALCORN | 68 | 54 | 14 | 14. 8 | 13. 9 | 19. 4 |
| AMITE | 32 | 12 | 20 | 19. 4 | 15. 2 | 23. 2 |
| ATTALA | 38 | 18 | 20 | 14. 7 | 12. 5 | 17. 4 |
| BENTON | 23 | 12 | 11 | 21. 3 | 20. 0 | 22. 9 |
| BOLIVAR | 116 | 27 | 89 | 16. 8 | 16. 8 | 16. 8 |
| CALHOUN | 28 | 19 | 9 | 13. 9 | 14. 3 | 13. 0 |
| CARROLL | 10 | 5 | 5 | 9. 3 | 8. 1 | 11. 1 |
| CHICKASAW | 42 | 22 | 20 | 13. 5 | 11. 8 | 16. 1 |
| CHOCTAW | 13 | 7 | 6 | 10. 1 | 8. 4 | 13. 0 |
| CLAIBORNE | 28 | 2 | 26 | 17. 2 | 15. 4 | 17. 3 |
| CLARKE | 30 | 13 | 17 | 13. 4 | 10. 6 | 17. 0 |
| CLAY | 60 | 9 | 51 | 16. 9 | 8. 5 | 20. 5 |
| COAHOMA | 115 | 15 | 100 | 18. 3 | 13. 0 | 19. 4 |
| COPIAH | 74 | 18 | 56 | 17. 0 | 10. 2 | 21. 7 |
| COVINGTON | 50 | 30 | 20 | 15. 6 | 16. 9 | 14. 0 |
| DESOTO | 166 | 126 | 40 | 10. 6 | 9. 3 | 18. 7 |
| FORREST | 165 | 60 | 105 | 15. 3 | 10. 4 | 21. 1 |
| FRANKLIN | 18 | 10 | 8 | 13. 6 | 13. 0 | 14. 5 |
| GEORGE | 57 | 47 | 10 | 15. 6 | 14. 7 | 21. 7 |
| GREENE | 32 | 26 | 6 | 20. 1 | 21. 0 | 17. 1 |
| GRENADA | 54 | 24 | 30 | 15. 7 | 13. 8 | 17. 8 |
| HANCOCK | 43 | 39 | 4 | 9. 4 | 9. 3 | 10. 2 |
| HARRISON | 340 | 216 | 124 | 11. 9 | 10. 8 | 14. 2 |
| HINDS | 789 | 139 | 650 | 19. 6 | 12. 3 | 22. 4 |
| HOLMES | 80 | 7 | 73 | 19. 6 | 14. 3 | 20. 3 |
| HUMPHREYS | 39 | 9 | 30 | 18. 6 | 18. 8 | 18. 5 |
| ISSAQUENA | 2 | 0 | 2 | 8. 3 | - | 10. 0 |
| ITAWAMBA | 30 | 28 | 2 | 12. 4 | 12. 4 | 11. 8 |
| JACKSON | 246 | 149 | 97 | 13. 2 | 11. 4 | 17. 5 |
| JASPER | 42 | 19 | 23 | 13. 6 | 17. 9 | 11. 3 |
| JEFFERSON | 25 | 1 | 24 | 21. 9 | 8. 3 | 23. 5 |
| JEFF DAVIS | 34 | 3 | 31 | 15. 2 | 4. 3 | 20. 1 |
| JONES | 131 | 63 | 68 | 14. 5 | 11. 7 | 18. 6 |
| KEMPER | 26 | 2 | 24 | 17. 4 | 6. 2 | 20. 5 |
| LAFAYETTE | 66 | 23 | 43 | 15. 8 | 9. 6 | 24. 0 |
| LAMAR | 92 | 76 | 16 | 14. 5 | 14. 1 | 16. 8 |
| LAUDERDALE | 177 | 70 | 107 | 14. 9 | 11. 3 | 18. 8 |
| LAWRENCE | 25 | 15 | 10 | 13. 5 | 13. 0 | 14. 3 |
| LEAKE | 67 | 24 | 43 | 19. 5 | 15. 3 | 23. 0 |
| LEE | 197 | 111 | 86 | 16. 4 | 13. 6 | 22. 4 |
| LEFLORE | 98 | 21 | 77 | 15. 2 | 13. 9 | 15. 6 |

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1998

| COUNTY | NUMBER | | | PERCENT | | |
|--------------|--------|-------|---------------|---------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 76 | 39 | 37 | 14.9 | 12.6 | 18.4 |
| LOWNDES | 137 | 43 | 94 | 13.9 | 8.6 | 19.3 |
| MADISON | 222 | 90 | 132 | 17.9 | 13.6 | 22.7 |
| MARION | 53 | 27 | 26 | 14.2 | 11.8 | 17.9 |
| MARSHALL | 80 | 25 | 55 | 16.0 | 11.0 | 20.2 |
| MONROE | 83 | 38 | 45 | 15.2 | 11.2 | 21.7 |
| MONTGOMERY | 28 | 8 | 20 | 14.7 | 11.1 | 16.8 |
| NESHOBA | 61 | 21 | 40 | 13.6 | 9.5 | 17.6 |
| NEWTON | 56 | 20 | 36 | 16.2 | 10.5 | 23.1 |
| NOXUBEE | 31 | 3 | 28 | 15.0 | 5.8 | 18.1 |
| OKTIBBEHA | 69 | 28 | 41 | 13.7 | 12.1 | 15.2 |
| PANOLA | 110 | 31 | 79 | 19.9 | 14.2 | 23.6 |
| PEARL RIVER | 82 | 58 | 24 | 12.9 | 11.1 | 21.0 |
| PERRY | 28 | 16 | 12 | 14.2 | 11.3 | 21.8 |
| PIKE | 95 | 28 | 67 | 15.0 | 11.4 | 17.4 |
| PONTOTOC | 53 | 45 | 8 | 14.2 | 14.0 | 16.0 |
| PRENTISS | 44 | 36 | 8 | 12.5 | 11.7 | 18.2 |
| QUITMAN | 30 | 4 | 26 | 17.0 | 13.8 | 17.7 |
| RANKIN | 234 | 166 | 68 | 14.9 | 13.2 | 21.6 |
| SCOTT | 89 | 45 | 44 | 20.3 | 19.1 | 21.7 |
| SHARKEY | 12 | 2 | 10 | 9.5 | 8.3 | 9.8 |
| SIMPSON | 62 | 22 | 40 | 14.6 | 9.7 | 20.3 |
| SMITH | 30 | 21 | 9 | 12.4 | 12.9 | 11.5 |
| STONE | 24 | 10 | 14 | 13.0 | 7.8 | 24.6 |
| SUNFLOWER | 95 | 11 | 84 | 18.0 | 9.7 | 20.2 |
| TALLAHATCHIE | 34 | 1 | 33 | 15.5 | 1.4 | 22.8 |
| TATE | 46 | 21 | 25 | 11.9 | 9.0 | 16.3 |
| TIPPAH | 63 | 50 | 13 | 19.9 | 18.9 | 25.0 |
| TISHOMINGO | 44 | 44 | 0 | 17.9 | 18.3 | - |
| TUNICA | 33 | 4 | 29 | 19.1 | 14.3 | 20.0 |
| UNION | 64 | 39 | 25 | 17.9 | 14.4 | 28.7 |
| WALTHALL | 34 | 12 | 22 | 15.0 | 12.1 | 17.2 |
| WARREN | 104 | 33 | 71 | 13.3 | 8.9 | 17.3 |
| WASHINGTON | 209 | 45 | 164 | 17.1 | 14.0 | 18.2 |
| WAYNE | 57 | 23 | 34 | 15.5 | 12.4 | 18.6 |
| WEBSTER | 12 | 7 | 5 | 9.1 | 7.8 | 11.9 |
| WILKINSON | 19 | 4 | 15 | 13.2 | 11.1 | 13.9 |
| WINSTON | 42 | 7 | 35 | 17.1 | 7.3 | 23.5 |
| YALOBUSHA | 23 | 13 | 10 | 12.0 | 12.9 | 11.0 |
| YAZOO | 84 | 27 | 57 | 17.2 | 15.2 | 18.3 |

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1998

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|------------|---------------|----------------|------------|---------------|------------|------------|---------------|
| | NUMBER | | | NUMBER | | | RATIO** | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| STATE | 446 | 151 | 295 | 427 | 147 | 280 | 9.9 | 6.4 | 14.0 |
| ADAMS | 14 | 2 | 12 | 8 | 1 | 7 | 15.0 | 5.0 | 20.8 |
| ALCORN | 2 | 2 | 0 | 3 | 3 | 0 | 6.5 | 7.7 | - |
| AMITE | 0 | 0 | 0 | 3 | 0 | 3 | 18.2 | - | 34.9 |
| ATTALA | 2 | 1 | 1 | 2 | 1 | 1 | 7.7 | 6.9 | 8.7 |
| BENTON | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| BOLIVAR | 8 | 0 | 8 | 8 | 0 | 8 | 11.6 | - | 15.2 |
| CALHOUN | 0 | 0 | 0 | 4 | 3 | 1 | 19.8 | 22.6 | 14.5 |
| CARROLL | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| CHICKASAW | 0 | 0 | 0 | 4 | 1 | 3 | 12.9 | 5.4 | 24.2 |
| CHOCTAW | 0 | 0 | 0 | 1 | 1 | 0 | 7.8 | 12.0 | - |
| CLAIBORNE | 0 | 0 | 0 | 2 | 0 | 2 | 12.3 | - | 13.3 |
| CLARKE | 0 | 0 | 0 | 2 | 0 | 2 | 9.0 | - | 20.0 |
| CLAY | 6 | 0 | 6 | 6 | 1 | 5 | 16.9 | 9.4 | 20.1 |
| COAHOMA | 9 | 1 | 8 | 6 | 1 | 5 | 9.5 | 8.7 | 9.7 |
| COPIAH | 2 | 0 | 2 | 4 | 0 | 4 | 9.2 | - | 15.5 |
| COVINGTON | 3 | 0 | 3 | 2 | 0 | 2 | 6.2 | - | 14.0 |
| DESOTO | 6 | 4 | 2 | 6 | 5 | 1 | 3.8 | 3.7 | 4.7 |
| FORREST | 28 | 12 | 16 | 13 | 1 | 12 | 12.1 | 1.7 | 24.1 |
| FRANKLIN | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| GEORGE | 2 | 2 | 0 | 5 | 5 | 0 | 13.7 | 15.7 | - |
| GREENE | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| GRENADA | 9 | 1 | 8 | 7 | 1 | 6 | 20.4 | 5.7 | 35.5 |
| HANCOCK | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - |
| HARRISON | 27 | 16 | 11 | 21 | 10 | 11 | 7.3 | 5.0 | 12.6 |
| HINDS | 96 | 23 | 73 | 42 | 10 | 32 | 10.4 | 8.8 | 11.0 |
| HOLMES | 1 | 0 | 1 | 6 | 1 | 5 | 14.7 | 20.4 | 13.9 |
| HUMPHREYS | 0 | 0 | 0 | 2 | 0 | 2 | 9.5 | - | 12.3 |
| ISSAQUENA | 0 | 0 | 0 | 1 | 0 | 1 | 41.7 | - | 50.0 |
| ITAWAMBA | 0 | 0 | 0 | 1 | 1 | 0 | 4.1 | 4.4 | - |
| JACKSON | 14 | 10 | 4 | 17 | 12 | 5 | 9.1 | 9.2 | 9.0 |
| JASPER | 0 | 0 | 0 | 5 | 1 | 4 | 16.2 | 9.4 | 19.7 |
| JEFFERSON | 0 | 0 | 0 | 3 | 0 | 3 | 26.3 | - | 29.4 |
| JEFF DAVIS | 0 | 0 | 0 | 2 | 1 | 1 | 9.0 | 14.5 | 6.5 |
| JONES | 11 | 2 | 9 | 9 | 4 | 5 | 10.0 | 7.4 | 13.7 |
| KEMPER | 0 | 0 | 0 | 3 | 0 | 3 | 20.1 | - | 25.6 |
| LAFAYETTE | 12 | 3 | 9 | 6 | 1 | 5 | 14.3 | 4.2 | 27.9 |
| LAMAR | 3 | 0 | 3 | 4 | 4 | 0 | 6.3 | 7.4 | - |
| LAUDERDALE | 35 | 11 | 24 | 19 | 4 | 15 | 16.0 | 6.5 | 26.3 |
| LAWRENCE | 0 | 0 | 0 | 4 | 1 | 3 | 21.6 | 8.7 | 42.8 |
| LEAKE | 0 | 0 | 0 | 1 | 1 | 0 | 2.9 | 6.4 | - |
| LEE | 21 | 12 | 9 | 10 | 4 | 6 | 8.3 | 4.9 | 15.6 |
| LEFLORE | 7 | 1 | 6 | 5 | 0 | 5 | 7.8 | - | 10.1 |

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 1998

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|-------|---------------|----------------|-------|---------------|---------|-------|---------------|
| | NUMBER | | | NUMBER | | | RATIO** | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 4 | 1 | 3 | 2 | 1 | 1 | 3.9 | 3.2 | 5.0 |
| LOWNDES | 7 | 0 | 7 | 9 | 0 | 9 | 9.2 | - | 18.5 |
| MADISON | 5 | 0 | 5 | 12 | 4 | 8 | 9.6 | 6.0 | 13.7 |
| MARION | 0 | 0 | 0 | 5 | 1 | 4 | 13.4 | 4.4 | 27.6 |
| MARSHALL | 0 | 0 | 0 | 5 | 3 | 2 | 10.0 | 13.2 | 7.4 |
| MONROE | 10 | 6 | 4 | 3 | 2 | 1 | 5.5 | 5.9 | 4.8 |
| MONTGOMERY | 1 | 1 | 0 | 2 | 2 | 0 | 10.5 | 27.8 | - |
| NESHOBA | 1 | 0 | 1 | 11 | 7 | 4 | 24.6 | 31.8 | 17.6 |
| NEWTON | 0 | 0 | 0 | 4 | 0 | 4 | 11.6 | - | 25.6 |
| NOXUBEE | 0 | 0 | 0 | 1 | 0 | 1 | 4.8 | - | 6.4 |
| OKTIBBEHA | 11 | 5 | 6 | 7 | 2 | 5 | 13.9 | 8.6 | 18.5 |
| PANOLA | 2 | 0 | 2 | 7 | 1 | 6 | 12.6 | 4.6 | 18.0 |
| PEARL RIVER | 2 | 1 | 1 | 1 | 1 | 0 | 1.6 | 1.9 | - |
| PERRY | 0 | 0 | 0 | 2 | 2 | 0 | 10.2 | 14.1 | - |
| PIKE | 8 | 1 | 7 | 6 | 1 | 5 | 9.5 | 4.1 | 13.0 |
| PONTOTOC | 0 | 0 | 0 | 2 | 1 | 1 | 5.4 | 3.1 | 20.0 |
| PRENTISS | 0 | 0 | 0 | 2 | 2 | 0 | 5.7 | 6.5 | - |
| QUITMAN | 0 | 0 | 0 | 1 | 0 | 1 | 5.7 | - | 6.8 |
| RANKIN | 24 | 17 | 7 | 17 | 15 | 2 | 10.8 | 12.0 | 6.4 |
| SCOTT | 0 | 0 | 0 | 3 | 1 | 2 | 6.8 | 4.2 | 9.8 |
| SHARKEY | 0 | 0 | 0 | 1 | 0 | 1 | 7.9 | - | 9.8 |
| SIMPSON | 0 | 0 | 0 | 4 | 1 | 3 | 9.4 | 4.4 | 15.2 |
| SMITH | 0 | 0 | 0 | 1 | 0 | 1 | 4.1 | - | 12.8 |
| STONE | 0 | 0 | 0 | 1 | 0 | 1 | 5.4 | - | 17.5 |
| SUNFLOWER | 5 | 1 | 4 | 11 | 0 | 11 | 20.8 | - | 26.5 |
| TALLAHATCHIE | 0 | 0 | 0 | 1 | 0 | 1 | 4.6 | - | 6.9 |
| TATE | 1 | 1 | 0 | 0 | 0 | 0 | - | - | - |
| TIPPAAH | 0 | 0 | 0 | 3 | 3 | 0 | 9.5 | 11.4 | - |
| TISHOMINGO | 0 | 0 | 0 | 2 | 2 | 0 | 8.1 | 8.3 | - |
| TUNICA | 0 | 0 | 0 | 3 | 0 | 3 | 17.3 | - | 20.7 |
| UNION | 7 | 5 | 2 | 3 | 0 | 3 | 8.4 | - | 34.5 |
| WALTHALL | 0 | 0 | 0 | 1 | 0 | 1 | 4.4 | - | 7.8 |
| WARREN | 20 | 2 | 18 | 12 | 3 | 9 | 15.4 | 8.1 | 22.0 |
| WASHINGTON | 12 | 3 | 9 | 10 | 4 | 6 | 8.2 | 12.5 | 6.6 |
| WAYNE | 7 | 4 | 3 | 9 | 6 | 3 | 24.4 | 32.4 | 16.4 |
| WEBSTER | 0 | 0 | 0 | 1 | 1 | 0 | 7.6 | 11.1 | - |
| WILKINSON | 0 | 0 | 0 | 1 | 0 | 1 | 6.9 | - | 9.2 |
| WINSTON | 0 | 0 | 0 | 1 | 0 | 1 | 4.1 | - | 6.7 |
| YALOBUSHA | 0 | 0 | 0 | 5 | 2 | 3 | 26.0 | 19.8 | 33.0 |
| YAZOO | 1 | 0 | 1 | 8 | 0 | 8 | 16.4 | - | 25.7 |
| OUT OF STATE | 11 | 7 | 4 | 30 | 11 | 19 | | | |

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1998

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|----------------|---------------|----------------|----------------|---------------|--------------|--------------|---------------|
| | NUMBER | | | NUMBER | | | RATE* | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| STATE | 27, 082 | 17, 847 | 9, 235 | 27, 737 | 18, 343 | 9, 394 | 10. 1 | 10. 7 | 9. 1 |
| ADAMS | 542 | 253 | 289 | 446 | 214 | 232 | 13. 0 | 12. 8 | 13. 2 |
| ALCORN | 366 | 324 | 42 | 385 | 335 | 50 | 11. 8 | 11. 7 | 12. 2 |
| AMITE | 44 | 25 | 19 | 123 | 63 | 60 | 8. 9 | 8. 8 | 9. 2 |
| ATTALA | 252 | 182 | 70 | 306 | 210 | 96 | 16. 6 | 19. 7 | 12. 4 |
| BENTON | 46 | 34 | 12 | 118 | 94 | 24 | 14. 5 | 19. 7 | 7. 1 |
| BOLIVAR | 359 | 126 | 233 | 411 | 146 | 265 | 10. 2 | 10. 4 | 10. 1 |
| CALHOUN | 116 | 91 | 25 | 186 | 154 | 32 | 12. 5 | 14. 6 | 7. 5 |
| CARROLL | 40 | 22 | 18 | 102 | 58 | 44 | 10. 2 | 10. 0 | 10. 4 |
| CHICKASAW | 120 | 89 | 31 | 182 | 122 | 60 | 10. 1 | 11. 5 | 8. 1 |
| CHOCTAW | 50 | 31 | 19 | 85 | 52 | 33 | 9. 0 | 8. 2 | 10. 9 |
| CLAIBORNE | 67 | 16 | 51 | 109 | 27 | 82 | 9. 3 | 13. 6 | 8. 5 |
| CLARKE | 119 | 65 | 54 | 161 | 88 | 73 | 8. 8 | 7. 6 | 10. 9 |
| CLAY | 188 | 108 | 80 | 242 | 128 | 114 | 11. 2 | 13. 4 | 9. 4 |
| COAHOMA | 351 | 122 | 229 | 355 | 129 | 226 | 11. 4 | 12. 5 | 10. 9 |
| COPIAH | 187 | 100 | 87 | 287 | 155 | 132 | 9. 9 | 11. 3 | 8. 6 |
| COVINGTON | 168 | 122 | 46 | 230 | 160 | 70 | 12. 9 | 14. 4 | 10. 5 |
| DESOTO | 531 | 432 | 99 | 674 | 577 | 97 | 7. 0 | 7. 0 | 6. 8 |
| FORREST | 1, 036 | 730 | 306 | 707 | 516 | 191 | 9. 5 | 10. 5 | 7. 5 |
| FRANKLIN | 90 | 64 | 26 | 126 | 86 | 40 | 15. 1 | 16. 9 | 12. 4 |
| GEORGE | 126 | 114 | 12 | 171 | 159 | 12 | 8. 7 | 9. 1 | 5. 7 |
| GREENE | 41 | 33 | 8 | 89 | 66 | 23 | 7. 6 | 7. 4 | 7. 9 |
| GRENADA | 256 | 154 | 102 | 278 | 175 | 103 | 12. 4 | 14. 0 | 10. 4 |
| HANCOCK | 303 | 276 | 27 | 409 | 386 | 23 | 10. 1 | 10. 7 | 5. 3 |
| HARRISON | 1, 969 | 1, 607 | 362 | 1, 753 | 1, 420 | 333 | 9. 8 | 10. 6 | 7. 5 |
| HINDS | 4, 135 | 2, 211 | 1, 924 | 2, 467 | 1, 210 | 1, 257 | 10. 0 | 10. 6 | 9. 4 |
| HOLMES | 185 | 59 | 126 | 272 | 84 | 188 | 12. 6 | 17. 1 | 11. 3 |
| HUMPHREYS | 55 | 21 | 34 | 103 | 38 | 65 | 9. 1 | 11. 1 | 8. 2 |
| ISSAQUENA | 10 | 5 | 5 | 11 | 6 | 5 | 6. 8 | 9. 0 | 5. 2 |
| ITAWAMBA | 128 | 117 | 11 | 264 | 252 | 12 | 12. 5 | 13. 0 | 7. 2 |
| JACKSON | 1, 029 | 848 | 181 | 1, 112 | 916 | 196 | 8. 5 | 9. 2 | 6. 3 |
| JASPER | 86 | 66 | 20 | 193 | 122 | 71 | 10. 9 | 14. 8 | 7. 6 |
| JEFFERSON | 56 | 6 | 50 | 100 | 19 | 81 | 11. 9 | 17. 2 | 11. 1 |
| JEFF DAVIS | 101 | 56 | 45 | 142 | 73 | 69 | 10. 2 | 12. 3 | 8. 7 |
| JONES | 579 | 424 | 155 | 625 | 476 | 149 | 9. 8 | 10. 3 | 8. 6 |
| KEMPER | 42 | 24 | 18 | 101 | 54 | 47 | 9. 6 | 12. 6 | 7. 4 |
| LAFAYETTE | 569 | 437 | 132 | 319 | 252 | 67 | 9. 2 | 10. 4 | 6. 4 |
| LAMAR | 336 | 280 | 56 | 274 | 239 | 35 | 7. 4 | 7. 5 | 6. 9 |
| LAUDERDALE | 1, 307 | 856 | 451 | 890 | 594 | 296 | 11. 7 | 12. 5 | 10. 3 |
| LAWRENCE | 89 | 61 | 28 | 151 | 100 | 51 | 11. 6 | 11. 9 | 11. 0 |
| LEAKE | 197 | 133 | 64 | 252 | 167 | 85 | 13. 0 | 14. 9 | 10. 4 |
| LEE | 1, 379 | 1, 095 | 284 | 671 | 541 | 130 | 9. 0 | 9. 5 | 7. 4 |
| LEFLORE | 465 | 187 | 278 | 385 | 162 | 223 | 10. 4 | 12. 0 | 9. 5 |

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1998

| COUNTY | OCCURRENCE DATA | | | RESIDENCE DATA | | | | | |
|--------------|-----------------|-------|---------------|----------------|-------|---------------|-------|-------|---------------|
| | NUMBER | | | NUMBER | | | RATE* | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 352 | 249 | 103 | 401 | 281 | 120 | 12.6 | 13.1 | 11.6 |
| LOWNDES | 539 | 327 | 212 | 526 | 321 | 205 | 8.6 | 8.8 | 8.3 |
| MADISON | 272 | 144 | 128 | 518 | 292 | 226 | 7.1 | 7.6 | 6.6 |
| MARION | 245 | 176 | 69 | 316 | 232 | 84 | 12.0 | 13.1 | 9.7 |
| MARSHALL | 187 | 96 | 91 | 305 | 164 | 141 | 9.4 | 10.8 | 8.2 |
| MONROE | 293 | 224 | 69 | 404 | 297 | 107 | 10.6 | 11.5 | 8.6 |
| MONTGOMERY | 126 | 85 | 41 | 155 | 101 | 54 | 12.5 | 15.1 | 9.4 |
| NESHOBA | 197 | 145 | 52 | 331 | 241 | 90 | 12.0 | 13.2 | 9.6 |
| NEWTON | 198 | 136 | 62 | 243 | 164 | 79 | 11.3 | 11.7 | 10.5 |
| NOXUBEE | 79 | 21 | 58 | 121 | 31 | 90 | 9.8 | 8.4 | 10.4 |
| OKTIBBEHA | 261 | 148 | 113 | 283 | 162 | 121 | 7.2 | 6.9 | 7.6 |
| PANOLA | 250 | 152 | 98 | 382 | 230 | 152 | 11.4 | 14.0 | 8.9 |
| PEARL RIVER | 354 | 303 | 51 | 461 | 393 | 68 | 9.8 | 10.0 | 8.9 |
| PERRY | 49 | 38 | 11 | 89 | 60 | 29 | 7.5 | 6.8 | 9.7 |
| PIKE | 437 | 270 | 167 | 436 | 256 | 180 | 11.5 | 13.0 | 9.8 |
| PONTOTOC | 159 | 142 | 17 | 244 | 220 | 24 | 9.6 | 10.4 | 5.7 |
| PRENTISS | 147 | 141 | 6 | 202 | 191 | 11 | 8.3 | 9.1 | 3.4 |
| QUITMAN | 94 | 43 | 51 | 132 | 62 | 70 | 13.3 | 16.3 | 11.5 |
| RANKIN | 610 | 488 | 122 | 756 | 618 | 138 | 6.9 | 7.0 | 6.5 |
| SCOTT | 218 | 147 | 71 | 321 | 214 | 107 | 12.8 | 14.4 | 10.6 |
| SHARKEY | 50 | 17 | 33 | 82 | 23 | 59 | 12.3 | 11.1 | 12.9 |
| SIMPSON | 261 | 180 | 81 | 318 | 219 | 99 | 12.6 | 13.2 | 11.2 |
| SMITH | 74 | 58 | 16 | 163 | 127 | 36 | 10.6 | 10.9 | 9.8 |
| STONE | 114 | 94 | 20 | 131 | 103 | 28 | 10.0 | 10.3 | 8.8 |
| SUNFLOWER | 258 | 103 | 155 | 341 | 139 | 202 | 9.9 | 12.3 | 8.7 |
| TALLAHATCHIE | 91 | 56 | 35 | 152 | 78 | 74 | 10.2 | 13.4 | 8.1 |
| TATE | 135 | 82 | 53 | 216 | 140 | 76 | 9.0 | 9.3 | 8.6 |
| TIPPAAH | 192 | 170 | 22 | 256 | 228 | 28 | 12.2 | 13.2 | 7.3 |
| TISHOMINGO | 192 | 187 | 5 | 281 | 274 | 7 | 15.1 | 15.4 | 8.7 |
| TUNICA | 50 | 34 | 16 | 90 | 39 | 51 | 11.2 | 21.0 | 8.2 |
| UNION | 221 | 192 | 29 | 263 | 227 | 36 | 11.0 | 11.4 | 9.3 |
| WALTHALL | 106 | 74 | 32 | 171 | 110 | 61 | 11.9 | 13.9 | 9.5 |
| WARREN | 557 | 292 | 265 | 513 | 287 | 226 | 10.4 | 10.0 | 10.9 |
| WASHINGTON | 727 | 286 | 441 | 696 | 280 | 416 | 10.7 | 10.9 | 10.5 |
| WAYNE | 201 | 124 | 77 | 212 | 135 | 77 | 10.4 | 10.8 | 9.8 |
| WEBSTER | 112 | 98 | 14 | 133 | 117 | 16 | 12.6 | 14.5 | 6.4 |
| WILKINSON | 103 | 50 | 53 | 121 | 47 | 74 | 13.2 | 16.7 | 11.6 |
| WINSTON | 153 | 100 | 53 | 218 | 142 | 76 | 11.2 | 13.2 | 8.8 |
| YALOBUSHA | 84 | 62 | 22 | 184 | 131 | 53 | 14.9 | 17.7 | 10.7 |
| YAZOO | 219 | 107 | 112 | 303 | 142 | 161 | 11.9 | 12.4 | 11.4 |
| OUT OF STATE | 1,597 | 1,173 | 424 | 942 | 677 | 265 | | | |

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1998

| TOWN** | NUMBER | | |
|---------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE |
| BILOXI | 460 | 376 | 84 |
| BRANDON | 174 | 165 | 9 |
| BROOKHAVEN | 228 | 144 | 84 |
| CANTON | 153 | 45 | 108 |
| CLARKSDALE | 266 | 108 | 158 |
| CLEVELAND | 160 | 69 | 91 |
| CLINTON | 162 | 125 | 37 |
| COLUMBUS | 318 | 184 | 134 |
| CORINTH | 192 | 155 | 37 |
| GAUTIER | 87 | 78 | 9 |
| GREENVILLE | 500 | 196 | 304 |
| GREENWOOD | 231 | 98 | 133 |
| GRENADA | 208 | 127 | 81 |
| GULFPORT | 707 | 515 | 192 |
| HATTIESBURG | 491 | 321 | 170 |
| INDIANOLA | 111 | 44 | 67 |
| JACKSON | 2,040 | 972 | 1,068 |
| LAUREL | 257 | 152 | 105 |
| LONG BEACH | 141 | 137 | 4 |
| MCCOMB | 210 | 129 | 81 |
| MERIDIAN | 594 | 356 | 238 |
| MOSS POINT | 193 | 84 | 109 |
| NATCHEZ | 312 | 147 | 165 |
| OCEAN SPRINGS | 202 | 189 | 13 |
| PASCAGOULA | 278 | 225 | 53 |
| PEARL | 145 | 125 | 20 |
| PICAYUNE | 141 | 92 | 49 |
| RIDGELAND | 91 | 75 | 16 |
| SOUTHAVEN | 222 | 209 | 13 |
| STARKVILLE | 140 | 75 | 65 |
| TUPELO | 339 | 270 | 69 |
| VICKSBURG | 398 | 195 | 203 |
| YAZOO CITY | 182 | 74 | 108 |

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|---|---------------|---------------|---------------|
| <u>001-999</u> | <u>ALL CAUSES</u> | <u>27,737</u> | <u>18,343</u> | <u>9,394</u> |
| <u>001-139</u> | <u>INFECTIOUS AND PARASITIC DISEASES</u> | <u>602</u> | <u>291</u> | <u>311</u> |
| <u>001-009</u> | <u>Intestinal infectious diseases</u> | <u>11</u> | <u>6</u> | <u>5</u> |
| 005 | Other food poisoning (bacterial) | 1 | 1 | 0 |
| <u>008, 009</u> | <u>Other and ill-defined intestinal infections</u> | <u>10</u> | <u>5</u> | <u>5</u> |
| 008 | Intestinal infections due to other organisms | 4 | 3 | 1 |
| 009 | Ill-defined intestinal infections | 6 | 2 | 4 |
| <u>010-018</u> | <u>Tuberculosis</u> | <u>15</u> | <u>6</u> | <u>9</u> |
| <u>010-012</u> | <u>Respiratory</u> | <u>11</u> | <u>5</u> | <u>6</u> |
| 011 | Pulmonary | 11 | 5 | 6 |
| <u>013-018</u> | <u>Other forms</u> | <u>4</u> | <u>1</u> | <u>3</u> |
| 015 | Bones and joints | 1 | 0 | 1 |
| 017 | Other organs | 3 | 1 | 2 |
| <u>020-027</u> | <u>Zoonotic bacterial diseases</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>030-041</u> | <u>Other bacterial diseases</u> | <u>339</u> | <u>193</u> | <u>146</u> |
| 031 | Other diseases due to mycobacteria | 2 | 1 | 1 |
| 035 | Erysipelas | 1 | 1 | 0 |
| 036 | Meningococcal infection | 2 | 0 | 2 |
| 038 | Septicemia | 331 | 189 | 142 |
| 041 | Bacterial infection of unspecified site | 3 | 2 | 1 |
| <u>042-044</u> | <u>Human immunodeficiency virus infection</u> | <u>139</u> | <u>28</u> | <u>111</u> |
| 042 | With specified conditions | 127 | 25 | 102 |
| 043 | Causing other specified conditions | 2 | 1 | 1 |
| 044 | Other human immunodeficiency virus infections | 10 | 2 | 8 |
| <u>045-049</u> | <u>Poliomyelitis and other non-arthropod-borne diseases of central nervous system</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>050-057</u> | <u>Viral diseases accompanied by exanthem</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| 052 | Chickenpox | 2 | 1 | 1 |
| 053 | Herpes zoster | 1 | 0 | 1 |
| 054 | Herpes simplex | 2 | 1 | 1 |
| <u>060-066</u> | <u>Arthropod-borne viral diseases</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>070-079</u> | <u>Other diseases due to viruses and Chlamydiae</u> | <u>48</u> | <u>34</u> | <u>14</u> |
| 070 | Viral hepatitis | 43 | 34 | 9 |
| 078 | Other diseases due to viruses and Chlamydiae | 2 | 0 | 2 |
| 079 | Viral infection in conditions classified elsewhere and of unspecified site | 3 | 0 | 3 |
| <u>080-088</u> | <u>Rickettsioses and other arthropod-borne diseases</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>090-099</u> | <u>Syphilis and other venereal diseases</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| <u>090-097</u> | <u>Syphilis and its sequelae</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| 094 | Neurosyphilis | 1 | 0 | 1 |
| <u>100-104</u> | <u>Other spirochetal diseases</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>110-118</u> | <u>Mycoses</u> | <u>22</u> | <u>11</u> | <u>11</u> |
| 112 | Candidiasis | 7 | 2 | 5 |
| 115 | Histoplasmosis | 1 | 0 | 1 |
| 116 | Blastomycotic infection | 2 | 1 | 1 |
| 117 | Other mycoses | 12 | 8 | 4 |
| <u>120-129</u> | <u>Helminthiasis</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>130-139</u> | <u>Other infectious and parasitic diseases</u> | <u>22</u> | <u>11</u> | <u>11</u> |
| 135 | Sarcoidosis | 10 | 2 | 8 |
| 136 | Other and unspecified infectious and parasitic diseases | 9 | 6 | 3 |
| 138 | Late effects of acute poliomyelitis | 2 | 2 | 0 |

Table 10 - Page 2
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|--|--------------|--------------|---------------|
| 139 | Late effects of other infectious and parasitic diseases | 1 | 1 | 0 |
| <u>140-239</u> | <u>NEOPLASMS</u> | <u>6,003</u> | <u>4,056</u> | <u>1,947</u> |
| <u>140-208</u> | <u>Malignant neoplasms</u> | <u>5,944</u> | <u>4,017</u> | <u>1,927</u> |
| <u>140-149</u> | <u>Lip, oral cavity, and pharynx</u> | <u>96</u> | <u>65</u> | <u>31</u> |
| 140 | Lip | 1 | 1 | 0 |
| 141 | Tongue | 13 | 11 | 2 |
| 142 | Major salivary glands | 9 | 7 | 2 |
| 143 | Gum | 1 | 0 | 1 |
| 144 | Floor of mouth | 2 | 0 | 2 |
| 145 | Other and unspecified parts of mouth | 18 | 14 | 4 |
| 146 | Oropharynx | 8 | 4 | 4 |
| 147 | Nasopharynx | 3 | 2 | 1 |
| 148 | Hypopharynx | 2 | 0 | 2 |
| 149 | Other and ill-defined sites | 39 | 26 | 13 |
| <u>150-159</u> | <u>Digestive organs and peritoneum</u> | <u>1,262</u> | <u>780</u> | <u>482</u> |
| 150 | Esophagus | 103 | 61 | 42 |
| 151 | Stomach | 118 | 55 | 63 |
| 152 | Small intestine, including duodenum | 15 | 9 | 6 |
| 153 | Colon | 478 | 304 | 174 |
| 154 | Rectum, rectosigmoid junction, and anus | 61 | 45 | 16 |
| 155 | Liver and intrahepatic bile ducts | 157 | 94 | 63 |
| 156 | Gallbladder and extrahepatic bile ducts | 18 | 12 | 6 |
| 157 | Pancreas | 296 | 190 | 106 |
| 158 | Retroperitoneum and peritoneum | 5 | 5 | 0 |
| 159 | Other and ill-defined sites | 11 | 5 | 6 |
| <u>160-165</u> | <u>Respiratory and intrathoracic organs</u> | <u>1,954</u> | <u>1,420</u> | <u>534</u> |
| 160 | Nasal cavities, middle ear, and accessory sinuses | 8 | 6 | 2 |
| 161 | Larynx | 45 | 28 | 17 |
| 162 | Trachea, bronchus, and lung | 1,887 | 1,377 | 510 |
| 163 | Pleura | 4 | 3 | 1 |
| 164 | Thymus, heart, and mediastinum | 9 | 6 | 3 |
| 165 | Other and ill-defined sites within the respiratory system and intrathoracic organs | 1 | 0 | 1 |
| <u>170-175</u> | <u>Bone, connective tissue, skin, and breast</u> | <u>560</u> | <u>378</u> | <u>182</u> |
| 170 | Bone and articular cartilage | 35 | 24 | 11 |
| 171 | Connective and other soft tissue | 39 | 27 | 12 |
| 172 | Melanoma of skin | 63 | 58 | 5 |
| 173 | Skin, other | 26 | 24 | 2 |
| 174 | Female breast | 396 | 244 | 152 |
| 175 | Male breast | 1 | 1 | 0 |
| <u>179-189</u> | <u>Genitourinary organs</u> | <u>894</u> | <u>517</u> | <u>377</u> |
| <u>(179-187)</u> | <u>(Genital organs)</u> | <u>686</u> | <u>362</u> | <u>324</u> |
| 179 | Uterus, part unspecified | 33 | 16 | 17 |
| 180 | Cervix uteri | 55 | 30 | 25 |
| 181 | Placenta | 1 | 1 | 0 |
| 182 | Body of uterus | 27 | 14 | 13 |
| 183 | Ovary and other uterine adnexa | 134 | 94 | 40 |
| 184 | Other and unspecified female genital organs | 10 | 5 | 5 |
| 185 | Prostate | 421 | 198 | 223 |

Table 10 - Page 3
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|---|------------|------------|---------------|
| 186 | Testis | 2 | 2 | 0 |
| 187 | Penis and other male genital organs | 3 | 2 | 1 |
| <u>(188, 189)</u> | <u>(Urinary organs)</u> | <u>208</u> | <u>155</u> | <u>53</u> |
| 188 | Bladder | 100 | 76 | 24 |
| 189 | Kidney and other and unspecified urinary organs | 108 | 79 | 29 |
| <u>190- 199</u> | <u>Other and unspecified sites</u> | <u>595</u> | <u>423</u> | <u>172</u> |
| 190 | Eye | 3 | 3 | 0 |
| 191 | Brain | 139 | 112 | 27 |
| 193 | Thyroid gland | 14 | 9 | 5 |
| 194 | Other endocrine glands and related structures | 3 | 2 | 1 |
| 195 | Other and ill-defined sites | 41 | 29 | 12 |
| 199 | Site unspecified | 395 | 268 | 127 |
| <u>200-208</u> | <u>Lymphatic and hematopoietic tissue</u> | <u>583</u> | <u>434</u> | <u>149</u> |
| 200 | Lymphosarcoma and reticulosarcoma | 7 | 7 | 0 |
| 201 | Hodgkin's disease | 15 | 13 | 2 |
| 202 | Other lymphoid and histiocytic tissue | 212 | 171 | 41 |
| 203 | Multiple myeloma and immunoproliferative neoplasms | 127 | 74 | 53 |
| <u>(204- 208)</u> | <u>(Leukemia)</u> | <u>222</u> | <u>169</u> | <u>53</u> |
| 204 | Lymphatic | 58 | 44 | 14 |
| 205 | Myeloid | 84 | 60 | 24 |
| 206 | Monocytic | 2 | 1 | 1 |
| 208 | Unspecified cell type | 78 | 64 | 14 |
| <u>210- 229</u> | <u>Benign neoplasms</u> | <u>14</u> | <u>9</u> | <u>5</u> |
| 211 | Benign neoplasm of other parts of digestive system | 3 | 2 | 1 |
| 215 | Other benign neoplasm of connective and other soft tissue | 2 | 2 | 0 |
| 225 | Benign neoplasm of brain and other parts of nervous system | 7 | 4 | 3 |
| 227 | Benign neoplasm of other endocrine glands and related structures | 2 | 1 | 1 |
| <u>230- 234</u> | <u>Carcinoma in situ</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>235- 239</u> | <u>Neoplasms of uncertain behavior and unspecified nature</u> | <u>45</u> | <u>30</u> | <u>15</u> |
| <u>235- 238</u> | <u>Uncertain behavior</u> | <u>13</u> | <u>10</u> | <u>3</u> |
| 235 | Digestive and respiratory systems | 2 | 2 | 0 |
| 237 | Endocrine glands and nervous system | 2 | 1 | 1 |
| 238 | Other and unspecified sites and tissues | 9 | 7 | 2 |
| 239 | Unspecified nature | 32 | 20 | 12 |
| <u>240- 279</u> | <u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u> | <u>881</u> | <u>484</u> | <u>397</u> |
| <u>240- 246</u> | <u>Diseases of thyroid gland</u> | <u>15</u> | <u>9</u> | <u>6</u> |
| 240 | Simple and unspecified goiter | 1 | 0 | 1 |
| 242 | Thyrotoxicosis with or without goiter | 5 | 3 | 2 |
| 244 | Acquired hypothyroidism | 7 | 4 | 3 |
| 246 | Other disorders of thyroid | 2 | 2 | 0 |
| <u>250- 259</u> | <u>Diseases of other endocrine glands</u> | <u>638</u> | <u>338</u> | <u>300</u> |
| 250 | Diabetes mellitus | 628 | 333 | 295 |
| 251 | Other disorders of pancreatic internal secretion | 7 | 3 | 4 |
| 252 | Disorders of parathyroid gland | 1 | 0 | 1 |

Table 10 - Page 4
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|---|------------|------------|---------------|
| 255 | Disorders of adrenal glands | 1 | 1 | 0 |
| 257 | Testicular dysfunction | 1 | 1 | 0 |
| <u>260-269</u> | <u>Nutritional deficiencies</u> | <u>53</u> | <u>33</u> | <u>20</u> |
| 260 | Kwashiorkor | 1 | 0 | 1 |
| 261 | Nutritional marasmus | 5 | 3 | 2 |
| 263 | Other and unspecified protein-calorie malnutrition | 46 | 29 | 17 |
| 269 | Other nutritional deficiencies | 1 | 1 | 0 |
| <u>270-279</u> | <u>Other metabolic disorders and immunity disorders</u> | <u>175</u> | <u>104</u> | <u>71</u> |
| 270 | Disorders of amino-acid transport and metabolism | 1 | 0 | 1 |
| 272 | Disorders of lipid metabolism | 6 | 6 | 0 |
| 273 | Disorders of plasma protein metabolism | 4 | 2 | 2 |
| 274 | Gout | 2 | 0 | 2 |
| 275 | Disorders of mineral metabolism | 4 | 3 | 1 |
| 276 | Disorders of fluid, electrolyte, and acid-base balance | 107 | 59 | 48 |
| 277 | Other and unspecified disorders of metabolism | 26 | 21 | 5 |
| 278 | Obesity and other hyperalimentation | 20 | 10 | 10 |
| 279 | Disorders involving the immune mechanism | 5 | 3 | 2 |
| <u>280-289</u> | <u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u> | <u>112</u> | <u>68</u> | <u>44</u> |
| <u>280-285</u> | <u>Anemias</u> | <u>55</u> | <u>24</u> | <u>31</u> |
| 280 | Iron deficiency | 2 | 2 | 0 |
| 281 | Other deficiency anemias | 2 | 1 | 1 |
| 282 | Hereditary hemolytic | 15 | 0 | 15 |
| 284 | Aplastic | 10 | 8 | 2 |
| 285 | Other and unspecified | 26 | 13 | 13 |
| 286 | Coagulation defects | 17 | 10 | 7 |
| 287 | Purpura and other hemorrhagic conditions | 7 | 5 | 2 |
| 288 | Diseases of white blood cells | 5 | 3 | 2 |
| 289 | Other diseases of blood and blood-forming organs | 28 | 26 | 2 |
| <u>290-319</u> | <u>MENTAL DISORDERS</u> | <u>322</u> | <u>223</u> | <u>99</u> |
| <u>290-299</u> | <u>Psychoses</u> | <u>206</u> | <u>157</u> | <u>49</u> |
| 290 | Senile and presenile organic psychotic conditions | 117 | 90 | 27 |
| 291 | Alcoholic psychoses | 6 | 3 | 3 |
| 294 | Other organic psychotic conditions (chronic) | 1 | 0 | 1 |
| 295 | Schizophrenic psychoses | 2 | 1 | 1 |
| 298 | Other nonorganic psychoses | 80 | 63 | 17 |
| <u>300-316</u> | <u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u> | <u>107</u> | <u>63</u> | <u>44</u> |
| 300 | Neurotic disorders | 2 | 1 | 1 |
| 303 | Alcohol dependence syndrome | 46 | 22 | 24 |
| 305 | Nondependent abuse of drugs | 17 | 10 | 7 |
| 308 | Acute reaction to stress | 1 | 0 | 1 |
| 310 | Specific nonpsychotic mental disorders following organic brain damage | 39 | 28 | 11 |
| 311 | Depressive disorder, not elsewhere classified | 2 | 2 | 0 |

Table 10 - Page 5
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|---|---------------|--------------|---------------|
| <u>317-319</u> | <u>Mental retardation</u> | <u>9</u> | <u>3</u> | <u>6</u> |
| 318 | Other specified | 3 | 1 | 2 |
| 319 | Unspecified | 6 | 2 | 4 |
| <u>320-389</u> | <u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u> | <u>517</u> | <u>398</u> | <u>119</u> |
| <u>320-326</u> | <u>Inflammatory diseases of central nervous system</u> | <u>18</u> | <u>8</u> | <u>10</u> |
| 320 | Bacterial meningitis | 5 | 2 | 3 |
| 322 | Meningitis of unspecified cause | 7 | 3 | 4 |
| 323 | Encephalitis, myelitis, and encephalomyelitis | 1 | 1 | 0 |
| 324 | Intracranial and intraspinal abscess | 3 | 1 | 2 |
| 325 | Phlebitis and thrombophlebitis of intracranial venous sinuses | 1 | 0 | 1 |
| 326 | Late effects of intracranial abscess or pyogenic infection | 1 | 1 | 0 |
| <u>330-337</u> | <u>Hereditary and degenerative diseases of the central nervous system</u> | <u>351</u> | <u>304</u> | <u>47</u> |
| 330 | Cerebral degenerations usually manifest in childhood | 2 | 2 | 0 |
| 331 | Other cerebral degenerations | 209 | 173 | 36 |
| 332 | Parkinson's disease | 87 | 81 | 6 |
| 333 | Other extrapyramidal disease and abnormal movement disorders | 10 | 9 | 1 |
| 334 | Spinocerebellar disease | 3 | 3 | 0 |
| 335 | Anterior horn cell disease | 38 | 35 | 3 |
| 336 | Other diseases of spinal cord | 2 | 1 | 1 |
| <u>340-349</u> | <u>Other disorders of the central nervous system</u> | <u>115</u> | <u>61</u> | <u>54</u> |
| 340 | Multiple sclerosis | 12 | 7 | 5 |
| 343 | Infantile cerebral palsy | 14 | 6 | 8 |
| 344 | Other paralytic syndromes | 6 | 2 | 4 |
| 345 | Epilepsy | 25 | 14 | 11 |
| 348 | Other conditions of brain | 56 | 30 | 26 |
| 349 | Other and unspecified disorders of the nervous system | 2 | 2 | 0 |
| <u>350-359</u> | <u>Disorders of peripheral nervous system</u> | <u>32</u> | <u>24</u> | <u>8</u> |
| 352 | Disorders of other cranial nerves | 1 | 1 | 0 |
| 356 | Hereditary and idiopathic peripheral neuropathy | 7 | 7 | 0 |
| 357 | Inflammatory and toxic neuropathy | 2 | 1 | 1 |
| 358 | Myoneural disorders | 5 | 4 | 1 |
| 359 | Muscular dystrophies and other myopathies | 17 | 11 | 6 |
| <u>360-379</u> | <u>Disorders of the eye and adnexa</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 376 | Disorders of the orbit | 1 | 1 | 0 |
| <u>380-389</u> | <u>Diseases of the ear and mastoid process</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>390-459</u> | <u>DISEASES OF THE CIRCULATORY SYSTEM</u> | <u>11,900</u> | <u>7,952</u> | <u>3,948</u> |
| <u>390-392</u> | <u>Active rheumatic fever</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>393-398</u> | <u>Chronic rheumatic heart disease</u> | <u>20</u> | <u>17</u> | <u>3</u> |
| 394 | Diseases of mitral valve | 12 | 11 | 1 |
| 395 | Diseases of aortic valve | 1 | 1 | 0 |
| 396 | Diseases of mitral and aortic valves | 3 | 2 | 1 |

Table 10 - Page 6
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|---|--------------|--------------|---------------|
| 398 | Other rheumatic heart disease | 4 | 3 | 1 |
| <u>401-405</u> | <u>Hypertensive disease</u> | <u>801</u> | <u>380</u> | <u>421</u> |
| <u>401, 403</u> | <u>Hypertension with or without renal disease</u> | <u>213</u> | <u>117</u> | <u>96</u> |
| 401 | Essential hypertension | 150 | 92 | 58 |
| 403 | Hypertensive renal disease | 63 | 25 | 38 |
| <u>402, 404</u> | <u>Hypertensive heart disease with or without renal disease</u> | <u>588</u> | <u>263</u> | <u>325</u> |
| 402 | Hypertensive heart disease | 540 | 245 | 295 |
| 404 | Hypertensive heart and renal disease | 48 | 18 | 30 |
| <u>410-414</u> | <u>Ischemic heart disease</u> | <u>4,749</u> | <u>3,378</u> | <u>1,371</u> |
| 410 | Acute myocardial infarction | 2,704 | 1,838 | 866 |
| 411 | Other acute and subacute forms of ischemic heart disease | 10 | 9 | 1 |
| 412 | Old myocardial infarction | 11 | 6 | 5 |
| 413 | Angina pectoris | 6 | 5 | 1 |
| 414 | Other forms of chronic ischemic heart disease | 2,018 | 1,520 | 498 |
| <u>415-417</u> | <u>Diseases of pulmonary circulation</u> | <u>207</u> | <u>132</u> | <u>75</u> |
| 415 | Acute pulmonary heart disease | 169 | 108 | 61 |
| 416 | Chronic pulmonary heart disease | 35 | 22 | 13 |
| 417 | Other diseases of pulmonary circulation | 3 | 2 | 1 |
| <u>420-429</u> | <u>Other forms of heart disease</u> | <u>3,937</u> | <u>2,629</u> | <u>1,308</u> |
| 420 | Acute pericarditis | 1 | 0 | 1 |
| 421 | Acute and subacute endocarditis | 12 | 6 | 6 |
| 422 | Acute myocarditis | 2 | 2 | 0 |
| 423 | Other diseases of pericardium | 8 | 6 | 2 |
| 424 | Other diseases of endocardium | 125 | 96 | 29 |
| 425 | Cardiomyopathy | 349 | 208 | 141 |
| 426 | Conduction disorders | 6 | 2 | 4 |
| 427 | Cardiac dysrhythmias | 837 | 516 | 321 |
| 428 | Heart failure | 1,127 | 806 | 321 |
| 429 | Ill-defined heart diseases | 1,470 | 987 | 483 |
| <u>430-438</u> | <u>Cerebrovascular diseases</u> | <u>1,804</u> | <u>1,131</u> | <u>673</u> |
| 430 | Subarachnoid hemorrhage | 81 | 53 | 28 |
| 431 | Intracerebral hemorrhage | 233 | 147 | 86 |
| 432 | Other and unspecified intracranial hemorrhage | 68 | 35 | 33 |
| 433 | Occlusion and stenosis of precerebral arteries | 22 | 15 | 7 |
| 434 | Occlusion of cerebral arteries | 122 | 76 | 46 |
| 435 | Transient cerebral ischemia | 6 | 3 | 3 |
| 436 | Acute but ill-defined cerebrovascular disease | 1,105 | 697 | 408 |
| 437 | Other and ill-defined cerebrovascular disease | 99 | 62 | 37 |
| 438 | Late effects of cerebrovascular disease | 68 | 43 | 25 |
| <u>440-448</u> | <u>Diseases of arteries, arterioles, and capillaries</u> | <u>327</u> | <u>250</u> | <u>77</u> |
| 440 | Atherosclerosis | 87 | 60 | 27 |
| <u>441-448</u> | <u>Other diseases of arteries, arterioles, and capillaries</u> | <u>240</u> | <u>190</u> | <u>50</u> |
| 441 | Aortic aneurysm | 143 | 118 | 25 |
| 442 | Other aneurysm | 14 | 13 | 1 |
| 443 | Other peripheral vascular disease | 52 | 33 | 19 |
| 444 | Arterial embolism and thrombosis | 10 | 9 | 1 |

Table 10 - Page 7
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|---|--------------|--------------|---------------|
| 446 | Polyarteritis nodosa and allied conditions | 5 | 5 | 0 |
| 447 | Other disorders of arteries and arterioles | 15 | 12 | 3 |
| 448 | Diseases of capillaries | 1 | 0 | 1 |
| <u>451-459</u> | <u>Diseases of veins and lymphatics, and other diseases of circulatory system</u> | <u>55</u> | <u>35</u> | <u>20</u> |
| <u>451-453</u> | <u>Venous thrombosis and embolism</u> | <u>15</u> | <u>9</u> | <u>6</u> |
| 451 | Phlebitis and thrombophlebitis | 8 | 4 | 4 |
| 452 | Portal vein thrombosis | 1 | 0 | 1 |
| 453 | Other venous embolism and thrombosis | 6 | 5 | 1 |
| <u>454-459</u> | <u>Other diseases of the circulatory system</u> | <u>40</u> | <u>26</u> | <u>14</u> |
| 454 | Varicose veins of lower extremities | 3 | 1 | 2 |
| 456 | Varicose veins of other sites | 2 | 2 | 0 |
| 458 | Hypotension | 26 | 16 | 10 |
| 459 | Other disorders of circulatory system | 9 | 7 | 2 |
| <u>460-519</u> | <u>DISEASES OF THE RESPIRATORY SYSTEM</u> | <u>2,624</u> | <u>2,013</u> | <u>611</u> |
| <u>460-466</u> | <u>Acute respiratory infections</u> | <u>7</u> | <u>2</u> | <u>5</u> |
| 464 | Acute laryngitis and tracheitis | 2 | 1 | 1 |
| 465 | Acute upper respiratory infection of multiple or unspecified sites | 1 | 0 | 1 |
| 466 | Acute bronchitis and bronchiolitis | 4 | 1 | 3 |
| <u>470-478</u> | <u>Other diseases of upper respiratory tract</u> | <u>3</u> | <u>1</u> | <u>2</u> |
| 473 | Chronic sinusitis | 2 | 1 | 1 |
| 478 | Other diseases of upper respiratory tract | 1 | 0 | 1 |
| <u>480-487</u> | <u>Pneumonia and influenza</u> | <u>1,065</u> | <u>775</u> | <u>290</u> |
| <u>480-486</u> | <u>Pneumonia</u> | <u>1,058</u> | <u>771</u> | <u>287</u> |
| 480 | Viral | 12 | 6 | 6 |
| 481 | Pneumococcal | 11 | 10 | 1 |
| 482 | Other bacterial | 30 | 21 | 9 |
| 483 | Due to other specified organism | 1 | 1 | 0 |
| 485 | Broncho, organism unspecified | 39 | 23 | 16 |
| 486 | Organism unspecified | 965 | 710 | 255 |
| 487 | Influenza | 7 | 4 | 3 |
| <u>490-496</u> | <u>Chronic obstructive pulmonary disease and allied conditions</u> | <u>1,128</u> | <u>939</u> | <u>189</u> |
| <u>490,491</u> | <u>Chronic and unqualified bronchitis</u> | <u>33</u> | <u>30</u> | <u>3</u> |
| 490 | Unqualified | 8 | 7 | 1 |
| 491 | Chronic | 25 | 23 | 2 |
| 492 | Emphysema | 150 | 126 | 24 |
| 493 | Asthma | 63 | 25 | 38 |
| 494 | Bronchiectasis | 16 | 16 | 0 |
| 496 | Chronic airways obstruction, not elsewhere classified | 866 | 742 | 124 |
| <u>500-508</u> | <u>Pneumoconioses and other lung diseases due to external agents</u> | <u>200</u> | <u>133</u> | <u>67</u> |
| 501 | Asbestosis | 8 | 7 | 1 |
| 502 | Pneumoconiosis due to other silica or silicates | 1 | 1 | 0 |
| 507 | Pneumonitis due to solids and liquids | 191 | 125 | 66 |
| <u>510-519</u> | <u>Other diseases of respiratory system</u> | <u>221</u> | <u>163</u> | <u>58</u> |
| 510 | Empyema | 1 | 1 | 0 |
| 511 | Pleurisy | 16 | 11 | 5 |
| 512 | Pneumothorax | 8 | 6 | 2 |
| 513 | Abscess of lung and mediastinum | 6 | 2 | 4 |

Table 10 - Page 8
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|---|------------|------------|---------------|
| 514 | Pulmonary congestion and hypostasis | 14 | 10 | 4 |
| 515 | Postinflammatory pulmonary fibrosis | 72 | 57 | 15 |
| 516 | Other alveolar and parietoalveolar pneumopathy | 7 | 6 | 1 |
| 518 | Other diseases of lung | 89 | 64 | 25 |
| 519 | Other diseases of respiratory system | 8 | 6 | 2 |
| <u>520-579</u> | <u>DISEASES OF THE DIGESTIVE SYSTEM</u> | <u>820</u> | <u>587</u> | <u>233</u> |
| <u>520-529</u> | <u>Diseases of oral cavity, salivary glands, and jaws</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>530-537</u> | <u>Diseases of esophagus, stomach, and duodenum</u> | <u>72</u> | <u>58</u> | <u>14</u> |
| 530 | Diseases of esophagus | 20 | 17 | 3 |
| <u>531-533</u> | <u>Peptic ulcer</u> | <u>42</u> | <u>34</u> | <u>8</u> |
| 531 | Gastric ulcer | 11 | 9 | 2 |
| 532 | Duodenal ulcer | 13 | 9 | 4 |
| 533 | Peptic ulcer, site unspecified | 18 | 16 | 2 |
| 535 | Gastritis and duodenitis | 6 | 4 | 2 |
| 536 | Disorders of function of stomach | 1 | 1 | 0 |
| 537 | Other disorders of stomach and duodenum | 3 | 2 | 1 |
| <u>540-543</u> | <u>Appendicitis</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| 540 | Acute appendicitis | 2 | 1 | 1 |
| 541 | Appendicitis, unqualified | 3 | 1 | 2 |
| <u>550-553</u> | <u>Hernia of abdominal cavity</u> | <u>5</u> | <u>4</u> | <u>1</u> |
| 552 | Other, of abdominal cavity with obstruction, without mention of gangrene | 2 | 1 | 1 |
| 553 | Other, of abdominal cavity without mention of obstruction or gangrene | 3 | 3 | 0 |
| <u>555-558</u> | <u>Noninfective enteritis and colitis</u> | <u>74</u> | <u>52</u> | <u>22</u> |
| 555 | Regional enteritis | 7 | 6 | 1 |
| 556 | Idiopathic proctocolitis | 2 | 1 | 1 |
| 557 | Vascular insufficiency of intestine | 57 | 39 | 18 |
| 558 | Other noninfective gastroenteritis and colitis | 8 | 6 | 2 |
| <u>560-569</u> | <u>Other diseases of intestine and peritoneum</u> | <u>167</u> | <u>110</u> | <u>57</u> |
| 560 | Intestinal obstruction without mention of hernia | 83 | 54 | 29 |
| 562 | Diverticula of intestine | 33 | 26 | 7 |
| 564 | Functional digestive disorders, not elsewhere classified | 2 | 2 | 0 |
| 567 | Peritonitis | 27 | 14 | 13 |
| 568 | Other disorders of peritoneum | 2 | 1 | 1 |
| 569 | Other disorders of intestine | 20 | 13 | 7 |
| <u>570-579</u> | <u>Other diseases of digestive system</u> | <u>497</u> | <u>361</u> | <u>136</u> |
| 570 | Acute and subacute necrosis of liver | 6 | 4 | 2 |
| 571 | Chronic liver disease and cirrhosis | 231 | 169 | 62 |
| 572 | Liver abscess and sequelae of chronic liver disease | 49 | 32 | 17 |
| 573 | Other disorders of liver | 19 | 13 | 6 |
| <u>574, 575</u> | <u>Cholelithiasis and other disorders of gallbladder</u> | <u>37</u> | <u>28</u> | <u>9</u> |
| 574 | Cholelithiasis | 14 | 10 | 4 |
| 575 | Other disorders of gallbladder | 23 | 18 | 5 |
| 576 | Other disorders of biliary tract | 10 | 10 | 0 |
| 577 | Diseases of pancreas | 40 | 29 | 11 |

Table 10 - Page 9
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|--|------------|------------|---------------|
| 578 | Gastrointestinal hemorrhage | 103 | 76 | 27 |
| 579 | Intestinal malabsorption | 2 | 0 | 2 |
| <u>580-629</u> | <u>DISEASES OF THE GENITOURINARY SYSTEM</u> | <u>764</u> | <u>435</u> | <u>329</u> |
| <u>580-589</u> | <u>Nephritis, nephrotic syndrome, and nephrosis</u> | <u>402</u> | <u>237</u> | <u>165</u> |
| 580 | Acute glomerulonephritis | 2 | 0 | 2 |
| 581 | Nephrotic syndrome | 2 | 1 | 1 |
| 582 | Chronic glomerulonephritis | 8 | 5 | 3 |
| 583 | Nephritis and nephropathy, unqualified | 2 | 2 | 0 |
| <u>584-587</u> | <u>Renal failure and renal sclerosis</u> | <u>388</u> | <u>229</u> | <u>159</u> |
| 584 | Acute | 57 | 32 | 25 |
| 585 | Chronic | 59 | 37 | 22 |
| 586 | Unspecified | 272 | 160 | 112 |
| <u>590-599</u> | <u>Other diseases of urinary system</u> | <u>354</u> | <u>193</u> | <u>161</u> |
| 590 | Infections of kidney | 14 | 11 | 3 |
| 591 | Hydronephrosis | 3 | 0 | 3 |
| <u>592, 594</u> | <u>Calculus of urinary system</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 594 | Of lower urinary tract | 1 | 1 | 0 |
| 593 | Other disorders of kidney and ureter | 132 | 56 | 76 |
| 595 | Cystitis | 2 | 1 | 1 |
| 596 | Other disorders of bladder | 2 | 1 | 1 |
| 599 | Other disorders of urethra and urinary tract | 200 | 123 | 77 |
| <u>600-608</u> | <u>Diseases of male genital organs</u> | <u>6</u> | <u>3</u> | <u>3</u> |
| 600 | Hyperplasia of prostate | 4 | 2 | 2 |
| 602 | Other disorders of prostate | 1 | 1 | 0 |
| 607 | Disorders of penis | 1 | 0 | 1 |
| <u>610, 611</u> | <u>Disorders of breast</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>614-616</u> | <u>Inflammatory disease of female pelvic organs</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>617-629</u> | <u>Other disorders of female genital tract</u> | <u>2</u> | <u>2</u> | <u>0</u> |
| 619 | Fistula involving female genital tract | 1 | 1 | 0 |
| 620 | Noninflammatory disorders of ovary, fallopian tube, and broad ligament | 1 | 1 | 0 |
| <u>630-676</u> | <u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u> | <u>4</u> | <u>2</u> | <u>2</u> |
| <u>630-639</u> | <u>Pregnancy with abortive outcome</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 633 | Ectopic pregnancy | 1 | 1 | 0 |
| <u>640-648</u> | <u>Complications mainly related to pregnancy</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| 642 | Hypertension complicating pregnancy, childbirth, and the puerperium | 1 | 0 | 1 |
| <u>650-659</u> | <u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>660-669</u> | <u>Complications occurring mainly in the course of labor and delivery</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| 669 | Other complications of labor and delivery, not elsewhere classified | 1 | 0 | 1 |
| <u>670-676</u> | <u>Complications of the puerperium</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 673 | Obstetrical pulmonary embolism | 1 | 1 | 0 |
| <u>680-709</u> | <u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u> | <u>71</u> | <u>24</u> | <u>47</u> |
| <u>680-686</u> | <u>Infections of skin and subcutaneous tissue</u> | <u>16</u> | <u>6</u> | <u>10</u> |
| 682 | Other cellulitis and abscess | 14 | 5 | 9 |

Table 10 - Page 10
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|--|------------|-----------|---------------|
| 686 | Other local infections of skin and subcutaneous tissue | 2 | 1 | 1 |
| <u>690-698</u> | <u>Other inflammatory conditions of skin and subcutaneous tissue</u> | <u>6</u> | <u>1</u> | <u>5</u> |
| 694 | Bullous dermatoses | 1 | 0 | 1 |
| 695 | Erythematous conditions | 5 | 1 | 4 |
| <u>700-709</u> | <u>Other diseases of skin and subcutaneous tissue</u> | <u>49</u> | <u>17</u> | <u>32</u> |
| 707 | Chronic ulcer of skin | 49 | 17 | 32 |
| <u>710-739</u> | <u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u> | <u>89</u> | <u>57</u> | <u>32</u> |
| <u>710-719</u> | <u>Arthropathies and related disorders</u> | <u>62</u> | <u>38</u> | <u>24</u> |
| 710 | Diffuse diseases of connective tissue | 33 | 15 | 18 |
| <u>711-716</u> | <u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u> | <u>28</u> | <u>22</u> | <u>6</u> |
| 711 | Arthropathy associated with infections | 2 | 0 | 2 |
| 714 | Rheumatoid arthritis and other inflammatory polyarthropathies | 21 | 19 | 2 |
| 715 | Osteoarthritis and allied disorders | 3 | 1 | 2 |
| 716 | Other and unspecified arthropathies | 2 | 2 | 0 |
| 719 | Other and unspecified disorder of joint | 1 | 1 | 0 |
| <u>720-724</u> | <u>Dorsopathies</u> | <u>2</u> | <u>1</u> | <u>1</u> |
| 721 | Spondylosis and allied disorders | 1 | 0 | 1 |
| 722 | Intervertebral disc disorders | 1 | 1 | 0 |
| <u>725-729</u> | <u>Rheumatism, excluding the back</u> | <u>10</u> | <u>7</u> | <u>3</u> |
| 725 | Polymyalgia rheumatica | 1 | 1 | 0 |
| 728 | Disorders of muscle, ligament, and fascia | 4 | 2 | 2 |
| 729 | Other disorders of soft tissues | 5 | 4 | 1 |
| <u>730-739</u> | <u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u> | <u>15</u> | <u>11</u> | <u>4</u> |
| 730 | Osteomyelitis, periostitis, and other infections involving bone | 8 | 5 | 3 |
| 731 | Osteitis deformans and osteopathies associated with other disorders classified elsewhere | 1 | 0 | 1 |
| 733 | Other disorders of bone and cartilage | 5 | 5 | 0 |
| 737 | Curvature of spine | 1 | 1 | 0 |
| <u>740-759</u> | <u>CONGENITAL ANOMALIES</u> | <u>139</u> | <u>73</u> | <u>66</u> |
| <u>740-742</u> | <u>Nervous system</u> | <u>26</u> | <u>24</u> | <u>2</u> |
| 740 | Anencephalus and similar anomalies | 1 | 1 | 0 |
| 741 | Spina bifida | 1 | 1 | 0 |
| 742 | Other congenital anomalies of nervous system | 24 | 22 | 2 |
| <u>743, 744</u> | <u>Eye, ear, face, and neck</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>745-747</u> | <u>Circulatory system</u> | <u>50</u> | <u>20</u> | <u>30</u> |
| 745 | Bulbus cordis anomalies and anomalies of cardiac septal closure | 10 | 5 | 5 |
| 746 | Heart | 31 | 13 | 18 |
| 747 | Other congenital anomalies of circulatory system | 9 | 2 | 7 |
| 748 | Respiratory system | 17 | 6 | 11 |
| <u>749-751</u> | <u>Digestive system</u> | <u>4</u> | <u>3</u> | <u>1</u> |

Table 10 - Page 11
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|---|------------|------------|---------------|
| 750 | Other congenital anomalies of upper alimentary tract | 3 | 2 | 1 |
| 751 | Other congenital anomalies of digestive system | 1 | 1 | 0 |
| <u>752, 753</u> | <u>Genitourinary system</u> | <u>9</u> | <u>6</u> | <u>3</u> |
| 753 | Urinary system | 9 | 6 | 3 |
| <u>754-756</u> | <u>Musculoskeletal system</u> | <u>6</u> | <u>4</u> | <u>2</u> |
| 755 | Other congenital anomalies of limbs | 1 | 1 | 0 |
| 756 | Other congenital musculoskeletal anomalies | 5 | 3 | 2 |
| 758 | Chromosomal anomalies | 18 | 7 | 11 |
| 759 | Other and unspecified congenital anomalies | 9 | 3 | 6 |
| <u>760-779</u> | <u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u> | <u>194</u> | <u>48</u> | <u>146</u> |
| 760 | Maternal conditions unrelated to present pregnancy | 2 | 1 | 1 |
| <u>761-763</u> | <u>Complications of pregnancy, labor, and delivery</u> | <u>17</u> | <u>6</u> | <u>11</u> |
| 761 | Maternal complications of pregnancy | 8 | 2 | 6 |
| 762 | Complications of placenta, cord, and membranes | 6 | 3 | 3 |
| 763 | Other complications of labor and delivery | 3 | 1 | 2 |
| <u>765, 766</u> | <u>Disorders relating to gestation</u> | <u>78</u> | <u>17</u> | <u>61</u> |
| 765 | Short gestation and unspecified low birthweight | 78 | 17 | 61 |
| <u>768-770</u> | <u>Respiratory conditions of fetus and newborn</u> | <u>59</u> | <u>14</u> | <u>45</u> |
| 768 | Intrauterine hypoxia and birth asphyxia | 7 | 4 | 3 |
| 769 | Respiratory distress syndrome | 22 | 5 | 17 |
| 770 | Other respiratory conditions of fetus and newborn | 30 | 5 | 25 |
| 771 | Infections specific to the perinatal period | 13 | 3 | 10 |
| 772 | Fetal and neonatal hemorrhage | 5 | 3 | 2 |
| 775 | Endocrine and metabolic disturbances specific to the fetus and newborn | 1 | 0 | 1 |
| 776 | Hematological disorders of fetus and newborn | 2 | 1 | 1 |
| 777 | Perinatal disorders of digestive system | 5 | 0 | 5 |
| 778 | Conditions involving the integument and temperature regulation of fetus and newborn | 1 | 0 | 1 |
| 779 | Other and ill-defined conditions originating in the perinatal period | 11 | 3 | 8 |
| <u>780-799</u> | <u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u> | <u>271</u> | <u>157</u> | <u>114</u> |
| <u>780-789</u> | <u>Symptoms</u> | <u>40</u> | <u>19</u> | <u>21</u> |
| 780 | General | 25 | 13 | 12 |
| 782 | Involving skin and other integumentary tissue | 1 | 0 | 1 |
| 785 | Involving cardiovascular system | 10 | 4 | 6 |
| 786 | Involving respiratory system and other chest symptoms | 3 | 2 | 1 |
| 789 | Other involving abdomen and pelvis | 1 | 0 | 1 |
| <u>790-796</u> | <u>Nonspecific abnormal findings</u> | <u>2</u> | <u>1</u> | <u>1</u> |
| 790 | Nonspecific findings on examination of blood | 2 | 1 | 1 |

Table 10 - Page 12
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|--|--------------|--------------|---------------|
| <u>797-799</u> | <u>Ill-defined and unknown causes of morbidity and mortality</u> | <u>229</u> | <u>137</u> | <u>92</u> |
| 797 | Senility without mention of psychosis | 8 | 6 | 2 |
| 798 | Sudden death, cause unknown | 64 | 27 | 37 |
| 799 | Other ill-defined and unknown causes | 157 | 104 | 53 |
| <u>800-999</u> | <u>EXTERNAL CAUSES OF INJURY AND POISONING</u> | <u>2,424</u> | <u>1,475</u> | <u>949</u> |
| <u>800-949</u> | <u>Accidents and adverse effects</u> | <u>1,712</u> | <u>1,060</u> | <u>652</u> |
| <u>800-807</u> | <u>Railway</u> | <u>5</u> | <u>5</u> | <u>0</u> |
| 804 | Fall in, on or from railway train | 1 | 1 | 0 |
| 805 | Hit by rolling stock | 4 | 4 | 0 |
| <u>810-825</u> | <u>Motor vehicle</u> | <u>957</u> | <u>586</u> | <u>371</u> |
| <u>(810-819)</u> | <u>(Traffic)</u> | <u>941</u> | <u>576</u> | <u>365</u> |
| 810 | Involving collision with train | 18 | 5 | 13 |
| 812 | Involving collision with another motor vehicle | 378 | 256 | 122 |
| 813 | Involving collision with other vehicle | 8 | 4 | 4 |
| 814 | Involving collision with pedestrian | 69 | 33 | 36 |
| 815 | Other involving collision on the highway | 33 | 19 | 14 |
| 816 | Due to loss of control, without collision on the highway | 323 | 192 | 131 |
| 818 | Other noncollision | 12 | 5 | 7 |
| 819 | Of unspecified nature | 100 | 62 | 38 |
| <u>(820-825)</u> | <u>(Nontraffic)</u> | <u>16</u> | <u>10</u> | <u>6</u> |
| 821 | Involving other off-road motor vehicle | 1 | 1 | 0 |
| 822 | Involving collision of other motor vehicle with moving object | 11 | 5 | 6 |
| 823 | Involving collision with stationary object | 2 | 2 | 0 |
| 824 | Other while boarding and alighting | 1 | 1 | 0 |
| 825 | Of other and unspecified nature | 1 | 1 | 0 |
| <u>826-829</u> | <u>Other road vehicle</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 828 | Involving animal being ridden | 1 | 1 | 0 |
| <u>830-838</u> | <u>Water transport</u> | <u>16</u> | <u>12</u> | <u>4</u> |
| 830 | Accident to watercraft causing submersion | 2 | 1 | 1 |
| 832 | Other submersion or drowning in water transport | 13 | 10 | 3 |
| 838 | Other and unspecified | 1 | 1 | 0 |
| <u>840-845</u> | <u>Air and space transport</u> | <u>3</u> | <u>3</u> | <u>0</u> |
| 841 | Accident to powered aircraft, other and unspecified | 3 | 3 | 0 |
| <u>846-848</u> | <u>Vehicle accidents not elsewhere classifiable</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>850-869</u> | <u>Poisoning</u> | <u>57</u> | <u>41</u> | <u>16</u> |
| <u>(850-858)</u> | <u>(By drugs, medicaments, and biologicals)</u> | <u>45</u> | <u>32</u> | <u>13</u> |
| 850 | Analgesics, antipyretics, antirheumatics | 6 | 4 | 2 |
| 855 | Other drugs acting on central and autonomic nervous systems | 8 | 4 | 4 |
| 856 | Antibiotics | 1 | 1 | 0 |
| 858 | Other drugs | 30 | 23 | 7 |
| <u>(860-869)</u> | <u>(By other solid and liquid substances, gases, and vapors)</u> | <u>12</u> | <u>9</u> | <u>3</u> |
| 860 | Alcohol, not elsewhere classified | 1 | 0 | 1 |
| 863 | Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers | 1 | 0 | 1 |

Table 10 - Page 13
Deaths - Mississippi - 1998

| International Classification Number* | Cause* | Total | White | Non- white |
|--|--|------------|------------|---------------|
| 868 | Other utility gas and other carbon monoxide | 9 | 9 | 0 |
| 869 | Other gases and vapors | 1 | 0 | 1 |
| <u>870-876</u> | <u>Misadventures to patients during surgical and medical care</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| 870 | Accidental cut, puncture, perforation, or hemorrhage during medical care | 4 | 2 | 2 |
| 876 | Other and unspecified misadventures during medical care | 1 | 0 | 1 |
| <u>878, 879</u> | <u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadven- tures at the time of procedure</u> | <u>47</u> | <u>27</u> | <u>20</u> |
| 878 | Surgical operation or other surgical procedure | 26 | 17 | 9 |
| 879 | Other procedures | 21 | 10 | 11 |
| <u>880-888</u> | <u>Falls</u> | <u>181</u> | <u>154</u> | <u>27</u> |
| 880 | On or from stairs or steps | 3 | 3 | 0 |
| 882 | From or out of building or other structure | 7 | 6 | 1 |
| 883 | Into hole or other opening in surface | 3 | 3 | 0 |
| 884 | Other from one level to another | 17 | 14 | 3 |
| 885 | On same level from slipping, tripping, or stumbling | 4 | 2 | 2 |
| 887 | Fracture, cause unspecified | 20 | 19 | 1 |
| 888 | Other and unspecified fall | 127 | 107 | 20 |
| <u>890-899</u> | <u>Caused by fires and flames</u> | <u>105</u> | <u>34</u> | <u>71</u> |
| 890 | Conflagration in private dwelling | 89 | 26 | 63 |
| 893 | Ignition of clothing | 5 | 0 | 5 |
| 894 | Ignition of highly inflammable material | 2 | 1 | 1 |
| 897 | Controlled fire not in building or structure | 2 | 2 | 0 |
| 898 | Other specified fire and flames | 3 | 3 | 0 |
| 899 | Unspecified fire | 4 | 2 | 2 |
| <u>900-909</u> | <u>Due to natural and environmental factors</u> | <u>31</u> | <u>13</u> | <u>18</u> |
| 900 | Excessive heat | 12 | 2 | 10 |
| 901 | Excessive cold | 9 | 1 | 8 |
| 904 | Hunger, thirst, exposure, and neglect | 2 | 2 | 0 |
| 905 | Venomous animals and plants as the cause of poisoning and toxic reactions | 4 | 4 | 0 |
| 906 | Other injury caused by animals | 2 | 2 | 0 |
| 907 | Lightning | 1 | 1 | 0 |
| 908 | Cataclysmic storms and floods resulting from storms | 1 | 1 | 0 |
| <u>910-915</u> | <u>Accidents caused by submersion, suffocation, and foreign bodies</u> | <u>180</u> | <u>96</u> | <u>84</u> |
| 910 | Drowning and submersion | 81 | 40 | 41 |
| 911 | Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation | 19 | 13 | 6 |
| 912 | Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation | 67 | 38 | 29 |
| 913 | Mechanical suffocation | 13 | 5 | 8 |
| <u>916-929</u> | <u>Other accidents</u> | <u>121</u> | <u>83</u> | <u>38</u> |
| 916 | Struck by falling object | 10 | 5 | 5 |
| 917 | Striking against or struck by objects or persons | 3 | 1 | 2 |

Table 10 - Page 14
Deaths - Mississippi - 1998

| International Classification | | Total | White | Non-white |
|------------------------------|---|------------|------------|------------|
| Number* | Cause* | | | |
| 918 | Caught accidentally in or between objects | 1 | 1 | 0 |
| 919 | Caused by machinery | 22 | 20 | 2 |
| 922 | Caused by firearm missile | 18 | 13 | 5 |
| 925 | Caused by electric current | 12 | 10 | 2 |
| 927 | Overexertion and strenuous movements | 1 | 0 | 1 |
| 928 | Other and unspecified environmental and accidental causes | 40 | 23 | 17 |
| 929 | Late effects of accidental injury | 14 | 10 | 4 |
| <u>930-949</u> | <u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u> | <u>3</u> | <u>3</u> | <u>0</u> |
| 947 | Other and unspecified drugs and medicaments | 3 | 3 | 0 |
| <u>950-959</u> | <u>Suicide and self-inflicted injury</u> | <u>330</u> | <u>284</u> | <u>46</u> |
| <u>950-952</u> | <u>By poisoning</u> | <u>34</u> | <u>29</u> | <u>5</u> |
| 950 | By solid or liquid substances | 26 | 21 | 5 |
| 952 | By other gases and vapors | 8 | 8 | 0 |
| 953 | By hanging, strangulation, and suffocation | 39 | 34 | 5 |
| 955 | By firearms and explosives | 241 | 207 | 34 |
| 956 | By cutting and piercing instruments | 5 | 4 | 1 |
| 957 | By jumping from high place | 2 | 2 | 0 |
| 958 | By other and unspecified means | 8 | 7 | 1 |
| 959 | Late effects of self-inflicted injury | 1 | 1 | 0 |
| <u>960-978</u> | <u>Homicide and injury purposely inflicted by other persons; legal intervention</u> | <u>358</u> | <u>118</u> | <u>240</u> |
| <u>960-969</u> | <u>Homicide and injury purposely inflicted by other persons</u> | <u>355</u> | <u>118</u> | <u>237</u> |
| 963 | Assault by hanging and strangulation | 11 | 7 | 4 |
| 964 | Assault by submersion (drowning) | 3 | 3 | 0 |
| 965 | Assault by firearms and explosives | 226 | 65 | 161 |
| 966 | Assault by cutting and piercing instrument | 55 | 13 | 42 |
| 967 | Child battering and other maltreatment | 8 | 3 | 5 |
| 968 | Assault by other and unspecified mean | 50 | 27 | 23 |
| 969 | Late effects of injury purposely inflicted by other person | 2 | 0 | 2 |
| <u>970-978</u> | <u>Legal intervention</u> | <u>3</u> | <u>0</u> | <u>3</u> |
| 970 | Injury by firearms | 3 | 0 | 3 |
| <u>980-989</u> | <u>Injury undetermined whether accidentally or purposely inflicted</u> | <u>23</u> | <u>12</u> | <u>11</u> |
| 980 | Poisoning by solid or liquid substances | 3 | 2 | 1 |
| 983 | Hanging, strangulation or suffocation | 1 | 0 | 1 |
| 984 | Submersion (drowning) | 3 | 1 | 2 |
| 985 | Injury by firearms and explosives | 6 | 4 | 2 |
| 986 | Injury by cutting and piercing instruments | 1 | 0 | 1 |
| 987 | Falling from high place | 1 | 0 | 1 |
| 988 | Injury by other and unspecified means | 7 | 5 | 2 |
| 989 | Late effects of injury | 1 | 0 | 1 |
| <u>990-999</u> | <u>Injury resulting from operations of war</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 999 | Late effects of injury due to war operations | 1 | 1 | 0 |

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

**TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1998**

| INTER- NATIONAL CLASSI- FICATION NUMBER* | CAUSE* | TOTAL | | R A C E | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | 65 AND OVER | U N K | | |
|--|--|--------|-------|------------------|---------------------|-----|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------------------|-------------|-------|---|
| | | NUMBER | RATE# | | | | | <1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | | | |
| 001-999 | ALL CAUSES | 27,737 | 10.1 | W | 18,343 | M | 9,298 | 78 | 15 | 21 | 29 | 203 | 215 | 412 | 728 | 1,280 | 6,317 | 0 | | | |
| | | | | | | | F | 9,045 | 68 | 19 | 9 | 12 | 79 | 87 | 208 | 390 | 749 | 7,422 | 2 | | |
| | | | | | | | NW | M | 9,394 | 4,825 | 167 | 29 | 21 | 29 | 190 | 234 | 392 | 520 | 704 | 2,538 | 1 |
| | | | | | | | | F | 4,569 | 123 | 29 | 19 | 11 | 73 | 86 | 271 | 356 | 500 | 3,101 | 0 | |
| 001-139 | INFECTIOUS AND PARASITIC DISEASES | 602 | 21.9 | W | 291 | M | 127 | 0 | 0 | 0 | 1 | 1 | 5 | 23 | 13 | 15 | 69 | 0 | | | |
| | | | | | | | F | 164 | 4 | 1 | 0 | 0 | 2 | 5 | 5 | 9 | 15 | 123 | 0 | | |
| | | | | | | | NW | M | 311 | 169 | 8 | 1 | 0 | 0 | 5 | 24 | 47 | 18 | 14 | 52 | 0 |
| | | | | | | | | F | 142 | 6 | 3 | 0 | 0 | 4 | 8 | 22 | 9 | 19 | 71 | 0 | |
| 010-018 | TUBERCULOSIS | 15 | 0.5 | W | 6 | M | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | | | |
| | | | | | | | F | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | | |
| | | | | | | | NW | M | 9 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 |
| | | | | | | | | F | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 3 | 0 |
| 042-044 | HUMAN IMMUNODEFICIENCY VIRUS INFECTION | 139 | 5.0 | W | 28 | M | 22 | 0 | 0 | 0 | 0 | 4 | 13 | 2 | 2 | 1 | 0 | | | | |
| | | | | | | | F | 6 | 0 | 0 | 0 | 1 | 3 | 1 | 1 | 0 | 0 | 0 | | | |
| | | | | | | | NW | M | 111 | 83 | 0 | 0 | 0 | 0 | 2 | 21 | 41 | 12 | 7 | 0 | 0 |
| | | | | | | | | F | 28 | 0 | 2 | 0 | 0 | 2 | 5 | 14 | 1 | 1 | 3 | 0 | |
| 140-208 | MALIGNANT NEOPLASMS | 5,944 | 216.0 | W | 4,017 | M | 2,276 | 0 | 1 | 0 | 1 | 8 | 11 | 51 | 192 | 432 | 1,580 | 0 | | | |
| | | | | | | | F | 1,741 | 0 | 0 | 1 | 1 | 6 | 12 | 59 | 149 | 268 | 1,245 | 0 | | |
| | | | | | | | NW | M | 1,927 | 1,076 | 0 | 1 | 1 | 0 | 3 | 12 | 49 | 115 | 216 | 678 | 1 |
| | | | | | | | | F | 851 | 0 | 0 | 1 | 0 | 4 | 11 | 62 | 108 | 140 | 525 | 0 | |
| 210-239 | BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE | 59 | 2.1 | W | 39 | M | 15 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 9 | 0 | | | |
| | | | | | | | F | 24 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 4 | 17 | 0 | | |
| | | | | | | | NW | M | 20 | 6 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 3 | 0 |
| | | | | | | | | F | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 13 | 0 |

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1998

| INTER- NATIONAL CLASSI- FICATION NUMBER* | CAUSE* | TOTAL | | R A C E | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | 65 AND OVER | U N |
|--|--|--------|-------|------------------|---------------------|-----|-----------------------------------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-----|-------------------|--------|
| | | NUMBER | RATE# | | | | | <1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | |
| 240-279 | <u>ENDOCRINE, NUTRI- TIONAL, AND META- BOLIC DISEASES AND IMMUNITY DISORDERS</u> | 881 | 32.0 | W | 484 | M | 210 | 1 | 0 | 0 | 0 | 4 | 7 | 14 | 15 | 35 | 134 | 0 | |
| | | | | | | | 274 | 3 | 0 | 0 | 0 | 4 | 4 | 6 | 16 | 23 | 218 | 0 | |
| | | | | NW | 397 | M | 134 | 2 | 0 | 0 | 1 | 2 | 2 | 10 | 20 | 25 | 72 | 0 | |
| | | | | | | | 263 | 4 | 0 | 0 | 0 | 2 | 3 | 6 | 17 | 45 | 186 | 0 | |
| 250 | DIABETES MELLITUS | 628 | 22.8 | W | 333 | M | 150 | 0 | 0 | 0 | 0 | 1 | 1 | 10 | 13 | 28 | 97 | 0 | |
| | | | | | | | 183 | 0 | 0 | 0 | 0 | 0 | 3 | 6 | 13 | 17 | 144 | 0 | |
| | | | | NW | 295 | M | 94 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 16 | 21 | 49 | 0 | |
| | | | | | | | 201 | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 15 | 36 | 142 | 0 | |
| 260-269 | NUTRITIONAL DEFICIENCIES | 53 | 1.9 | W | 33 | M | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 8 | 0 | |
| | | | | | | | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 21 | 0 | |
| | | | | NW | 20 | M | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 0 | |
| | | | | | | | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | |
| 280-289 | <u>DISEASES OF BLOOD AND BLOOD-FORMING ORGANS</u> | 112 | 4.1 | W | 68 | M | 26 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 5 | 18 | 0 | |
| | | | | | | | 42 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 37 | 0 | |
| | | | | NW | 44 | M | 18 | 1 | 1 | 0 | 0 | 2 | 1 | 3 | 2 | 2 | 6 | 0 | |
| | | | | | | | 26 | 0 | 1 | 0 | 0 | 2 | 1 | 4 | 1 | 3 | 14 | 0 | |
| 280-285 | ANEMIAS | 55 | 2.0 | W | 24 | M | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 0 | |
| | | | | | | | 17 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 15 | 0 | |
| | | | | NW | 31 | M | 10 | 1 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 1 | 3 | 0 | |
| | | | | | | | 21 | 0 | 1 | 0 | 0 | 2 | 1 | 4 | 1 | 2 | 10 | 0 | |
| 290-319 | <u>MENTAL DISORDERS</u> | 322 | 11.7 | W | 223 | M | 99 | 0 | 0 | 1 | 0 | 0 | 4 | 1 | 10 | 9 | 74 | 0 | |
| | | | | | | | 124 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 1 | 2 | 115 | 0 | |
| | | | | NW | 99 | M | 47 | 0 | 0 | 0 | 0 | 1 | 2 | 8 | 5 | 8 | 23 | 0 | |
| | | | | | | | 52 | 0 | 0 | 0 | 1 | 1 | 1 | 5 | 5 | 1 | 38 | 0 | |
| 303 | ALCOHOLISM | 46 | 1.7 | W | 22 | M | 18 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 4 | 2 | 0 | |
| | | | | | | | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | |
| | | | | NW | 24 | M | 17 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 3 | 5 | 2 | 0 | |
| | | | | | | | 7 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 1 | 0 | 0 | |

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 1998

| INTER- NATIONAL CLASSI- FICATION NUMBER* | CAUSE* | TOTAL | | R A C E | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | 65 AND OVER | U N K | | | |
|--|--|--------|-------|------------------|---------------------|-----|-----------------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------------------|-------------|-------|-------|---|
| | | NUMBER | RATE# | | | | | <1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | | | | |
| 320-389 | <u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u> | 517 | 18.8 | W | 398 | M | 185 | 0 | 3 | 1 | 2 | 3 | 4 | 9 | 10 | 21 | 132 | 0 | | | | |
| | | | | | | | 213 | 1 | 2 | 0 | 0 | 2 | 1 | 6 | 6 | 15 | 180 | 0 | | | | |
| | | | | | | | 119 | NW | M | 61 | 1 | 2 | 0 | 2 | 6 | 6 | 4 | 4 | 8 | 28 | 0 | |
| | | | | | | | | | | F | 58 | 3 | 2 | 0 | 0 | 3 | 1 | 3 | 5 | 5 | 36 | 0 |
| 320-322 | MENINGITIS | 12 | 0.4 | W | 5 | M | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | | | |
| | | | | | | | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | | | |
| | | | | | | | 7 | NW | M | 6 | 1 | 1 | 0 | 1 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | F | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 345 | EPILEPSY | 25 | 0.9 | W | 14 | M | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 0 | | | | |
| | | | | | | | 8 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 4 | 0 | | | | |
| | | | | | | | 11 | NW | M | 8 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 3 | 1 | 0 | |
| | | | | | | | | | | F | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | |
| 390-459 | <u>DISEASES OF THE CIRCULATORY SYSTEM</u> | 11,900 | 432.4 | W | 7,952 | M | 3,753 | 5 | 0 | 4 | 1 | 6 | 17 | 94 | 270 | 513 | 2,843 | 0 | | | | |
| | | | | | | | 4,199 | 5 | 1 | 0 | 0 | 6 | 7 | 41 | 97 | 233 | 3,808 | 1 | | | | |
| | | | | | | | 3,948 | NW | M | 1,833 | 5 | 3 | 3 | 2 | 13 | 26 | 118 | 216 | 293 | 1,154 | 0 | |
| | | | | | | | | | | F | 2,115 | 6 | 4 | 0 | 1 | 7 | 21 | 74 | 142 | 217 | 1,643 | 0 |
| 390-398, 402, 404-429 | HEART DISEASES | 9,501 | 345.2 | W | 6,419 | M | 3,135 | 3 | 0 | 4 | 0 | 6 | 17 | 80 | 235 | 441 | 2,349 | 0 | | | | |
| | | | | | | | 3,284 | 4 | 1 | 0 | 0 | 4 | 6 | 29 | 73 | 182 | 2,984 | 1 | | | | |
| | | | | | | | 3,082 | NW | M | 1,448 | 2 | 2 | 2 | 2 | 11 | 23 | 97 | 166 | 238 | 905 | 0 | |
| | | | | | | | | | | F | 1,634 | 3 | 1 | 0 | 0 | 5 | 18 | 54 | 101 | 179 | 1,273 | 0 |
| 401,403 | HYPERTENSION | 213 | 7.7 | W | 117 | M | 38 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 5 | 27 | 0 | | | | |
| | | | | | | | 79 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 3 | 71 | 0 | | | | |
| | | | | | | | 96 | NW | M | 40 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 7 | 26 | 0 | |
| | | | | | | | | | | F | 56 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 4 | 4 | 43 | 0 |
| 430-438 | CEREBROVASCULAR DISEASES | 1,804 | 65.6 | W | 1,131 | M | 429 | 2 | 0 | 0 | 1 | 0 | 0 | 8 | 22 | 44 | 352 | 0 | | | | |
| | | | | | | | 702 | 1 | 0 | 0 | 0 | 1 | 1 | 8 | 16 | 38 | 637 | 0 | | | | |
| | | | | | | | 673 | NW | M | 301 | 2 | 0 | 1 | 0 | 2 | 1 | 14 | 42 | 41 | 198 | 0 | |
| | | | | | | | | | | F | 372 | 3 | 3 | 0 | 0 | 2 | 3 | 14 | 33 | 31 | 283 | 0 |

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 1998

| INTER-NATIONAL CLASSIFICATION NUMBER* | CAUSE* | TOTAL | | RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | 65 AND OVER | U N K | | | |
|---------------------------------------|---|--------------|-------------|------|--------------|-----------------------|--------------|----------|------------|----------|----------|----------|----------|-----------|-----------|------------|-------------|-----------|------------|----------|---|
| | | NUMBER | RATE# | | | | <1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | | | | |
| 440 | ATHEROSCLEROSIS | 87 | 3.2 | W | 60 | M | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 25 | 0 | | |
| | | | | | | F | 32 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 28 | 0 | | | |
| | | | | | | NW | 27 | M | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 9 | 0 |
| | | | | | | | | F | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 11 | 0 | |
| <u>460-519</u> | <u>DISEASES OF THE RESPIRATORY SYSTEM</u> | <u>2,624</u> | <u>95.3</u> | W | <u>2,013</u> | M | <u>1,006</u> | <u>3</u> | <u>0</u> | <u>2</u> | <u>1</u> | <u>2</u> | <u>5</u> | <u>4</u> | <u>38</u> | <u>94</u> | <u>857</u> | <u>0</u> | | | |
| | | | | | | F | <u>1,007</u> | <u>4</u> | <u>3</u> | <u>1</u> | <u>0</u> | <u>4</u> | <u>9</u> | <u>20</u> | <u>87</u> | <u>879</u> | <u>0</u> | | | | |
| | | | | | | NW | <u>611</u> | M | <u>345</u> | <u>5</u> | <u>1</u> | <u>0</u> | <u>3</u> | <u>2</u> | <u>8</u> | <u>12</u> | <u>17</u> | <u>35</u> | <u>262</u> | <u>0</u> | |
| | | | | | | | | F | <u>266</u> | <u>5</u> | <u>3</u> | <u>2</u> | <u>1</u> | <u>1</u> | <u>5</u> | <u>13</u> | <u>13</u> | <u>28</u> | <u>195</u> | <u>0</u> | |
| 480-486 | PNEUMONIA | 1,058 | 38.4 | W | 771 | M | 331 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 12 | 23 | 292 | 0 | | | |
| | | | | | | F | 440 | 4 | 2 | 1 | 0 | 0 | 3 | 3 | 7 | 20 | 400 | 0 | | | |
| | | | | | | NW | 287 | M | 156 | 4 | 0 | 0 | 1 | 1 | 6 | 9 | 9 | 12 | 114 | 0 | |
| | | | | | | | | F | 131 | 4 | 1 | 0 | 0 | 0 | 4 | 3 | 7 | 14 | 98 | 0 | |
| 487 | INFLUENZA | 7 | 0.2 | W | 4 | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | | |
| | | | | | | F | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | | | |
| | | | | | | NW | 3 | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | |
| | | | | | | | | F | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | |
| 492 | EMPHYSEMA | 150 | 5.4 | W | 126 | M | 75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 13 | 60 | 0 | | | |
| | | | | | | F | 51 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 13 | 36 | 0 | | | |
| | | | | | | NW | 24 | M | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 14 | 0 | |
| | | | | | | | | F | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 0 | |
| <u>490, 491</u> | <u>OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS</u> | <u>978</u> | <u>35.5</u> | W | <u>813</u> | M | <u>460</u> | <u>1</u> | <u>0</u> | <u>2</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>14</u> | <u>44</u> | <u>397</u> | <u>0</u> | | | |
| | | | | | | F | <u>353</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>5</u> | <u>6</u> | <u>44</u> | <u>298</u> | <u>0</u> | | | | |
| | | | | | | NW | <u>165</u> | M | <u>105</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>2</u> | <u>1</u> | <u>0</u> | <u>2</u> | <u>4</u> | <u>14</u> | <u>82</u> | <u>0</u> | |
| | | | | | | | | F | <u>60</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>5</u> | <u>5</u> | <u>10</u> | <u>40</u> | <u>0</u> | | |
| <u>520-579</u> | <u>DISEASES OF THE DIGESTIVE SYSTEM</u> | <u>820</u> | <u>29.8</u> | W | <u>587</u> | M | <u>282</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>3</u> | <u>31</u> | <u>53</u> | <u>42</u> | <u>151</u> | <u>0</u> | | | |
| | | | | | | F | <u>305</u> | <u>3</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>2</u> | <u>16</u> | <u>21</u> | <u>30</u> | <u>233</u> | <u>0</u> | | | |
| | | | | | | NW | <u>233</u> | M | <u>115</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>19</u> | <u>30</u> | <u>19</u> | <u>45</u> | <u>0</u> | |
| | | | | | | | | F | <u>118</u> | <u>2</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>2</u> | <u>0</u> | <u>15</u> | <u>12</u> | <u>7</u> | <u>79</u> | <u>0</u> | |

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 1998

| INTER- NATIONAL CLASSI- FICATION NUMBER* | CAUSE* | TOTAL | | R A C E | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | 65 AND OVER | U N | | |
|--|---|------------|-------------|------------------|---------------------|-----|-----------------------------------|------------|----------|------------|----------|----------|----------|----------|----------|-----------|------------|-------------------|-----------|------------|----------|
| | | NUMBER | RATE# | | | | | <1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | | | |
| 531-533 | ULCER OF STOMACH AND DUODENUM | 42 | 1.5 | W | 34 | M | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 16 | 0 | | | |
| | | | | | | | F | 15 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 14 | 0 | | | |
| | | | | | | | NW | 8 | M | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | | |
| | | | | | | | | | F | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | |
| 571 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 231 | 8.4 | W | 169 | M | 107 | 0 | 0 | 0 | 0 | 0 | 1 | 20 | 32 | 20 | 34 | 0 | | | |
| | | | | | | | F | 62 | 0 | 0 | 0 | 0 | 1 | 9 | 8 | 11 | 33 | 0 | | | |
| | | | | | | | NW | 62 | M | 42 | 0 | 0 | 0 | 0 | 1 | 12 | 13 | 8 | 8 | 0 | |
| | | | | | | | | | F | 20 | 0 | 0 | 0 | 0 | 0 | 8 | 2 | 3 | 7 | 0 | |
| <u>580-629</u> | <u>DISEASES OF THE GENITOURINARY SYSTEM</u> | <u>764</u> | <u>27.8</u> | W | <u>435</u> | M | <u>186</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>8</u> | <u>16</u> | <u>160</u> | <u>0</u> | | | |
| | | | | | | | F | <u>249</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>0</u> | <u>1</u> | <u>6</u> | <u>17</u> | <u>224</u> | <u>0</u> | | |
| | | | | | | | NW | <u>329</u> | M | <u>130</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>5</u> | <u>4</u> | <u>12</u> | <u>23</u> | <u>86</u> | <u>0</u> |
| | | | | | | | | | F | <u>199</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>2</u> | <u>4</u> | <u>5</u> | <u>13</u> | <u>175</u> | <u>0</u> |
| 580-589 | NEPHRITIS, NEPHROTIC SYN- DROME, AND NEPHROSIS | 402 | 14.6 | W | 237 | M | 113 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 12 | 94 | 0 | | | |
| | | | | | | | F | 124 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 8 | 111 | 0 | | | |
| | | | | | | | NW | 165 | M | 69 | 0 | 0 | 0 | 0 | 3 | 0 | 6 | 13 | 47 | 0 | |
| | | | | | | | | | F | 96 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 88 | 0 | |
| 590 | INFECTIONS OF KIDNEY | 14 | 0.5 | W | 11 | M | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | | | | |
| | | | | | | | F | 9 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 7 | 0 | | | | |
| | | | | | | | NW | 3 | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | | | | | | | | F | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | |
| <u>630-676</u> | <u>COMPLICATIONS OF PREGNANCY, CHILD- BIRTH, AND THE PUERPERIUM</u> | <u>4</u> | <u>9.3</u> | W | <u>2</u> | M | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | | | |
| | | | | | | | F | <u>2</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | | | |
| | | | | | | | NW | <u>2</u> | M | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | | |
| | | | | | | | | | F | <u>2</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>0</u> | | |
| <u>680-709</u> | <u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u> | <u>71</u> | <u>2.6</u> | W | <u>24</u> | M | <u>11</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>0</u> | <u>3</u> | <u>7</u> | <u>0</u> | | | |
| | | | | | | | F | <u>13</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>12</u> | <u>0</u> | | | |
| | | | | | | | NW | <u>47</u> | M | <u>21</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>20</u> | <u>0</u> | |
| | | | | | | | | | F | <u>26</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>2</u> | <u>3</u> | <u>20</u> | |

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 1998

| INTER- NATIONAL CLASSI- FICATION NUMBER* | CAUSE* | TOTAL | | R A C E | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | 65 AND OVER | U N K | | |
|--|---|--------------|-------------|------------------|---------------------|-----|-----------------------------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|-------------------|-------------|-----------|----------|
| | | NUMBER | RATE# | | | | | <1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | | | |
| 710-739 | <u>DISEASES OF THE MUSCULOSKELETAL SYSTEM</u> | <u>89</u> | <u>3.2</u> | W | <u>57</u> | M | <u>14</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>13</u> | <u>0</u> | | |
| | | | | | | | F | <u>43</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>2</u> | <u>1</u> | <u>4</u> | <u>7</u> | <u>29</u> | <u>0</u> | | |
| | | | | | | | NW | M | <u>32</u> | <u>12</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>2</u> | <u>0</u> | <u>3</u> | <u>1</u> | <u>5</u> | <u>0</u> |
| | | | | | | | | F | <u>20</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>1</u> | <u>9</u> | <u>3</u> | <u>1</u> | <u>5</u> | <u>0</u> | |
| 740-759 | <u>CONGENITAL ANOMALIES</u> | <u>139</u> | <u>5.0</u> | W | <u>73</u> | M | <u>41</u> | <u>23</u> | <u>2</u> | <u>0</u> | <u>1</u> | <u>0</u> | <u>2</u> | <u>1</u> | <u>2</u> | <u>2</u> | <u>2</u> | <u>8</u> | <u>0</u> | | |
| | | | | | | | F | <u>32</u> | <u>13</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>4</u> | <u>1</u> | <u>1</u> | <u>4</u> | <u>8</u> | <u>0</u> | | | |
| | | | | | | | NW | M | <u>66</u> | <u>38</u> | <u>27</u> | <u>1</u> | <u>1</u> | <u>2</u> | <u>1</u> | <u>2</u> | <u>1</u> | <u>2</u> | <u>0</u> | <u>1</u> | <u>0</u> |
| | | | | | | | | F | <u>28</u> | <u>16</u> | <u>0</u> | <u>1</u> | <u>0</u> | <u>4</u> | <u>1</u> | <u>2</u> | <u>2</u> | <u>0</u> | <u>2</u> | <u>0</u> | |
| 760-779 | <u>CERTAIN CONDI- TIONS ORIGINATING IN THE PERINATAL PERIOD</u> | <u>194</u> | <u>4.5</u> | W | <u>48</u> | M | <u>25</u> | <u>25</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | | |
| | | | | | | | F | <u>23</u> | <u>23</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | | |
| | | | | | | | NW | M | <u>146</u> | <u>87</u> | <u>87</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | |
| | | | | | | | | F | <u>59</u> | <u>59</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | |
| 780-799 | <u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u> | <u>271</u> | <u>9.8</u> | W | <u>157</u> | M | <u>65</u> | <u>18</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>5</u> | <u>5</u> | <u>5</u> | <u>4</u> | <u>27</u> | <u>0</u> | | | |
| | | | | | | | F | <u>92</u> | <u>9</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>1</u> | <u>2</u> | <u>3</u> | <u>2</u> | <u>74</u> | <u>0</u> | | |
| | | | | | | | NW | M | <u>114</u> | <u>61</u> | <u>23</u> | <u>1</u> | <u>0</u> | <u>1</u> | <u>2</u> | <u>2</u> | <u>5</u> | <u>5</u> | <u>2</u> | <u>20</u> | <u>0</u> |
| | | | | | | | | F | <u>53</u> | <u>53</u> | <u>17</u> | <u>1</u> | <u>0</u> | <u>1</u> | <u>1</u> | <u>2</u> | <u>2</u> | <u>2</u> | <u>1</u> | <u>26</u> | <u>0</u> |
| 800-999 | <u>ALL EXTERNAL CAUSES</u> | <u>2,424</u> | <u>88.1</u> | W | <u>1,475</u> | M | <u>977</u> | <u>1</u> | <u>9</u> | <u>13</u> | <u>22</u> | <u>177</u> | <u>150</u> | <u>175</u> | <u>111</u> | <u>84</u> | <u>235</u> | <u>0</u> | | | |
| | | | | | | | F | <u>498</u> | <u>3</u> | <u>10</u> | <u>6</u> | <u>11</u> | <u>56</u> | <u>41</u> | <u>57</u> | <u>56</u> | <u>37</u> | <u>220</u> | <u>1</u> | | |
| | | | | | | | NW | M | <u>949</u> | <u>672</u> | <u>7</u> | <u>18</u> | <u>15</u> | <u>18</u> | <u>152</u> | <u>140</u> | <u>111</u> | <u>71</u> | <u>57</u> | <u>83</u> | <u>0</u> |
| | | | | | | | | F | <u>277</u> | <u>277</u> | <u>5</u> | <u>14</u> | <u>15</u> | <u>7</u> | <u>40</u> | <u>28</u> | <u>49</u> | <u>29</u> | <u>17</u> | <u>73</u> | <u>0</u> |
| 810-825 | <u>MOTOR VEHICLE ACCIDENTS</u> | <u>957</u> | <u>34.8</u> | W | <u>586</u> | M | <u>383</u> | <u>0</u> | <u>4</u> | <u>3</u> | <u>10</u> | <u>92</u> | <u>79</u> | <u>56</u> | <u>46</u> | <u>25</u> | <u>68</u> | <u>0</u> | | | |
| | | | | | | | F | <u>203</u> | <u>1</u> | <u>3</u> | <u>4</u> | <u>8</u> | <u>43</u> | <u>22</u> | <u>22</u> | <u>27</u> | <u>16</u> | <u>56</u> | <u>1</u> | | |
| | | | | | | | NW | M | <u>371</u> | <u>251</u> | <u>0</u> | <u>8</u> | <u>7</u> | <u>5</u> | <u>61</u> | <u>58</u> | <u>39</u> | <u>31</u> | <u>22</u> | <u>20</u> | <u>0</u> |
| | | | | | | | | F | <u>120</u> | <u>120</u> | <u>1</u> | <u>4</u> | <u>7</u> | <u>2</u> | <u>23</u> | <u>13</u> | <u>29</u> | <u>20</u> | <u>7</u> | <u>14</u> | <u>0</u> |
| 800-807, 826-949 | <u>ALL OTHER ACCIDENTS AND ADVERSE EFFECTS</u> | <u>755</u> | <u>27.4</u> | W | <u>474</u> | M | <u>273</u> | <u>0</u> | <u>4</u> | <u>9</u> | <u>5</u> | <u>31</u> | <u>22</u> | <u>47</u> | <u>20</u> | <u>23</u> | <u>112</u> | <u>0</u> | | | |
| | | | | | | | F | <u>201</u> | <u>0</u> | <u>6</u> | <u>1</u> | <u>2</u> | <u>4</u> | <u>4</u> | <u>12</u> | <u>13</u> | <u>12</u> | <u>147</u> | <u>0</u> | | |
| | | | | | | | NW | M | <u>281</u> | <u>183</u> | <u>4</u> | <u>9</u> | <u>8</u> | <u>7</u> | <u>20</u> | <u>20</u> | <u>24</u> | <u>17</u> | <u>24</u> | <u>50</u> | <u>0</u> |
| | | | | | | | | F | <u>98</u> | <u>98</u> | <u>4</u> | <u>5</u> | <u>7</u> | <u>4</u> | <u>4</u> | <u>3</u> | <u>6</u> | <u>4</u> | <u>9</u> | <u>52</u> | <u>0</u> |

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1998

| INTER- NATIONAL CLASSI- FICATION NUMBER* | CAUSE* | TOTAL | | R A C E | TOTAL BY RACE | SEX | TOTAL BY RACE AND SEX | AGE | | | | | | | | | | 65 AND OVER | U N K | | |
|--|---------------------------------------|--------|-------|------------------|---------------------|-----|-----------------------------------|-----|-----|-----|-------|-------|-------|-------|-------|-------|----|-------------------|-------------|---|---|
| | | NUMBER | RATE# | | | | | <1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | | | | | |
| 950-959 | SUICIDE | 330 | 12.0 | W | 284 | M | 232 | 0 | 0 | 1 | 5 | 44 | 33 | 47 | 32 | 26 | 44 | 0 | | | |
| | | | | | | | F | 52 | 0 | 0 | 0 | 1 | 3 | 9 | 13 | 12 | 5 | 9 | 0 | | |
| | | | | | | | NW | 46 | M | 38 | 0 | 0 | 0 | 1 | 11 | 12 | 6 | 2 | 2 | 4 | 0 |
| | | | | | | | | | F | 8 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 1 | 0 | 0 | 0 |
| 960-978 | HOMICIDE AND LEGAL INTERVENTION | 358 | 13.0 | W | 118 | M | 82 | 1 | 1 | 0 | 2 | 9 | 15 | 25 | 12 | 9 | 8 | 0 | | | |
| | | | | | | | F | 36 | 2 | 1 | 1 | 0 | 5 | 4 | 8 | 4 | 4 | 7 | 0 | | |
| | | | | | | | NW | 240 | M | 190 | 3 | 1 | 0 | 3 | 58 | 50 | 39 | 20 | 7 | 9 | 0 |
| | | | | | | | | | F | 50 | 0 | 5 | 1 | 1 | 12 | 11 | 9 | 3 | 1 | 7 | 0 |

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1998

| COUNTY | INFANT DEATHS | | | NEONATAL DEATHS | | | POSTNEONATAL DEATHS | | |
|--------------|---------------|------------|---------------|-----------------|-----------|---------------|---------------------|-----------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| STATE | 436 | 146 | 290 | 265 | 76 | 189 | 171 | 70 | 101 |
| ADAMS | 8 | 3 | 5 | 6 | 2 | 4 | 2 | 1 | 1 |
| ALCORN | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 0 |
| AMITE | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| ATTALA | 4 | 2 | 2 | 3 | 1 | 2 | 1 | 1 | 0 |
| BENTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BOLIVAR | 7 | 2 | 5 | 5 | 1 | 4 | 2 | 1 | 1 |
| CALHOUN | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| CARROLL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHICKASAW | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| CHOCTAW | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| CLAI BORNE | 3 | 0 | 3 | 2 | 0 | 2 | 1 | 0 | 1 |
| CLARKE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CLAY | 2 | 0 | 2 | 1 | 0 | 1 | 1 | 0 | 1 |
| COAHOMA | 9 | 1 | 8 | 4 | 1 | 3 | 5 | 0 | 5 |
| COPIAH | 5 | 1 | 4 | 4 | 1 | 3 | 1 | 0 | 1 |
| COVINGTON | 3 | 3 | 0 | 2 | 2 | 0 | 1 | 1 | 0 |
| DESOTO | 10 | 7 | 3 | 8 | 5 | 3 | 2 | 2 | 0 |
| FORREST | 5 | 2 | 3 | 2 | 1 | 1 | 3 | 1 | 2 |
| FRANKLIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GEORGE | 6 | 5 | 1 | 3 | 2 | 1 | 3 | 3 | 0 |
| GREENE | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| GRENADA | 3 | 0 | 3 | 1 | 0 | 1 | 2 | 0 | 2 |
| HANCOCK | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| HARRISON | 29 | 18 | 11 | 11 | 7 | 4 | 18 | 11 | 7 |
| HINDS | 47 | 8 | 39 | 31 | 7 | 24 | 16 | 1 | 15 |
| HOLMES | 10 | 1 | 9 | 5 | 0 | 5 | 5 | 1 | 4 |
| HUMPHREYS | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| ISSAQUENA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ITAWAMBA | 2 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | 0 |
| JACKSON | 12 | 5 | 7 | 6 | 1 | 5 | 6 | 4 | 2 |
| JASPER | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 0 |
| JEFFERSON | 3 | 1 | 2 | 1 | 0 | 1 | 2 | 1 | 1 |
| JEFF DAVIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| JONES | 14 | 5 | 9 | 11 | 3 | 8 | 3 | 2 | 1 |
| KEMPER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LAFAYETTE | 4 | 3 | 1 | 4 | 3 | 1 | 0 | 0 | 0 |
| LAMAR | 4 | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 1 |
| LAUDERDALE | 19 | 3 | 16 | 11 | 0 | 11 | 8 | 3 | 5 |
| LAWRENCE | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| LEAKE | 4 | 1 | 3 | 3 | 1 | 2 | 1 | 0 | 1 |
| LEE | 11 | 2 | 9 | 9 | 1 | 8 | 2 | 1 | 1 |
| LEFLORE | 3 | 1 | 2 | 2 | 1 | 1 | 1 | 0 | 1 |

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1998

| COUNTY | INFANT DEATHS | | | NEONATAL DEATHS | | | POSTNEONATAL DEATHS | | |
|--------------|---------------|-------|---------------|-----------------|-------|---------------|---------------------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 7 | 2 | 5 | 5 | 2 | 3 | 2 | 0 | 2 |
| LOWNDES | 13 | 3 | 10 | 9 | 1 | 8 | 4 | 2 | 2 |
| MADISON | 17 | 5 | 12 | 10 | 2 | 8 | 7 | 3 | 4 |
| MARION | 3 | 1 | 2 | 1 | 0 | 1 | 2 | 1 | 1 |
| MARSHALL | 5 | 0 | 5 | 5 | 0 | 5 | 0 | 0 | 0 |
| MONROE | 4 | 0 | 4 | 2 | 0 | 2 | 2 | 0 | 2 |
| MONTGOMERY | 12 | 3 | 9 | 11 | 3 | 8 | 1 | 0 | 1 |
| NESHOBA | 4 | 1 | 3 | 0 | 0 | 0 | 4 | 1 | 3 |
| NEWTON | 5 | 2 | 3 | 5 | 2 | 3 | 0 | 0 | 0 |
| NOXUBEE | 9 | 0 | 9 | 6 | 0 | 6 | 3 | 0 | 3 |
| OKTI BBEHA | 2 | 0 | 2 | 2 | 0 | 2 | 0 | 0 | 0 |
| PANOLA | 10 | 2 | 8 | 5 | 0 | 5 | 5 | 2 | 3 |
| PEARL RIVER | 4 | 3 | 1 | 1 | 1 | 0 | 3 | 2 | 1 |
| PERRY | 2 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 0 |
| PIKE | 3 | 1 | 2 | 3 | 1 | 2 | 0 | 0 | 0 |
| PONTOTOC | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| PRETISS | 3 | 3 | 0 | 2 | 2 | 0 | 1 | 1 | 0 |
| QUITMAN | 3 | 1 | 2 | 3 | 1 | 2 | 0 | 0 | 0 |
| RANKIN | 9 | 7 | 2 | 7 | 5 | 2 | 2 | 2 | 0 |
| SCOTT | 5 | 2 | 3 | 2 | 1 | 1 | 3 | 1 | 2 |
| SHARKEY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SIMPSON | 7 | 2 | 5 | 4 | 0 | 4 | 3 | 2 | 1 |
| SMITH | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| STONE | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| SUNFLOWER | 10 | 1 | 9 | 4 | 0 | 4 | 6 | 1 | 5 |
| TALLAHATCHIE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TATE | 4 | 1 | 3 | 2 | 0 | 2 | 2 | 1 | 1 |
| TIPPAH | 2 | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 0 |
| TISHOMINGO | 3 | 3 | 0 | 0 | 0 | 0 | 3 | 3 | 0 |
| TUNICA | 3 | 0 | 3 | 1 | 0 | 1 | 2 | 0 | 2 |
| UNION | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 0 |
| WALTHALL | 2 | 1 | 1 | 2 | 1 | 1 | 0 | 0 | 0 |
| WARREN | 10 | 3 | 7 | 8 | 2 | 6 | 2 | 1 | 1 |
| WASHINGTON | 15 | 0 | 15 | 6 | 0 | 6 | 9 | 0 | 9 |
| WAYNE | 5 | 1 | 4 | 3 | 0 | 3 | 2 | 1 | 1 |
| WEBSTER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WILKINSON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WINSTON | 2 | 0 | 2 | 1 | 0 | 1 | 1 | 0 | 1 |
| YALOBUSHA | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| YAZOO | 4 | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 1 |

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1994-1998 (5-YEAR AVERAGE)

| COUNTY | INFANT** | | | NEONATAL** | | | POSTNEONATAL** | | |
|--------------|-------------|------------|-------------|------------|------------|------------|----------------|------------|------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| <u>STATE</u> | <u>10.6</u> | <u>7.1</u> | <u>14.6</u> | <u>6.5</u> | <u>4.2</u> | <u>9.1</u> | <u>4.2</u> | <u>2.9</u> | <u>5.5</u> |
| ADAMS | 14.0 | 12.1 | 15.1 | 10.1 | 7.7 | 11.4 | 3.9 | 4.4 | 3.6 |
| ALCORN | 8.5 | 6.8 | 16.8 | 6.2 | 5.1 | 11.2 | 2.4 | 1.7 | 5.6 |
| AMITE | 3.8 | 2.5 | 5.2 | 1.3 | - | 2.6 | 2.5 | 2.5 | 2.6 |
| ATTALA | 12.8 | 12.7 | 12.9 | 7.2 | 6.4 | 8.1 | 5.6 | 6.4 | 4.8 |
| BENTON | 14.0 | 15.5 | 12.0 | 8.7 | 12.4 | 4.0 | 5.2 | 3.1 | 8.0 |
| BOLI VAR | 11.9 | 3.9 | 14.1 | 6.4 | 1.3 | 7.8 | 5.5 | 2.6 | 6.3 |
| CALHOUN | 6.8 | 4.7 | 10.0 | 3.9 | 3.2 | 5.0 | 2.9 | 1.6 | 5.0 |
| CARROLL | 4.0 | 3.9 | 4.2 | 4.0 | 3.9 | 4.2 | - | - | - |
| CHICKASAW | 7.0 | 4.8 | 9.4 | 6.4 | 4.8 | 8.1 | 0.6 | - | 1.3 |
| CHOCTAW | 10.1 | 8.2 | 13.0 | 5.0 | 5.5 | 4.3 | 5.0 | 2.7 | 8.7 |
| CLAI BORNE | 14.6 | - | 15.9 | 6.7 | - | 7.3 | 7.8 | - | 8.6 |
| CLARKE | 6.0 | 3.2 | 9.3 | 3.4 | 1.6 | 5.6 | 2.6 | 1.6 | 3.7 |
| CLAY | 11.0 | 3.5 | 14.8 | 7.0 | 1.8 | 9.6 | 4.1 | 1.8 | 5.2 |
| COAHOMA | 16.8 | 6.8 | 19.2 | 10.4 | 6.8 | 11.2 | 6.5 | - | 8.0 |
| COPIAH | 11.2 | 7.4 | 13.7 | 8.3 | 5.0 | 10.4 | 2.9 | 2.5 | 3.2 |
| COVINGTON | 10.6 | 8.9 | 12.4 | 7.9 | 5.1 | 11.0 | 2.6 | 3.8 | 1.4 |
| DESOTO | 9.2 | 7.0 | 21.7 | 6.0 | 4.3 | 15.8 | 3.2 | 2.7 | 5.9 |
| FORREST | 7.9 | 4.3 | 12.2 | 4.8 | 3.0 | 6.9 | 3.1 | 1.3 | 5.3 |
| FRANKLIN | 5.3 | 3.6 | 7.0 | 1.8 | 3.6 | - | 3.6 | - | 7.0 |
| GEORGE | 6.7 | 6.2 | 11.3 | 4.3 | 3.4 | 11.3 | 2.4 | 2.7 | - |
| GREENE | 6.7 | 7.1 | 5.7 | 5.4 | 5.3 | 5.7 | 1.4 | 1.8 | - |
| GRENADA | 9.8 | 3.8 | 15.6 | 5.5 | 1.3 | 9.6 | 4.3 | 2.5 | 6.0 |
| HANCOCK | 7.6 | 6.1 | 21.4 | 3.8 | 3.3 | 8.5 | 3.8 | 2.8 | 12.8 |
| HARRISON | 8.6 | 6.8 | 12.9 | 4.7 | 3.5 | 7.5 | 3.9 | 3.3 | 5.4 |
| HINDS | 11.3 | 6.3 | 13.3 | 7.0 | 4.0 | 8.2 | 4.3 | 2.3 | 5.1 |
| HOLMES | 14.2 | 4.2 | 15.5 | 9.6 | - | 10.9 | 4.6 | 4.2 | 4.6 |
| HUMPHREYS | 10.4 | 4.8 | 11.9 | 7.3 | - | 9.3 | 3.1 | 4.8 | 2.6 |
| ISSAQUENA | 18.0 | 40.0 | 11.6 | - | - | - | 18.0 | 40.0 | 11.6 |
| ITAWAMBA | 7.6 | 7.6 | 7.4 | 3.0 | 3.4 | - | 4.5 | 4.2 | 7.4 |
| JACKSON | 10.4 | 8.2 | 15.4 | 6.8 | 4.6 | 11.8 | 3.6 | 3.5 | 3.7 |
| JASPER | 8.4 | 10.1 | 7.6 | 4.9 | 4.0 | 5.4 | 3.5 | 6.0 | 2.2 |
| JEFFERSON | 20.2 | 22.7 | 20.1 | 13.0 | - | 13.9 | 7.2 | 22.7 | 6.2 |
| JEFF DAVIS | 10.2 | 6.3 | 11.9 | 6.5 | - | 9.2 | 3.7 | 6.3 | 2.6 |
| JONES | 11.0 | 8.3 | 15.3 | 6.9 | 4.3 | 11.2 | 4.0 | 4.0 | 4.1 |
| KEMPER | 7.3 | 5.6 | 7.8 | 5.8 | - | 7.8 | 1.4 | 5.6 | - |
| LAFAYETTE | 10.4 | 8.4 | 13.1 | 6.4 | 5.9 | 7.1 | 3.9 | 2.5 | 6.0 |
| LAMAR | 7.6 | 5.4 | 18.7 | 4.9 | 3.2 | 14.0 | 2.6 | 2.3 | 4.7 |
| LAUDERDALE | 13.7 | 7.7 | 20.0 | 8.2 | 3.7 | 13.0 | 5.5 | 4.0 | 7.0 |
| LAWRENCE | 7.7 | 7.8 | 7.6 | 5.5 | 7.8 | 2.5 | 2.2 | - | 5.1 |
| LEAKE | 9.5 | 4.0 | 14.5 | 4.4 | 4.0 | 4.8 | 5.1 | - | 9.7 |
| LEE | 12.8 | 7.5 | 23.7 | 9.1 | 5.2 | 17.0 | 3.7 | 2.2 | 6.7 |
| LEFLORE | 11.5 | 6.8 | 12.9 | 7.4 | 4.1 | 8.3 | 4.1 | 2.7 | 4.5 |

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1994-1998 AVERAGE

| COUNTY | INFANT** | | | NEONATAL** | | | POSTNEONATAL** | | |
|--------------|----------|-------|-----------|------------|-------|-----------|----------------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LINCOLN | 9.7 | 6.3 | 15.6 | 7.1 | 4.9 | 10.8 | 2.6 | 1.4 | 4.8 |
| LOWNDES | 14.6 | 10.3 | 18.8 | 9.6 | 6.7 | 12.5 | 4.9 | 3.6 | 6.3 |
| MADISON | 7.9 | 4.2 | 12.1 | 4.6 | 2.6 | 6.8 | 3.4 | 1.6 | 5.3 |
| MARION | 7.8 | 6.2 | 10.0 | 5.2 | 3.6 | 7.5 | 2.6 | 2.7 | 2.5 |
| MARSHALL | 11.1 | 5.3 | 15.3 | 8.2 | 3.6 | 11.4 | 3.0 | 1.8 | 3.8 |
| MONROE | 12.5 | 9.2 | 17.8 | 6.1 | 3.1 | 10.9 | 6.4 | 6.2 | 6.9 |
| MONTGOMERY | 19.0 | 10.8 | 24.6 | 16.7 | 10.8 | 20.8 | 2.2 | - | 3.8 |
| NESHOBA | 12.5 | 7.8 | 17.8 | 7.4 | 6.1 | 8.9 | 5.1 | 1.7 | 8.9 |
| NEWTON | 19.6 | 12.4 | 28.0 | 15.3 | 12.4 | 18.7 | 4.3 | - | 9.3 |
| NOXUBEE | 24.9 | 4.0 | 31.2 | 16.6 | 4.0 | 20.4 | 8.3 | - | 10.8 |
| OKTIBBEHA | 7.4 | 3.3 | 10.8 | 6.6 | 3.3 | 9.4 | 0.8 | - | 1.4 |
| PANOLA | 19.6 | 12.5 | 24.0 | 10.7 | 4.8 | 14.4 | 8.8 | 7.7 | 9.6 |
| PEARL RIVER | 7.6 | 6.8 | 11.4 | 3.6 | 3.6 | 3.8 | 3.9 | 3.2 | 7.6 |
| PERRY | 3.2 | 3.1 | 3.5 | 2.2 | 1.6 | 3.5 | 1.1 | 1.6 | - |
| PIKE | 6.5 | 5.2 | 7.4 | 3.8 | 2.6 | 4.5 | 2.8 | 2.6 | 2.8 |
| PONTOTOC | 8.5 | 5.4 | 24.3 | 5.1 | 3.4 | 13.9 | 3.4 | 2.0 | 10.4 |
| PRENTISS | 11.1 | 11.6 | 8.2 | 4.9 | 5.8 | - | 6.2 | 5.8 | 8.2 |
| QUITMAN | 7.7 | 5.7 | 8.2 | 4.4 | 5.7 | 4.1 | 3.3 | - | 4.1 |
| RANKIN | 7.9 | 6.6 | 12.7 | 4.9 | 4.6 | 6.0 | 3.0 | 2.0 | 6.7 |
| SCOTT | 11.9 | 13.2 | 10.6 | 6.4 | 7.9 | 4.8 | 5.5 | 5.3 | 5.8 |
| SHARKEY | 3.1 | 8.1 | 2.0 | - | - | - | 3.1 | 8.1 | 2.0 |
| SIMPSON | 10.7 | 6.8 | 15.6 | 5.9 | 2.9 | 9.6 | 4.8 | 3.9 | 6.0 |
| SMITH | 7.5 | 7.0 | 8.7 | 4.7 | 7.0 | - | 2.8 | - | 8.7 |
| STONE | 14.0 | 13.1 | 16.6 | 8.6 | 7.2 | 12.4 | 5.4 | 5.8 | 4.1 |
| SUNFLOWER | 11.0 | 3.7 | 12.9 | 4.6 | 1.9 | 5.2 | 6.4 | 1.9 | 7.6 |
| TALLAHATCHIE | 14.7 | 3.0 | 19.4 | 8.6 | - | 12.1 | 6.1 | 3.0 | 7.3 |
| TATE | 11.4 | 7.8 | 16.6 | 5.7 | 2.9 | 9.7 | 5.7 | 4.8 | 6.9 |
| TIPPAH | 12.8 | 9.5 | 24.5 | 7.4 | 4.3 | 18.3 | 5.4 | 5.2 | 6.1 |
| TISHOMINGO | 9.8 | 10.1 | - | 3.6 | 3.7 | - | 6.2 | 6.4 | - |
| TUNICA | 16.4 | - | 19.7 | 6.3 | - | 7.6 | 10.1 | - | 12.1 |
| UNION | 10.4 | 10.4 | 10.5 | 6.4 | 6.7 | 5.2 | 4.1 | 3.7 | 5.2 |
| WALTHALL | 11.6 | 6.6 | 15.1 | 5.4 | 4.4 | 6.0 | 6.2 | 2.2 | 9.0 |
| WARREN | 11.4 | 6.3 | 16.0 | 6.5 | 2.1 | 10.3 | 5.0 | 4.2 | 5.6 |
| WASHINGTON | 12.4 | 6.0 | 14.4 | 7.0 | 4.7 | 7.8 | 5.4 | 1.3 | 6.7 |
| WAYNE | 16.6 | 11.9 | 21.2 | 9.5 | 4.7 | 14.2 | 7.1 | 7.1 | 7.1 |
| WEBSTER | 3.0 | 2.2 | 4.7 | 1.5 | 2.2 | - | 1.5 | - | 4.7 |
| WILKINSON | 9.6 | 6.7 | 10.5 | 8.0 | - | 10.5 | 1.6 | 6.7 | - |
| WINSTON | 8.1 | 1.8 | 13.6 | 4.1 | - | 7.5 | 4.1 | 1.8 | 6.0 |
| YALOBUSHA | 3.4 | 2.2 | 4.7 | 2.3 | - | 4.7 | 1.2 | 2.2 | - |
| YAZOO | 8.7 | 9.3 | 8.5 | 4.8 | 4.0 | 5.2 | 3.9 | 5.3 | 3.3 |

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

**TABLE 13
 INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
 ALSO MORTALITY RATES FOR SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 1998**

| CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER** | TOTAL | | R A C E | TOTAL BY RACE | UNDER 28 DAYS OF AGE | | | | | | 28 DAYS AND OVER |
|--|------------|-------------|------------------|---------------------|----------------------|------------|-----------|-----------|-----------|-----------|---------------------------|
| | NUMBER | RATE# | | | UNDER TOTAL | 1 DAY | 1- 6 | 7- 13 | 14- 20 | 21- 27 | |
| <u>ALL CAUSES</u> | <u>436</u> | <u>10.2</u> | W | <u>146</u> | <u>76</u> | <u>45</u> | <u>15</u> | <u>4</u> | <u>7</u> | <u>5</u> | <u>70</u> |
| | | | NW | <u>290</u> | <u>189</u> | <u>105</u> | <u>40</u> | <u>20</u> | <u>13</u> | <u>11</u> | <u>101</u> |
| MENINGOCOCCAL INFECTION (036) | 0 | - | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SEPTICEMIA (038) | 7 | 0.2 | W | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | | | NW | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139) | 11 | 0.2 | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 10 | 2 | 0 | 0 | 1 | 1 | 0 | 8 |
| MENINGITIS (320-322) | 1 | ## | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| ACUTE UPPER RESPIRATORY INFECTIONS (460-465) | 0 | - | W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491) | 1 | ## | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PNEUMONIA AND INFLUENZA (480-487) | 12 | 0.3 | W | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | | | NW | 8 | 2 | 0 | 0 | 1 | 0 | 1 | 6 |
| HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560) | 2 | ## | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| CONGENITAL ANOMALIES (740-759) | 79 | 1.8 | W | 36 | 22 | 10 | 6 | 1 | 3 | 2 | 14 |
| | | | NW | 43 | 29 | 13 | 5 | 5 | 4 | 2 | 14 |
| MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760) | 2 | ## | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| MATERNAL COMPLICATIONS OF PREGNANCY (761) | 8 | 0.2 | W | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 6 | 6 | 6 | 0 | 0 | 0 | 0 | 0 |
| COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762) | 6 | 0.1 | W | 3 | 3 | 3 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 3 | 3 | 2 | 1 | 0 | 0 | 0 | 0 |
| OTHER COMPLICATIONS OF LABOR AND DELIVERY (763) | 3 | 0.1 | W | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | NW | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765) | 78 | 1.8 | W | 17 | 17 | 17 | 0 | 0 | 0 | 0 | 0 |
| | | | NW | 61 | 60 | 54 | 6 | 0 | 0 | 0 | 1 |

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1998

| CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER** | TOTAL | | R A C E | TOTAL BY RACE | UNDER 28 DAYS OF AGE | | | | | | 28 DAYS AND OVER |
|---|--------|-------|------------------|---------------------|----------------------|----------|---------|----------|-----------|-----------|---------------------------|
| | NUMBER | RATE# | | | UNDER TOTAL | 1 DAY | 1- 6 | 7- 13 | 14- 20 | 21- 27 | |
| BIRTH TRAUMA (767) | 0 | - | W NW | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 |
| INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768) | 7 | 0.2 | W NW | 4 3 | 4 3 | 1 0 | 2 1 | 0 1 | 1 1 | 0 0 | 0 0 |
| RESPIRATORY DISTRESS SYNDROME (769) | 22 | 0.5 | W NW | 5 17 | 5 15 | 2 9 | 3 5 | 0 0 | 0 0 | 0 1 | 0 2 |
| INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771) | 13 | 0.3 | W NW | 3 10 | 3 10 | 1 1 | 0 2 | 0 3 | 1 2 | 1 2 | 0 0 |
| NEONATAL HEMORRHAGE (772) | 5 | 0.1 | W NW | 3 2 | 3 2 | 2 0 | 0 0 | 1 1 | 0 0 | 0 1 | 0 0 |
| HEMORRHAGIC DISEASE OF NEWBORN (776.0) | 0 | - | W NW | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 |
| SUDDEN INFANT DEATH SYNDROME (798.0) | 61 | 1.4 | W NW | 25 36 | 2 2 | 0 0 | 0 0 | 0 0 | 1 0 | 1 2 | 23 34 |
| ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799) | 6 | 0.1 | W NW | 2 4 | 0 1 | 0 0 | 0 1 | 0 0 | 0 0 | 0 0 | 2 3 |
| ACCIDENTS (800-949) | 10 | 0.2 | W NW | 1 9 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 1 9 |
| ALL OTHER CAUSES | 102 | 2.4 | W NW | 33 69 | 15 49 | 7 17 | 4 19 | 2 8 | 1 3 | 1 2 | 18 20 |

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1998

| COUNTY | TOTAL | MOTOR VEHICLE | WATER TRANS- PORT | POI- SON- ING | FALLS | FIRES AND FLAMES | DROWNING AND SUB- MERSION | FIRE- ARMS | ALL OTHER |
|--------------|--------------|------------------|-------------------------|---------------------|------------|------------------------|---------------------------------|---------------|--------------|
| STATE | 1,700 | 983 | 16 | 52 | 182 | 100 | 78 | 15 | 274 |
| ADAMS | 12 | 5 | 0 | 0 | 3 | 0 | 2 | 1 | 1 |
| ALCORN | 26 | 11 | 0 | 0 | 6 | 0 | 2 | 0 | 7 |
| AMITE | 9 | 7 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| ATTALA | 14 | 7 | 0 | 0 | 0 | 1 | 1 | 0 | 5 |
| BENTON | 7 | 3 | 0 | 0 | 0 | 4 | 0 | 0 | 0 |
| BOLIVAR | 20 | 11 | 0 | 0 | 1 | 2 | 2 | 0 | 4 |
| CALHOUN | 13 | 6 | 0 | 0 | 0 | 5 | 1 | 0 | 1 |
| CARROLL | 9 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| CHICKASAW | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHOCTAW | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| CLAI BORNE | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CLARKE | 5 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| CLAY | 13 | 6 | 0 | 0 | 0 | 3 | 0 | 0 | 4 |
| COAHOMA | 27 | 11 | 0 | 1 | 8 | 1 | 1 | 0 | 5 |
| COPIAH | 17 | 11 | 0 | 0 | 0 | 1 | 0 | 0 | 5 |
| COVINGTON | 20 | 16 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| DESOTO | 31 | 18 | 0 | 0 | 1 | 1 | 1 | 1 | 9 |
| FORREST | 56 | 35 | 0 | 3 | 9 | 1 | 1 | 1 | 6 |
| FRANKLIN | 8 | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| GEORGE | 12 | 8 | 0 | 0 | 1 | 0 | 1 | 2 | 0 |
| GREENE | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GRENADA | 16 | 10 | 0 | 1 | 0 | 2 | 2 | 0 | 1 |
| HANCOCK | 31 | 18 | 1 | 1 | 2 | 0 | 4 | 0 | 5 |
| HARRISON | 111 | 54 | 2 | 11 | 11 | 1 | 8 | 1 | 23 |
| HINDS | 233 | 135 | 1 | 7 | 43 | 9 | 4 | 0 | 34 |
| HOLMES | 17 | 10 | 0 | 0 | 0 | 3 | 1 | 0 | 3 |
| HUMPHREYS | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| ISSAQUENA | 6 | 3 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| ITAWAMBA | 10 | 6 | 1 | 0 | 0 | 1 | 0 | 1 | 1 |
| JACKSON | 58 | 32 | 2 | 1 | 8 | 1 | 3 | 0 | 11 |
| JASPER | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| JEFFERSON | 14 | 12 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| JEFF DAVIS | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| JONES | 41 | 18 | 0 | 2 | 6 | 4 | 3 | 2 | 6 |
| KEMPER | 4 | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| LAFAYETTE | 31 | 7 | 0 | 3 | 10 | 1 | 1 | 0 | 9 |
| LAMAR | 23 | 20 | 0 | 0 | 2 | 0 | 0 | 1 | 0 |
| LAUDERDALE | 64 | 30 | 1 | 5 | 13 | 1 | 2 | 1 | 11 |
| LAWRENCE | 7 | 4 | 0 | 1 | 1 | 0 | 0 | 0 | 1 |
| LEAKE | 15 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEE | 78 | 38 | 0 | 1 | 26 | 4 | 0 | 0 | 9 |
| LEFLORE | 22 | 10 | 0 | 1 | 3 | 1 | 2 | 0 | 5 |

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 1998

| COUNTY | TOTAL | MOTOR VEHICLE | WATER TRANS- PORT | POI- SON- ING | FALLS | FIRES AND FLAMES | DROWNING AND SUB- MERSION | FIRE- ARMS | ALL OTHER |
|--------------|-------|------------------|-------------------------|---------------------|-------|------------------------|---------------------------------|---------------|--------------|
| LINCOLN | 18 | 16 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| LOWNDES | 27 | 13 | 0 | 1 | 2 | 5 | 1 | 0 | 5 |
| MADISON | 24 | 18 | 0 | 1 | 0 | 1 | 1 | 0 | 3 |
| MARION | 15 | 10 | 0 | 0 | 0 | 0 | 1 | 0 | 4 |
| MARSHALL | 18 | 13 | 0 | 0 | 1 | 3 | 1 | 0 | 0 |
| MONROE | 11 | 7 | 0 | 0 | 1 | 1 | 1 | 1 | 0 |
| | | | | | | | | | |
| MONTGOMERY | 10 | 4 | 0 | 1 | 0 | 0 | 1 | 0 | 4 |
| NESHOBA | 16 | 10 | 0 | 0 | 2 | 1 | 1 | 0 | 2 |
| NEWTON | 9 | 6 | 0 | 0 | 0 | 1 | 1 | 0 | 1 |
| NOXUBEE | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| OKTIBBEHA | 12 | 4 | 0 | 1 | 4 | 0 | 3 | 0 | 0 |
| PANOLA | 25 | 15 | 0 | 1 | 1 | 4 | 3 | 0 | 1 |
| | | | | | | | | | |
| PEARL RIVER | 29 | 22 | 0 | 0 | 0 | 1 | 2 | 0 | 4 |
| PERRY | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PIKE | 21 | 12 | 0 | 0 | 1 | 2 | 0 | 0 | 6 |
| PONTOTOC | 13 | 8 | 0 | 1 | 1 | 0 | 0 | 0 | 3 |
| PRENTISS | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| QUITMAN | 13 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | | | | | | | | | |
| RANKIN | 43 | 26 | 0 | 3 | 3 | 1 | 3 | 0 | 7 |
| SCOTT | 15 | 13 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| SHARKEY | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SIMPSON | 19 | 13 | 0 | 0 | 2 | 0 | 0 | 0 | 4 |
| SMITH | 4 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| STONE | 6 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | | | | | | | | | |
| SUNFLOWER | 20 | 8 | 0 | 1 | 0 | 6 | 1 | 0 | 4 |
| TALLAHATCHIE | 14 | 11 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| TATE | 12 | 8 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| TIPPAH | 13 | 10 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| TISHOMINGO | 12 | 5 | 0 | 0 | 1 | 0 | 4 | 1 | 1 |
| TUNICA | 9 | 8 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | |
| UNION | 7 | 5 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| WALTHALL | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARREN | 31 | 15 | 2 | 2 | 2 | 0 | 1 | 1 | 8 |
| WASHINGTON | 50 | 23 | 2 | 0 | 3 | 14 | 2 | 0 | 6 |
| WAYNE | 15 | 9 | 0 | 0 | 0 | 0 | 1 | 0 | 5 |
| WEBSTER | 7 | 4 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| | | | | | | | | | |
| WILKINSON | 7 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| WINSTON | 13 | 6 | 1 | 1 | 2 | 0 | 1 | 0 | 2 |
| YALOBUSHA | 6 | 3 | 0 | 0 | 0 | 2 | 1 | 0 | 0 |
| YAZOO | 16 | 10 | 0 | 0 | 0 | 2 | 0 | 0 | 4 |

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1998

| COUNTY | LICENSURE DATA | | | OCCURRENCE DATA | | | RESIDENCE DATA | | |
|--------------|----------------|----------------|---------------|-----------------|----------------|---------------|----------------|----------------|---------------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| STATE | 20, 911 | 14, 222 | 6, 689 | 20, 911 | 14, 222 | 6, 689 | 19, 700 | 13, 324 | 6, 376 |
| ADAMS | 331 | 186 | 145 | 358 | 207 | 151 | 261 | 130 | 131 |
| ALCORN | 183 | 167 | 16 | 198 | 180 | 18 | 153 | 140 | 13 |
| AMITE | 95 | 61 | 34 | 122 | 79 | 43 | 101 | 63 | 38 |
| ATTALA | 159 | 105 | 54 | 159 | 103 | 56 | 145 | 96 | 49 |
| BENTON | 45 | 27 | 18 | 54 | 34 | 20 | 50 | 32 | 18 |
| BOLIVAR | 22 | 2 | 20 | 49 | 21 | 28 | 46 | 14 | 32 |
| CALHOUN | 105 | 75 | 30 | 114 | 82 | 32 | 114 | 85 | 29 |
| CARROLL | 54 | 36 | 18 | 79 | 57 | 22 | 61 | 41 | 20 |
| CHICKASAW | 152 | 105 | 47 | 147 | 106 | 41 | 137 | 91 | 46 |
| CHOCTAW | 79 | 55 | 24 | 85 | 64 | 21 | 85 | 59 | 26 |
| CLAIBORNE | 108 | 26 | 82 | 100 | 24 | 76 | 103 | 23 | 80 |
| CLARKE | 125 | 87 | 38 | 142 | 98 | 44 | 126 | 86 | 40 |
| CLAY | 160 | 89 | 71 | 173 | 94 | 79 | 161 | 87 | 74 |
| COAHOMA | 162 | 60 | 102 | 161 | 61 | 100 | 151 | 55 | 96 |
| COPIAH | 234 | 121 | 113 | 264 | 154 | 110 | 237 | 124 | 113 |
| COVINGTON | 166 | 129 | 37 | 145 | 112 | 33 | 167 | 130 | 37 |
| DESOTO | 559 | 498 | 61 | 499 | 449 | 50 | 445 | 409 | 36 |
| FORREST | 742 | 537 | 205 | 656 | 485 | 171 | 606 | 445 | 161 |
| FRANKLIN | 66 | 40 | 26 | 67 | 44 | 23 | 66 | 40 | 26 |
| GEORGE | 217 | 208 | 9 | 205 | 194 | 11 | 181 | 172 | 9 |
| GREENE | 79 | 65 | 14 | 97 | 83 | 14 | 68 | 61 | 7 |
| GRENADA | 216 | 151 | 65 | 200 | 139 | 61 | 186 | 135 | 51 |
| HANCOCK | 353 | 325 | 28 | 350 | 323 | 27 | 301 | 279 | 22 |
| HARRISON | 1, 646 | 1, 341 | 305 | 1, 635 | 1, 337 | 298 | 1, 404 | 1, 127 | 277 |
| HINDS | 2, 163 | 1, 043 | 1, 120 | 2, 046 | 988 | 1, 058 | 1, 826 | 779 | 1, 047 |
| HOLMES | 132 | 35 | 97 | 161 | 45 | 116 | 146 | 42 | 104 |
| HUMPHREYS | 53 | 18 | 35 | 62 | 29 | 33 | 49 | 18 | 31 |
| ISSAQUENA | 5 | 3 | 2 | 10 | 5 | 5 | 6 | 3 | 3 |
| ITAWAMBA | 137 | 131 | 6 | 144 | 138 | 6 | 142 | 137 | 5 |
| JACKSON | 956 | 763 | 193 | 1, 027 | 829 | 198 | 993 | 801 | 192 |
| JASPER | 118 | 65 | 53 | 119 | 68 | 51 | 116 | 62 | 54 |
| JEFFERSON | 67 | 6 | 61 | 83 | 14 | 69 | 48 | 6 | 42 |
| JEFF DAVIS | 110 | 58 | 52 | 124 | 65 | 59 | 111 | 58 | 53 |
| JONES | 517 | 406 | 111 | 522 | 411 | 111 | 491 | 397 | 94 |
| KEMPER | 60 | 14 | 46 | 72 | 21 | 51 | 55 | 10 | 45 |
| LAFAYETTE | 251 | 164 | 87 | 221 | 145 | 76 | 233 | 150 | 83 |
| LAMAR | 246 | 221 | 25 | 259 | 230 | 29 | 322 | 273 | 49 |
| LAUDERDALE | 610 | 413 | 197 | 601 | 408 | 193 | 563 | 376 | 187 |
| LAWRENCE | 113 | 77 | 36 | 134 | 91 | 43 | 119 | 82 | 37 |
| LEAKE | 167 | 112 | 55 | 170 | 110 | 60 | 176 | 119 | 57 |
| LEE | 686 | 510 | 176 | 624 | 469 | 155 | 628 | 469 | 159 |
| LEFLORE | 252 | 98 | 154 | 225 | 87 | 138 | 215 | 84 | 131 |

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1998

| COUNTY | LICENSURE DATA | | | OCCURRENCE DATA | | | RESIDENCE DATA | | |
|---------------|----------------|-------|---------------|-----------------|-------|---------------|----------------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| LINCOLN | 325 | 239 | 86 | 316 | 227 | 89 | 323 | 242 | 81 |
| LOWNDES | 416 | 248 | 168 | 413 | 246 | 167 | 386 | 225 | 161 |
| MADISON | 372 | 209 | 163 | 426 | 238 | 188 | 495 | 312 | 183 |
| MARION | 262 | 186 | 76 | 270 | 189 | 81 | 256 | 182 | 74 |
| MARSHALL | 189 | 88 | 101 | 189 | 89 | 100 | 162 | 77 | 85 |
| MONROE | 235 | 170 | 65 | 270 | 192 | 78 | 246 | 174 | 72 |
| MONTGOMERY | 89 | 54 | 35 | 101 | 63 | 38 | 92 | 52 | 40 |
| NESHOPA | 258 | 176 | 82 | 253 | 173 | 80 | 237 | 162 | 75 |
| NEWTON | 158 | 106 | 52 | 159 | 112 | 47 | 163 | 113 | 50 |
| NOXUBEE | 92 | 26 | 66 | 103 | 31 | 72 | 87 | 20 | 67 |
| OKTI BBEHA | 299 | 194 | 105 | 278 | 168 | 110 | 261 | 160 | 101 |
| PANOLA | 213 | 118 | 95 | 231 | 125 | 106 | 225 | 124 | 101 |
| PEARL RIVER | 389 | 348 | 41 | 371 | 334 | 37 | 363 | 320 | 43 |
| PERRY | 77 | 64 | 13 | 84 | 67 | 17 | 95 | 79 | 16 |
| PIKE | 384 | 196 | 188 | 387 | 206 | 181 | 334 | 162 | 172 |
| PONTOTOC | 200 | 175 | 25 | 196 | 170 | 26 | 209 | 184 | 25 |
| PRENTISS | 164 | 140 | 24 | 158 | 140 | 18 | 166 | 144 | 22 |
| QUITMAN | 57 | 17 | 40 | 54 | 18 | 36 | 53 | 13 | 40 |
| RANKIN | 938 | 825 | 113 | 804 | 685 | 119 | 1,030 | 899 | 131 |
| SCOTT | 205 | 140 | 65 | 223 | 159 | 64 | 207 | 144 | 63 |
| SHARKEY | 31 | 12 | 19 | 21 | 6 | 15 | 27 | 10 | 17 |
| SIMPSON | 220 | 156 | 64 | 226 | 163 | 63 | 228 | 165 | 63 |
| SMITH | 95 | 78 | 17 | 147 | 116 | 31 | 119 | 92 | 27 |
| STONE | 132 | 114 | 18 | 116 | 98 | 18 | 118 | 100 | 18 |
| SUNFLOWER | 125 | 34 | 91 | 140 | 37 | 103 | 109 | 33 | 76 |
| TALLAHATCHIE | 85 | 50 | 35 | 95 | 52 | 43 | 85 | 43 | 42 |
| TATE | 166 | 125 | 41 | 166 | 127 | 39 | 143 | 105 | 38 |
| TIPPAAH | 122 | 106 | 16 | 119 | 101 | 18 | 106 | 90 | 16 |
| TISHOMINGO | 113 | 108 | 5 | 115 | 110 | 5 | 90 | 89 | 1 |
| TUNICA | 57 | 29 | 28 | 61 | 32 | 29 | 44 | 16 | 28 |
| UNION | 183 | 150 | 33 | 182 | 150 | 32 | 180 | 149 | 31 |
| WALTHALL | 118 | 74 | 44 | 115 | 70 | 45 | 118 | 77 | 41 |
| WARREN | 438 | 289 | 149 | 447 | 303 | 144 | 396 | 260 | 136 |
| WASHINGTON | 255 | 108 | 147 | 260 | 111 | 149 | 233 | 102 | 131 |
| WAYNE | 173 | 110 | 63 | 173 | 111 | 62 | 154 | 98 | 56 |
| WEBSTER | 93 | 73 | 20 | 78 | 58 | 20 | 94 | 72 | 22 |
| WILKINSON | 57 | 23 | 34 | 59 | 26 | 33 | 52 | 20 | 32 |
| WINSTON | 150 | 77 | 73 | 151 | 78 | 73 | 147 | 76 | 71 |
| YALOBUSHA | 93 | 61 | 32 | 95 | 59 | 36 | 97 | 62 | 35 |
| YAZOO | 182 | 93 | 89 | 191 | 96 | 95 | 176 | 87 | 89 |
| UNKNOWN | | | | 5 | 3 | 2 | | | |
| OUT OF STATE | * | * | * | * | * | * | 1,208 | 895 | 313 |
| UNKNOWN STATE | | | | | | | 3 | 3 | 0 |

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 1998

| COUNTY | TOTAL | WHITE | NON- WHITE | UN- KNOWN | COUNTY | TOTAL | WHITE | NON- WHITE | UN- KNOWN |
|--------------|----------------|----------------|---------------|--------------|--------------|-------|-------|---------------|--------------|
| STATE | 13, 748 | 10, 310 | 3, 004 | 434 | | | | | |
| ADAMS | 169 | 113 | 50 | 6 | LINCOLN | 140 | 110 | 26 | 4 |
| ALCORN | 260 | 240 | 19 | 1 | LOWNDES | 314 | 220 | 92 | 2 |
| AMITE | 42 | 30 | 11 | 1 | MADISON | 274 | 202 | 72 | 0 |
| ATTALA | 89 | 62 | 27 | 0 | MARION | 172 | 129 | 41 | 2 |
| BENTON | 34 | 25 | 8 | 1 | MARSHALL | 176 | 109 | 67 | 0 |
| BOLIVAR | 127 | 72 | 54 | 1 | MONROE | 234 | 195 | 37 | 2 |
| CALHOUN | 59 | 45 | 14 | 0 | MONTGOMERY | 57 | 36 | 21 | 0 |
| CARROLL | 35 | 28 | 7 | 0 | NESHOBA | 138 | 120 | 18 | 0 |
| CHICKASAW | 71 | 47 | 20 | 4 | NEWTON | 105 | 88 | 12 | 5 |
| CHOCTAW | 48 | 40 | 8 | 0 | NOXUBEE | 27 | 11 | 16 | 0 |
| CLAIBORNE | 17 | 5 | 12 | 0 | OKTIBBEHA | 69 | 48 | 20 | 1 |
| CLARKE | 88 | 66 | 22 | 0 | PANOLA | 161 | 110 | 51 | 0 |
| CLAY | 66 | 37 | 25 | 4 | PEARL RIVER | 276 | 243 | 27 | 6 |
| COAHOMA | 113 | 57 | 56 | 0 | PERRY | 51 | 48 | 2 | 1 |
| COPIAH | 52 | 36 | 16 | 0 | PIKE | 241 | 150 | 81 | 10 |
| COVINGTON | 98 | 71 | 15 | 12 | PONTOTOC | 175 | 168 | 7 | 0 |
| DESOTO | 683 | 585 | 40 | 58 | PRENTISS | 162 | 141 | 10 | 11 |
| FORREST | 309 | 205 | 60 | 44 | QUITMAN | 44 | 33 | 11 | 0 |
| FRANKLIN | 39 | 32 | 7 | 0 | RANKIN | 728 | 667 | 61 | 0 |
| GEORGE | 138 | 131 | 6 | 1 | SCOTT | 167 | 121 | 46 | 0 |
| GREENE | 48 | 44 | 4 | 0 | SHARKEY | 5 | 4 | 1 | 0 |
| GRENADA | 138 | 103 | 35 | 0 | SIMPSON | 129 | 97 | 31 | 1 |
| HANCOCK | 244 | 226 | 7 | 11 | SMITH | 101 | 85 | 15 | 1 |
| HARRISON | 1, 282 | 988 | 177 | 117 | STONE | 69 | 66 | 3 | 0 |
| HINDS | 1, 155 | 527 | 614 | 14 | SUNFLOWER | 31 | 14 | 16 | 1 |
| HOLMES | 64 | 25 | 38 | 1 | TALLAHATCHIE | 26 | 16 | 10 | 0 |
| HUMPHREYS | 0 | 0 | 0 | 0 | TATE | 127 | 98 | 29 | 0 |
| ISSAQUENA | 5 | 3 | 2 | 0 | TIPPAH | 170 | 148 | 16 | 6 |
| ITAWAMBA | 172 | 165 | 4 | 3 | TISHOMINGO | 128 | 124 | 2 | 2 |
| JACKSON | 370 | 331 | 39 | 0 | TUNICA | 24 | 10 | 14 | 0 |
| JASPER | 71 | 43 | 28 | 0 | UNION | 221 | 186 | 32 | 3 |
| JEFFERSON | 5 | 1 | 4 | 0 | WALTHALL | 63 | 47 | 16 | 0 |
| JEFF DAVIS | 31 | 22 | 9 | 0 | WARREN | 182 | 126 | 56 | 0 |
| JONES | 370 | 308 | 56 | 6 | WASHINGTON | 238 | 130 | 100 | 8 |
| KEMPER | 24 | 14 | 10 | 0 | WAYNE | 115 | 81 | 28 | 6 |
| LAFAYETTE | 148 | 109 | 36 | 3 | WEBSTER | 48 | 39 | 9 | 0 |
| LAMAR | 211 | 160 | 23 | 28 | WILKINSON | 18 | 7 | 11 | 0 |
| LAUDERDALE | 432 | 309 | 108 | 15 | WINSTON | 49 | 36 | 13 | 0 |
| LAWRENCE | 83 | 69 | 14 | 0 | YALOBUSHA | 68 | 58 | 10 | 0 |
| LEAKE | 106 | 80 | 26 | 0 | YAZOO | 89 | 60 | 29 | 0 |
| LEE | 488 | 384 | 74 | 30 | | | | | |
| LEFLORE | 152 | 91 | 60 | 1 | | | | | |

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1998

| COUNTY | TOTAL | WHITE | NON- WHITE | UNK. RACE | COUNTY | TOTAL | WHITE | NON- WHITE | UNK. RACE |
|--------------|---------------|---------------|---------------|--------------|--------------|-------|-------|---------------|--------------|
| <u>STATE</u> | <u>3, 788</u> | <u>1, 137</u> | <u>2, 648</u> | <u>3</u> | | | | | |
| ADAMS | 62 | 19 | 43 | 0 | LINCOLN | 33 | 16 | 17 | 0 |
| ALCORN | 0 | 0 | 0 | 0 | LOWNDES | 8 | 1 | 7 | 0 |
| AMITE | 14 | 4 | 10 | 0 | MADISON | 239 | 88 | 151 | 0 |
| ATTALA | 31 | 9 | 22 | 0 | MARION | 26 | 12 | 14 | 0 |
| BENTON | 0 | 0 | 0 | 0 | MARSHALL | 0 | 0 | 0 | 0 |
| BOLIVAR | 30 | 13 | 17 | 0 | MONROE | 3 | 2 | 1 | 0 |
| CALHOUN | 2 | 2 | 0 | 0 | MONTGOMERY | 7 | 0 | 7 | 0 |
| CARROLL | 11 | 0 | 11 | 0 | NESHOBA | 34 | 18 | 16 | 0 |
| CHICKASAW | 6 | 2 | 4 | 0 | NEWTON | 32 | 14 | 18 | 0 |
| CHOCTAW | 6 | 3 | 3 | 0 | NOXUBEE | 2 | 0 | 2 | 0 |
| CLAIBORNE | 32 | 1 | 31 | 0 | OKTIBBEHA | 16 | 10 | 6 | 0 |
| CLARKE | 20 | 3 | 17 | 0 | PANOLA | 4 | 2 | 2 | 0 |
| CLAY | 2 | 0 | 2 | 0 | PEARL RIVER | 10 | 8 | 2 | 0 |
| COAHOMA | 2 | 0 | 2 | 0 | PERRY | 9 | 3 | 6 | 0 |
| COPIAH | 63 | 18 | 45 | 0 | PIKE | 75 | 27 | 48 | 0 |
| COVINGTON | 30 | 9 | 21 | 0 | PONTOTOC | 0 | 0 | 0 | 0 |
| DESOTO | 0 | 0 | 0 | 0 | PRETISS | 1 | 1 | 0 | 0 |
| FORREST | 182 | 107 | 75 | 0 | QUITMAN | 2 | 0 | 2 | 0 |
| FRANKLIN | 2 | 2 | 0 | 0 | RANKIN | 263 | 186 | 77 | 0 |
| GEORGE | 1 | 1 | 0 | 0 | SCOTT | 67 | 20 | 46 | 1 |
| GREENE | 1 | 0 | 1 | 0 | SHARKEY | 9 | 1 | 8 | 0 |
| GRENADA | 27 | 9 | 18 | 0 | SIMPSON | 44 | 23 | 21 | 0 |
| HANCOCK | 0 | 0 | 0 | 0 | SMITH | 16 | 6 | 10 | 0 |
| HARRISON | 47 | 30 | 17 | 0 | STONE | 3 | 1 | 2 | 0 |
| HINDS | 1, 386 | 217 | 1, 167 | 2 | SUNFLOWER | 51 | 7 | 44 | 0 |
| HOLMES | 69 | 5 | 64 | 0 | TALLAHATCHIE | 7 | 1 | 6 | 0 |
| HUMPHREYS | 22 | 4 | 18 | 0 | TATE | 2 | 1 | 1 | 0 |
| ISSAQUENA | 3 | 0 | 3 | 0 | TIPPAH | 0 | 0 | 0 | 0 |
| ITAWAMBA | 0 | 0 | 0 | 0 | TISHOMINGO | 0 | 0 | 0 | 0 |
| JACKSON | 9 | 3 | 6 | 0 | TUNICA | 0 | 0 | 0 | 0 |
| JASPER | 22 | 6 | 16 | 0 | UNION | 0 | 0 | 0 | 0 |
| JEFFERSON | 37 | 2 | 35 | 0 | WALTHALL | 7 | 2 | 5 | 0 |
| JEFF DAVIS | 21 | 6 | 15 | 0 | WARREN | 168 | 50 | 118 | 0 |
| JONES | 72 | 34 | 38 | 0 | WASHINGTON | 101 | 20 | 81 | 0 |
| KEMPER | 6 | 1 | 5 | 0 | WAYNE | 6 | 1 | 5 | 0 |
| LAFAYETTE | 10 | 9 | 1 | 0 | WEBSTER | 2 | 1 | 1 | 0 |
| LAMAR | 31 | 22 | 9 | 0 | WILKINSON | 1 | 1 | 0 | 0 |
| LAUDERDALE | 36 | 13 | 23 | 0 | WINSTON | 19 | 3 | 16 | 0 |
| LAWRENCE | 22 | 15 | 7 | 0 | YALOBUSHA | 3 | 1 | 2 | 0 |
| LEAKE | 37 | 14 | 23 | 0 | YAZOO | 84 | 11 | 73 | 0 |
| LEE | 5 | 4 | 1 | 0 | | | | | |
| LEFLORE | 75 | 12 | 63 | 0 | | | | | |

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | ADAMS COUNTY | | | | | | ALCORN COUNTY | | | | | |
|--|--------------|-------|-----------|--------|-------|-----------|---------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 2 | 0 | 2 | 5.8 | - | 11.4 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 89 | 42 | 47 | 260.0 | 251.3 | 268.4 | 75 | 65 | 10 | 229.2 | 227.2 | 243.4 |
| DIABETES MELLITUS (250) | 11 | 7 | 4 | 32.1 | 41.9 | 22.8 | 12 | 10 | 2 | 36.7 | 35.0 | 48.7 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 174 | 78 | 96 | 508.4 | 466.7 | 548.2 | 103 | 93 | 10 | 314.8 | 325.1 | 243.4 |
| HYPERTENSION (401, 403) | 4 | 2 | 2 | 11.7 | 12.0 | 11.4 | 8 | 5 | 3 | 24.4 | 17.5 | 73.0 |
| CEREBROVASCULAR DISEASES (430-438) | 40 | 18 | 22 | 116.9 | 107.7 | 125.6 | 26 | 22 | 4 | 79.5 | 76.9 | 97.3 |
| ATHEROSCLEROSIS (440) | 1 | 0 | 1 | 2.9 | - | 5.7 | 1 | 1 | 0 | 3.0 | 3.5 | - |
| PNEUMONIA AND INFLUENZA (480-487) | 16 | 10 | 6 | 46.7 | 59.8 | 34.3 | 26 | 24 | 2 | 79.5 | 83.9 | 48.7 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 20 | 12 | 8 | 58.4 | 71.8 | 45.7 | 23 | 20 | 3 | 70.3 | 69.9 | 73.0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 3 | 2 | 1 | 8.8 | 12.0 | 5.7 | 2 | 2 | 0 | 6.1 | 7.0 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 4 | 1 | 3 | 11.7 | 6.0 | 17.1 | 6 | 3 | 3 | 18.3 | 10.5 | 73.0 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 1 | 2 | 8.8 | 6.0 | 11.4 | 1 | 1 | 0 | 3.0 | 3.5 | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 3 | 1 | 2 | 5.6 | 5.0 | 6.0 | 1 | 0 | 1 | 2.2 | - | 13.9 |
| ACCIDENTS (800-949) | 14 | 6 | 8 | 40.9 | 35.9 | 45.7 | 30 | 25 | 5 | 91.7 | 87.4 | 121.7 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 5 | 1 | 4 | 14.6 | 6.0 | 22.8 | 12 | 9 | 3 | 36.7 | 31.5 | 73.0 |
| SUICIDE (950-959) | 3 | 3 | 0 | 8.8 | 18.0 | - | 5 | 5 | 0 | 15.3 | 17.5 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1 | 0 | 1 | 2.9 | - | 5.7 | 0 | 0 | 0 | - | - | - |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 0 | 1 | 2.9 | - | 5.7 | 4 | 4 | 0 | 12.2 | 14.0 | - |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | AMITE COUNTY | | | | | | ATTALA COUNTY | | | | | |
|--|--------------|-------|-----------|--------|-------|-----------|---------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 10.9 | - | 25.8 |
| MALIGNANT NEOPLASMS (140-208) | 41 | 26 | 15 | 298.1 | 361.1 | 228.9 | 69 | 49 | 20 | 374.9 | 460.4 | 257.7 |
| DIABETES MELLITUS (250) | 6 | 4 | 2 | 43.6 | 55.6 | 30.5 | 3 | 2 | 1 | 16.3 | 18.8 | 12.9 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 33 | 13 | 20 | 240.0 | 180.6 | 305.2 | 98 | 71 | 27 | 532.5 | 667.2 | 347.8 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 5 | 1 | 4 | 27.2 | 9.4 | 51.5 |
| CEREBROVASCULAR DISEASES (430-438) | 5 | 1 | 4 | 36.4 | 13.9 | 61.0 | 20 | 10 | 10 | 108.7 | 94.0 | 128.8 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 6 | 4 | 2 | 32.6 | 37.6 | 25.8 |
| PNEUMONIA AND INFLUENZA (480-487) | 1 | 1 | 0 | 7.3 | 13.9 | - | 8 | 4 | 4 | 43.5 | 37.6 | 51.5 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 3 | 3 | 0 | 21.8 | 41.7 | - | 10 | 10 | 0 | 54.3 | 94.0 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 0 | 1 | 7.3 | - | 15.3 | 3 | 3 | 0 | 16.3 | 28.2 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 0 | 0 | 0 | - | - | - | 6 | 3 | 3 | 32.6 | 28.2 | 38.6 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 10.9 | 18.8 | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 3.9 | - | 8.7 |
| ACCIDENTS (800-949) | 13 | 5 | 8 | 94.5 | 69.4 | 122.1 | 21 | 14 | 7 | 114.1 | 131.6 | 90.2 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 9 | 3 | 6 | 65.4 | 41.7 | 91.6 | 9 | 6 | 3 | 48.9 | 56.4 | 38.6 |
| SUICIDE (950-959) | 3 | 3 | 0 | 21.8 | 41.7 | - | 2 | 2 | 0 | 10.9 | 18.8 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2 | 1 | 1 | 14.5 | 13.9 | 15.3 | 6 | 1 | 5 | 32.6 | 9.4 | 64.4 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 1 | 0 | 7.3 | 13.9 | - | 2 | 1 | 1 | 10.9 | 9.4 | 12.9 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | BENTON COUNTY | | | | | | BOLIVAR COUNTY | | | | | |
|--|---------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 2.5 | - | 3.8 |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 2.5 | - | 3.8 |
| MALIGNANT NEOPLASMS (140-208) | 21 | 16 | 5 | 258.0 | 334.8 | 148.8 | 85 | 31 | 54 | 210.8 | 220.7 | 205.5 |
| DIABETES MELLITUS (250) | 0 | 0 | 0 | - | - | - | 13 | 1 | 12 | 32.2 | 7.1 | 45.7 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 28 | 26 | 2 | 344.0 | 544.0 | 59.5 | 133 | 42 | 91 | 329.9 | 299.0 | 346.4 |
| HYPERTENSION (401, 403) | 3 | 2 | 1 | 36.8 | 41.8 | 29.8 | 3 | 0 | 3 | 7.4 | - | 11.4 |
| CEREBROVASCULAR DISEASES (430-438) | 18 | 15 | 3 | 221.1 | 313.9 | 89.2 | 30 | 6 | 24 | 74.4 | 42.7 | 91.3 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 9 | 7 | 2 | 110.6 | 146.5 | 59.5 | 23 | 11 | 12 | 57.0 | 78.3 | 45.7 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 7 | 6 | 1 | 86.0 | 125.5 | 29.8 | 15 | 10 | 5 | 37.2 | 71.2 | 19.0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 5.0 | 7.1 | 3.8 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 2 | 0 | 2 | 24.6 | - | 59.5 | 3 | 1 | 2 | 7.4 | 7.1 | 7.6 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 2.5 | 7.1 | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 5.0 | 7.1 | 3.8 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 5 | 1 | 4 | 7.2 | 6.2 | 7.6 |
| ACCIDENTS (800-949) | 11 | 6 | 5 | 135.1 | 125.5 | 148.8 | 27 | 11 | 16 | 67.0 | 78.3 | 60.9 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 5 | 3 | 2 | 61.4 | 62.8 | 59.5 | 15 | 7 | 8 | 37.2 | 49.8 | 30.4 |
| SUICIDE (950-959) | 2 | 2 | 0 | 24.6 | 41.8 | - | 4 | 2 | 2 | 9.9 | 14.2 | 7.6 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 0 | 0 | 0 | - | - | - | 6 | 1 | 5 | 14.9 | 7.1 | 19.0 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 6 | 4 | 2 | 73.7 | 83.7 | 59.5 | 3 | 2 | 1 | 7.4 | 14.2 | 3.8 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | CALHOUN COUNTY | | | | | | CARROLL COUNTY | | | | | |
|--|----------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 34 | 27 | 7 | 229.4 | 256.1 | 163.5 | 32 | 19 | 13 | 320.2 | 329.0 | 308.0 |
| DIABETES MELLITUS (250) | 4 | 3 | 1 | 27.0 | 28.5 | 23.4 | 3 | 1 | 2 | 30.0 | 17.3 | 47.4 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 66 | 53 | 13 | 445.3 | 502.8 | 303.7 | 36 | 26 | 10 | 360.2 | 450.2 | 237.0 |
| HYPERTENSION (401, 403) | 1 | 0 | 1 | 6.7 | - | 23.4 | 1 | 0 | 1 | 10.0 | - | 23.7 |
| CEREBROVASCULAR DISEASES (430-438) | 26 | 22 | 4 | 175.4 | 208.7 | 93.4 | 6 | 3 | 3 | 60.0 | 51.9 | 71.1 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 4 | 4 | 0 | 27.0 | 37.9 | - | 3 | 1 | 2 | 30.0 | 17.3 | 47.4 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 7 | 6 | 1 | 47.2 | 56.9 | 23.4 | 5 | 3 | 2 | 50.0 | 51.9 | 47.4 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 6.7 | 9.5 | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 5 | 3 | 2 | 33.7 | 28.5 | 46.7 | 0 | 0 | 0 | - | - | - |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 1 | 1 | 0 | 6.7 | 9.5 | - | 1 | 0 | 1 | 10.0 | - | 23.7 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 1 | 1 | 0 | 5.0 | 7.5 | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 10 | 10 | 0 | 67.5 | 94.9 | - | 8 | 4 | 4 | 80.0 | 69.3 | 94.8 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 4 | 4 | 0 | 27.0 | 37.9 | - | 5 | 3 | 2 | 50.0 | 51.9 | 47.4 |
| SUICIDE (950-959) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 10.0 | - | 23.7 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | CHICKASAW COUNTY | | | | | | CHOCTAW COUNTY | | | | | |
|--|------------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 10.6 | - | 33.0 |
| MALIGNANT NEOPLASMS (140-208) | 42 | 30 | 12 | 233.2 | 283.3 | 161.6 | 25 | 16 | 9 | 266.4 | 251.8 | 297.0 |
| DIABETES MELLITUS (250) | 4 | 0 | 4 | 22.2 | - | 53.9 | 3 | 1 | 2 | 32.0 | 15.7 | 66.0 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 64 | 42 | 22 | 355.3 | 396.7 | 296.3 | 33 | 21 | 12 | 351.6 | 330.4 | 396.0 |
| HYPERTENSION (401, 403) | 1 | 1 | 0 | 5.6 | 9.4 | - | 1 | 0 | 1 | 10.6 | - | 33.0 |
| CEREBROVASCULAR DISEASES (430-438) | 12 | 6 | 6 | 66.6 | 56.7 | 80.8 | 5 | 3 | 2 | 53.3 | 47.2 | 66.0 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 10 | 6 | 4 | 55.5 | 56.7 | 53.9 | 0 | 0 | 0 | - | - | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 6 | 4 | 2 | 33.3 | 37.8 | 26.9 | 4 | 4 | 0 | 42.6 | 62.9 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 2 | 2 | 0 | 11.1 | 18.9 | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 3 | 2 | 1 | 16.6 | 18.9 | 13.5 | 1 | 1 | 0 | 10.6 | 15.7 | - |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 9 | 7 | 2 | 50.0 | 66.1 | 26.9 | 3 | 3 | 0 | 32.0 | 47.2 | - |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 6 | 4 | 2 | 33.3 | 37.8 | 26.9 | 1 | 1 | 0 | 10.6 | 15.7 | - |
| SUICIDE (950-959) | 4 | 3 | 1 | 22.2 | 28.3 | 13.5 | 1 | 0 | 1 | 10.6 | - | 33.0 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 5 | 3 | 2 | 27.8 | 28.3 | 26.9 | 0 | 0 | 0 | - | - | - |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 21.3 | 15.7 | 33.0 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | CLAIBORNE COUNTY | | | | | | CLARKE COUNTY | | | | | |
|--|------------------|-------|-----------|--------|-------|-----------|---------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.5 | 8.7 | - |
| MALIGNANT NEOPLASMS (140-208) | 19 | 5 | 14 | 162.9 | 251.5 | 144.7 | 20 | 10 | 10 | 109.7 | 86.7 | 149.3 |
| DIABETES MELLITUS (250) | 1 | 0 | 1 | 8.6 | - | 10.3 | 6 | 3 | 3 | 32.9 | 26.0 | 44.8 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 54 | 15 | 39 | 463.0 | 754.5 | 403.1 | 78 | 40 | 38 | 427.8 | 346.8 | 567.5 |
| HYPERTENSION (401, 403) | 1 | 0 | 1 | 8.6 | - | 10.3 | 2 | 0 | 2 | 11.0 | - | 29.9 |
| CEREBROVASCULAR DISEASES (430-438) | 7 | 1 | 6 | 60.0 | 50.3 | 62.0 | 9 | 3 | 6 | 49.4 | 26.0 | 89.6 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 4 | 0 | 4 | 34.3 | - | 41.3 | 6 | 4 | 2 | 32.9 | 34.7 | 29.9 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 1 | 1 | 0 | 8.6 | 50.3 | - | 6 | 4 | 2 | 32.9 | 34.7 | 29.9 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 11.0 | 17.3 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 1 | 0 | 1 | 8.6 | - | 10.3 | 4 | 3 | 1 | 21.9 | 26.0 | 14.9 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 1 | 0 | 1 | 6.1 | - | 6.7 | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 4 | 1 | 3 | 34.3 | 50.3 | 31.0 | 7 | 5 | 2 | 38.4 | 43.3 | 29.9 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 4 | 1 | 3 | 34.3 | 50.3 | 31.0 | 4 | 3 | 1 | 21.9 | 26.0 | 14.9 |
| SUICIDE (950-959) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 11.0 | 8.7 | 14.9 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2 | 0 | 2 | 17.2 | - | 20.7 | 1 | 0 | 1 | 5.5 | - | 14.9 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 1 | 0 | 8.6 | 50.3 | - | 2 | 1 | 1 | 11.0 | 8.7 | 14.9 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | CLAY COUNTY | | | | | | COAHOMA COUNTY | | | | | |
|--|-------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 3.2 | 9.7 | - |
| HIV INFECTION (042-044) | 2 | 0 | 2 | 9.2 | - | 16.6 | 3 | 0 | 3 | 9.6 | - | 14.5 |
| MALIGNANT NEOPLASMS (140-208) | 45 | 24 | 21 | 208.0 | 250.5 | 174.2 | 83 | 28 | 55 | 267.0 | 270.7 | 265.1 |
| DIABETES MELLITUS (250) | 3 | 2 | 1 | 13.9 | 20.9 | 8.3 | 11 | 6 | 5 | 35.4 | 58.0 | 24.1 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 101 | 53 | 48 | 466.8 | 553.2 | 398.1 | 119 | 45 | 74 | 382.8 | 435.0 | 356.7 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 6.4 | 9.7 | 4.8 |
| CEREBROVASCULAR DISEASES (430-438) | 15 | 7 | 8 | 69.3 | 73.1 | 66.4 | 23 | 5 | 18 | 74.0 | 48.3 | 86.8 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 6 | 5 | 1 | 27.7 | 52.2 | 8.3 | 16 | 5 | 11 | 51.5 | 48.3 | 53.0 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 6 | 4 | 2 | 27.7 | 41.7 | 16.6 | 8 | 6 | 2 | 25.7 | 58.0 | 9.6 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 5 | 4 | 1 | 23.1 | 41.7 | 8.3 | 2 | 0 | 2 | 6.4 | - | 9.6 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 5 | 3 | 2 | 23.1 | 31.3 | 16.6 | 4 | 1 | 3 | 12.9 | 9.7 | 14.5 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 6.4 | - | 9.6 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 1 | 0 | 1 | 2.8 | - | 4.0 | 4 | 1 | 3 | 6.4 | 8.7 | 5.8 |
| ACCIDENTS (800-949) | 19 | 9 | 10 | 87.8 | 93.9 | 82.9 | 28 | 13 | 15 | 90.1 | 125.7 | 72.3 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 6 | 5 | 1 | 27.7 | 52.2 | 8.3 | 10 | 5 | 5 | 32.2 | 48.3 | 24.1 |
| SUICIDE (950-959) | 2 | 1 | 1 | 9.2 | 10.4 | 8.3 | 3 | 2 | 1 | 9.6 | 19.3 | 4.8 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2 | 1 | 1 | 9.2 | 10.4 | 8.3 | 7 | 0 | 7 | 22.5 | - | 33.7 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 4 | 2 | 2 | 18.5 | 20.9 | 16.6 | 4 | 1 | 3 | 12.9 | 9.7 | 14.5 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | COPIAH COUNTY | | | | | | COVINGTON COUNTY | | | | | |
|--|---------------|-------|-----------|--------|-------|-----------|------------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 1 | 0 | 1 | 3.4 | - | 6.5 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 64 | 39 | 25 | 221.1 | 285.5 | 163.5 | 55 | 37 | 18 | 309.0 | 332.8 | 269.2 |
| DIABETES MELLITUS (250) | 6 | 2 | 4 | 20.7 | 14.6 | 26.2 | 4 | 3 | 1 | 22.5 | 27.0 | 15.0 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 102 | 53 | 49 | 352.4 | 388.0 | 320.6 | 86 | 64 | 22 | 483.1 | 575.7 | 329.0 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 11.2 | 18.0 | - |
| CEREBROVASCULAR DISEASES (430-438) | 16 | 9 | 7 | 55.3 | 65.9 | 45.8 | 10 | 7 | 3 | 56.2 | 63.0 | 44.9 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 3.4 | 7.3 | - | 5 | 1 | 4 | 28.1 | 9.0 | 59.8 |
| PNEUMONIA AND INFLUENZA (480-487) | 9 | 5 | 4 | 31.1 | 36.6 | 26.2 | 5 | 5 | 0 | 28.1 | 45.0 | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 14 | 8 | 6 | 48.4 | 58.6 | 39.2 | 3 | 2 | 1 | 16.8 | 18.0 | 15.0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 4 | 1 | 3 | 13.8 | 7.3 | 19.6 | 3 | 2 | 1 | 16.8 | 18.0 | 15.0 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 2 | 0 | 2 | 6.9 | - | 13.1 | 2 | 1 | 1 | 11.2 | 9.0 | 15.0 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 3 | 1 | 2 | 6.9 | 5.6 | 7.8 | 1 | 1 | 0 | 3.1 | 5.6 | - |
| ACCIDENTS (800-949) | 22 | 14 | 8 | 76.0 | 102.5 | 52.3 | 20 | 12 | 8 | 112.3 | 108.0 | 119.6 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 12 | 8 | 4 | 41.4 | 58.6 | 26.2 | 12 | 6 | 6 | 67.4 | 54.0 | 89.7 |
| SUICIDE (950-959) | 2 | 2 | 0 | 6.9 | 14.6 | - | 2 | 2 | 0 | 11.2 | 18.0 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 4 | 0 | 4 | 13.8 | - | 26.2 | 3 | 0 | 3 | 16.8 | - | 44.9 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 0 | 1 | 3.4 | - | 6.5 | 1 | 1 | 0 | 5.6 | 9.0 | - |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | DESOTO COUNTY | | | | | | FORREST COUNTY | | | | | |
|--|---------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 1 | 1 | 0 | 1.0 | 1.2 | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 164 | 141 | 23 | 169.2 | 170.4 | 162.6 | 166 | 126 | 40 | 223.2 | 256.8 | 158.1 |
| DIABETES MELLITUS (250) | 12 | 9 | 3 | 12.4 | 10.9 | 21.2 | 6 | 4 | 2 | 8.1 | 8.2 | 7.9 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 182 | 155 | 27 | 187.8 | 187.3 | 190.9 | 257 | 191 | 66 | 345.6 | 389.3 | 260.8 |
| HYPERTENSION (401, 403) | 52 | 41 | 11 | 53.7 | 49.5 | 77.8 | 2 | 1 | 1 | 2.7 | 2.0 | 4.0 |
| CEREBROVASCULAR DISEASES (430-438) | 35 | 31 | 4 | 36.1 | 37.5 | 28.3 | 44 | 25 | 19 | 59.2 | 51.0 | 75.1 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 1.0 | 1.2 | - | 1 | 1 | 0 | 1.3 | 2.0 | - |
| PNEUMONIA AND INFLUENZA (480-487) | 22 | 20 | 2 | 22.7 | 24.2 | 14.1 | 24 | 19 | 5 | 32.3 | 38.7 | 19.8 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 33 | 32 | 1 | 34.0 | 38.7 | 7.1 | 43 | 36 | 7 | 57.8 | 73.4 | 27.7 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 6 | 6 | 0 | 6.2 | 7.2 | - | 9 | 4 | 5 | 12.1 | 8.2 | 19.8 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 12 | 10 | 2 | 12.4 | 12.1 | 14.1 | 9 | 6 | 3 | 12.1 | 12.2 | 11.8 |
| INFECTIONS OF KIDNEY (590) | 1 | 1 | 0 | 1.0 | 1.2 | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 1 | 1 | 0 | 63.7 | 73.7 | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 2 | 1 | 3.1 | 2.4 | 7.1 | 1 | 1 | 0 | 1.3 | 2.0 | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 6 | 5 | 1 | 3.8 | 3.7 | 4.7 | 3 | 1 | 2 | 2.8 | 1.7 | 4.0 |
| ACCIDENTS (800-949) | 43 | 39 | 4 | 44.4 | 47.1 | 28.3 | 34 | 26 | 8 | 45.7 | 53.0 | 31.6 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 29 | 28 | 1 | 29.9 | 33.8 | 7.1 | 20 | 15 | 5 | 26.9 | 30.6 | 19.8 |
| SUICIDE (950-959) | 9 | 9 | 0 | 9.3 | 10.9 | - | 4 | 3 | 1 | 5.4 | 6.1 | 4.0 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 3 | 1 | 2 | 3.1 | 1.2 | 14.1 | 6 | 3 | 3 | 8.1 | 6.1 | 11.8 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 4 | 3 | 1 | 4.1 | 3.6 | 7.1 | 3 | 2 | 1 | 4.0 | 4.1 | 4.0 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | FRANKLIN COUNTY | | | | | | GEORGE COUNTY | | | | | |
|--|-----------------|-------|-----------|--------|-------|-----------|---------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 1 | 0 | 1 | 12.0 | - | 31.0 | 1 | 1 | 0 | 5.1 | 5.7 | - |
| MALIGNANT NEOPLASMS (140-208) | 28 | 19 | 9 | 336.6 | 372.9 | 279.2 | 48 | 43 | 5 | 244.3 | 245.3 | 236.5 |
| DIABETES MELLITUS (250) | 3 | 2 | 1 | 36.1 | 39.2 | 31.0 | 12 | 9 | 3 | 61.1 | 51.3 | 141.9 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 59 | 39 | 20 | 709.2 | 765.4 | 620.3 | 34 | 33 | 1 | 173.1 | 188.2 | 47.3 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.1 | 5.7 | - |
| CEREBROVASCULAR DISEASES (430-438) | 3 | 2 | 1 | 36.1 | 39.2 | 31.0 | 13 | 13 | 0 | 66.2 | 74.2 | - |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 12.0 | 19.6 | - | 2 | 2 | 0 | 10.2 | 11.4 | - |
| PNEUMONIA AND INFLUENZA (480-487) | 6 | 6 | 0 | 72.1 | 117.8 | - | 3 | 3 | 0 | 15.3 | 17.1 | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 3 | 3 | 0 | 36.1 | 58.9 | - | 7 | 7 | 0 | 35.6 | 39.9 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.1 | 5.7 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 2 | 2 | 0 | 24.0 | 39.2 | - | 5 | 5 | 0 | 25.4 | 28.5 | - |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 3 | 2 | 1 | 15.3 | 11.4 | 47.3 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 10 | 5 | 5 | 120.2 | 98.1 | 155.1 | 10 | 10 | 0 | 50.9 | 57.0 | - |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 8 | 4 | 4 | 96.2 | 78.5 | 124.1 | 4 | 4 | 0 | 20.4 | 22.8 | - |
| SUICIDE (950-959) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.1 | 5.7 | - |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 1 | 0 | 12.0 | 19.6 | - | 3 | 3 | 0 | 15.3 | 17.1 | - |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | GREENE COUNTY | | | | | | GRENADA COUNTY | | | | | |
|--|---------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 8.9 | 8.0 | 10.1 |
| MALIGNANT NEOPLASMS (140-208) | 21 | 17 | 4 | 178.5 | 191.7 | 138.1 | 49 | 32 | 17 | 218.5 | 255.5 | 171.7 |
| DIABETES MELLITUS (250) | 9 | 6 | 3 | 76.5 | 67.6 | 103.6 | 3 | 3 | 0 | 13.4 | 24.0 | - |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 28 | 19 | 9 | 238.0 | 214.2 | 310.7 | 107 | 66 | 41 | 477.1 | 527.0 | 414.0 |
| HYPERTENSION (401, 403) | 2 | 2 | 0 | 17.0 | 22.6 | - | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430-438) | 4 | 3 | 1 | 34.0 | 33.8 | 34.5 | 27 | 15 | 12 | 120.4 | 119.8 | 121.2 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 8.5 | 11.3 | - | 1 | 0 | 1 | 4.4 | - | 10.1 |
| PNEUMONIA AND INFLUENZA (480-487) | 5 | 4 | 1 | 42.5 | 45.1 | 34.5 | 16 | 9 | 7 | 71.3 | 71.9 | 70.7 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 2 | 2 | 0 | 17.0 | 22.6 | - | 8 | 8 | 0 | 35.7 | 63.9 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 8.9 | 16.0 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 0 | 0 | 0 | - | - | - | 4 | 3 | 1 | 17.8 | 24.0 | 10.1 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 1 | 1 | 0 | 8.5 | 11.3 | - | 2 | 0 | 2 | 8.9 | - | 20.2 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 1 | 1 | 0 | 6.3 | 8.1 | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 7 | 4 | 3 | 59.5 | 45.1 | 103.6 | 10 | 6 | 4 | 44.6 | 47.9 | 40.4 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 6 | 3 | 3 | 51.0 | 33.8 | 103.6 | 2 | 2 | 0 | 8.9 | 16.0 | - |
| SUICIDE (950-959) | 0 | 0 | 0 | - | - | - | 5 | 4 | 1 | 22.3 | 31.9 | 10.1 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 0 | 0 | 0 | - | - | - | 4 | 0 | 4 | 17.8 | - | 40.4 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 4.4 | 8.0 | - |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | HANCOCK COUNTY | | | | | | HARRISON COUNTY | | | | | |
|--|----------------|-------|-----------|--------|-------|-----------|-----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 0.6 | 0.7 | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 8 | 6 | 2 | 4.5 | 4.5 | 4.5 |
| MALIGNANT NEOPLASMS (140-208) | 90 | 86 | 4 | 223.2 | 239.0 | 92.2 | 407 | 336 | 71 | 228.7 | 251.4 | 160.1 |
| DIABETES MELLITUS (250) | 6 | 5 | 1 | 14.9 | 13.9 | 23.0 | 20 | 16 | 4 | 11.2 | 12.0 | 9.0 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 141 | 128 | 13 | 349.6 | 355.7 | 299.6 | 635 | 517 | 118 | 356.8 | 386.9 | 266.0 |
| HYPERTENSION (401, 403) | 1 | 1 | 0 | 2.5 | 2.8 | - | 6 | 4 | 2 | 3.4 | 3.0 | 4.5 |
| CEREBROVASCULAR DISEASES (430-438) | 19 | 19 | 0 | 47.1 | 52.8 | - | 73 | 63 | 10 | 41.0 | 47.1 | 22.5 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 17 | 11 | 6 | 9.6 | 8.2 | 13.5 |
| PNEUMONIA AND INFLUENZA (480-487) | 18 | 18 | 0 | 44.6 | 50.0 | - | 65 | 58 | 7 | 36.5 | 43.4 | 15.8 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 29 | 28 | 1 | 71.9 | 77.8 | 23.0 | 70 | 63 | 7 | 39.3 | 47.1 | 15.8 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 3 | 3 | 0 | 7.4 | 8.3 | - | 19 | 14 | 5 | 10.7 | 10.5 | 11.3 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 10 | 7 | 3 | 24.8 | 19.4 | 69.1 | 17 | 13 | 4 | 9.6 | 9.7 | 9.0 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 0.6 | 0.7 | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 3 | 0 | 7.4 | 8.3 | - | 16 | 9 | 7 | 9.0 | 6.7 | 15.8 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 0.7 | 0.5 | 1.1 |
| ACCIDENTS (800-949) | 28 | 27 | 1 | 69.4 | 75.0 | 23.0 | 107 | 79 | 28 | 60.1 | 59.1 | 63.1 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 15 | 14 | 1 | 37.2 | 38.9 | 23.0 | 55 | 43 | 12 | 30.9 | 32.2 | 27.0 |
| SUICIDE (950-959) | 11 | 11 | 0 | 27.3 | 30.6 | - | 39 | 30 | 9 | 21.9 | 22.4 | 20.3 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 4 | 4 | 0 | 9.9 | 11.1 | - | 22 | 12 | 10 | 12.4 | 9.0 | 22.5 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 2 | 2 | 0 | 5.0 | 5.6 | - | 9 | 9 | 0 | 5.0 | 6.7 | - |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | HINDS COUNTY | | | | | | HOLMES COUNTY | | | | | |
|--|--------------|-------|---------------|--------|-------|---------------|---------------|-------|---------------|--------|-------|---------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| TUBERCULOSIS (010-018) | 2 | 1 | 1 | 0.8 | 0.9 | 0.8 | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 46 | 4 | 42 | 18.6 | 3.5 | 31.5 | 2 | 0 | 2 | 9.3 | - | 12.0 |
| MALIGNANT NEOPLASMS (140-208) | 562 | 275 | 287 | 227.4 | 241.7 | 215.2 | 47 | 16 | 31 | 218.4 | 325.9 | 186.6 |
| DIABETES MELLITUS (250) | 49 | 18 | 31 | 19.8 | 15.8 | 23.2 | 7 | 1 | 6 | 32.5 | 20.4 | 36.1 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 778 | 428 | 350 | 314.8 | 376.2 | 262.4 | 88 | 30 | 58 | 408.9 | 611.1 | 349.1 |
| HYPERTENSION (401, 403) | 19 | 6 | 13 | 7.7 | 5.3 | 9.7 | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430- 438) | 156 | 69 | 87 | 63.1 | 60.6 | 65.2 | 27 | 5 | 22 | 125.4 | 101.8 | 132.4 |
| ATHEROSCLEROSIS (440) | 2 | 1 | 1 | 0.8 | 0.9 | 0.8 | 2 | 0 | 2 | 9.3 | - | 12.0 |
| PNEUMONIA AND INFLUENZA (480- 487) | 89 | 47 | 42 | 36.0 | 41.3 | 31.5 | 7 | 4 | 3 | 32.5 | 81.5 | 18.0 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 98 | 71 | 27 | 39.6 | 62.4 | 20.2 | 8 | 6 | 2 | 37.2 | 122.2 | 12.0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 14 | 8 | 6 | 5.7 | 7.0 | 4.5 | 1 | 1 | 0 | 4.6 | 20.4 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 25 | 14 | 11 | 10.1 | 12.3 | 8.2 | 8 | 1 | 7 | 37.2 | 20.4 | 42.1 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 244.5 | - | 277.8 |
| CONGENITAL ANOMALIES (740-759) | 12 | 7 | 5 | 4.8 | 6.2 | 3.7 | 3 | 0 | 3 | 13.9 | - | 18.0 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 27 | 4 | 23 | 6.7 | 3.5 | 7.9 | 4 | 0 | 4 | 9.8 | - | 11.1 |
| ACCIDENTS (800-949) | 141 | 56 | 85 | 57.0 | 49.2 | 63.7 | 18 | 5 | 13 | 83.6 | 101.8 | 78.2 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 95 | 34 | 61 | 38.4 | 29.9 | 45.7 | 10 | 3 | 7 | 46.5 | 61.1 | 42.1 |
| SUICIDE (950-959) | 23 | 17 | 6 | 9.3 | 14.9 | 4.5 | 2 | 1 | 1 | 9.3 | 20.4 | 6.0 |
| HOMICIDE AND LEGAL INTER- VENTION (960-978) | 61 | 4 | 57 | 24.7 | 3.5 | 42.7 | 8 | 2 | 6 | 37.2 | 40.7 | 36.1 |
| SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799) | 11 | 3 | 8 | 4.4 | 2.6 | 6.0 | 5 | 1 | 4 | 23.2 | 20.4 | 24.1 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | HUMPHREYS COUNTY | | | | | | ISSAQUENA COUNTY | | | | | |
|--|------------------|-------|---------------|--------|-------|---------------|------------------|-------|---------------|--------|-------|---------------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 20 | 7 | 13 | 176.3 | 204.9 | 164.0 | 1 | 1 | 0 | 61.4 | 150.4 | - |
| DIABETES MELLITUS (250) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 34 | 13 | 21 | 299.7 | 380.6 | 264.9 | 5 | 3 | 2 | 306.9 | 451.1 | 207.5 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430- 438) | 7 | 1 | 6 | 61.7 | 29.3 | 75.7 | 0 | 0 | 0 | - | - | - |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 61.4 | - | 103.7 |
| PNEUMONIA AND INFLUENZA (480- 487) | 7 | 3 | 4 | 61.7 | 87.8 | 50.4 | 0 | 0 | 0 | - | - | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 3 | 2 | 1 | 26.4 | 58.5 | 12.6 | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 61.4 | - | 103.7 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 2 | 1 | 1 | 17.6 | 29.3 | 12.6 | 0 | 0 | 0 | - | - | - |
| INFECTIONS OF KIDNEY (590) | 1 | 0 | 1 | 8.8 | - | 12.6 | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 10 | 3 | 7 | 88.2 | 87.8 | 88.3 | 2 | 1 | 1 | 122.8 | 150.4 | 103.7 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 9 | 3 | 6 | 79.3 | 87.8 | 75.7 | 0 | 0 | 0 | - | - | - |
| SUICIDE (950-959) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE AND LEGAL INTER- VENTION (960-978) | 2 | 0 | 2 | 17.6 | - | 25.2 | 0 | 0 | 0 | - | - | - |
| SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799) | 1 | 1 | 0 | 8.8 | 29.3 | - | 0 | 0 | 0 | - | - | - |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | ITAWAMBA COUNTY | | | | | | JACKSON COUNTY | | | | | |
|--|-----------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 3 | 2 | 1 | 2.3 | 2.0 | 3.2 |
| MALIGNANT NEOPLASMS (140-208) | 56 | 51 | 5 | 265.8 | 262.9 | 299.0 | 260 | 216 | 44 | 198.6 | 216.0 | 142.2 |
| DIABETES MELLITUS (250) | 4 | 3 | 1 | 19.0 | 15.5 | 59.8 | 31 | 22 | 9 | 23.7 | 22.0 | 29.1 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 106 | 102 | 4 | 503.0 | 525.8 | 239.2 | 334 | 275 | 59 | 255.1 | 275.1 | 190.7 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 9 | 8 | 1 | 6.9 | 8.0 | 3.2 |
| CEREBROVASCULAR DISEASES (430-438) | 16 | 16 | 0 | 75.9 | 82.5 | - | 76 | 62 | 14 | 58.0 | 62.0 | 45.2 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 4.7 | 5.2 | - | 3 | 3 | 0 | 2.3 | 3.0 | - |
| PNEUMONIA AND INFLUENZA (480-487) | 9 | 9 | 0 | 42.7 | 46.4 | - | 33 | 27 | 6 | 25.2 | 27.0 | 19.4 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 11 | 11 | 0 | 52.2 | 56.7 | - | 57 | 54 | 3 | 43.5 | 54.0 | 9.7 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 4.7 | 5.2 | - | 16 | 14 | 2 | 12.2 | 14.0 | 6.5 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 4 | 4 | 0 | 19.0 | 20.6 | - | 7 | 6 | 1 | 5.3 | 6.0 | 3.2 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 6 | 4 | 2 | 4.6 | 4.0 | 6.5 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 5 | 1 | 4 | 2.7 | 0.8 | 7.2 |
| ACCIDENTS (800-949) | 19 | 19 | 0 | 90.2 | 97.9 | - | 64 | 56 | 8 | 48.9 | 56.0 | 25.9 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 11 | 11 | 0 | 52.2 | 56.7 | - | 39 | 35 | 4 | 29.8 | 35.0 | 12.9 |
| SUICIDE (950-959) | 3 | 3 | 0 | 14.2 | 15.5 | - | 17 | 17 | 0 | 13.0 | 17.0 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1 | 1 | 0 | 4.7 | 5.2 | - | 18 | 10 | 8 | 13.8 | 10.0 | 25.9 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 4 | 4 | 0 | 19.0 | 20.6 | - | 6 | 5 | 1 | 4.6 | 5.0 | 3.2 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | JASPER COUNTY | | | | | | JEFFERSON COUNTY | | | | | |
|--|---------------|-------|-----------|--------|-------|-----------|------------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 11.9 | - | 13.6 |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 23.7 | - | 27.3 |
| MALIGNANT NEOPLASMS (140-208) | 43 | 28 | 15 | 243.3 | 338.6 | 159.5 | 18 | 1 | 17 | 213.6 | 90.6 | 232.1 |
| DIABETES MELLITUS (250) | 9 | 4 | 5 | 50.9 | 48.4 | 53.2 | 3 | 0 | 3 | 35.6 | - | 41.0 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 74 | 48 | 26 | 418.7 | 580.5 | 276.5 | 31 | 5 | 26 | 367.9 | 452.9 | 355.0 |
| HYPERTENSION (401, 403) | 1 | 1 | 0 | 5.6 | 12.1 | - | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430-438) | 10 | 6 | 4 | 56.6 | 72.6 | 42.5 | 8 | 1 | 7 | 94.9 | 90.6 | 95.6 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 7 | 3 | 4 | 39.6 | 36.3 | 42.5 | 4 | 1 | 3 | 47.5 | 90.6 | 41.0 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 3 | 2 | 1 | 17.0 | 24.2 | 10.6 | 2 | 0 | 2 | 23.7 | - | 27.3 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 2 | 2 | 0 | 11.3 | 24.2 | - | 1 | 1 | 0 | 11.9 | 90.6 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 2 | 1 | 1 | 11.3 | 12.1 | 10.6 | 2 | 0 | 2 | 23.7 | - | 27.3 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 23.7 | 90.6 | 13.6 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 2 | 1 | 1 | 6.5 | 9.4 | 4.9 | 1 | 0 | 1 | 8.8 | - | 9.8 |
| ACCIDENTS (800-949) | 11 | 6 | 5 | 62.2 | 72.6 | 53.2 | 9 | 3 | 6 | 106.8 | 271.7 | 81.9 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 7 | 5 | 2 | 39.6 | 60.5 | 21.3 | 6 | 2 | 4 | 71.2 | 181.2 | 54.6 |
| SUICIDE (950-959) | 3 | 3 | 0 | 17.0 | 36.3 | - | 1 | 1 | 0 | 11.9 | 90.6 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1 | 0 | 1 | 5.6 | - | 10.6 | 1 | 0 | 1 | 11.9 | - | 13.6 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 2 | 2 | 0 | 11.3 | 24.2 | - | 1 | 1 | 0 | 11.9 | 90.6 | - |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | JEFF DAVIS COUNTY | | | | | | JONES COUNTY | | | | | |
|--|-------------------|-------|-----------|--------|-------|-----------|--------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 4 | 0 | 4 | 6.3 | - | 23.1 |
| MALIGNANT NEOPLASMS (140-208) | 31 | 20 | 11 | 223.7 | 336.5 | 139.0 | 126 | 97 | 29 | 198.5 | 210.2 | 167.5 |
| DIABETES MELLITUS (250) | 1 | 1 | 0 | 7.2 | 16.8 | - | 8 | 3 | 5 | 12.6 | 6.5 | 28.9 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 63 | 31 | 32 | 454.5 | 521.5 | 404.2 | 208 | 161 | 47 | 327.8 | 348.8 | 271.5 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 3.2 | 2.2 | 5.8 |
| CEREBROVASCULAR DISEASES (430-438) | 6 | 2 | 4 | 43.3 | 33.6 | 50.5 | 37 | 30 | 7 | 58.3 | 65.0 | 40.4 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 3.2 | 2.2 | 5.8 |
| PNEUMONIA AND INFLUENZA (480-487) | 3 | 2 | 1 | 21.6 | 33.6 | 12.6 | 40 | 34 | 6 | 63.0 | 73.7 | 34.7 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 2 | 2 | 0 | 14.4 | 33.6 | - | 21 | 21 | 0 | 33.1 | 45.5 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 7.2 | 16.8 | - | 6 | 4 | 2 | 9.4 | 8.7 | 11.6 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 5 | 1 | 4 | 36.1 | 16.8 | 50.5 | 11 | 7 | 4 | 17.3 | 15.2 | 23.1 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 6 | 4 | 2 | 9.4 | 8.7 | 11.6 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 7 | 2 | 5 | 7.7 | 3.7 | 13.7 |
| ACCIDENTS (800-949) | 8 | 3 | 5 | 57.7 | 50.5 | 63.2 | 38 | 27 | 11 | 59.9 | 58.5 | 63.5 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 7 | 2 | 5 | 50.5 | 33.6 | 63.2 | 16 | 11 | 5 | 25.2 | 23.8 | 28.9 |
| SUICIDE (950-959) | 1 | 1 | 0 | 7.2 | 16.8 | - | 7 | 6 | 1 | 11.0 | 13.0 | 5.8 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 6 | 4 | 2 | 43.3 | 67.3 | 25.3 | 8 | 4 | 4 | 12.6 | 8.7 | 23.1 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 1 | 0 | 7.2 | 16.8 | - | 5 | 4 | 1 | 7.9 | 8.7 | 5.8 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | KEMPER COUNTY | | | | | | LAFAYETTE COUNTY | | | | | |
|--|---------------|-------|-----------|--------|-------|-----------|------------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 17 | 9 | 8 | 160.8 | 210.7 | 126.9 | 60 | 48 | 12 | 173.6 | 199.2 | 114.7 |
| DIABETES MELLITUS (250) | 3 | 2 | 1 | 28.4 | 46.8 | 15.9 | 10 | 3 | 7 | 28.9 | 12.4 | 66.9 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 39 | 22 | 17 | 368.8 | 515.1 | 269.7 | 115 | 89 | 26 | 332.8 | 369.3 | 248.6 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 5.8 | 8.3 | - |
| CEREBROVASCULAR DISEASES (430-438) | 5 | 4 | 1 | 47.3 | 93.6 | 15.9 | 26 | 23 | 3 | 75.2 | 95.4 | 28.7 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 9.4 | 23.4 | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 1 | 1 | 0 | 9.4 | 23.4 | - | 15 | 13 | 2 | 43.4 | 53.9 | 19.1 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 2 | 1 | 1 | 18.9 | 23.4 | 15.9 | 10 | 10 | 0 | 28.9 | 41.5 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 5.8 | 8.3 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 0 | 0 | 0 | - | - | - | 5 | 2 | 3 | 14.5 | 8.3 | 28.7 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 1 | 0 | 1 | 9.4 | - | 15.9 | 1 | 0 | 1 | 2.9 | - | 9.6 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 4 | 3 | 1 | 9.5 | 12.5 | 5.6 |
| ACCIDENTS (800-949) | 8 | 3 | 5 | 75.6 | 70.2 | 79.3 | 23 | 17 | 6 | 66.6 | 70.5 | 57.4 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 6 | 2 | 4 | 56.7 | 46.8 | 63.4 | 13 | 10 | 3 | 37.6 | 41.5 | 28.7 |
| SUICIDE (950-959) | 2 | 2 | 0 | 18.9 | 46.8 | - | 3 | 3 | 0 | 8.7 | 12.4 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2 | 0 | 2 | 18.9 | - | 31.7 | 3 | 2 | 1 | 8.7 | 8.3 | 9.6 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 2.9 | 4.2 | - |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | LAMAR COUNTY | | | | | | LAUDERDALE COUNTY | | | | | |
|--|--------------|-------|-----------|--------|-------|-----------|-------------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 1 | 1 | 0 | 2.7 | 3.1 | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 3 | 0 | 3 | 3.9 | - | 10.4 |
| MALIGNANT NEOPLASMS (140-208) | 69 | 60 | 9 | 187.0 | 188.6 | 177.2 | 182 | 110 | 72 | 239.0 | 231.8 | 251.0 |
| DIABETES MELLITUS (250) | 8 | 7 | 1 | 21.7 | 22.0 | 19.7 | 8 | 4 | 4 | 10.5 | 8.4 | 13.9 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 87 | 75 | 12 | 235.8 | 235.8 | 236.3 | 331 | 234 | 97 | 434.7 | 493.1 | 338.1 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 3 | 2 | 1 | 3.9 | 4.2 | 3.5 |
| CEREBROVASCULAR DISEASES (430-438) | 15 | 13 | 2 | 40.7 | 40.9 | 39.4 | 52 | 35 | 17 | 68.3 | 73.8 | 59.2 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 2.6 | 4.2 | - |
| PNEUMONIA AND INFLUENZA (480-487) | 13 | 12 | 1 | 35.2 | 37.7 | 19.7 | 36 | 30 | 6 | 47.3 | 63.2 | 20.9 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 6 | 6 | 0 | 16.3 | 18.9 | - | 49 | 41 | 8 | 64.4 | 86.4 | 27.9 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 7 | 7 | 0 | 19.0 | 22.0 | - | 9 | 6 | 3 | 11.8 | 12.6 | 10.4 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 3 | 3 | 0 | 8.1 | 9.4 | - | 9 | 2 | 7 | 11.8 | 4.2 | 24.4 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 1.3 | 2.1 | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 3 | 0 | 8.1 | 9.4 | - | 4 | 0 | 4 | 5.2 | - | 13.9 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 1 | 0 | 1 | 1.6 | - | 10.5 | 9 | 0 | 9 | 7.6 | - | 15.8 |
| ACCIDENTS (800-949) | 24 | 21 | 3 | 65.1 | 66.0 | 59.1 | 40 | 28 | 12 | 52.5 | 59.0 | 41.8 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 20 | 18 | 2 | 54.2 | 56.6 | 39.4 | 18 | 12 | 6 | 23.6 | 25.3 | 20.9 |
| SUICIDE (950-959) | 5 | 5 | 0 | 13.6 | 15.7 | - | 16 | 13 | 3 | 21.0 | 27.4 | 10.4 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 5 | 3 | 2 | 13.6 | 9.4 | 39.4 | 8 | 4 | 4 | 10.5 | 8.4 | 13.9 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 2 | 2 | 0 | 5.4 | 6.3 | - | 9 | 4 | 5 | 11.8 | 8.4 | 17.4 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | LAWRENCE COUNTY | | | | | | LEAKE COUNTY | | | | | |
|--|-----------------|-------|-----------|--------|-------|-----------|--------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 28 | 18 | 10 | 214.5 | 214.0 | 215.5 | 48 | 32 | 16 | 247.8 | 286.1 | 195.4 |
| DIABETES MELLITUS (250) | 6 | 4 | 2 | 46.0 | 47.6 | 43.1 | 9 | 4 | 5 | 46.4 | 35.8 | 61.1 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 63 | 43 | 20 | 482.6 | 511.2 | 430.9 | 100 | 70 | 30 | 516.2 | 625.8 | 366.4 |
| HYPERTENSION (401, 403) | 1 | 0 | 1 | 7.7 | - | 21.5 | 2 | 2 | 0 | 10.3 | 17.9 | - |
| CEREBROVASCULAR DISEASES (430-438) | 7 | 6 | 1 | 53.6 | 71.3 | 21.5 | 13 | 9 | 4 | 67.1 | 80.5 | 48.8 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 4 | 2 | 2 | 30.6 | 23.8 | 43.1 | 15 | 13 | 2 | 77.4 | 116.2 | 24.4 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 7 | 5 | 2 | 53.6 | 59.4 | 43.1 | 11 | 9 | 2 | 56.8 | 80.5 | 24.4 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 7.7 | 11.9 | - | 1 | 0 | 1 | 5.2 | - | 12.2 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 5 | 4 | 1 | 38.3 | 47.6 | 21.5 | 5 | 3 | 2 | 25.8 | 26.8 | 24.4 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 3 | 1 | 2 | 15.5 | 8.9 | 24.4 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 2.9 | - | 5.3 |
| ACCIDENTS (800-949) | 8 | 5 | 3 | 61.3 | 59.4 | 64.6 | 10 | 6 | 4 | 51.6 | 53.6 | 48.8 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 4 | 1 | 3 | 30.6 | 11.9 | 64.6 | 9 | 6 | 3 | 46.4 | 53.6 | 36.6 |
| SUICIDE (950-959) | 0 | 0 | 0 | - | - | - | 3 | 2 | 1 | 15.5 | 17.9 | 12.2 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1 | 1 | 0 | 7.7 | 11.9 | - | 3 | 2 | 1 | 15.5 | 17.9 | 12.2 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 1 | 0 | 7.7 | 11.9 | - | 1 | 1 | 0 | 5.2 | 8.9 | - |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | LEE COUNTY | | | | | | LEFLORE COUNTY | | | | | |
|--|------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 1 | 0 | 1 | 1.3 | - | 5.7 | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 131 | 101 | 30 | 175.5 | 177.2 | 170.2 | 73 | 33 | 40 | 197.6 | 243.9 | 170.8 |
| DIABETES MELLITUS (250) | 8 | 6 | 2 | 10.7 | 10.5 | 11.3 | 5 | 1 | 4 | 13.5 | 7.4 | 17.1 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 250 | 204 | 46 | 335.0 | 357.8 | 260.9 | 169 | 71 | 98 | 457.4 | 524.8 | 418.4 |
| HYPERTENSION (401, 403) | 5 | 3 | 2 | 6.7 | 5.3 | 11.3 | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430-438) | 57 | 49 | 8 | 76.4 | 86.0 | 45.4 | 20 | 10 | 10 | 54.1 | 73.9 | 42.7 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 1.3 | 1.8 | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 34 | 30 | 4 | 45.6 | 52.6 | 22.7 | 12 | 6 | 6 | 32.5 | 44.3 | 25.6 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 17 | 16 | 1 | 22.8 | 28.1 | 5.7 | 13 | 8 | 5 | 35.2 | 59.1 | 21.3 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 6 | 4 | 2 | 8.0 | 7.0 | 11.3 | 7 | 5 | 2 | 18.9 | 37.0 | 8.5 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 3 | 3 | 0 | 4.0 | 5.3 | - | 4 | 2 | 2 | 10.8 | 14.8 | 8.5 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 2 | 1 | 4.0 | 3.5 | 5.7 | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 7 | 0 | 7 | 5.8 | - | 18.2 | 2 | 1 | 1 | 3.1 | 6.6 | 2.0 |
| ACCIDENTS (800-949) | 37 | 29 | 8 | 49.6 | 50.9 | 45.4 | 22 | 5 | 17 | 59.5 | 37.0 | 72.6 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 22 | 17 | 5 | 29.5 | 29.8 | 28.4 | 9 | 3 | 6 | 24.4 | 22.2 | 25.6 |
| SUICIDE (950-959) | 7 | 6 | 1 | 9.4 | 10.5 | 5.7 | 1 | 1 | 0 | 2.7 | 7.4 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 12 | 7 | 5 | 16.1 | 12.3 | 28.4 | 11 | 1 | 10 | 29.8 | 7.4 | 42.7 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 7 | 5 | 2 | 9.4 | 8.8 | 11.3 | 3 | 1 | 2 | 8.1 | 7.4 | 8.5 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | LINCOLN COUNTY | | | | | | LOWNDES COUNTY | | | | | |
|--|----------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 1 | 0 | 1 | 3.1 | - | 9.7 | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 4 | 1 | 3 | 6.5 | 2.7 | 12.2 |
| MALIGNANT NEOPLASMS (140-208) | 88 | 66 | 22 | 277.0 | 307.4 | 213.5 | 109 | 70 | 39 | 178.1 | 191.3 | 158.4 |
| DIABETES MELLITUS (250) | 29 | 17 | 12 | 91.3 | 79.2 | 116.5 | 7 | 4 | 3 | 11.4 | 10.9 | 12.2 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 115 | 86 | 29 | 362.0 | 400.6 | 281.4 | 177 | 101 | 76 | 289.2 | 276.0 | 308.7 |
| HYPERTENSION (401, 403) | 5 | 4 | 1 | 15.7 | 18.6 | 9.7 | 2 | 1 | 1 | 3.3 | 2.7 | 4.1 |
| CEREBROVASCULAR DISEASES (430-438) | 31 | 22 | 9 | 97.6 | 102.5 | 87.3 | 31 | 19 | 12 | 50.6 | 51.9 | 48.7 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 16 | 13 | 3 | 50.4 | 60.6 | 29.1 | 10 | 4 | 6 | 16.3 | 10.9 | 24.4 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 15 | 14 | 1 | 47.2 | 65.2 | 9.7 | 20 | 20 | 0 | 32.7 | 54.6 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 2 | 1 | 1 | 6.3 | 4.6 | 9.7 | 2 | 1 | 1 | 3.3 | 2.7 | 4.1 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 6 | 3 | 3 | 18.9 | 14.0 | 29.1 | 12 | 10 | 2 | 19.6 | 27.3 | 8.1 |
| INFECTIONS OF KIDNEY (590) | 2 | 1 | 1 | 6.3 | 4.6 | 9.7 | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 1 | 2 | 9.4 | 4.6 | 19.4 | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 2 | 1 | 1 | 3.9 | 3.2 | 5.0 | 7 | 1 | 6 | 7.1 | 2.0 | 12.3 |
| ACCIDENTS (800-949) | 26 | 9 | 17 | 81.8 | 41.9 | 165.0 | 26 | 15 | 11 | 42.5 | 41.0 | 44.7 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 17 | 6 | 11 | 53.5 | 28.0 | 106.8 | 10 | 9 | 1 | 16.3 | 24.6 | 4.1 |
| SUICIDE (950-959) | 3 | 2 | 1 | 9.4 | 9.3 | 9.7 | 4 | 4 | 0 | 6.5 | 10.9 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2 | 1 | 1 | 6.3 | 4.6 | 9.7 | 7 | 2 | 5 | 11.4 | 5.5 | 20.3 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 4 | 3 | 1 | 12.6 | 14.0 | 9.7 | 42 | 28 | 14 | 68.6 | 76.5 | 56.9 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | MADISON COUNTY | | | | | | MARION COUNTY | | | | | |
|--|----------------|-------|-----------|--------|-------|-----------|---------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 2 | 0 | 2 | 2.7 | - | 5.8 | 1 | 1 | 0 | 3.8 | 5.6 | - |
| MALIGNANT NEOPLASMS (140-208) | 90 | 57 | 33 | 123.5 | 148.2 | 95.9 | 71 | 51 | 20 | 269.1 | 287.6 | 231.2 |
| DIABETES MELLITUS (250) | 24 | 8 | 16 | 32.9 | 20.8 | 46.5 | 11 | 5 | 6 | 41.7 | 28.2 | 69.3 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 173 | 97 | 76 | 237.4 | 252.3 | 220.9 | 81 | 64 | 17 | 307.0 | 360.9 | 196.5 |
| HYPERTENSION (401, 403) | 5 | 1 | 4 | 6.9 | 2.6 | 11.6 | 2 | 1 | 1 | 7.6 | 5.6 | 11.6 |
| CEREBROVASCULAR DISEASES (430-438) | 33 | 19 | 14 | 45.3 | 49.4 | 40.7 | 29 | 22 | 7 | 109.9 | 124.0 | 80.9 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 1.4 | 2.6 | - | 2 | 2 | 0 | 7.6 | 11.3 | - |
| PNEUMONIA AND INFLUENZA (480-487) | 20 | 15 | 5 | 27.4 | 39.0 | 14.5 | 18 | 14 | 4 | 68.2 | 78.9 | 46.2 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 16 | 12 | 4 | 22.0 | 31.2 | 11.6 | 10 | 8 | 2 | 37.9 | 45.1 | 23.1 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 7 | 5 | 2 | 9.6 | 13.0 | 5.8 | 2 | 1 | 1 | 7.6 | 5.6 | 11.6 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 7 | 4 | 3 | 9.6 | 10.4 | 8.7 | 4 | 2 | 2 | 15.2 | 11.3 | 23.1 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 6 | 5 | 1 | 8.2 | 13.0 | 2.9 | 2 | 2 | 0 | 7.6 | 11.3 | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 10 | 1 | 9 | 8.0 | 1.5 | 15.5 | 1 | 0 | 1 | 2.7 | - | 6.9 |
| ACCIDENTS (800-949) | 36 | 17 | 19 | 49.4 | 44.2 | 55.2 | 19 | 14 | 5 | 72.0 | 78.9 | 57.8 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 15 | 6 | 9 | 20.6 | 15.6 | 26.2 | 12 | 10 | 2 | 45.5 | 56.4 | 23.1 |
| SUICIDE (950-959) | 6 | 5 | 1 | 8.2 | 13.0 | 2.9 | 4 | 4 | 0 | 15.2 | 22.6 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 11 | 1 | 10 | 15.1 | 2.6 | 29.1 | 7 | 5 | 2 | 26.5 | 28.2 | 23.1 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 6 | 3 | 3 | 8.2 | 7.8 | 8.7 | 1 | 1 | 0 | 3.8 | 5.6 | - |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | MARSHALL COUNTY | | | | | | MONROE COUNTY | | | | | |
|--|-----------------|-------|-----------|--------|-------|-----------|---------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 1 | 0 | 1 | 3.1 | - | 5.8 | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 1 | 0 | 1 | 3.1 | - | 5.8 | 1 | 0 | 1 | 2.6 | - | 8.0 |
| MALIGNANT NEOPLASMS (140-208) | 87 | 54 | 33 | 269.4 | 357.0 | 192.2 | 91 | 65 | 26 | 237.8 | 252.4 | 207.8 |
| DIABETES MELLITUS (250) | 5 | 4 | 1 | 15.5 | 26.4 | 5.8 | 10 | 5 | 5 | 26.1 | 19.4 | 40.0 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 87 | 38 | 49 | 269.4 | 251.2 | 285.3 | 130 | 103 | 27 | 339.8 | 399.9 | 215.8 |
| HYPERTENSION (401, 403) | 7 | 6 | 1 | 21.7 | 39.7 | 5.8 | 1 | 1 | 0 | 2.6 | 3.9 | - |
| CEREBROVASCULAR DISEASES (430-438) | 20 | 9 | 11 | 61.9 | 59.5 | 64.0 | 27 | 20 | 7 | 70.6 | 77.6 | 56.0 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 8 | 3 | 5 | 24.8 | 19.8 | 29.1 | 26 | 22 | 4 | 68.0 | 85.4 | 32.0 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 12 | 7 | 5 | 37.2 | 46.3 | 29.1 | 20 | 16 | 4 | 52.3 | 62.1 | 32.0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 5.2 | 7.8 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 6 | 1 | 5 | 18.6 | 6.6 | 29.1 | 6 | 4 | 2 | 15.7 | 15.5 | 16.0 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 5.2 | 7.8 | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 5 | 0 | 5 | 10.0 | - | 18.4 | 3 | 0 | 3 | 5.5 | - | 14.5 |
| ACCIDENTS (800-949) | 14 | 8 | 6 | 43.3 | 52.9 | 34.9 | 21 | 14 | 7 | 54.9 | 54.4 | 56.0 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 9 | 4 | 5 | 27.9 | 26.4 | 29.1 | 13 | 7 | 6 | 34.0 | 27.2 | 48.0 |
| SUICIDE (950-959) | 7 | 6 | 1 | 21.7 | 39.7 | 5.8 | 5 | 5 | 0 | 13.1 | 19.4 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 4 | 2 | 2 | 12.4 | 13.2 | 11.6 | 0 | 0 | 0 | - | - | - |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 6 | 4 | 2 | 18.6 | 26.4 | 11.6 | 3 | 0 | 3 | 7.8 | - | 24.0 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOMA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | MONTGOMERY COUNTY | | | | | | NESHOMA COUNTY | | | | | |
|--|-------------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 27 | 23 | 4 | 217.3 | 344.8 | 69.5 | 58 | 47 | 11 | 209.7 | 257.1 | 117.3 |
| DIABETES MELLITUS (250) | 4 | 3 | 1 | 32.2 | 45.0 | 17.4 | 9 | 4 | 5 | 32.5 | 21.9 | 53.3 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 47 | 31 | 16 | 378.3 | 464.8 | 278.0 | 118 | 92 | 26 | 426.7 | 503.3 | 277.3 |
| HYPERTENSION (401, 403) | 3 | 0 | 3 | 24.1 | - | 52.1 | 2 | 1 | 1 | 7.2 | 5.5 | 10.7 |
| CEREBROVASCULAR DISEASES (430-438) | 18 | 12 | 6 | 144.9 | 179.9 | 104.2 | 30 | 25 | 5 | 108.5 | 136.8 | 53.3 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 7.2 | 5.5 | 10.7 |
| PNEUMONIA AND INFLUENZA (480-487) | 5 | 5 | 0 | 40.2 | 75.0 | - | 11 | 6 | 5 | 39.8 | 32.8 | 53.3 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 5 | 4 | 1 | 40.2 | 60.0 | 17.4 | 11 | 10 | 1 | 39.8 | 54.7 | 10.7 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 2 | 2 | 0 | 16.1 | 30.0 | - | 6 | 2 | 4 | 21.7 | 10.9 | 42.7 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 3 | 2 | 1 | 24.1 | 30.0 | 17.4 | 8 | 6 | 2 | 28.9 | 32.8 | 21.3 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 0 | 3 | 24.1 | - | 52.1 | 2 | 1 | 1 | 7.2 | 5.5 | 10.7 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 8 | 3 | 5 | 41.9 | 41.7 | 42.0 | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 11 | 5 | 6 | 88.5 | 75.0 | 104.2 | 29 | 15 | 14 | 104.9 | 82.1 | 149.3 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 4 | 2 | 2 | 32.2 | 30.0 | 34.8 | 18 | 7 | 11 | 65.1 | 38.3 | 117.3 |
| SUICIDE (950-959) | 1 | 1 | 0 | 8.0 | 15.0 | - | 2 | 2 | 0 | 7.2 | 10.9 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 7.2 | - | 21.3 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 1 | 0 | 8.0 | 15.0 | - | 6 | 5 | 1 | 21.7 | 27.4 | 10.7 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | NEWTON COUNTY | | | | | | NOXUBEE COUNTY | | | | | |
|--|---------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 1 | 0 | 1 | 4.6 | - | 13.4 | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 58 | 44 | 14 | 269.6 | 313.7 | 186.9 | 19 | 6 | 13 | 153.6 | 163.3 | 149.6 |
| DIABETES MELLITUS (250) | 9 | 6 | 3 | 41.8 | 42.8 | 40.0 | 2 | 0 | 2 | 16.2 | - | 23.0 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 82 | 57 | 25 | 381.1 | 406.4 | 333.8 | 52 | 13 | 39 | 420.5 | 353.8 | 448.7 |
| HYPERTENSION (401, 403) | 1 | 1 | 0 | 4.6 | 7.1 | - | 2 | 0 | 2 | 16.2 | - | 23.0 |
| CEREBROVASCULAR DISEASES (430-438) | 14 | 8 | 6 | 65.1 | 57.0 | 80.1 | 6 | 1 | 5 | 48.5 | 27.2 | 57.5 |
| ATHEROSCLEROSIS (440) | 2 | 2 | 0 | 9.3 | 14.2 | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 6 | 5 | 1 | 27.9 | 35.6 | 13.4 | 3 | 2 | 1 | 24.3 | 54.4 | 11.5 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 7 | 5 | 2 | 32.5 | 35.6 | 26.7 | 2 | 0 | 2 | 16.2 | - | 23.0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 3 | 1 | 2 | 13.9 | 7.1 | 26.7 | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 4 | 1 | 3 | 18.6 | 7.1 | 40.0 | 2 | 1 | 1 | 16.2 | 27.2 | 11.5 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 8.1 | - | 11.5 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 5 | 2 | 3 | 14.4 | 10.5 | 19.2 | 6 | 0 | 6 | 29.0 | - | 38.7 |
| ACCIDENTS (800-949) | 12 | 6 | 6 | 55.8 | 42.8 | 80.1 | 8 | 2 | 6 | 64.7 | 54.4 | 69.0 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 7 | 3 | 4 | 32.5 | 21.4 | 53.4 | 4 | 2 | 2 | 32.3 | 54.4 | 23.0 |
| SUICIDE (950-959) | 6 | 5 | 1 | 27.9 | 35.6 | 13.4 | 0 | 0 | 0 | - | - | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 5 | 1 | 4 | 23.2 | 7.1 | 53.4 | 1 | 0 | 1 | 8.1 | - | 11.5 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 0 | 0 | 0 | - | - | - | 3 | 0 | 3 | 24.3 | - | 34.5 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | OKTIBBEHA COUNTY | | | | | | PANOLA COUNTY | | | | | |
|--|------------------|-------|-----------|--------|-------|-----------|---------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 1 | 0 | 1 | 2.5 | - | 6.3 | 1 | 1 | 0 | 3.0 | 6.1 | - |
| MALIGNANT NEOPLASMS (140-208) | 53 | 29 | 24 | 134.9 | 123.7 | 151.4 | 67 | 46 | 21 | 200.6 | 280.6 | 123.5 |
| DIABETES MELLITUS (250) | 5 | 1 | 4 | 12.7 | 4.3 | 25.2 | 7 | 2 | 5 | 21.0 | 12.2 | 29.4 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 119 | 71 | 48 | 302.9 | 302.9 | 302.8 | 130 | 77 | 53 | 389.2 | 469.7 | 311.6 |
| HYPERTENSION (401, 403) | 2 | 1 | 1 | 5.1 | 4.3 | 6.3 | 1 | 1 | 0 | 3.0 | 6.1 | - |
| CEREBROVASCULAR DISEASES (430-438) | 17 | 9 | 8 | 43.3 | 38.4 | 50.5 | 35 | 22 | 13 | 104.8 | 134.2 | 76.4 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 6.0 | 12.2 | - |
| PNEUMONIA AND INFLUENZA (480-487) | 8 | 7 | 1 | 20.4 | 29.9 | 6.3 | 17 | 12 | 5 | 50.9 | 73.2 | 29.4 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 10 | 6 | 4 | 25.4 | 25.6 | 25.2 | 15 | 12 | 3 | 44.9 | 73.2 | 17.6 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 2 | 1 | 1 | 5.1 | 4.3 | 6.3 | 5 | 4 | 1 | 15.0 | 24.4 | 5.9 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 5 | 1 | 4 | 12.7 | 4.3 | 25.2 | 6 | 2 | 4 | 18.0 | 12.2 | 23.5 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 3 | 1 | 2 | 9.0 | 6.1 | 11.8 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 2 | 0 | 2 | 4.0 | - | 7.4 | 4 | 0 | 4 | 7.2 | - | 12.0 |
| ACCIDENTS (800-949) | 14 | 10 | 4 | 35.6 | 42.7 | 25.2 | 29 | 14 | 15 | 86.8 | 85.4 | 88.2 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 7 | 5 | 2 | 17.8 | 21.3 | 12.6 | 13 | 5 | 8 | 38.9 | 30.5 | 47.0 |
| SUICIDE (950-959) | 8 | 5 | 3 | 20.4 | 21.3 | 18.9 | 3 | 2 | 1 | 9.0 | 12.2 | 5.9 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1 | 0 | 1 | 2.5 | - | 6.3 | 6 | 2 | 4 | 18.0 | 12.2 | 23.5 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 1 | 0 | 2.5 | 4.3 | - | 7 | 2 | 5 | 21.0 | 12.2 | 29.4 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | PEARL RIVER COUNTY | | | | | | PERRY COUNTY | | | | | |
|--|--------------------|-------|-----------|--------|-------|-----------|--------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 1 | 1 | 0 | 2.1 | 2.5 | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 2 | 1 | 1 | 4.3 | 2.5 | 13.1 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 107 | 91 | 16 | 228.3 | 231.9 | 209.8 | 12 | 10 | 2 | 101.7 | 113.4 | 67.2 |
| DIABETES MELLITUS (250) | 21 | 16 | 5 | 44.8 | 40.8 | 65.6 | 1 | 0 | 1 | 8.5 | - | 33.6 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 135 | 116 | 19 | 288.1 | 295.6 | 249.1 | 40 | 23 | 17 | 339.0 | 260.7 | 571.2 |
| HYPERTENSION (401, 403) | 3 | 1 | 2 | 6.4 | 2.5 | 26.2 | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430-438) | 20 | 14 | 6 | 42.7 | 35.7 | 78.7 | 12 | 10 | 2 | 101.7 | 113.4 | 67.2 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 2.1 | 2.5 | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 17 | 14 | 3 | 36.3 | 35.7 | 39.3 | 2 | 2 | 0 | 17.0 | 22.7 | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 25 | 24 | 1 | 53.3 | 61.2 | 13.1 | 4 | 4 | 0 | 33.9 | 45.3 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 8 | 7 | 1 | 17.1 | 17.8 | 13.1 | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 11 | 11 | 0 | 23.5 | 28.0 | - | 1 | 1 | 0 | 8.5 | 11.3 | - |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 1 | 1 | 0 | 2.1 | 2.5 | - | 1 | 1 | 0 | 8.5 | 11.3 | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 1 | 1 | 0 | 1.6 | 1.9 | - | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 25 | 22 | 3 | 53.3 | 56.1 | 39.3 | 3 | 3 | 0 | 25.4 | 34.0 | - |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 18 | 15 | 3 | 38.4 | 38.2 | 39.3 | 2 | 2 | 0 | 17.0 | 22.7 | - |
| SUICIDE (950-959) | 4 | 4 | 0 | 8.5 | 10.2 | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 3 | 2 | 1 | 6.4 | 5.1 | 13.1 | 1 | 1 | 0 | 8.5 | 11.3 | - |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 8 | 7 | 1 | 17.1 | 17.8 | 13.1 | 1 | 0 | 1 | 8.5 | - | 33.6 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | PIKE COUNTY | | | | | | PONTOTOC COUNTY | | | | | |
|--|-------------|-------|-----------|--------|-------|-----------|-----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 3.9 | - | 23.7 |
| MALIGNANT NEOPLASMS (140-208) | 81 | 46 | 35 | 213.6 | 234.5 | 191.2 | 49 | 43 | 6 | 192.9 | 203.0 | 142.4 |
| DIABETES MELLITUS (250) | 34 | 16 | 18 | 89.7 | 81.6 | 98.3 | 7 | 7 | 0 | 27.6 | 33.0 | - |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 137 | 91 | 46 | 361.3 | 463.9 | 251.3 | 84 | 77 | 7 | 330.7 | 363.5 | 166.2 |
| HYPERTENSION (401, 403) | 1 | 0 | 1 | 2.6 | - | 5.5 | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430-438) | 23 | 12 | 11 | 60.6 | 61.2 | 60.1 | 14 | 10 | 4 | 55.1 | 47.2 | 95.0 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 2.6 | 5.1 | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 11 | 5 | 6 | 29.0 | 25.5 | 32.8 | 10 | 9 | 1 | 39.4 | 42.5 | 23.7 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 29 | 22 | 7 | 76.5 | 112.2 | 38.2 | 15 | 14 | 1 | 59.1 | 66.1 | 23.7 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 3 | 3 | 0 | 11.8 | 14.2 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 7 | 2 | 5 | 18.5 | 10.2 | 27.3 | 3 | 3 | 0 | 11.8 | 14.2 | - |
| INFECTIONS OF KIDNEY (590) | 1 | 0 | 1 | 2.6 | - | 5.5 | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 0 | 3 | 7.9 | - | 16.4 | 1 | 1 | 0 | 3.9 | 4.7 | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 1 | 0 | 1 | 1.6 | - | 2.6 | 1 | 1 | 0 | 2.7 | 3.1 | - |
| ACCIDENTS (800-949) | 24 | 11 | 13 | 63.3 | 56.1 | 71.0 | 18 | 17 | 1 | 70.9 | 80.2 | 23.7 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 15 | 8 | 7 | 39.6 | 40.8 | 38.2 | 9 | 9 | 0 | 35.4 | 42.5 | - |
| SUICIDE (950-959) | 4 | 2 | 2 | 10.5 | 10.2 | 10.9 | 7 | 7 | 0 | 27.6 | 33.0 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 3 | 1 | 2 | 7.9 | 5.1 | 10.9 | 0 | 0 | 0 | - | - | - |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 4 | 2 | 2 | 10.5 | 10.2 | 10.9 | 1 | 0 | 1 | 3.9 | - | 23.7 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | PRENTISS COUNTY | | | | | | QUITMAN COUNTY | | | | | |
|--|-----------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 37 | 37 | 0 | 152.3 | 175.7 | - | 31 | 13 | 18 | 312.7 | 340.9 | 295.0 |
| DIABETES MELLITUS (250) | 1 | 1 | 0 | 4.1 | 4.7 | - | 2 | 0 | 2 | 20.2 | - | 32.8 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 73 | 68 | 5 | 300.5 | 322.9 | 154.4 | 43 | 25 | 18 | 433.7 | 655.6 | 295.0 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 20.2 | - | 32.8 |
| CEREBROVASCULAR DISEASES (430-438) | 13 | 11 | 2 | 53.5 | 52.2 | 61.7 | 3 | 0 | 3 | 30.3 | - | 49.2 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 4.1 | 4.7 | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 2 | 2 | 0 | 8.2 | 9.5 | - | 4 | 4 | 0 | 40.3 | 104.9 | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 19 | 19 | 0 | 78.2 | 90.2 | - | 4 | 1 | 3 | 40.3 | 26.2 | 49.2 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 2 | 2 | 0 | 8.2 | 9.5 | - | 0 | 0 | 0 | - | - | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 2 | 2 | 0 | 8.2 | 9.5 | - | 2 | 1 | 1 | 20.2 | 26.2 | 16.4 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 20.2 | 26.2 | 16.4 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 3 | 3 | 0 | 8.5 | 9.7 | - | 1 | 1 | 0 | 5.7 | 34.5 | - |
| ACCIDENTS (800-949) | 12 | 10 | 2 | 49.4 | 47.5 | 61.7 | 13 | 4 | 9 | 131.1 | 104.9 | 147.5 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 4 | 2 | 2 | 16.5 | 9.5 | 61.7 | 9 | 1 | 8 | 90.8 | 26.2 | 131.1 |
| SUICIDE (950-959) | 5 | 5 | 0 | 20.6 | 23.7 | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2 | 1 | 1 | 8.2 | 4.7 | 30.9 | 4 | 3 | 1 | 40.3 | 78.7 | 16.4 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 2 | 2 | 0 | 8.2 | 9.5 | - | 1 | 0 | 1 | 10.1 | - | 16.4 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | RANKIN COUNTY | | | | | | SCOTT COUNTY | | | | | |
|--|---------------|-------|-----------|--------|-------|-----------|--------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 4 | 2 | 2 | 3.6 | 2.3 | 9.4 | 3 | 1 | 2 | 12.0 | 6.7 | 19.7 |
| MALIGNANT NEOPLASMS (140-208) | 155 | 129 | 26 | 141.4 | 145.9 | 122.8 | 71 | 47 | 24 | 284.0 | 316.2 | 236.8 |
| DIABETES MELLITUS (250) | 10 | 5 | 5 | 9.1 | 5.6 | 23.6 | 4 | 1 | 3 | 16.0 | 6.7 | 29.6 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 279 | 239 | 40 | 254.5 | 270.2 | 188.9 | 117 | 90 | 27 | 468.0 | 605.4 | 266.4 |
| HYPERTENSION (401, 403) | 1 | 0 | 1 | 0.9 | - | 4.7 | 2 | 1 | 1 | 8.0 | 6.7 | 9.9 |
| CEREBROVASCULAR DISEASES (430-438) | 42 | 32 | 10 | 38.3 | 36.2 | 47.2 | 15 | 6 | 9 | 60.0 | 40.4 | 88.8 |
| ATHEROSCLEROSIS (440) | 1 | 1 | 0 | 0.9 | 1.1 | - | 3 | 3 | 0 | 12.0 | 20.2 | - |
| PNEUMONIA AND INFLUENZA (480-487) | 38 | 29 | 9 | 34.7 | 32.8 | 42.5 | 11 | 6 | 5 | 44.0 | 40.4 | 49.3 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 35 | 31 | 4 | 31.9 | 35.0 | 18.9 | 19 | 14 | 5 | 76.0 | 94.2 | 49.3 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 3 | 2 | 1 | 2.7 | 2.3 | 4.7 | 4 | 3 | 1 | 16.0 | 20.2 | 9.9 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 8 | 5 | 3 | 7.3 | 5.6 | 14.2 | 8 | 5 | 3 | 32.0 | 33.6 | 29.6 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 1 | 1 | 0 | 63.7 | 79.7 | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 2 | 2 | 0 | 1.8 | 2.3 | - | 1 | 1 | 0 | 4.0 | 6.7 | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 4 | 3 | 1 | 2.5 | 2.4 | 3.2 | 1 | 0 | 1 | 2.3 | - | 4.9 |
| ACCIDENTS (800-949) | 51 | 44 | 7 | 46.5 | 49.8 | 33.1 | 22 | 12 | 10 | 88.0 | 80.7 | 98.6 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 32 | 27 | 5 | 29.2 | 30.5 | 23.6 | 14 | 7 | 7 | 56.0 | 47.1 | 69.1 |
| SUICIDE (950-959) | 12 | 12 | 0 | 10.9 | 13.6 | - | 4 | 3 | 1 | 16.0 | 20.2 | 9.9 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 9 | 8 | 1 | 8.2 | 9.0 | 4.7 | 7 | 2 | 5 | 28.0 | 13.4 | 49.3 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 4 | 1 | 3 | 3.6 | 1.1 | 14.2 | 6 | 3 | 3 | 24.0 | 20.2 | 29.6 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | SHARKEY COUNTY | | | | | | SIMPSON COUNTY | | | | | |
|--|----------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 1 | 0 | 1 | 15.0 | - | 21.8 | 2 | 0 | 2 | 7.9 | - | 22.7 |
| MALIGNANT NEOPLASMS (140-208) | 15 | 4 | 11 | 225.6 | 193.1 | 240.2 | 69 | 45 | 24 | 272.3 | 272.2 | 272.6 |
| DIABETES MELLITUS (250) | 3 | 1 | 2 | 45.1 | 48.3 | 43.7 | 4 | 3 | 1 | 15.8 | 18.1 | 11.4 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 26 | 8 | 18 | 391.0 | 386.3 | 393.1 | 104 | 77 | 27 | 410.4 | 465.7 | 306.6 |
| HYPERTENSION (401, 403) | 1 | 0 | 1 | 15.0 | - | 21.8 | 2 | 0 | 2 | 7.9 | - | 22.7 |
| CEREBROVASCULAR DISEASES (430-438) | 9 | 3 | 6 | 135.3 | 144.8 | 131.0 | 23 | 17 | 6 | 90.8 | 102.8 | 68.1 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 13 | 8 | 5 | 51.3 | 48.4 | 56.8 |
| PNEUMONIA AND INFLUENZA (480-487) | 4 | 1 | 3 | 60.2 | 48.3 | 65.5 | 10 | 7 | 3 | 39.5 | 42.3 | 34.1 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 2 | 0 | 2 | 30.1 | - | 43.7 | 16 | 12 | 4 | 63.1 | 72.6 | 45.4 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 2 | 2 | 0 | 7.9 | 12.1 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 0 | 0 | 0 | - | - | - | 3 | 2 | 1 | 11.8 | 12.1 | 11.4 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 3 | 2 | 1 | 11.8 | 12.1 | 11.4 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 2.4 | - | 5.1 |
| ACCIDENTS (800-949) | 5 | 1 | 4 | 75.2 | 48.3 | 87.4 | 23 | 15 | 8 | 90.8 | 90.7 | 90.8 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 5 | 1 | 4 | 75.2 | 48.3 | 87.4 | 17 | 11 | 6 | 67.1 | 66.5 | 68.1 |
| SUICIDE (950-959) | 0 | 0 | 0 | - | - | - | 6 | 5 | 1 | 23.7 | 30.2 | 11.4 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 0 | 0 | 0 | - | - | - | 3 | 0 | 3 | 11.8 | - | 34.1 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 0 | 1 | 15.0 | - | 21.8 | 2 | 1 | 1 | 7.9 | 6.0 | 11.4 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | SMITH COUNTY | | | | | | STONE COUNTY | | | | | |
|--|--------------|-------|-----------|--------|-------|-----------|--------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 7.6 | 10.0 | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 45 | 36 | 9 | 294.2 | 309.8 | 245.0 | 29 | 25 | 4 | 220.3 | 250.5 | 125.5 |
| DIABETES MELLITUS (250) | 3 | 2 | 1 | 19.6 | 17.2 | 27.2 | 3 | 3 | 0 | 22.8 | 30.1 | - |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 60 | 44 | 16 | 392.2 | 378.6 | 435.5 | 44 | 35 | 9 | 334.2 | 350.7 | 282.5 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430-438) | 9 | 8 | 1 | 58.8 | 68.8 | 27.2 | 6 | 2 | 4 | 45.6 | 20.0 | 125.5 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 6 | 5 | 1 | 39.2 | 43.0 | 27.2 | 10 | 7 | 3 | 76.0 | 70.1 | 94.2 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 1 | 1 | 0 | 6.5 | 8.6 | - | 9 | 9 | 0 | 68.4 | 90.2 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 6.5 | 8.6 | - | 1 | 1 | 0 | 7.6 | 10.0 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 3 | 1 | 2 | 19.6 | 8.6 | 54.4 | 2 | 2 | 0 | 15.2 | 20.0 | - |
| INFECTIONS OF KIDNEY (590) | 1 | 1 | 0 | 6.5 | 8.6 | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 1 | 1 | 0 | 4.1 | 6.1 | - | 1 | 0 | 1 | 5.4 | - | 17.5 |
| ACCIDENTS (800-949) | 9 | 7 | 2 | 58.8 | 60.2 | 54.4 | 7 | 5 | 2 | 53.2 | 50.1 | 62.8 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 3 | 2 | 1 | 19.6 | 17.2 | 27.2 | 3 | 2 | 1 | 22.8 | 20.0 | 31.4 |
| SUICIDE (950-959) | 3 | 3 | 0 | 19.6 | 25.8 | - | 1 | 1 | 0 | 7.6 | 10.0 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1 | 1 | 0 | 6.5 | 8.6 | - | 1 | 1 | 0 | 7.6 | 10.0 | - |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 0 | 1 | 6.5 | - | 27.2 | 0 | 0 | 0 | - | - | - |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | SUNFLOWER COUNTY | | | | | | TALLAHATCHIE COUNTY | | | | | |
|--|------------------|-------|-----------|--------|-------|-----------|---------------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 6.7 | - | 11.0 |
| HIV INFECTION (042-044) | 7 | 1 | 6 | 20.2 | 8.9 | 25.7 | 1 | 0 | 1 | 6.7 | - | 11.0 |
| MALIGNANT NEOPLASMS (140-208) | 76 | 32 | 44 | 219.8 | 283.9 | 188.8 | 35 | 17 | 18 | 235.0 | 293.0 | 198.0 |
| DIABETES MELLITUS (250) | 9 | 3 | 6 | 26.0 | 26.6 | 25.7 | 5 | 3 | 2 | 33.6 | 51.7 | 22.0 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 130 | 57 | 73 | 376.0 | 505.6 | 313.2 | 48 | 26 | 22 | 322.3 | 448.1 | 242.0 |
| HYPERTENSION (401, 403) | 1 | 0 | 1 | 2.9 | - | 4.3 | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430-438) | 21 | 8 | 13 | 60.7 | 71.0 | 55.8 | 9 | 5 | 4 | 60.4 | 86.2 | 44.0 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 10 | 4 | 6 | 28.9 | 35.5 | 25.7 | 9 | 4 | 5 | 60.4 | 68.9 | 55.0 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 11 | 4 | 7 | 31.8 | 35.5 | 30.0 | 0 | 0 | 0 | - | - | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 2.9 | 8.9 | - | 1 | 1 | 0 | 6.7 | 17.2 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 3 | 1 | 2 | 8.7 | 8.9 | 8.6 | 0 | 0 | 0 | - | - | - |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 1 | 2 | 8.7 | 8.9 | 8.6 | 1 | 0 | 1 | 6.7 | - | 11.0 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 4 | 1 | 3 | 7.6 | 8.8 | 7.2 | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 21 | 5 | 16 | 60.7 | 44.4 | 68.6 | 17 | 8 | 9 | 114.1 | 137.9 | 99.0 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 6 | 3 | 3 | 17.4 | 26.6 | 12.9 | 10 | 4 | 6 | 67.1 | 68.9 | 66.0 |
| SUICIDE (950-959) | 4 | 3 | 1 | 11.6 | 26.6 | 4.3 | 4 | 4 | 0 | 26.8 | 68.9 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2 | 0 | 2 | 5.8 | - | 8.6 | 2 | 0 | 2 | 13.4 | - | 22.0 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 4 | 0 | 4 | 11.6 | - | 17.2 | 0 | 0 | 0 | - | - | - |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | TATE COUNTY | | | | | | TIPPAH COUNTY | | | | | |
|--|-------------|-------|-----------|--------|-------|-----------|---------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 52 | 35 | 17 | 217.4 | 232.5 | 191.6 | 53 | 44 | 9 | 252.0 | 255.7 | 235.4 |
| DIABETES MELLITUS (250) | 2 | 1 | 1 | 8.4 | 6.6 | 11.3 | 2 | 1 | 1 | 9.5 | 5.8 | 26.2 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 77 | 52 | 25 | 321.9 | 345.5 | 281.8 | 94 | 88 | 6 | 447.0 | 511.4 | 156.9 |
| HYPERTENSION (401, 403) | 2 | 1 | 1 | 8.4 | 6.6 | 11.3 | 3 | 1 | 2 | 14.3 | 5.8 | 52.3 |
| CEREBROVASCULAR DISEASES (430-438) | 12 | 5 | 7 | 50.2 | 33.2 | 78.9 | 15 | 13 | 2 | 71.3 | 75.6 | 52.3 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 6 | 4 | 2 | 25.1 | 26.6 | 22.5 | 8 | 8 | 0 | 38.0 | 46.5 | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 9 | 8 | 1 | 37.6 | 53.2 | 11.3 | 14 | 14 | 0 | 66.6 | 81.4 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 4.2 | 6.6 | - | 3 | 2 | 1 | 14.3 | 11.6 | 26.2 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 5 | 2 | 3 | 20.9 | 13.3 | 33.8 | 3 | 3 | 0 | 14.3 | 17.4 | - |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 2 | 2 | 0 | 8.4 | 13.3 | - | 2 | 1 | 1 | 9.5 | 5.8 | 26.2 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 2 | 0 | 2 | 5.2 | - | 13.1 | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 18 | 10 | 8 | 75.2 | 66.4 | 90.2 | 22 | 21 | 1 | 104.6 | 122.0 | 26.2 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 11 | 6 | 5 | 46.0 | 39.9 | 56.4 | 14 | 14 | 0 | 66.6 | 81.4 | - |
| SUICIDE (950-959) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 4.8 | 5.8 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 3 | 1 | 2 | 12.5 | 6.6 | 22.5 | 3 | 1 | 2 | 14.3 | 5.8 | 52.3 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 0 | 1 | 4.2 | - | 11.3 | 2 | 1 | 1 | 9.5 | 5.8 | 26.2 |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | TISHOMINGO COUNTY | | | | | | TUNICA COUNTY | | | | | |
|--|-------------------|-------|-----------|--------|-------|-----------|---------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 1 | 1 | 0 | 5.4 | 5.6 | - | 2 | 0 | 2 | 24.9 | - | 32.4 |
| MALIGNANT NEOPLASMS (140-208) | 74 | 74 | 0 | 396.7 | 414.6 | - | 27 | 13 | 14 | 335.9 | 698.9 | 226.6 |
| DIABETES MELLITUS (250) | 1 | 0 | 1 | 5.4 | - | 123.8 | 2 | 0 | 2 | 24.9 | - | 32.4 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 101 | 98 | 3 | 541.4 | 549.1 | 371.3 | 20 | 9 | 11 | 248.8 | 483.9 | 178.0 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 24.9 | - | 32.4 |
| CEREBROVASCULAR DISEASES (430-438) | 17 | 16 | 1 | 91.1 | 89.6 | 123.8 | 5 | 2 | 3 | 62.2 | 107.5 | 48.6 |
| ATHEROSCLEROSIS (440) | 2 | 2 | 0 | 10.7 | 11.2 | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 13 | 13 | 0 | 69.7 | 72.8 | - | 2 | 2 | 0 | 24.9 | 107.5 | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 14 | 14 | 0 | 75.0 | 78.4 | - | 2 | 1 | 1 | 24.9 | 53.8 | 16.2 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 5.4 | 5.6 | - | 1 | 0 | 1 | 12.4 | - | 16.2 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 4 | 4 | 0 | 21.4 | 22.4 | - | 4 | 3 | 1 | 49.8 | 161.3 | 16.2 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 3 | 3 | 0 | 16.1 | 16.8 | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 5.8 | - | 6.9 |
| ACCIDENTS (800-949) | 16 | 16 | 0 | 85.8 | 89.6 | - | 4 | 2 | 2 | 49.8 | 107.5 | 32.4 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 8 | 8 | 0 | 42.9 | 44.8 | - | 2 | 0 | 2 | 24.9 | - | 32.4 |
| SUICIDE (950-959) | 4 | 4 | 0 | 21.4 | 22.4 | - | 3 | 3 | 0 | 37.3 | 161.3 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 0 | 0 | 0 | - | - | - | 2 | 0 | 2 | 24.9 | - | 32.4 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 2 | 2 | 0 | 10.7 | 11.2 | - | 2 | 0 | 2 | 24.9 | - | 32.4 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | UNION COUNTY | | | | | | WALTHALL COUNTY | | | | | |
|--|--------------|-------|-----------|--------|-------|-----------|-----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 7.0 | 12.6 | - |
| MALIGNANT NEOPLASMS (140-208) | 60 | 52 | 8 | 251.8 | 260.7 | 206.1 | 31 | 17 | 14 | 215.7 | 214.5 | 217.2 |
| DIABETES MELLITUS (250) | 9 | 7 | 2 | 37.8 | 35.1 | 51.5 | 4 | 2 | 2 | 27.8 | 25.2 | 31.0 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 78 | 72 | 6 | 327.3 | 361.0 | 154.6 | 64 | 48 | 16 | 445.4 | 605.8 | 248.2 |
| HYPERTENSION (401, 403) | 1 | 1 | 0 | 4.2 | 5.0 | - | 2 | 0 | 2 | 13.9 | - | 31.0 |
| CEREBROVASCULAR DISEASES (430-438) | 24 | 18 | 6 | 100.7 | 90.2 | 154.6 | 6 | 2 | 4 | 41.8 | 25.2 | 62.1 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 12 | 11 | 1 | 50.4 | 55.1 | 25.8 | 15 | 8 | 7 | 104.4 | 101.0 | 108.6 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 18 | 15 | 3 | 75.5 | 75.2 | 77.3 | 5 | 3 | 2 | 34.8 | 37.9 | 31.0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 7.0 | 12.6 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 6 | 4 | 2 | 25.2 | 20.0 | 51.5 | 6 | 5 | 1 | 41.8 | 63.1 | 15.5 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 1 | 1 | 0 | 4.2 | 5.0 | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 1 | 0 | 1 | 2.8 | - | 11.5 | 1 | 0 | 1 | 4.4 | - | 7.8 |
| ACCIDENTS (800-949) | 9 | 9 | 0 | 37.8 | 45.1 | - | 10 | 5 | 5 | 69.6 | 63.1 | 77.6 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 7 | 7 | 0 | 29.4 | 35.1 | - | 8 | 4 | 4 | 55.7 | 50.5 | 62.1 |
| SUICIDE (950-959) | 2 | 2 | 0 | 8.4 | 10.0 | - | 0 | 0 | 0 | - | - | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1 | 1 | 0 | 4.2 | 5.0 | - | 1 | 0 | 1 | 7.0 | - | 15.5 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 3 | 3 | 0 | 12.6 | 15.0 | - | 0 | 0 | 0 | - | - | - |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | WARREN COUNTY | | | | | | WASHINGTON COUNTY | | | | | |
|--|---------------|-------|-----------|--------|-------|-----------|-------------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 1.5 | - | 2.5 |
| HIV INFECTION (042-044) | 5 | 0 | 5 | 10.1 | - | 24.1 | 8 | 2 | 6 | 12.2 | 7.8 | 15.2 |
| MALIGNANT NEOPLASMS (140-208) | 110 | 65 | 45 | 222.6 | 226.7 | 217.0 | 121 | 46 | 75 | 185.4 | 178.4 | 190.0 |
| DIABETES MELLITUS (250) | 6 | 1 | 5 | 12.1 | 3.5 | 24.1 | 13 | 5 | 8 | 19.9 | 19.4 | 20.3 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 174 | 99 | 75 | 352.2 | 345.3 | 361.7 | 243 | 109 | 134 | 372.3 | 422.8 | 339.4 |
| HYPERTENSION (401, 403) | 5 | 0 | 5 | 10.1 | - | 24.1 | 6 | 2 | 4 | 9.2 | 7.8 | 10.1 |
| CEREBROVASCULAR DISEASES (430-438) | 41 | 22 | 19 | 83.0 | 76.7 | 91.6 | 58 | 23 | 35 | 88.9 | 89.2 | 88.6 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 1.5 | - | 2.5 |
| PNEUMONIA AND INFLUENZA (480-487) | 31 | 23 | 8 | 62.7 | 80.2 | 38.6 | 19 | 11 | 8 | 29.1 | 42.7 | 20.3 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 13 | 10 | 3 | 26.3 | 34.9 | 14.5 | 22 | 17 | 5 | 33.7 | 65.9 | 12.7 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 2.0 | 3.5 | - | 7 | 4 | 3 | 10.7 | 15.5 | 7.6 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 8 | 5 | 3 | 16.2 | 17.4 | 14.5 | 13 | 4 | 9 | 19.9 | 15.5 | 22.8 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 2 | 0 | 2 | 4.0 | - | 9.6 | 4 | 0 | 4 | 6.1 | - | 10.1 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 6 | 2 | 4 | 7.7 | 5.4 | 9.8 | 3 | 0 | 3 | 2.4 | - | 3.3 |
| ACCIDENTS (800-949) | 27 | 13 | 14 | 54.6 | 45.3 | 67.5 | 39 | 10 | 29 | 59.8 | 38.8 | 73.4 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 9 | 4 | 5 | 18.2 | 14.0 | 24.1 | 24 | 4 | 20 | 36.8 | 15.5 | 50.6 |
| SUICIDE (950-959) | 4 | 4 | 0 | 8.1 | 14.0 | - | 4 | 4 | 0 | 6.1 | 15.5 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 3 | 1 | 2 | 6.1 | 3.5 | 9.6 | 20 | 3 | 17 | 30.6 | 11.6 | 43.0 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 3 | 1 | 2 | 6.1 | 3.5 | 9.6 | 14 | 1 | 13 | 21.4 | 3.9 | 32.9 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1998

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | WAYNE COUNTY | | | | | | WEBSTER COUNTY | | | | | |
|--|--------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 1 | 0 | 1 | 4.9 | - | 12.8 | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 40 | 28 | 12 | 196.4 | 223.2 | 153.4 | 25 | 21 | 4 | 237.0 | 261.1 | 159.8 |
| DIABETES MELLITUS (250) | 4 | 2 | 2 | 19.6 | 15.9 | 25.6 | 6 | 6 | 0 | 56.9 | 74.6 | - |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 72 | 48 | 24 | 353.5 | 382.7 | 306.7 | 44 | 41 | 3 | 417.2 | 509.7 | 119.8 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CEREBROVASCULAR DISEASES (430-438) | 11 | 7 | 4 | 54.0 | 55.8 | 51.1 | 13 | 11 | 2 | 123.2 | 136.7 | 79.9 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| PNEUMONIA AND INFLUENZA (480-487) | 6 | 4 | 2 | 29.4 | 31.9 | 25.6 | 3 | 3 | 0 | 28.4 | 37.3 | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 9 | 8 | 1 | 44.2 | 63.8 | 12.8 | 8 | 7 | 1 | 75.8 | 87.0 | 40.0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 4.9 | 8.0 | - | 1 | 1 | 0 | 9.5 | 12.4 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 4 | 2 | 2 | 19.6 | 15.9 | 25.6 | 2 | 2 | 0 | 19.0 | 24.9 | - |
| INFECTIONS OF KIDNEY (590) | 2 | 2 | 0 | 9.8 | 15.9 | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 9.5 | - | 40.0 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 2 | 0 | 2 | 5.4 | - | 10.9 | 0 | 0 | 0 | - | - | - |
| ACCIDENTS (800-949) | 16 | 12 | 4 | 78.6 | 95.7 | 51.1 | 8 | 7 | 1 | 75.8 | 87.0 | 40.0 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 8 | 7 | 1 | 39.3 | 55.8 | 12.8 | 3 | 2 | 1 | 28.4 | 24.9 | 40.0 |
| SUICIDE (950-959) | 3 | 1 | 2 | 14.7 | 8.0 | 25.6 | 1 | 1 | 0 | 9.5 | 12.4 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1 | 0 | 1 | 4.9 | - | 12.8 | 1 | 1 | 0 | 9.5 | 12.4 | - |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 5 | 4 | 1 | 24.5 | 31.9 | 12.8 | 1 | 1 | 0 | 9.5 | 12.4 | - |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | WILKINSON COUNTY | | | | | | WINSTON COUNTY | | | | | |
|--|------------------|-------|-----------|--------|-------|-----------|----------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MALIGNANT NEOPLASMS (140-208) | 31 | 10 | 21 | 337.9 | 355.7 | 330.0 | 40 | 27 | 13 | 206.3 | 251.4 | 150.3 |
| DIABETES MELLITUS (250) | 1 | 0 | 1 | 10.9 | - | 15.7 | 4 | 1 | 3 | 20.6 | 9.3 | 34.7 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 45 | 16 | 29 | 490.5 | 569.2 | 455.8 | 90 | 58 | 32 | 464.2 | 540.0 | 370.1 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.2 | 9.3 | - |
| CEREBROVASCULAR DISEASES (430-438) | 5 | 1 | 4 | 54.5 | 35.6 | 62.9 | 22 | 12 | 10 | 113.5 | 111.7 | 115.6 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 5.2 | 9.3 | - |
| PNEUMONIA AND INFLUENZA (480-487) | 3 | 2 | 1 | 32.7 | 71.1 | 15.7 | 3 | 3 | 0 | 15.5 | 27.9 | - |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 6 | 6 | 0 | 65.4 | 213.4 | - | 6 | 6 | 0 | 30.9 | 55.9 | - |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 4 | 3 | 1 | 43.6 | 106.7 | 15.7 | 2 | 2 | 0 | 10.3 | 18.6 | - |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 4 | 1 | 3 | 43.6 | 35.6 | 47.1 | 5 | 2 | 3 | 25.8 | 18.6 | 34.7 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| MATERNAL CAUSES (630-676) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 4.1 | - | 6.7 |
| ACCIDENTS (800-949) | 9 | 2 | 7 | 98.1 | 71.1 | 110.0 | 16 | 11 | 5 | 82.5 | 102.4 | 57.8 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 4 | 1 | 3 | 43.6 | 35.6 | 47.1 | 6 | 4 | 2 | 30.9 | 37.2 | 23.1 |
| SUICIDE (950-959) | 1 | 1 | 0 | 10.9 | 35.6 | - | 2 | 2 | 0 | 10.3 | 18.6 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 1 | 0 | 1 | 10.9 | - | 15.7 | 0 | 0 | 0 | - | - | - |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 0 | 1 | 10.9 | - | 15.7 | 3 | 0 | 3 | 15.5 | - | 34.7 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

**TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1998**

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | YALOBUSHA COUNTY | | | | | | YAZOO COUNTY | | | | | |
|--|------------------|-------|-----------|--------|-------|-----------|--------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 0 | 0 | 0 | - | - | - | 0 | 0 | 0 | - | - | - |
| HIV INFECTION (042-044) | 0 | 0 | 0 | - | - | - | 3 | 0 | 3 | 11.8 | - | 21.3 |
| MALIGNANT NEOPLASMS (140-208) | 51 | 40 | 11 | 412.4 | 539.9 | 221.9 | 55 | 25 | 30 | 215.6 | 218.4 | 213.3 |
| DIABETES MELLITUS (250) | 4 | 1 | 3 | 32.3 | 13.5 | 60.5 | 11 | 4 | 7 | 43.1 | 34.9 | 49.8 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 55 | 42 | 13 | 444.8 | 566.9 | 262.2 | 87 | 46 | 41 | 341.0 | 401.8 | 291.5 |
| HYPERTENSION (401, 403) | 0 | 0 | 0 | - | - | - | 3 | 2 | 1 | 11.8 | 17.5 | 7.1 |
| CEREBROVASCULAR DISEASES (430-438) | 13 | 11 | 2 | 105.1 | 148.5 | 40.3 | 28 | 12 | 16 | 109.8 | 104.8 | 113.8 |
| ATHEROSCLEROSIS (440) | 0 | 0 | 0 | - | - | - | 1 | 0 | 1 | 3.9 | - | 7.1 |
| PNEUMONIA AND INFLUENZA (480-487) | 4 | 4 | 0 | 32.3 | 54.0 | - | 14 | 6 | 8 | 54.9 | 52.4 | 56.9 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 7 | 7 | 0 | 56.6 | 94.5 | - | 10 | 7 | 3 | 39.2 | 61.2 | 21.3 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 1 | 1 | 0 | 8.1 | 13.5 | - | 2 | 1 | 1 | 7.8 | 8.7 | 7.1 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 3 | 3 | 0 | 24.3 | 40.5 | - | 6 | 2 | 4 | 23.5 | 17.5 | 28.4 |
| INFECTIONS OF KIDNEY (590) | 0 | 0 | 0 | - | - | - | 1 | 1 | 0 | 3.9 | 8.7 | - |
| MATERNAL CAUSES (630-676) | 1 | 0 | 1 | 520.8 | - | 1098.9 | 0 | 0 | 0 | - | - | - |
| CONGENITAL ANOMALIES (740-759) | 1 | 0 | 1 | 8.1 | - | 20.2 | 0 | 0 | 0 | - | - | - |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 0 | 0 | 0 | - | - | - | 2 | 1 | 1 | 4.1 | 5.6 | 3.2 |
| ACCIDENTS (800-949) | 16 | 8 | 8 | 129.4 | 108.0 | 161.4 | 20 | 7 | 13 | 78.4 | 61.2 | 92.4 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 7 | 5 | 2 | 56.6 | 67.5 | 40.3 | 11 | 3 | 8 | 43.1 | 26.2 | 56.9 |
| SUICIDE (950-959) | 1 | 1 | 0 | 8.1 | 13.5 | - | 4 | 4 | 0 | 15.7 | 34.9 | - |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 2 | 1 | 1 | 16.2 | 13.5 | 20.2 | 5 | 2 | 3 | 19.6 | 17.5 | 21.3 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 1 | 0 | 1 | 8.1 | - | 20.2 | 3 | 3 | 0 | 11.8 | 26.2 | - |

| CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER* | STATE OF MISSISSIPPI | | | | | |
|--|----------------------|-------|-----------|--------|-------|-----------|
| | NUMBER | | | RATE** | | |
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| TUBERCULOSIS (010-018) | 15 | 6 | 9 | 0.5 | 0.3 | 0.9 |
| HIV INFECTION (042-044) | 139 | 28 | 111 | 5.0 | 1.6 | 10.7 |
| MALIGNANT NEOPLASMS (140-208) | 5,944 | 4,017 | 1,927 | 216.0 | 233.6 | 186.6 |
| DIABETES MELLITUS (250) | 628 | 333 | 295 | 22.8 | 19.4 | 28.6 |
| DISEASES OF HEART (390-398, 402, 404, 410-429) | 9,501 | 6,419 | 3,082 | 345.2 | 373.3 | 298.5 |
| HYPERTENSION (401, 403) | 213 | 117 | 96 | 7.7 | 6.8 | 9.3 |
| CEREBROVASCULAR DISEASES (430-438) | 1,804 | 1,131 | 673 | 65.6 | 65.8 | 65.2 |
| ATHEROSCLEROSIS (440) | 87 | 60 | 27 | 3.2 | 3.5 | 2.6 |
| PNEUMONIA AND INFLUENZA (480-487) | 1,065 | 775 | 290 | 38.7 | 45.1 | 28.1 |
| EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496) | 1,128 | 939 | 189 | 41.0 | 54.6 | 18.3 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS (571) | 231 | 169 | 62 | 8.4 | 9.8 | 6.0 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) | 402 | 237 | 165 | 14.6 | 13.8 | 16.0 |
| INFECTIONS OF KIDNEY (590) | 14 | 11 | 3 | 0.5 | 0.6 | 0.3 |
| MATERNAL CAUSES (630-676) | 4 | 2 | 2 | 9.3 | 8.7 | 10.0 |
| CONGENITAL ANOMALIES (740-759) | 139 | 73 | 66 | 5.0 | 4.2 | 6.4 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) | 194 | 48 | 146 | 4.5 | 2.1 | 7.3 |
| ACCIDENTS (800-949) | 1,712 | 1,060 | 652 | 62.2 | 61.6 | 63.1 |
| MOTOR VEHICLE ACCIDENTS# (810-825) | 957 | 586 | 371 | 34.8 | 34.1 | 35.9 |
| SUICIDE (950-959) | 330 | 284 | 46 | 12.0 | 16.5 | 4.4 |
| HOMICIDE AND LEGAL INTERVENTION (960-978) | 358 | 118 | 240 | 13.0 | 6.9 | 23.2 |
| SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799) | 271 | 157 | 114 | 9.8 | 9.1 | 11.0 |

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 19
LIVE BIRTHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1998,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1998)

| YEAR | NUMBER | | | RATE* | | |
|------|---------|---------|---------------|-------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1913 | 41, 103 | 21, 874 | 19, 229 | 21. 9 | 26. 6 | 18. 2 |
| 1914 | 40, 623 | 21, 360 | 19, 263 | 21. 4 | 25. 7 | 18. 0 |
| 1915 | 39, 484 | 20, 999 | 18, 485 | 20. 5 | 23. 8 | 17. 1 |
| 1916 | 39, 033 | 20, 130 | 18, 903 | 20. 0 | 23. 6 | 17. 2 |
| 1917 | 37, 141 | 19, 056 | 18, 085 | 18. 8 | 22. 0 | 16. 3 |
| 1918 | 39, 391 | 20, 005 | 19, 386 | 19. 7 | 22. 8 | 17. 2 |
| 1919 | 42, 491 | 22, 028 | 20, 463 | 21. 0 | 24. 9 | 18. 0 |
| 1920 | 43, 743 | 22, 438 | 21, 305 | 24. 4 | 26. 3 | 22. 7 |
| 1921 | 46, 482 | 23, 703 | 22, 779 | 25. 6 | 27. 3 | 24. 1 |
| 1922 | 43, 723 | 21, 286 | 22, 437 | 23. 8 | 24. 1 | 23. 6 |
| 1923 | 43, 266 | 21, 140 | 22, 126 | 23. 3 | 23. 6 | 23. 1 |
| 1924 | 43, 960 | 22, 180 | 21, 780 | 23. 4 | 24. 3 | 22. 5 |
| 1925 | 45, 563 | 22, 265 | 23, 298 | 24. 0 | 24. 1 | 23. 9 |
| 1926 | 50, 449 | 24, 600 | 25, 849 | 26. 2 | 26. 2 | 26. 3 |
| 1927 | 49, 204 | 24, 163 | 25, 041 | 25. 3 | 25. 3 | 25. 3 |
| 1928 | 48, 126 | 23, 642 | 24, 484 | 24. 5 | 24. 4 | 24. 5 |
| 1929 | 45, 570 | 22, 105 | 23, 465 | 22. 9 | 22. 5 | 23. 3 |
| 1930 | 47, 982 | 23, 192 | 24, 790 | 23. 8 | 23. 2 | 24. 0 |
| 1931 | 45, 123 | 21, 637 | 23, 486 | 22. 2 | 21. 4 | 22. 9 |
| 1932 | 46, 481 | 21, 883 | 24, 598 | 22. 6 | 21. 4 | 23. 9 |
| 1933 | 44, 184 | 20, 407 | 23, 777 | 21. 3 | 19. 7 | 22. 9 |
| 1934 | 47, 905 | 22, 342 | 25, 563 | 23. 0 | 21. 4 | 24. 6 |
| 1935 | 48, 291 | 21, 972 | 26, 319 | 23. 0 | 20. 8 | 25. 1 |
| 1036 | 49, 261 | 22, 194 | 27, 067 | 23. 3 | 20. 8 | 25. 7 |
| 1937 | 52, 170 | 23, 285 | 28, 885 | 24. 4 | 21. 6 | 27. 3 |
| 1938 | 53, 729 | 24, 046 | 29, 683 | 25. 0 | 22. 1 | 27. 8 |
| 1939 | 52, 288 | 23, 505 | 28, 783 | 24. 1 | 21. 4 | 26. 8 |
| 1940 | 52, 526 | 23, 084 | 29, 442 | 24. 0 | 20. 9 | 27. 3 |
| 1941 | 54, 561 | 24, 167 | 30, 394 | 24. 7 | 21. 6 | 28. 0 |
| 1942 | 56, 521 | 25, 306 | 31, 215 | 25. 4 | 22. 4 | 28. 6 |
| 1943 | 59, 408 | 27, 611 | 31, 797 | 28. 9 | 26. 4 | 31. 6 |
| 1944 | 56, 586 | 25, 647 | 30, 939 | 28. 3 | 25. 2 | 31. 6 |
| 1945 | 53, 540 | 23, 426 | 30, 114 | 26. 9 | 23. 1 | 30. 9 |
| 1946 | 61, 430 | 29, 715 | 31, 715 | 26. 8 | 25. 4 | 28. 2 |
| 1947 | 66, 291 | 32, 423 | 33, 868 | 28. 6 | 27. 5 | 29. 9 |
| 1948 | 65, 291 | 29, 666 | 35, 625 | 28. 0 | 24. 9 | 31. 2 |
| 1949 | 66, 128 | 28, 786 | 37, 342 | 28. 1 | 24. 0 | 32. 5 |
| 1950 | 64, 427 | 27, 188 | 37, 239 | 29. 6 | 22. 9 | 37. 6 |
| 1951 | 65, 512 | 27, 798 | 37, 714 | 30. 1 | 23. 4 | 38. 1 |
| 1952 | 64, 509 | 28, 073 | 36, 436 | 29. 6 | 23. 6 | 36. 8 |
| 1953 | 64, 061 | 28, 312 | 35, 749 | 29. 4 | 23. 8 | 36. 1 |
| 1954 | 64, 748 | 28, 781 | 35, 967 | 29. 7 | 24. 2 | 36. 3 |
| 1955 | 63, 244 | 27, 546 | 35, 698 | 29. 0 | 23. 2 | 36. 0 |
| 1956 | 62, 178 | 27, 278 | 34, 900 | 29. 5 | 23. 8 | 36. 2 |
| 1957 | 60, 712 | 26, 804 | 33, 908 | 28. 8 | 23. 4 | 35. 2 |
| 1958 | 59, 189 | 26, 812 | 32, 377 | 27. 1 | 20. 9 | 35. 9 |
| 1959 | 60, 562 | 27, 979 | 32, 583 | 27. 2 | 20. 9 | 36. 6 |

TABLE 19 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1998

| YEAR | NUMBER | | | RATE* | | |
|--------|--------|--------|---------------|-------|---------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1960 | 59,210 | 27,198 | 32,012 | 27.2 | 21.6 | 34.8 |
| 1961 | 59,523 | 27,435 | 32,088 | 27.3 | 21.8 | 34.8 |
| 1962 | 58,921 | 27,512 | 31,409 | 26.1 | 20.8 | 33.5 |
| 1963 | 57,316 | 26,823 | 30,493 | 25.0 | 19.9 | 32.4 |
| 1964 | 56,650 | 25,942 | 30,708 | 24.5 | 18.9 | 32.5 |
| 1965 | 51,171 | 23,369 | 27,802 | 22.0 | 17.4 | 28.2 |
| 1966 | 48,230 | 22,736 | 25,494 | 20.4 | 16.5 | 25.9 |
| 1967 | 46,594 | 22,675 | 23,919 | 9.7 | 15.9 | 25.6 |
| 1968 | 45,719 | 22,807 | 22,912 | 19.4 | 15.7 | 25.4 |
| 1969 | 47,120 | 24,025 | 23,095 | 21.2 | 17.2 | 28.0 |
| 1970 | 48,141 | 24,893 | 23,248 | 21.7 | 17.9 | 28.2 |
| 1971 | 48,601 | 25,199 | 23,402 | 21.9 | 18.1 | 28.4 |
| 1972 | 45,907 | 23,745 | 22,162 | 20.3 | NOT AVAILABLE | |
| 1973 | 44,638 | 23,119 | 21,519 | 19.3 | NOT AVAILABLE | |
| 1974 | 44,032 | 23,023 | 21,009 | 18.9 | NOT AVAILABLE | |
| 1975 | 43,336 | 22,559 | 20,777 | 18.5 | NOT AVAILABLE | |
| 1976 | 42,983 | 22,605 | 20,378 | 18.2 | NOT AVAILABLE | |
| 1977 | 45,532 | 23,369 | 22,163 | 19.1 | NOT AVAILABLE | |
| 1978 | 44,373 | 22,632 | 21,741 | 18.5 | NOT AVAILABLE | |
| 1979 | 45,919 | 23,487 | 22,432 | 19.1 | NOT AVAILABLE | |
| 1980 | 47,821 | 24,687 | 23,134 | 19.0 | 15.3 | 25.5 |
| 1981 | 46,228 | 23,777 | 22,451 | 18.3 | 14.7 | 24.8 |
| 1982 | 45,926 | 24,028 | 21,898 | 18.0 | NOT AVAILABLE | |
| 1983 | 43,992 | 22,659 | 21,333 | 17.0 | NOT AVAILABLE | |
| 1984 | 43,742 | 22,672 | 21,070 | 16.9 | NOT AVAILABLE | |
| 1985 | 43,432 | 22,943 | 20,489 | 16.3 | 13.5 | 21.5 |
| 1986 | 41,868 | 22,060 | 19,808 | 15.8 | 13.0 | 20.8 |
| 1987 | 41,279 | 21,576 | 19,703 | 15.2 | 12.4 | 20.2 |
| 1988 | 42,040 | 21,685 | 20,355 | 15.3 | 12.3 | 20.6 |
| 1989** | 43,026 | 22,069 | 20,957 | 15.5 | 12.4 | 20.9 |
| 1990** | 43,547 | 22,280 | 21,267 | 16.9 | 13.6 | 22.6 |
| 1991** | 43,184 | 21,908 | 21,276 | 16.8 | 13.4 | 22.6 |
| 1992** | 42,676 | 21,700 | 20,976 | 16.6 | 13.3 | 22.3 |
| 1993** | 42,134 | 21,246 | 20,888 | 16.4 | 13.0 | 22.2 |
| 1994** | 41,938 | 21,536 | 20,402 | 16.3 | 13.2 | 21.7 |
| 1995** | 41,332 | 21,571 | 19,761 | 15.3 | 12.7 | 19.8 |
| 1996** | 40,978 | 21,447 | 19,531 | 15.2 | 12.7 | 19.5 |
| 1997** | 41,527 | 22,021 | 19,506 | 15.4 | 13.0 | 19.5 |
| 1998** | 42,917 | 22,950 | 19,967 | 15.6 | 13.3 | 19.3 |

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 20
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1998,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1998)

| YEAR | NUMBER | | | RATE* | | |
|------|--------|--------|---------------|-------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1913 | 21,305 | 7,643 | 13,662 | 11.4 | 9.3 | 13.0 |
| 1914 | 21,485 | 7,442 | 14,043 | 11.3 | 8.9 | 13.1 |
| 1915 | 24,001 | 8,088 | 15,913 | 12.5 | 9.6 | 14.7 |
| 1916 | 21,794 | 7,588 | 14,206 | 11.2 | 8.9 | 13.0 |
| 1917 | 23,579 | 8,048 | 15,531 | 11.9 | 9.3 | 14.0 |
| 1918 | 30,437 | 10,177 | 20,260 | 15.2 | 11.6 | 18.0 |
| 1919 | 22,667 | 8,142 | 14,525 | 12.7 | 9.5 | 15.5 |
| 1920 | 22,072 | 7,916 | 14,156 | 12.3 | 9.3 | 15.1 |
| 1921 | 19,991 | 7,308 | 12,683 | 11.0 | 8.4 | 13.4 |
| 1922 | 19,278 | 7,312 | 11,966 | 10.5 | 8.3 | 12.6 |
| 1923 | 20,363 | 7,688 | 12,675 | 11.0 | 8.6 | 13.2 |
| 1924 | 21,155 | 7,809 | 13,346 | 11.3 | 8.6 | 13.8 |
| 1925 | 22,229 | 8,143 | 14,086 | 11.7 | 8.8 | 14.4 |
| 1926 | 23,929 | 9,133 | 14,796 | 12.5 | 9.7 | 15.1 |
| 1927 | 23,257 | 8,765 | 14,492 | 12.0 | 9.2 | 14.6 |
| 1928 | 25,965 | 10,111 | 15,854 | 13.2 | 10.4 | 15.9 |
| 1929 | 25,868 | 10,048 | 15,820 | 13.0 | 10.2 | 15.7 |
| 1930 | 24,098 | 9,072 | 15,026 | 11.9 | 9.0 | 14.8 |
| 1931 | 22,007 | 8,641 | 13,366 | 10.8 | 8.5 | 13.0 |
| 1932 | 20,322 | 8,295 | 12,027 | 9.9 | 8.1 | 11.6 |
| 1933 | 21,617 | 8,898 | 12,719 | 10.4 | 8.6 | 12.2 |
| 1934 | 21,786 | 9,350 | 12,436 | 10.5 | 9.0 | 12.0 |
| 1935 | 21,285 | 9,186 | 12,099 | 10.1 | 8.7 | 11.6 |
| 1936 | 24,127 | 10,367 | 13,760 | 11.4 | 9.7 | 13.1 |
| 1937 | 24,005 | 10,055 | 13,950 | 11.2 | 9.3 | 13.2 |
| 1938 | 22,814 | 9,471 | 13,343 | 10.6 | 8.7 | 12.5 |
| 1939 | 22,701 | 9,464 | 13,237 | 10.5 | 8.6 | 12.3 |
| 1940 | 23,185 | 9,565 | 13,620 | 10.6 | 8.6 | 12.6 |
| 1941 | 22,573 | 9,442 | 13,131 | 10.2 | 8.4 | 12.1 |
| 1942 | 20,693 | 8,750 | 11,943 | 9.3 | 7.7 | 10.9 |
| 1943 | 20,850 | 9,139 | 11,711 | 10.2 | 8.7 | 11.6 |
| 1944 | 20,199 | 8,830 | 11,369 | 10.1 | 8.7 | 11.6 |
| 1945 | 19,024 | 8,452 | 10,572 | 9.6 | 8.3 | 10.8 |
| 1946 | 19,321 | 8,995 | 10,326 | 8.4 | 7.7 | 9.2 |
| 1947 | 20,007 | 9,238 | 10,769 | 8.6 | 7.8 | 9.5 |
| 1948 | 20,183 | 9,216 | 10,967 | 8.6 | 7.7 | 9.6 |
| 1949 | 20,489 | 9,233 | 11,256 | 8.7 | 7.7 | 9.8 |
| 1950 | 20,567 | 9,466 | 11,101 | 9.4 | 8.0 | 11.2 |
| 1951 | 21,007 | 9,593 | 11,414 | 9.6 | 8.1 | 11.5 |
| 1952 | 20,657 | 9,387 | 11,270 | 9.5 | 7.9 | 11.4 |
| 1953 | 20,492 | 9,495 | 10,997 | 9.4 | 8.0 | 11.1 |
| 1954 | 19,353 | 9,453 | 9,900 | 8.9 | 8.0 | 10.0 |
| 1955 | 19,403 | 9,501 | 9,902 | 8.9 | 8.0 | 10.0 |
| 1956 | 19,780 | 9,969 | 9,811 | 9.4 | 8.7 | 10.2 |
| 1957 | 20,476 | 10,339 | 10,137 | 9.7 | 9.0 | 10.5 |
| 1958 | 21,541 | 10,811 | 10,730 | 9.9 | 8.4 | 11.9 |
| 1959 | 20,890 | 10,742 | 10,148 | 9.4 | 8.0 | 11.4 |

TABLE 20 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1998

| YEAR | NUMBER | | | RATE* | | |
|------|--------|--------|---------------|-------|---------------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1960 | 21,713 | 11,204 | 10,509 | 10.0 | 8.9 | 11.4 |
| 1961 | 21,232 | 11,063 | 10,169 | 9.7 | 8.8 | 11.0 |
| 1962 | 22,713 | 11,868 | 10,845 | 10.0 | 9.0 | 11.6 |
| 1963 | 23,339 | 12,118 | 11,221 | 10.2 | 9.0 | 11.9 |
| 1964 | 22,559 | 12,039 | 10,520 | 9.7 | 8.8 | 11.1 |
| 1965 | 22,652 | 12,376 | 10,276 | 9.7 | 9.2 | 10.4 |
| 1966 | 23,350 | 12,976 | 10,374 | 9.9 | 9.4 | 10.5 |
| 1967 | 22,609 | 12,816 | 9,793 | 9.6 | 9.0 | 10.5 |
| 1968 | 23,986 | 13,468 | 10,518 | 10.2 | 9.3 | 11.7 |
| 1969 | 23,865 | 13,873 | 9,992 | 10.8 | 10.0 | 12.1 |
| 1970 | 23,305 | 13,623 | 9,682 | 10.5 | 9.8 | 11.8 |
| 1971 | 23,426 | 13,980 | 9,446 | 10.6 | 10.0 | 11.5 |
| 1972 | 23,663 | 14,077 | 9,586 | 10.5 | NOT AVAILABLE | |
| 1973 | 24,007 | 14,461 | 9,546 | 10.4 | NOT AVAILABLE | |
| 1974 | 23,153 | 14,268 | 8,885 | 9.9 | NOT AVAILABLE | |
| 1975 | 22,768 | 13,790 | 8,978 | 9.7 | NOT AVAILABLE | |
| 1976 | 23,124 | 14,307 | 8,817 | 9.8 | NOT AVAILABLE | |
| 1977 | 23,022 | 14,318 | 8,704 | 9.6 | NOT AVAILABLE | |
| 1978 | 23,363 | 14,631 | 8,732 | 9.7 | NOT AVAILABLE | |
| 1979 | 22,932 | 14,348 | 8,584 | 9.5 | NOT AVAILABLE | |
| 1980 | 23,576 | 14,531 | 9,045 | 9.4 | 9.0 | 10.0 |
| 1981 | 23,405 | 14,876 | 8,529 | 9.3 | 9.2 | 9.4 |
| 1982 | 23,173 | 14,863 | 8,310 | 9.1 | NOT AVAILABLE | |
| 1983 | 23,831 | 15,250 | 8,581 | 9.2 | NOT AVAILABLE | |
| 1984 | 23,781 | 15,225 | 8,556 | 9.2 | NOT AVAILABLE | |
| 1985 | 24,568 | 15,803 | 8,765 | 9.2 | 9.3 | 9.2 |
| 1986 | 24,341 | 15,694 | 8,647 | 9.2 | 9.2 | 9.1 |
| 1987 | 24,525 | 15,835 | 8,690 | 9.0 | 9.1 | 8.9 |
| 1988 | 24,706 | 16,034 | 8,672 | 9.0 | 9.1 | 8.8 |
| 1989 | 25,273 | 16,386 | 8,887 | 9.1 | 9.2 | 8.9 |
| 1990 | 24,994 | 16,088 | 8,906 | 9.7 | 9.8 | 9.5 |
| 1991 | 25,503 | 16,393 | 9,110 | 9.9 | 10.0 | 9.7 |
| 1992 | 25,163 | 16,417 | 8,746 | 9.8 | 10.0 | 9.3 |
| 1993 | 26,271 | 17,003 | 9,268 | 10.2 | 10.4 | 9.9 |
| 1994 | 26,657 | 17,210 | 9,447 | 10.4 | 10.5 | 10.0 |
| 1995 | 26,910 | 17,729 | 9,181 | 10.0 | 10.5 | 9.2 |
| 1996 | 26,566 | 17,488 | 9,078 | 9.9 | 10.3 | 9.1 |
| 1997 | 27,380 | 18,034 | 9,346 | 10.2 | 10.6 | 9.3 |
| 1998 | 27,737 | 18,343 | 9,394 | 10.1 | 10.7 | 9.1 |

* DEATHS PER 1,000 POPULATION.

TABLE 21
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1998,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1998)

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|---------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1913 | 447 | 162 | 285 | 1087.5 | 740.6 | 1482.1 |
| 1914 | 413 | 124 | 289 | 1016.7 | 580.5 | 1500.3 |
| 1915 | 289 | 88 | 201 | 731.9 | 419.1 | 1087.4 |
| 1916 | 326 | 102 | 224 | 835.2 | 506.7 | 1185.0 |
| 1917 | 297 | 105 | 192 | 799.6 | 551.0 | 1061.6 |
| 1918 | 302 | 82 | 220 | 766.7 | 409.9 | 1134.8 |
| 1919 | 407 | 173 | 234 | 957.8 | 785.4 | 1143.5 |
| 1920 | 393 | 127 | 266 | 898.4 | 566.0 | 1248.5 |
| 1921 | 391 | 145 | 246 | 841.2 | 611.7 | 1079.9 |
| 1922 | 313 | 110 | 203 | 715.9 | 516.8 | 904.8 |
| 1923 | 321 | 108 | 213 | 741.9 | 510.9 | 962.7 |
| 1924 | 413 | 137 | 276 | 939.5 | 617.7 | 1267.2 |
| 1925 | 435 | 143 | 292 | 954.7 | 642.3 | 1253.3 |
| 1926 | 388 | 153 | 235 | 769.1 | 622.0 | 909.1 |
| 1927 | 409 | 134 | 275 | 831.2 | 554.6 | 1098.2 |
| 1928 | 421 | 161 | 260 | 874.8 | 681.0 | 1061.9 |
| 1929 | 410 | 152 | 258 | 899.7 | 687.6 | 1099.5 |
| 1930 | 489 | 171 | 318 | 1019.1 | 737.3 | 1282.8 |
| 1931 | 352 | 131 | 221 | 780.1 | 605.4 | 941.0 |
| 1932 | 279 | 103 | 176 | 600.2 | 470.7 | 715.5 |
| 1933 | 315 | 116 | 199 | 712.9 | 568.4 | 836.9 |
| 1934 | 306 | 116 | 190 | 638.8 | 519.2 | 743.3 |
| 1935 | 334 | 137 | 197 | 691.6 | 623.5 | 748.5 |
| 1936 | 358 | 134 | 224 | 726.7 | 603.8 | 827.6 |
| 1937 | 370 | 150 | 220 | 709.2 | 644.2 | 761.6 |
| 1938 | 333 | 116 | 217 | 619.8 | 482.4 | 731.0 |
| 1939 | 311 | 97 | 214 | 594.8 | 412.7 | 743.5 |
| 1940 | 327 | 106 | 221 | 622.5 | 459.2 | 750.6 |
| 1941 | 293 | 93 | 200 | 537.0 | 384.8 | 658.0 |
| 1942 | 248 | 77 | 171 | 438.8 | 304.3 | 547.8 |
| 1943 | 233 | 66 | 167 | 392.2 | 239.0 | 525.2 |
| 1944 | 225 | 72 | 153 | 397.6 | 280.7 | 494.5 |
| 1945 | 216 | 64 | 152 | 403.4 | 273.2 | 504.7 |
| 1946 | 199 | 67 | 132 | 323.9 | 225.5 | 416.2 |
| 1947 | 175 | 50 | 125 | 264.0 | 154.2 | 369.1 |
| 1948 | 177 | 38 | 139 | 271.1 | 128.1 | 390.2 |
| 1949 | 147 | 32 | 115 | 222.3 | 111.2 | 308.0 |
| 1950 | 165 | 30 | 135 | 256.1 | 110.3 | 362.5 |
| 1951 | 143 | 28 | 115 | 218.3 | 100.7 | 304.9 |
| 1952 | 119 | 15 | 104 | 184.5 | 53.4 | 285.4 |
| 1953 | 119 | 24 | 95 | 185.8 | 84.8 | 265.7 |
| 1954 | 104 | 11 | 93 | 160.6 | 38.2 | 258.6 |
| 1955 | 76 | 12 | 64 | 120.2 | 43.6 | 179.3 |
| 1956 | 74 | 12 | 62 | 119.0 | 44.0 | 177.6 |
| 1957 | 75 | 14 | 61 | 123.5 | 52.2 | 179.9 |
| 1958 | 53 | 10 | 43 | 89.5 | 37.3 | 132.8 |
| 1959 | 55 | 9 | 46 | 90.8 | 32.2 | 141.2 |

TABLE 21 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-1998

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|---------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1960 | 59 | 8 | 51 | 99.6 | 29.4 | 159.3 |
| 1961 | 49 | 9 | 40 | 82.3 | 32.8 | 124.6 |
| 1962 | 55 | 7 | 48 | 93.3 | 25.4 | 152.8 |
| 1963 | 44 | 9 | 35 | 76.8 | 33.6 | 114.8 |
| 1964 | 57 | 9 | 48 | 100.6 | 34.7 | 156.3 |
| 1965 | 40 | 3 | 37 | 78.2 | 12.8 | 133.1 |
| 1966 | 27 | 6 | 21 | 56.0 | 26.4 | 82.4 |
| 1967 | 36 | 10 | 26 | 77.3 | 44.1 | 108.7 |
| 1968 | 21 | 3 | 18 | 45.9 | 13.2 | 78.6 |
| 1969 | 23 | 3 | 20 | 48.8 | 12.5 | 86.6 |
| 1970 | 34 | 5 | 29 | 70.6 | 20.1 | 124.7 |
| 1971 | 21 | 5 | 16 | 43.2 | 19.8 | 68.4 |
| 1972 | 24 | 5 | 19 | 52.3 | 21.0 | 85.7 |
| 1973 | 12 | 4 | 8 | 26.9 | 17.3 | 37.2 |
| 1974 | 12 | 4 | 8 | 27.2 | 17.4 | 38.1 |
| 1975 | 6 | 0 | 6 | 13.8 | - | 28.9 |
| 1976 | 8 | 4 | 4 | 18.6 | 17.7 | 19.6 |
| 1977 | 10 | 2 | 8 | 22.0 | 8.6 | 36.1 |
| 1978 | 6 | 1 | 5 | 13.5 | 4.4 | 23.0 |
| 1979 | 10 | 3 | 7 | 21.8 | 12.8 | 31.2 |
| 1980 | 2 | 1 | 1 | 4.2 | 4.0 | 4.3 |
| 1981 | 7 | 5 | 2 | 15.1 | 21.0 | 8.9 |
| 1982 | 1 | 1 | 0 | 2.2 | 4.2 | - |
| 1983 | 1 | 0 | 1 | 2.3 | - | 4.7 |
| 1984 | 3 | 1 | 2 | 6.8 | 4.4 | 9.5 |
| 1985 | 3 | 2 | 1 | 6.9 | 8.7 | 4.9 |
| 1986 | 3 | 0 | 3 | 7.2 | - | 15.1 |
| 1987 | 4 | 2 | 2 | 9.7 | 9.3 | 10.2 |
| 1988 | 7 | 2 | 5 | 16.6 | 9.2 | 24.6 |
| 1989 | 6 | 1 | 5 | 13.9 | 4.5 | 23.8 |
| 1990 | 6 | 0 | 6 | 13.8 | - | 28.2 |
| 1991 | 3 | 2 | 1 | 6.9 | 9.1 | 4.7 |
| 1992 | 4 | 1 | 3 | 9.4 | 4.6 | 14.3 |
| 1993 | 11 | 2 | 9 | 26.1 | 9.4 | 43.1 |
| 1994 | 4 | 1 | 3 | 9.5 | 4.6 | 14.7 |
| 1995 | 5 | 0 | 5 | 12.1 | - | 25.3 |
| 1996 | 1 | 0 | 1 | 2.4 | - | 5.1 |
| 1997 | 11 | 4 | 7 | 26.5 | 18.2 | 35.9 |
| 1998 | 4 | 2 | 2 | 9.3 | 8.7 | 10.0 |

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 22
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-1998,
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1998)

| YEAR | NUMBER | | | RATE** | | |
|------|--------|--------|---------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1917 | 3, 689 | 1, 296 | 2, 393 | 99. 3 | 68. 0 | 132. 3 |
| 1918 | # | # | # | # | # | # |
| 1919 | 3, 554 | # | # | 83. 6 | # | # |
| 1920 | 3, 499 | 1, 344 | 2, 155 | 80. 0 | 59. 9 | 101. 1 |
| 1921 | 3, 157 | 1, 243 | 1, 914 | 67. 9 | 52. 4 | 84. 0 |
| 1922 | 2, 826 | 1, 067 | 1, 759 | 64. 6 | 50. 1 | 78. 4 |
| 1923 | 2, 908 | 1, 104 | 1, 804 | 67. 2 | 52. 2 | 81. 5 |
| 1924 | 3, 137 | 1, 188 | 1, 949 | 71. 4 | 53. 6 | 89. 5 |
| 1925 | 3, 176 | 1, 179 | 1, 997 | 69. 7 | 53. 0 | 85. 7 |
| 1926 | 3, 578 | 1, 447 | 2, 131 | 70. 9 | 58. 8 | 82. 4 |
| 1927 | 3, 291 | 1, 303 | 1, 988 | 66. 9 | 54. 0 | 79. 4 |
| 1928 | 3, 567 | 1, 416 | 2, 151 | 74. 1 | 59. 9 | 87. 9 |
| 1929 | 3, 275 | 1, 268 | 2, 007 | 71. 9 | 57. 4 | 85. 5 |
| 1930 | 3, 276 | 1, 182 | 2, 094 | 68. 3 | 51. 0 | 84. 5 |
| 1931 | 2, 547 | 961 | 1, 586 | 56. 4 | 44. 4 | 67. 5 |
| 1932 | 2, 482 | 965 | 1, 517 | 53. 4 | 44. 1 | 61. 7 |
| 1933 | 2, 800 | 1, 035 | 1, 765 | 63. 4 | 50. 7 | 74. 2 |
| 1934 | 3, 070 | 1, 199 | 1, 871 | 64. 1 | 53. 7 | 73. 2 |
| 1935 | 2, 587 | 1, 044 | 1, 543 | 53. 6 | 47. 5 | 58. 6 |
| 1936 | 2, 883 | 1, 105 | 1, 778 | 58. 5 | 49. 8 | 65. 7 |
| 1937 | 3, 098 | 1, 174 | 1, 924 | 59. 4 | 50. 4 | 66. 6 |
| 1938 | 3, 051 | 1, 205 | 1, 846 | 56. 8 | 50. 1 | 62. 2 |
| 1939 | 2, 908 | 1, 135 | 1, 773 | 55. 6 | 48. 3 | 61. 6 |
| 1940 | 2, 864 | 1, 070 | 1, 794 | 54. 5 | 46. 4 | 60. 9 |
| 1941 | 2, 969 | 1, 113 | 1, 856 | 54. 4 | 46. 1 | 61. 1 |
| 1942 | 2, 654 | 957 | 1, 697 | 47. 0 | 37. 8 | 54. 4 |
| 1943 | 2, 774 | 1, 137 | 1, 637 | 46. 7 | 41. 2 | 51. 5 |
| 1944 | 2, 481 | 965 | 1, 516 | 43. 6 | 37. 1 | 49. 0 |
| 1945 | 2, 192 | 846 | 1, 346 | 40. 9 | 36. 1 | 44. 7 |
| 1946 | 2, 298 | 1, 005 | 1, 293 | 37. 4 | 33. 8 | 40. 8 |
| 1947 | 2, 428 | 1, 009 | 1, 419 | 36. 6 | 31. 1 | 41. 9 |
| 1948 | 2, 470 | 988 | 1, 482 | 37. 8 | 33. 3 | 41. 6 |
| 1949 | 2, 612 | 900 | 1, 712 | 39. 5 | 31. 3 | 45. 8 |
| 1950 | 2, 348 | 763 | 1, 585 | 36. 4 | 28. 1 | 42. 6 |
| 1951 | 2, 589 | 814 | 1, 775 | 39. 5 | 29. 3 | 47. 1 |
| 1952 | 2, 592 | 760 | 1, 832 | 40. 2 | 27. 1 | 50. 3 |
| 1953 | 2, 534 | 807 | 1, 727 | 39. 6 | 28. 5 | 48. 3 |
| 1954 | 2, 360 | 744 | 1, 616 | 36. 4 | 25. 8 | 44. 9 |
| 1955 | 2, 338 | 680 | 1, 658 | 37. 0 | 24. 7 | 46. 4 |
| 1956 | 2, 353 | 734 | 1, 619 | 37. 8 | 26. 9 | 46. 4 |
| 1957 | 2, 257 | 694 | 1, 563 | 37. 2 | 25. 9 | 46. 1 |
| 1958 | 2, 424 | 706 | 1, 718 | 41. 0 | 26. 3 | 53. 1 |
| 1959 | 2, 355 | 677 | 1, 678 | 38. 9 | 24. 2 | 51. 5 |

TABLE 22 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1998

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|---------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1960 | 2,457 | 714 | 1,743 | 41.5 | 26.2 | 54.4 |
| 1961 | 2,250 | 645 | 1,605 | 37.8 | 23.5 | 50.0 |
| 1962 | 2,353 | 705 | 1,648 | 39.9 | 25.6 | 52.5 |
| 1963 | 2,372 | 610 | 1,762 | 41.4 | 22.7 | 57.8 |
| 1964 | 2,230 | 599 | 1,631 | 39.4 | 23.1 | 53.1 |
| 1965 | 2,126 | 593 | 1,533 | 41.5 | 25.4 | 55.1 |
| 1966 | 1,856 | 520 | 1,336 | 38.5 | 22.9 | 52.4 |
| 1967 | 1,645 | 512 | 1,133 | 35.3 | 22.6 | 47.4 |
| 1968 | 1,613 | 517 | 1,096 | 35.3 | 22.7 | 47.8 |
| 1969 | 1,513 | 530 | 983 | 32.1 | 22.1 | 42.6 |
| 1970 | 1,403 | 480 | 923 | 29.1 | 19.3 | 39.7 |
| 1971 | 1,311 | 460 | 851 | 27.0 | 18.2 | 36.4 |
| 1972 | 1,187 | 459 | 728 | 25.8 | 19.3 | 32.8 |
| 1973 | 1,154 | 392 | 762 | 25.8 | 17.0 | 35.4 |
| 1974 | 1,024 | 356 | 668 | 23.2 | 15.5 | 31.8 |
| 1975 | 975 | 356 | 619 | 22.5 | 15.8 | 29.8 |
| 1976 | 927 | 331 | 596 | 21.6 | 14.6 | 29.2 |
| 1977 | 834 | 285 | 549 | 18.3 | 12.2 | 24.8 |
| 1978 | 846 | 266 | 580 | 19.1 | 11.8 | 26.7 |
| 1979 | 809 | 280 | 529 | 17.6 | 11.9 | 23.6 |
| 1980 | 812 | 272 | 540 | 17.0 | 11.0 | 23.3 |
| 1981 | 711 | 248 | 463 | 15.4 | 10.4 | 20.6 |
| 1982 | 706 | 249 | 457 | 15.4 | 10.4 | 20.9 |
| 1983 | 664 | 240 | 424 | 15.1 | 10.6 | 19.9 |
| 1984 | 629 | 224 | 405 | 14.4 | 9.9 | 19.2 |
| 1985 | 596 | 213 | 383 | 13.7 | 9.3 | 18.7 |
| 1986 | 517 | 197 | 320 | 12.3 | 8.9 | 16.2 |
| 1987 | 565 | 212 | 353 | 13.7 | 9.8 | 17.9 |
| 1988 | 516 | 189 | 327 | 12.3 | 8.7 | 16.1 |
| 1989 | 498 | 190 | 308 | 11.6 | 8.6 | 14.7 |
| 1990 | 528 | 189 | 339 | 12.1 | 8.5 | 15.9 |
| 1991 | 493 | 163 | 330 | 11.4 | 7.4 | 15.5 |
| 1992 | 508 | 170 | 338 | 11.9 | 7.8 | 16.1 |
| 1993 | 482 | 178 | 304 | 11.4 | 8.4 | 14.6 |
| 1994 | 459 | 158 | 301 | 10.9 | 7.3 | 14.8 |
| 1995 | 435 | 149 | 286 | 10.5 | 6.9 | 14.5 |
| 1996 | 451 | 169 | 282 | 11.0 | 7.9 | 14.4 |
| 1997 | 440 | 156 | 284 | 10.6 | 7.1 | 14.6 |
| 1998 | 436 | 146 | 290 | 10.2 | 6.4 | 14.5 |

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 23
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1998,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1998)

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|-----------|--------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1924 | 1, 598 | 730 | 868 | 36. 4 | 32. 9 | 39. 8 |
| 1925 | 1, 639 | 701 | 938 | 36. 0 | 31. 5 | 40. 3 |
| 1926 | 1, 731 | 823 | 908 | 34. 3 | 33. 4 | 35. 1 |
| 1927 | 1, 644 | 786 | 858 | 33. 4 | 32. 5 | 34. 3 |
| 1928 | 1, 788 | 804 | 984 | 37. 2 | 34. 0 | 40. 2 |
| 1929 | 1, 662 | 773 | 889 | 36. 5 | 35. 0 | 37. 9 |
| 1930 | 1, 692 | 715 | 977 | 35. 3 | 30. 8 | 39. 4 |
| 1931 | 1, 339 | 590 | 749 | 29. 7 | 27. 3 | 31. 9 |
| 1932 | 1, 361 | 572 | 789 | 29. 3 | 26. 1 | 32. 1 |
| 1933 | 1, 540 | 636 | 904 | 34. 8 | 31. 2 | 38. 0 |
| 1934 | 1, 505 | 644 | 861 | 31. 4 | 28. 8 | 33. 7 |
| 1935 | 1, 446 | 642 | 804 | 29. 9 | 29. 2 | 30. 5 |
| 1936 | 1, 494 | 676 | 818 | 30. 3 | 30. 4 | 30. 2 |
| 1937 | 1, 678 | 755 | 923 | 32. 2 | 32. 4 | 32. 0 |
| 1938 | 1, 688 | 747 | 941 | 31. 4 | 31. 1 | 31. 7 |
| 1939 | 1, 637 | 735 | 902 | 31. 3 | 31. 3 | 31. 3 |
| 1940 | 1, 613 | 680 | 933 | 30. 7 | 29. 4 | 31. 7 |
| 1941 | 1, 663 | 734 | 929 | 30. 5 | 30. 4 | 30. 6 |
| 1942 | 1, 544 | 638 | 906 | 27. 3 | 25. 2 | 29. 0 |
| 1943 | 1, 652 | 791 | 861 | 27. 8 | 28. 6 | 27. 1 |
| 1944 | 1, 436 | 661 | 775 | 25. 2 | 25. 4 | 25. 1 |
| 1945 | 1, 351 | 624 | 727 | 25. 2 | 26. 6 | 24. 1 |
| 1946 | 1, 561 | 794 | 767 | 25. 4 | 26. 7 | 24. 2 |
| 1947 | 1, 595 | 750 | 845 | 24. 1 | 23. 1 | 24. 9 |
| 1948 | 1, 674 | 773 | 901 | 25. 6 | 26. 0 | 25. 3 |
| 1949 | 1, 594 | 661 | 933 | 24. 1 | 23. 0 | 25. 0 |
| 1950 | 1, 446 | 560 | 886 | 22. 4 | 20. 6 | 23. 8 |
| 1951 | 1, 679 | 626 | 1, 053 | 25. 6 | 22. 5 | 27. 9 |
| 1952 | 1, 658 | 581 | 1, 077 | 25. 7 | 20. 7 | 29. 6 |
| 1953 | 1, 630 | 635 | 995 | 25. 4 | 22. 4 | 27. 8 |
| 1954 | 1, 521 | 601 | 920 | 23. 5 | 20. 9 | 25. 6 |
| 1955 | 1, 440 | 527 | 913 | 22. 8 | 19. 1 | 25. 6 |
| 1956 | 1, 451 | 581 | 870 | 23. 3 | 21. 3 | 24. 9 |
| 1957 | 1, 425 | 540 | 885 | 23. 5 | 20. 1 | 26. 1 |
| 1958 | 1, 475 | 540 | 935 | 24. 9 | 20. 1 | 28. 9 |
| 1959 | 1, 450 | 515 | 935 | 23. 9 | 18. 4 | 28. 7 |
| 1960 | 1, 497 | 550 | 947 | 25. 3 | 20. 2 | 29. 6 |
| 1961 | 1, 401 | 509 | 892 | 23. 5 | 18. 6 | 27. 8 |
| 1962 | 1, 456 | 550 | 906 | 24. 7 | 20. 0 | 28. 8 |
| 1963 | 1, 449 | 470 | 979 | 25. 3 | 17. 5 | 32. 1 |
| 1964 | 1, 372 | 460 | 912 | 24. 2 | 17. 7 | 29. 7 |
| 1965 | 1, 283 | 470 | 813 | 25. 1 | 20. 1 | 29. 2 |
| 1966 | 1, 123 | 386 | 737 | 23. 3 | 17. 0 | 28. 9 |
| 1967 | 1, 053 | 388 | 665 | 22. 6 | 17. 1 | 27. 8 |
| 1968 | 1, 116 | 424 | 692 | 24. 4 | 18. 6 | 30. 2 |
| 1969 | 1, 066 | 441 | 625 | 22. 6 | 18. 4 | 27. 1 |

TABLE 23 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924- 1998

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|---------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1970 | 976 | 391 | 585 | 20.3 | 15.7 | 25.2 |
| 1971 | 940 | 382 | 558 | 19.3 | 15.2 | 23.8 |
| 1972 | 837 | 362 | 475 | 18.2 | 15.2 | 21.4 |
| 1973 | 793 | 301 | 492 | 17.8 | 13.0 | 22.9 |
| 1974 | 710 | 276 | 434 | 16.1 | 12.0 | 20.6 |
| 1975 | 677 | 257 | 420 | 15.6 | 11.4 | 20.2 |
| 1976 | 626 | 243 | 383 | 14.6 | 10.7 | 18.8 |
| 1977 | 588 | 222 | 366 | 12.9 | 9.5 | 16.5 |
| 1978 | 559 | 191 | 368 | 12.6 | 8.4 | 16.9 |
| 1979 | 514 | 191 | 323 | 11.2 | 8.1 | 14.4 |
| 1980 | 523 | 189 | 334 | 10.9 | 7.6 | 14.4 |
| 1981 | 486 | 166 | 320 | 10.5 | 7.0 | 14.2 |
| 1982 | 467 | 166 | 301 | 10.2 | 6.9 | 13.7 |
| 1983 | 410 | 160 | 250 | 9.3 | 7.1 | 11.7 |
| 1984 | 395 | 158 | 237 | 9.0 | 7.0 | 11.2 |
| 1985 | 368 | 127 | 241 | 8.5 | 5.5 | 11.8 |
| 1986 | 323 | 133 | 190 | 7.7 | 6.0 | 9.6 |
| 1987 | 363 | 128 | 235 | 8.8 | 5.9 | 11.9 |
| 1988 | 318 | 118 | 200 | 7.6 | 5.4 | 9.8 |
| 1989 | 309 | 132 | 177 | 7.2 | 6.0 | 8.4 |
| 1990 | 332 | 111 | 221 | 7.6 | 5.0 | 10.4 |
| 1991 | 303 | 95 | 208 | 7.0 | 4.3 | 9.8 |
| 1992 | 320 | 97 | 223 | 7.5 | 4.5 | 10.6 |
| 1993 | 298 | 111 | 187 | 7.1 | 5.2 | 9.0 |
| 1994 | 273 | 93 | 180 | 6.5 | 4.3 | 8.8 |
| 1995 | 254 | 88 | 166 | 6.1 | 4.1 | 8.4 |
| 1996 | 294 | 103 | 191 | 7.2 | 4.8 | 9.8 |
| 1997 | 269 | 96 | 173 | 6.5 | 4.4 | 8.9 |
| 1998 | 265 | 76 | 189 | 6.2 | 3.3 | 9.5 |

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924- 1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 24
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1998,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1998)

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|-----------|--------|-------|-----------|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| 1924 | 1, 539 | 458 | 1, 081 | 35. 0 | 20. 6 | 49. 6 |
| 1925 | 1, 537 | 478 | 1, 059 | 33. 7 | 21. 5 | 45. 4 |
| 1926 | 1, 847 | 624 | 1, 223 | 36. 6 | 25. 4 | 47. 3 |
| 1927 | 1, 647 | 517 | 1, 130 | 33. 5 | 21. 4 | 45. 1 |
| 1928 | 1, 779 | 612 | 1, 167 | 37. 0 | 25. 9 | 47. 7 |
| 1929 | 1, 613 | 495 | 1, 118 | 35. 4 | 22. 4 | 47. 6 |
| 1930 | 1, 584 | 467 | 1, 117 | 33. 0 | 20. 1 | 45. 0 |
| 1931 | 1, 208 | 371 | 837 | 26. 8 | 17. 1 | 35. 6 |
| 1932 | 1, 121 | 393 | 728 | 24. 1 | 18. 0 | 29. 6 |
| 1933 | 1, 260 | 399 | 861 | 28. 5 | 19. 6 | 36. 2 |
| 1934 | 1, 565 | 555 | 1, 010 | 32. 7 | 24. 8 | 39. 5 |
| 1935 | 1, 141 | 402 | 739 | 23. 6 | 18. 3 | 28. 1 |
| 1936 | 1, 389 | 429 | 960 | 28. 2 | 19. 3 | 35. 5 |
| 1937 | 1, 420 | 419 | 1, 001 | 27. 2 | 18. 0 | 34. 6 |
| 1938 | 1, 363 | 458 | 905 | 25. 4 | 19. 0 | 30. 5 |
| 1939 | 1, 271 | 400 | 871 | 24. 3 | 17. 0 | 30. 3 |
| 1940 | 1, 251 | 390 | 861 | 23. 8 | 16. 9 | 29. 2 |
| 1941 | 1, 306 | 379 | 927 | 23. 9 | 15. 7 | 30. 5 |
| 1942 | 1, 110 | 319 | 791 | 19. 6 | 12. 6 | 25. 3 |
| 1943 | 1, 122 | 346 | 776 | 18. 9 | 12. 5 | 24. 4 |
| 1944 | 1, 045 | 304 | 741 | 18. 4 | 11. 7 | 24. 0 |
| 1945 | 841 | 222 | 619 | 15. 7 | 9. 5 | 20. 6 |
| 1946 | 737 | 211 | 526 | 12. 0 | 7. 1 | 16. 6 |
| 1947 | 833 | 259 | 574 | 12. 6 | 8. 0 | 16. 9 |
| 1948 | 796 | 215 | 581 | 12. 2 | 7. 2 | 16. 3 |
| 1949 | 1, 018 | 239 | 779 | 15. 4 | 8. 3 | 20. 9 |
| 1950 | 902 | 203 | 699 | 14. 0 | 7. 5 | 18. 8 |
| 1951 | 910 | 188 | 722 | 13. 9 | 6. 8 | 19. 1 |
| 1952 | 934 | 179 | 755 | 14. 5 | 6. 4 | 20. 7 |
| 1953 | 904 | 172 | 732 | 14. 1 | 6. 1 | 20. 5 |
| 1954 | 839 | 143 | 696 | 13. 0 | 5. 0 | 19. 4 |
| 1955 | 898 | 153 | 745 | 14. 2 | 5. 6 | 20. 9 |
| 1956 | 902 | 153 | 749 | 14. 5 | 5. 6 | 21. 5 |
| 1957 | 832 | 154 | 678 | 13. 7 | 5. 7 | 20. 0 |
| 1958 | 949 | 166 | 783 | 16. 0 | 6. 2 | 24. 2 |
| 1959 | 905 | 162 | 743 | 14. 9 | 5. 8 | 22. 8 |
| 1960 | 960 | 164 | 796 | 16. 2 | 6. 0 | 24. 9 |
| 1961 | 849 | 136 | 713 | 14. 3 | 5. 0 | 22. 2 |
| 1962 | 897 | 155 | 742 | 15. 2 | 5. 6 | 23. 6 |
| 1963 | 923 | 140 | 783 | 16. 1 | 5. 2 | 25. 7 |
| 1964 | 858 | 139 | 719 | 15. 1 | 5. 4 | 23. 4 |
| 1965 | 843 | 123 | 720 | 16. 5 | 5. 3 | 25. 9 |
| 1966 | 733 | 134 | 599 | 15. 2 | 5. 9 | 23. 5 |
| 1967 | 592 | 124 | 468 | 12. 7 | 5. 5 | 19. 6 |
| 1968 | 497 | 93 | 404 | 10. 9 | 4. 1 | 17. 6 |
| 1969 | 447 | 89 | 358 | 9. 5 | 3. 7 | 15. 5 |

TABLE 24 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1998

| YEAR | NUMBER | | | RATE** | | |
|------|--------|-------|---------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1970 | 427 | 89 | 338 | 8.9 | 3.6 | 14.5 |
| 1971 | 371 | 78 | 293 | 7.6 | 3.1 | 12.5 |
| 1972 | 350 | 97 | 253 | 7.6 | 4.1 | 11.4 |
| 1973 | 361 | 91 | 270 | 8.1 | 3.9 | 12.5 |
| 1974 | 314 | 80 | 234 | 7.1 | 3.5 | 11.1 |
| 1975 | 298 | 99 | 199 | 6.9 | 4.4 | 9.6 |
| 1976 | 301 | 88 | 213 | 7.0 | 3.9 | 10.4 |
| 1977 | 246 | 63 | 183 | 5.4 | 2.7 | 8.2 |
| 1978 | 287 | 75 | 212 | 6.5 | 3.3 | 9.8 |
| 1979 | 295 | 89 | 206 | 6.4 | 3.8 | 9.2 |
| 1980 | 289 | 83 | 206 | 6.0 | 3.4 | 8.9 |
| 1981 | 225 | 82 | 143 | 4.9 | 3.4 | 6.4 |
| 1982 | 239 | 83 | 156 | 5.2 | 3.4 | 7.1 |
| 1983 | 254 | 80 | 174 | 5.8 | 3.5 | 8.2 |
| 1984 | 234 | 66 | 168 | 5.4 | 2.9 | 8.0 |
| 1985 | 228 | 86 | 142 | 5.2 | 3.7 | 6.9 |
| 1986 | 194 | 64 | 130 | 4.6 | 2.9 | 6.6 |
| 1987 | 202 | 84 | 118 | 4.9 | 3.9 | 6.0 |
| 1988 | 198 | 71 | 127 | 4.7 | 3.3 | 6.2 |
| 1989 | 189 | 58 | 131 | 4.4 | 2.6 | 6.2 |
| 1990 | 196 | 78 | 118 | 4.5 | 3.5 | 5.5 |
| 1991 | 190 | 68 | 122 | 4.4 | 3.1 | 5.7 |
| 1992 | 188 | 73 | 115 | 4.4 | 3.4 | 5.5 |
| 1993 | 184 | 67 | 117 | 4.4 | 3.2 | 5.6 |
| 1994 | 186 | 65 | 121 | 4.4 | 3.0 | 5.9 |
| 1995 | 181 | 61 | 120 | 4.4 | 2.8 | 6.1 |
| 1996 | 157 | 66 | 91 | 3.8 | 3.1 | 4.6 |
| 1997 | 171 | 60 | 111 | 4.1 | 2.7 | 5.7 |
| 1998 | 171 | 70 | 101 | 4.0 | 3.0 | 5.0 |

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1998

| YEAR | MARRIAGES | | | DIVORCES | | |
|-------|-----------|--------|---------------|----------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1926* | 28,712 | | | 2,766 | | |
| 1927* | 29,048** | 11,402 | 17,383 | 2,895 | | |
| 1928 | 30,231** | 11,662 | 18,257 | 3,009 | 1,435 | 1,574 |
| 1929 | 31,495** | 12,864 | 18,388 | 3,172 | 1,598 | 1,574 |
| 1930 | 25,728** | 10,815 | 14,751 | 2,743 | 1,487 | 1,256 |
| 1931 | 21,589** | 9,952 | 11,629 | 2,015 | 1,308 | 707 |
| 1932 | 22,688** | 10,147 | 12,453 | 1,918 | 1,308 | 610 |
| 1933 | 27,567** | 12,201 | 15,300 | 1,955 | 1,396 | 559 |
| 1934 | 30,149** | 13,497 | 16,541 | 2,446 | 1,704 | 742 |
| 1935 | 28,722** | 12,955 | 15,635 | 2,425 | 1,681 | 744 |
| 1936 | 32,480** | 14,120 | 18,196 | 2,520 | 1,690 | 830 |
| 1937 | 32,055** | 14,802 | 17,246 | 2,977 | 1,984 | 993 |
| 1938 | 31,495 | 14,224 | 17,271 | 2,916 | 2,069 | 847 |
| 1939 | 31,956 | 15,370 | 16,586 | 3,034 | 2,166 | 868 |
| 1940 | 34,088 | 16,834 | 17,254 | 3,251 | 2,295 | 956 |
| 1941 | 42,142 | 21,611 | 20,531 | 3,831 | 2,444 | 1,387 |
| 1942 | 49,565 | 27,227 | 22,338 | 4,326 | 2,606 | 1,720 |
| 1943 | 46,030 | 23,445 | 22,585 | 5,851 | 3,062 | 2,789 |
| 1944 | 41,559 | 21,173 | 20,386 | 6,742 | 3,425 | 3,317 |
| 1945 | 44,871 | 24,738 | 20,133 | 6,727 | 3,919 | 2,808 |
| 1946 | 64,204 | 37,099 | 27,105 | 9,495 | 5,867 | 3,628 |
| 1947 | 53,584 | 30,514 | 23,070 | 7,004 | 4,323 | 2,681 |
| 1948 | 53,645 | 31,504 | 22,141 | 6,697 | 3,864 | 2,833 |
| 1949 | 52,765 | 32,191 | 20,574 | 6,285 | 3,621 | 2,664 |
| 1950 | 56,738 | 37,871 | 18,867 | 6,065 | 3,711 | 2,354 |
| 1951 | 57,321 | 37,857 | 19,464 | 5,464 | 3,601 | 1,863 |
| 1952 | 58,116 | 39,162 | 18,954 | 5,419 | 3,607 | 1,812 |
| 1953 | 61,751 | 42,961 | 18,790 | 5,204 | 3,515 | 1,689 |
| 1954 | 61,381 | 43,268 | 18,113 | 5,001 | 3,424 | 1,577 |
| 1955 | 66,423 | 47,618 | 18,805 | 4,845 | 3,372 | 1,473 |
| 1956 | 66,223 | 48,140 | 18,083 | 5,027 | 3,452 | 1,575 |
| 1957 | 62,495 | 46,868 | 15,627 | 4,974 | 3,350 | 1,624 |
| 1958 | 36,402 | 26,998 | 9,404 | 5,016 | 3,485 | 1,531 |
| 1959 | 20,447 | 13,547 | 6,900 | 5,108 | 3,557 | 1,551 |
| 1960 | 21,233 | 14,029 | 7,204 | 5,260 | 3,553 | 1,707 |
| 1961 | 21,610 | 14,438 | 7,172 | 5,213 | 3,545 | 1,668 |
| 1962 | 22,007 | 14,432 | 7,575 | 5,467 | 3,827 | 1,640 |
| 1963 | 22,140 | 14,508 | 7,632 | 5,452 | 3,930 | 1,522 |
| 1964 | 22,784 | 15,159 | 7,625 | 5,631 | 4,077 | 1,554 |
| 1965 | 23,343 | 15,613 | 7,730 | 5,730 | 4,220 | 1,510 |
| 1966 | 23,476 | 15,860 | 7,616 | 6,306 | 4,650 | 1,656 |
| 1967 | 23,535 | 15,752 | 7,783 | 6,455 | 4,704 | 1,751 |
| 1968 | 25,355 | 17,142 | 8,213 | 7,020 | 5,202 | 1,818 |
| 1969 | 25,956 | 17,582 | 8,374 | 7,506 | 5,616 | 1,890 |

TABLE 25 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1998

| YEAR | MARRIAGES | | | DIVORCES | | |
|------|-----------|--------|---------------|----------|--------|---------------|
| | TOTAL | WHITE | NON- WHITE | TOTAL | WHITE | NON- WHITE |
| 1970 | 26,328 | 17,883 | 8,445 | 8,211 | 6,227 | 1,984 |
| 1971 | 27,597 | 18,668 | 8,929 | 8,936 | 6,705 | 2,231 |
| 1972 | 28,703 | 19,178 | 9,525 | 10,097 | 7,510 | 2,587 |
| 1973 | 28,513 | 19,276 | 9,237 | 10,787 | 8,138 | 2,649 |
| 1974 | 27,613 | 19,236 | 8,377 | 11,866 | 9,203 | 2,663 |
| 1975 | 26,279 | 18,602 | 7,677 | 12,303 | 9,570 | 2,733 |
| 1976 | 26,772 | 18,969 | 7,803 | 12,243 | 9,399 | 2,844 |
| 1977 | 26,843 | 19,200 | 7,643 | 12,759 | 9,921 | 2,838 |
| 1978 | 27,280 | 19,762 | 7,518 | 13,313 | 10,339 | 2,974 |
| 1979 | 27,279 | 19,843 | 7,436 | 13,628 | 10,402 | 3,226 |
| 1980 | 27,908 | 20,620 | 7,288 | 13,846 | 10,760 | 3,086 |
| 1981 | 28,002 | 20,877 | 7,125 | 14,182** | 10,403 | 2,795 |
| 1982 | 27,584 | 20,547 | 7,037 | 12,861** | 10,239 | 2,570 |
| 1983 | 26,921 | 19,950 | 6,971 | 13,436** | 10,709 | 2,674 |
| 1984 | 26,025 | 19,255 | 6,770 | 12,911** | 10,205 | 2,664 |
| 1985 | 24,750 | 18,241 | 6,509 | 12,535** | 9,766 | 2,662 |
| 1986 | 24,283 | 17,729 | 6,554 | 12,871** | 10,155 | 2,630 |
| 1987 | 23,729 | 17,286 | 6,443 | 12,142** | 9,542 | 2,420 |
| 1988 | 24,919 | 18,335 | 6,584 | 12,097** | 9,454 | 2,473 |
| 1989 | 24,240 | 17,735 | 6,505 | 12,945** | 9,823 | 2,755 |
| 1990 | 24,348 | 17,766 | 6,582 | 12,735** | 9,498 | 2,804 |
| 1991 | 23,446 | 17,235 | 6,211 | 13,027** | 9,926 | 2,689 |
| 1992 | 22,995 | 16,776 | 6,219 | 12,758** | 9,785 | 2,667 |
| 1993 | 23,271 | 17,066 | 6,205 | 13,860** | 10,513 | 2,940 |
| 1994 | 22,872 | 16,479 | 6,393 | 13,302** | 10,110 | 2,890 |
| 1995 | 22,150 | 15,714 | 6,436 | 13,182** | 10,073 | 2,850 |
| 1996 | 21,550 | 15,219 | 6,331 | 14,263** | 10,658 | 3,180 |
| 1997 | 21,338 | 14,630 | 6,708 | 13,860** | 10,376 | 3,101 |
| 1998 | 20,911 | 14,222 | 6,689 | 13,748** | 10,310 | 3,004 |

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

TABLE 26
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1998

| YEAR | NUMBER | | | | RATIO* | | |
|------|--------|-------|---------------|--------------|--------|-------|---------------|
| | TOTAL | WHITE | NON- WHITE | UNK. RACE | TOTAL | WHITE | NON- WHITE |
| 1976 | 1,510 | 976 | 515 | 19 | 35.1 | 43.2 | 25.3 |
| 1977 | 2,446 | 1,531 | 907 | 8 | 53.7 | 65.5 | 40.9 |
| 1978 | 3,280 | 1,998 | 1,270 | 12 | 73.9 | 88.3 | 58.4 |
| 1979 | 4,411 | 2,765 | 1,636 | 10 | 96.1 | 117.7 | 72.9 |
| 1980 | 5,543 | 3,283 | 2,250 | 10 | 115.9 | 133.0 | 97.2 |
| 1981 | 5,561 | 3,236 | 2,263 | 62 | 120.3 | 136.1 | 100.8 |
| 1982 | 5,145 | 2,954 | 2,174 | 17 | 112.0 | 122.9 | 99.3 |
| 1983 | 4,560 | 2,473 | 2,084 | 3 | 103.6 | 109.1 | 97.7 |
| 1984 | 4,585 | 2,633 | 1,945 | 7 | 104.8 | 116.1 | 92.3 |
| 1985 | 5,288 | 2,922 | 2,359 | 7 | 121.8 | 127.4 | 115.1 |
| 1986 | 4,521 | 2,505 | 2,013 | 3 | 108.0 | 113.6 | 101.6 |
| 1987 | 5,469 | 2,950 | 2,517 | 2 | 132.5 | 136.7 | 127.7 |
| 1988 | 5,170 | 2,561 | 2,588 | 21 | 123.0 | 118.1 | 127.1 |
| 1989 | 5,490 | 2,674 | 2,802 | 14 | 127.6 | 121.2 | 133.7 |
| 1990 | 6,842 | 3,334 | 3,485 | 23 | 157.1 | 149.6 | 163.9 |
| 1991 | 8,184 | 3,910 | 4,244 | 30 | 189.5 | 178.5 | 199.5 |
| 1992 | 7,555 | 3,425 | 4,127 | 3 | 177.0 | 157.8 | 196.7 |
| 1993 | 6,002 | 2,425 | 3,551 | 26 | 142.4 | 114.1 | 170.0 |
| 1994 | 3,979 | 1,414 | 2,558 | 7 | 94.9 | 65.6 | 125.4 |
| 1995 | 3,563 | 1,288 | 2,274 | 1 | 86.2 | 59.7 | 115.1 |
| 1996 | 4,206 | 1,340 | 2,859 | 7 | 102.6 | 62.5 | 146.4 |
| 1997 | 4,325 | 1,418 | 2,906 | 1 | 104.1 | 64.4 | 149.0 |
| 1998 | 3,955 | 1,215 | 2,737 | 3 | 92.2 | 52.9 | 137.1 |

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.