

SELECTED DEATH STATISTICS, RESIDENTS OF BELMONT, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	21	21	0
HEART DISEASES	11	11	0
MALIGNANT NEOPLASMS	4	4	0
ACCIDENTS	2	2	0
PNEUMONIA AND INFLUENZA	1	1	0
EMPHYSEMA AND OTHER COPD	1	1	0
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0
ALL OTHER	1	1	0

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	21	21	0	11	11	0	10	10	0
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	1	1	0	0	0	0	1	1	0
55-64	0	0	0	0	0	0	0	0	0
65-74	1	1	0	0	0	0	1	1	0
75-84	11	11	0	5	5	0	6	6	0
85 AND OVER	6	6	0	4	4	0	2	2	0
UNKNOWN	1	1	0	1	1	0	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF HATTIESBURG, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	507	326	181
HEART DISEASES	173	120	53
MALIGNANT NEOPLASMS	94	67	27
CEREBROVASCULAR DISEASES	30	19	11
PNEUMONIA AND INFLUENZA	20	14	6
ACCIDENTS	20	15	5
DIABETES MELLITUS	17	7	10
EMPHYSEMA AND OTHER COPD	14	11	3
SUICIDE	7	4	3
HOMICIDE AND LEGAL INTERVENTION	7	3	4
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	3	3
HIV INFECTION	6	0	6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	2	3
HYPERTENSION	4	3	1
TUBERCULOSIS	2	0	2
ATHEROSCLEROSIS	2	2	0
CONGENITAL ANOMALIES	2	0	2
--- NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	10	4	6
ALL OTHER	88	52	36

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	507	326	181	221	135	86	286	191	95
UNDER 1	5	2	3	1	0	1	4	2	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	4	2	2	1	0	1	3	2	1
1-4	3	0	3	2	0	2	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	11	5	6	9	4	5	2	1	1
25-34	20	6	14	12	4	8	8	2	6
35-44	12	4	8	11	4	7	1	0	1
45-54	37	18	19	19	10	9	18	8	10
55-64	46	26	20	25	18	7	21	8	13
65-74	101	72	29	54	37	17	47	35	12
75-84	136	93	43	56	39	17	80	54	26
85 AND OVER	134	100	34	31	19	12	103	81	22
UNKNOWN	1	0	1	1	0	1	0	0	0

SELECTED DEATH STATISTICS, RESIDENTS OF MOSS POINT, 1996

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	180	85	95
HEART DISEASES	52	28	24
MALIGNANT NEOPLASMS	32	14	18
CEREBROVASCULAR DISEASES	21	10	11
ACCIDENTS	11	7	4
PNEUMONIA AND INFLUENZA	7	7	0
DIABETES MELLITUS	6	1	5
HOMICIDE AND LEGAL INTERVENTION	6	1	5
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4
EMPHYSEMA AND OTHER COPD	4	1	3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2
HYPERTENSION	2	1	1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1
CONGENITAL ANOMALIES	2	0	2
HIV INFECTION	2	2	0
MATERNAL CAUSES	1	0	1
SUICIDE	1	0	1

NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2
ALL OTHER	21	10	11

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	180	85	95	90	42	48	90	43	47
UNDER 1	5	1	4	5	1	4	0	0	0
(NEONATAL)	5	1	4	5	1	4	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	0	2	0	0	0	2	0	2
10-14	1	0	1	0	0	0	1	0	1
15-24	3	0	3	3	0	3	0	0	0
25-34	5	1	4	1	1	0	4	0	4
35-44	5	1	4	2	1	1	3	0	3
45-54	9	3	6	8	3	5	1	0	1
55-64	31	8	23	15	3	12	16	5	11
65-74	44	24	20	24	12	12	20	12	8
75-84	44	23	21	23	13	10	21	10	11
85 AND OVER	30	23	7	8	7	1	22	16	6
UNKNOWN	1	1	0	1	1	0	0	0	0

