

(HSWWDTCO)

COUNTY: ADAMS

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	408	215	193	11.3	12.0	10.7
HEART DISEASES	147	73	74	408.6	406.0	411.2
MALIGNANT NEOPLASMS	91	47	44	252.9	261.4	244.5
CEREBROVASCULAR DISEASES	38	16	22	105.6	89.0	122.2
ACCIDENTS	17	10	7	47.2	55.6	38.9
EMPHYSEMA AND OTHER COPD	13	10	3	36.1	55.6	16.7
PNEUMONIA AND INFLUENZA	12	9	3	33.4	50.0	16.7
CONDITIONS ORIG IN PERINATAL PERIOD	7	2	5	13.7	10.9	15.3
DIABETES MELLITUS	5	2	3	13.9	11.1	16.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	11.1	16.7	5.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	11.1	5.6	16.7
HOMICIDE AND LEGAL INTERVENTION	3	1	2	8.3	5.6	11.1
HIV INFECTION	3	0	3	8.3	0.0	16.7
SUICIDE	2	2	0	5.6	11.1	0.0
ATHEROSCLEROSIS	1	1	0	2.8	5.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	61	38	23	169.5	211.3	127.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	408	215	193	193	96	97	215	119	96
UNDER 1	8	2	6	4	1	3	4	1	3
(Neonatal)	7	2	5	4	1	3	3	1	2
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	3	3	0	1	1	0
25-34	5	1	4	3	0	3	2	1	1
35-44	17	3	14	11	2	9	6	1	5
45-54	28	7	21	12	2	10	16	5	11
55-64	44	21	23	22	8	14	22	13	9
65-74	86	42	44	43	24	19	43	18	25
75-84	124	87	37	61	41	20	63	46	17
85 AND OVER	90	48	42	33	15	18	57	33	24
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	35,979
WHITE	17,982
NONWHITE	17,997

(HSWWDTCO)

COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	393	345	48	12.3	12.3	12.6
HEART DISEASES	126	110	16	395.0	391.5	420.9
MALIGNANT NEOPLASMS	89	80	9	279.0	284.7	236.8
CEREBROVASCULAR DISEASES	36	31	5	112.9	110.3	131.5
ACCIDENTS	29	26	3	90.9	92.5	78.9
PNEUMONIA AND INFLUENZA	13	13	0	40.8	46.3	0.0
EMPHYSEMA AND OTHER COPD	13	12	1	40.8	42.7	26.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	15.7	17.8	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	4	0	12.5	14.2	0.0
HOMICIDE AND LEGAL INTERVENTION	4	1	3	12.5	3.6	78.9
DIABETES MELLITUS	3	1	2	9.4	3.6	52.6
CONGENITAL ANOMALIES	3	2	1	9.4	7.1	26.3
HYPERTENSION	2	2	0	6.3	7.1	0.0
INFECTIONS OF KIDNEY	1	1	0	3.1	3.6	0.0
SUICIDE	1	0	1	3.1	0.0	26.3
HIV INFECTION	1	1	0	3.1	3.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	5	1	18.8	17.8	26.3
ALL OTHER	57	51	6	178.7	181.5	157.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	393	345	48	209	181	28	184	164	20
UNDER 1	3	2	1	2	1	1	1	1	0
(NEONATAL)	3	2	1	2	1	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	5	3	6	4	2	2	1	1
25-34	7	6	1	6	5	1	1	1	0
35-44	15	13	2	6	5	1	9	8	1
45-54	22	17	5	17	12	5	5	5	0
55-64	55	49	6	39	35	4	16	14	2
65-74	79	69	10	54	49	5	25	20	5
75-84	106	92	14	56	50	6	50	42	8
85 AND OVER	96	91	5	21	19	2	75	72	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	31,897
WHITE	28,096
NONWHITE	3,801

(HSWWDTCO)

COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	151	79	72	10.9	10.6	11.3
HEART DISEASES	61	32	29	440.3	428.4	454.2
MALIGNANT NEOPLASMS	30	13	17	216.5	174.0	266.2
CEREBROVASCULAR DISEASES	12	6	6	86.6	80.3	94.0
ACCIDENTS	11	8	3	79.4	107.1	47.0
PNEUMONIA AND INFLUENZA	6	4	2	43.3	53.6	31.3
DIABETES MELLITUS	5	2	3	36.1	26.8	47.0
EMPHYSEMA AND OTHER COPD	4	4	0	28.9	53.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	0	3	21.6	0.0	47.0
HOMICIDE AND LEGAL INTERVENTION	3	0	3	21.6	0.0	47.0
ATHEROSCLEROSIS	1	1	0	7.2	13.4	0.0
SUICIDE	1	1	0	7.2	13.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	14.4	0.0	31.3
ALL OTHER	12	8	4	86.6	107.1	62.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	151	79	72	90	52	38	61	27	34
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	4	2	2	3	2	1	1	0	1
35-44	5	2	3	1	0	1	4	2	2
45-54	12	5	7	9	4	5	3	1	2
55-64	18	9	9	12	7	5	6	2	4
65-74	37	22	15	30	20	10	7	2	5
75-84	42	26	16	22	14	8	20	12	8
85 AND OVER	30	12	18	11	4	7	19	8	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	13,854
WHITE	7,469
NONWHITE	6,385

(HSWWDTCO)

COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	248	160	88	13.6	15.1	11.6
HEART DISEASES	96	56	40	527.4	528.4	526.0
MALIGNANT NEOPLASMS	48	30	18	263.7	283.0	236.7
PNEUMONIA AND INFLUENZA	13	11	2	71.4	103.8	26.3
EMPHYSEMA AND OTHER COPD	12	12	0	65.9	113.2	0.0
CEREBROVASCULAR DISEASES	11	10	1	60.4	94.3	13.1
HYPERTENSION	10	7	3	54.9	66.0	39.4
ACCIDENTS	9	5	4	49.4	47.2	52.6
HOMICIDE AND LEGAL INTERVENTION	4	2	2	22.0	18.9	26.3
DIABETES MELLITUS	3	2	1	16.5	18.9	13.1
ATHEROSCLEROSIS	2	1	1	11.0	9.4	13.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	11.0	18.9	0.0
CONGENITAL ANOMALIES	2	1	1	11.0	9.4	13.1
SUICIDE	2	2	0	11.0	18.9	0.0
HIV INFECTION	2	0	2	11.0	0.0	26.3
INFECTIONS OF KIDNEY	1	1	0	5.5	9.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	5.5	0.0	13.1
ALL OTHER	30	18	12	164.8	169.8	157.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	248	160	88	138	91	47	110	69	41
UNDER 1	4	1	3	0	0	0	4	1	3
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	5	1	4	0	0	0
25-34	6	3	3	4	2	2	2	1	1
35-44	11	7	4	8	5	3	3	2	1
45-54	11	5	6	7	3	4	4	2	2
55-64	23	16	7	16	12	4	7	4	3
65-74	48	29	19	33	21	12	15	8	7
75-84	74	55	19	43	33	10	31	22	9
85 AND OVER	64	43	21	21	14	7	43	29	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	18,204
WHITE	10,599
NONWHITE	7,605

(HSWWDTCO)

COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	81	61	20	10.3	13.4	6.1
HEART DISEASES	40	32	8	510.1	701.0	244.2
MALIGNANT NEOPLASMS	12	9	3	153.0	197.2	91.6
ACCIDENTS	7	5	2	89.3	109.5	61.0
PNEUMONIA AND INFLUENZA	5	3	2	63.8	65.7	61.0
DIABETES MELLITUS	2	2	0	25.5	43.8	0.0
CEREBROVASCULAR DISEASES	2	0	2	25.5	0.0	61.0
HOMICIDE AND LEGAL INTERVENTION	2	0	2	25.5	0.0	61.0
EMPHYSEMA AND OTHER COPD	1	1	0	12.8	21.9	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	12.8	21.9	0.0
CONGENITAL ANOMALIES	1	1	0	12.8	21.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	12.8	21.9	0.0
ALL OTHER	7	6	1	89.3	131.4	30.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	81	61	20	48	36	12	33	25	8
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	3	2	1	2	1	1	1	1	0
35-44	4	2	2	3	2	1	1	0	1
45-54	2	1	1	2	1	1	0	0	0
55-64	7	5	2	5	4	1	2	1	1
65-74	19	16	3	15	12	3	4	4	0
75-84	27	21	6	13	10	3	14	11	3
85 AND OVER	15	12	3	7	6	1	8	6	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 7,841  
 WHITE 4,565  
 NONWHITE 3,276

(HSWWDTCO)

COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	423	161	262	10.2	11.6	9.5
HEART DISEASES	151	63	88	364.1	454.6	318.7
MALIGNANT NEOPLASMS	76	24	52	183.3	173.2	188.3
CEREBROVASCULAR DISEASES	34	13	21	82.0	93.8	76.0
ACCIDENTS	29	8	21	69.9	57.7	76.0
PNEUMONIA AND INFLUENZA	20	12	8	48.2	86.6	29.0
DIABETES MELLITUS	17	4	13	41.0	28.9	47.1
EMPHYSEMA AND OTHER COPD	14	9	5	33.8	64.9	18.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	12	4	8	28.9	28.9	29.0
HOMICIDE AND LEGAL INTERVENTION	8	2	6	19.3	14.4	21.7
ATHEROSCLEROSIS	4	1	3	9.6	7.2	10.9
SUICIDE	4	2	2	9.6	14.4	7.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	7.2	14.4	3.6
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	4.4	0.0	5.6
CONGENITAL ANOMALIES	2	0	2	4.8	0.0	7.2
INFECTIONS OF KIDNEY	1	1	0	2.4	7.2	0.0
HIV INFECTION	1	0	1	2.4	0.0	3.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	7.2	14.4	3.6
ALL OTHER	41	14	27	98.9	101.0	97.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	423	161	262	209	77	132	214	84	130
UNDER 1	7	0	7	4	0	4	3	0	3
(NEONATAL)	4	0	4	3	0	3	1	0	1
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	3	0	3	3	0	3	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	5	1	4	3	1	2	2	0	2
15-24	9	2	7	9	2	7	0	0	0
25-34	10	4	6	8	4	4	2	0	2
35-44	20	1	19	16	1	15	4	0	4
45-54	27	6	21	15	3	12	12	3	9
55-64	52	22	30	26	12	14	26	10	16
65-74	71	29	42	38	17	21	33	12	21
75-84	110	48	62	59	27	32	51	21	30
85 AND OVER	108	48	60	28	10	18	80	38	42
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	41,469
WHITE	13,857
NONWHITE	27,612

(HSWWDTCO)

COUNTY: CALHOUN

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	203	157	46	13.9	15.1	10.9
HEART DISEASES	75	59	16	512.6	566.0	380.4
MALIGNANT NEOPLASMS	40	34	6	273.4	326.2	142.6
CEREBROVASCULAR DISEASES	27	22	5	184.6	211.0	118.9
ACCIDENTS	16	7	9	109.4	67.2	214.0
EMPHYSEMA AND OTHER COPD	6	6	0	41.0	57.6	0.0
DIABETES MELLITUS	4	3	1	27.3	28.8	23.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	3	1	27.3	28.8	23.8
PNEUMONIA AND INFLUENZA	3	2	1	20.5	19.2	23.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	10.4	8.5	13.2
SUICIDE	2	1	1	13.7	9.6	23.8
HOMICIDE AND LEGAL INTERVENTION	2	0	2	13.7	0.0	47.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	20.5	9.6	47.6
ALL OTHER	19	18	1	129.9	172.7	23.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	203	157	46	111	88	23	92	69	23
UNDER 1	4	1	3	1	0	1	3	1	2
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	4	2	2	0	0	0
25-34	7	2	5	3	0	3	4	2	2
35-44	7	3	4	5	2	3	2	1	1
45-54	7	4	3	6	3	3	1	1	0
55-64	18	11	7	13	9	4	5	2	3
65-74	38	32	6	24	22	2	14	10	4
75-84	59	51	8	26	24	2	33	27	6
85 AND OVER	57	51	6	27	26	1	30	25	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,630
WHITE	10,424
NONWHITE	4,206

(HSWWDTCO)

COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	87	55	32	8.8	9.3	8.1
HEART DISEASES	34	26	8	345.4	440.6	202.9
MALIGNANT NEOPLASMS	18	13	5	182.8	220.3	126.8
CEREBROVASCULAR DISEASES	9	4	5	91.4	67.8	126.8
ACCIDENTS	4	2	2	40.6	33.9	50.7
EMPHYSEMA AND OTHER COPD	3	3	0	30.5	50.8	0.0
CONGENITAL ANOMALIES	2	1	1	20.3	16.9	25.4
HIV INFECTION	2	0	2	20.3	0.0	50.7
DIABETES MELLITUS	1	0	1	10.2	0.0	25.4
PNEUMONIA AND INFLUENZA	1	1	0	10.2	16.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	10.2	0.0	25.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	10.1	0.0	18.5
HOMICIDE AND LEGAL INTERVENTION	1	0	1	10.2	0.0	25.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.2	0.0	25.4
ALL OTHER	9	5	4	91.4	84.7	101.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	87	55	32	49	33	16	38	22	16
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	1	0	1	1	1	0
35-44	8	2	6	8	2	6	0	0	0
45-54	2	0	2	2	0	2	0	0	0
55-64	10	9	1	7	6	1	3	3	0
65-74	25	17	8	15	14	1	10	3	7
75-84	24	15	9	8	5	3	16	10	6
85 AND OVER	14	10	4	6	5	1	8	5	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	9,844
WHITE	5,901
NONWHITE	3,943



(HSWWDTCO)

COUNTY: CHICKASAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	195	134	61	11.0	12.8	8.5
HEART DISEASES	81	57	24	459.0	545.8	333.1
MALIGNANT NEOPLASMS	38	27	11	215.3	258.5	152.7
ACCIDENTS	18	11	7	102.0	105.3	97.2
CEREBROVASCULAR DISEASES	13	9	4	73.7	86.2	55.5
PNEUMONIA AND INFLUENZA	7	5	2	39.7	47.9	27.8
EMPHYSEMA AND OTHER COPD	5	5	0	28.3	47.9	0.0
SUICIDE	4	4	0	22.7	38.3	0.0
DIABETES MELLITUS	2	0	2	11.3	0.0	27.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	11.3	9.6	13.9
HIV INFECTION	2	0	2	11.3	0.0	27.8
HYPERTENSION	1	1	0	5.7	9.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.3	0.0	6.5
HOMICIDE AND LEGAL INTERVENTION	1	1	0	5.7	9.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	17.0	19.2	13.9
ALL OTHER	17	11	6	96.3	105.3	83.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	195	134	61	96	64	32	99	70	29
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	0	2	1	0	1	1	0	1
25-34	5	1	4	4	1	3	1	0	1
35-44	6	5	1	6	5	1	0	0	0
45-54	21	12	9	12	7	5	9	5	4
55-64	24	15	9	19	11	8	5	4	1
65-74	39	28	11	20	16	4	19	12	7
75-84	44	32	12	22	16	6	22	16	6
85 AND OVER	50	40	10	11	8	3	39	32	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,648
WHITE	10,443
NONWHITE	7,205

(HSWWDTCO)

COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	102	74	28	11.4	12.1	9.9
HEART DISEASES	36	28	8	403.0	457.9	283.8
MALIGNANT NEOPLASMS	19	14	5	212.7	228.9	177.4
ACCIDENTS	10	8	2	111.9	130.8	70.9
EMPHYSEMA AND OTHER COPD	7	7	0	78.4	114.5	0.0
CEREBROVASCULAR DISEASES	5	2	3	56.0	32.7	106.4
PNEUMONIA AND INFLUENZA	3	1	2	33.6	16.4	70.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	33.6	32.7	35.5
SUICIDE	2	2	0	22.4	32.7	0.0
DIABETES MELLITUS	1	1	0	11.2	16.4	0.0
HYPERTENSION	1	1	0	11.2	16.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	11.2	0.0	35.5
CONGENITAL ANOMALIES	1	1	0	11.2	16.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	8.0	0.0	19.6
HIV INFECTION	1	1	0	11.2	16.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	22.4	16.4	35.5
ALL OTHER	9	5	4	100.7	81.8	141.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	102	74	28	51	37	14	51	37	14
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	1	1	0	2	2	0
25-34	2	2	0	1	1	0	1	1	0
35-44	4	3	1	3	2	1	1	1	0
45-54	9	6	3	5	4	1	4	2	2
55-64	10	4	6	5	2	3	5	2	3
65-74	23	17	6	15	10	5	8	7	1
75-84	29	22	7	15	13	2	14	9	5
85 AND OVER	20	16	4	4	3	1	16	13	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	8,934
WHITE	6,115
NONWHITE	2,819

(HSWWDTCO)

COUNTY: CLAIBORNE

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	98	27	71	8.6	14.5	7.5
HEART DISEASES	36	14	22	317.9	751.9	232.5
MALIGNANT NEOPLASMS	20	4	16	176.6	214.8	169.1
CEREBROVASCULAR DISEASES	8	4	4	70.6	214.8	42.3
ACCIDENTS	5	2	3	44.2	107.4	31.7
HIV INFECTION	3	0	3	26.5	0.0	31.7
PNEUMONIA AND INFLUENZA	2	0	2	17.7	0.0	21.1
EMPHYSEMA AND OTHER COPD	2	1	1	17.7	53.7	10.6
DIABETES MELLITUS	1	0	1	8.8	0.0	10.6
HYPERTENSION	1	0	1	8.8	0.0	10.6
ATHEROSCLEROSIS	1	0	1	8.8	0.0	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	8.8	0.0	10.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	8.8	0.0	10.6
CONGENITAL ANOMALIES	1	0	1	8.8	0.0	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.9	0.0	6.4
SUICIDE	1	1	0	8.8	53.7	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.8	0.0	10.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	17.7	0.0	21.1
ALL OTHER	11	1	10	97.1	53.7	105.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	98	27	71	55	13	42	43	14	29
UNDER 1	4	0	4	3	0	3	1	0	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	7	1	6	7	1	6	0	0	0
45-54	5	0	5	3	0	3	2	0	2
55-64	7	0	7	5	0	5	2	0	2
65-74	15	6	9	10	3	7	5	3	2
75-84	39	14	25	19	8	11	20	6	14
85 AND OVER	18	6	12	6	1	5	12	5	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,324
WHITE	1,862
NONWHITE	9,462

(HSWWDTCO)

COUNTY: CLARKE

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	200	130	70	11.6	11.7	11.3
HEART DISEASES	99	70	29	574.2	632.6	469.6
MALIGNANT NEOPLASMS	34	18	16	197.2	162.7	259.1
CEREBROVASCULAR DISEASES	12	8	4	69.6	72.3	64.8
ACCIDENTS	11	6	5	63.8	54.2	81.0
PNEUMONIA AND INFLUENZA	8	5	3	46.4	45.2	48.6
EMPHYSEMA AND OTHER COPD	7	6	1	40.6	54.2	16.2
DIABETES MELLITUS	4	2	2	23.2	18.1	32.4
HOMICIDE AND LEGAL INTERVENTION	3	1	2	17.4	9.0	32.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	11.6	9.0	16.2
SUICIDE	2	2	0	11.6	18.1	0.0
HYPERTENSION	1	1	0	5.8	9.0	0.0
CONGENITAL ANOMALIES	1	1	0	5.8	9.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.3	0.0	9.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.8	9.0	0.0
ALL OTHER	14	8	6	81.2	72.3	97.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	200	130	70	108	64	44	92	66	26
UNDER 1	4	2	2	2	1	1	2	1	1
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	5	2	3	3	1	2	2	1	1
25-34	4	3	1	3	2	1	1	1	0
35-44	4	1	3	2	0	2	2	1	1
45-54	6	2	4	4	1	3	2	1	1
55-64	27	16	11	21	13	8	6	3	3
65-74	40	29	11	21	15	6	19	14	5
75-84	59	40	19	29	18	11	30	22	8
85 AND OVER	49	34	15	22	12	10	27	22	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,241
WHITE	11,066
NONWHITE	6,175

(HSWWDTCO)

COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	226	129	97	10.4	13.3	8.1
HEART DISEASES	96	53	43	442.3	548.1	357.3
MALIGNANT NEOPLASMS	40	26	14	184.3	268.9	116.3
CEREBROVASCULAR DISEASES	17	6	11	78.3	62.0	91.4
ACCIDENTS	16	9	7	73.7	93.1	58.2
PNEUMONIA AND INFLUENZA	8	5	3	36.9	51.7	24.9
EMPHYSEMA AND OTHER COPD	6	6	0	27.6	62.0	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	3	2	23.0	31.0	16.6
DIABETES MELLITUS	4	2	2	18.4	20.7	16.6
CONGENITAL ANOMALIES	4	2	2	18.4	20.7	16.6
HOMICIDE AND LEGAL INTERVENTION	4	2	2	18.4	20.7	16.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	13.8	20.7	8.3
TUBERCULOSIS	1	1	0	4.6	10.3	0.0
HYPERTENSION	1	1	0	4.6	10.3	0.0
ATHEROSCLEROSIS	1	1	0	4.6	10.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.9	0.0	4.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	19	10	9	87.5	103.4	74.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	226	129	97	117	70	47	109	59	50
UNDER 1	4	1	3	1	0	1	3	1	2
(NEONATAL)	4	1	3	1	0	1	3	1	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	2	0	2	0	0	0	2	0	2
15-24	5	0	5	3	0	3	2	0	2
25-34	7	4	3	5	3	2	2	1	1
35-44	8	2	6	6	1	5	2	1	1
45-54	11	8	3	6	5	1	5	3	2
55-64	27	14	13	19	11	8	8	3	5
65-74	45	29	16	30	22	8	15	7	8
75-84	60	39	21	29	20	9	31	19	12
85 AND OVER	55	31	24	16	7	9	39	24	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	21,703
WHITE	9,669
NONWHITE	12,034

(HSWWDTCO)

COUNTY: COAHOMA

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	347	109	238	10.6	10.0	11.0
HEART DISEASES	111	34	77	340.2	312.2	354.2
MALIGNANT NEOPLASMS	69	26	43	211.5	238.7	197.8
CEREBROVASCULAR DISEASES	32	9	23	98.1	82.6	105.8
ACCIDENTS	26	8	18	79.7	73.4	82.8
PNEUMONIA AND INFLUENZA	14	9	5	42.9	82.6	23.0
EMPHYSEMA AND OTHER COPD	11	8	3	33.7	73.4	13.8
HOMICIDE AND LEGAL INTERVENTION	10	0	10	30.6	0.0	46.0
HIV INFECTION	6	0	6	18.4	0.0	27.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	0	5	15.3	0.0	23.0
DIABETES MELLITUS	3	1	2	9.2	9.2	9.2
CONGENITAL ANOMALIES	3	0	3	9.2	0.0	13.8
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	5.0	0.0	6.1
SUICIDE	2	1	1	6.1	9.2	4.6
TUBERCULOSIS	1	0	1	3.1	0.0	4.6
ATHEROSCLEROSIS	1	0	1	3.1	0.0	4.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.1	9.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	0	5	15.3	0.0	23.0
ALL OTHER	44	12	32	134.8	110.2	147.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	347	109	238	168	50	118	179	59	120
UNDER 1	7	0	7	2	0	2	5	0	5
(NEONATAL)	3	0	3	0	0	0	3	0	3
(POSTNEONATAL)	4	0	4	2	0	2	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	13	3	10	9	1	8	4	2	2
25-34	19	1	18	11	1	10	8	0	8
35-44	19	3	16	12	2	10	7	1	6
45-54	22	4	18	10	1	9	12	3	9
55-64	41	12	29	26	8	18	15	4	11
65-74	72	23	49	37	12	25	35	11	24
75-84	89	38	51	39	17	22	50	21	29
85 AND OVER	64	25	39	21	8	13	43	17	26
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	32,627
WHITE	10,891
NONWHITE	21,736

(HSWWDTCO)

COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	289	155	134	10.3	11.7	9.1
HEART DISEASES	117	69	48	417.4	520.5	325.0
MALIGNANT NEOPLASMS	57	23	34	203.4	173.5	230.2
EMPHYSEMA AND OTHER COPD	15	8	7	53.5	60.4	47.4
CEREBROVASCULAR DISEASES	13	6	7	46.4	45.3	47.4
ACCIDENTS	13	9	4	46.4	67.9	27.1
PNEUMONIA AND INFLUENZA	11	8	3	39.2	60.4	20.3
DIABETES MELLITUS	5	2	3	17.8	15.1	20.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	3	2	17.8	22.6	13.5
HOMICIDE AND LEGAL INTERVENTION	5	1	4	17.8	7.5	27.1
ATHEROSCLEROSIS	4	4	0	14.3	30.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	10.7	15.1	6.8
SUICIDE	3	2	1	10.7	15.1	6.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.7	5.6	4.1
MATERNAL CAUSES	1	0	1	236.4	0.0	411.5
HIV INFECTION	1	0	1	3.6	0.0	6.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	14.3	22.6	6.8
ALL OTHER	30	14	16	107.0	105.6	108.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	289	155	134	147	74	73	142	81	61
UNDER 1	5	2	3	2	1	1	3	1	2
(NEONATAL)	4	2	2	2	1	1	2	1	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	9	5	4	7	5	2	2	0	2
25-34	6	1	5	4	0	4	2	1	1
35-44	9	5	4	4	2	2	5	3	2
45-54	22	9	13	12	6	6	10	3	7
55-64	48	19	29	30	12	18	18	7	11
65-74	56	36	20	27	17	10	29	19	10
75-84	77	45	32	40	21	19	37	24	13
85 AND OVER	55	32	23	20	9	11	35	23	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	28,027
WHITE	13,256
NONWHITE	14,771

(HSWWDTCO)

COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	169	114	55	10.6	11.3	9.3
HEART DISEASES	53	42	11	331.0	416.8	185.4
MALIGNANT NEOPLASMS	37	24	13	231.1	238.2	219.1
CEREBROVASCULAR DISEASES	14	8	6	87.4	79.4	101.1
ACCIDENTS	14	8	6	87.4	79.4	101.1
DIABETES MELLITUS	6	6	0	37.5	59.5	0.0
PNEUMONIA AND INFLUENZA	4	3	1	25.0	29.8	16.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	25.0	19.8	33.7
EMPHYSEMA AND OTHER COPD	3	1	2	18.7	9.9	33.7
HYPERTENSION	2	1	1	12.5	9.9	16.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	12.5	9.9	16.8
HIV INFECTION	2	0	2	12.5	0.0	33.7
ATHEROSCLEROSIS	1	1	0	6.2	9.9	0.0
INFECTIONS OF KIDNEY	1	1	0	6.2	9.9	0.0
CONGENITAL ANOMALIES	1	0	1	6.2	0.0	16.8
SUICIDE	1	1	0	6.2	9.9	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	6.2	9.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	12.5	9.9	16.8
ALL OTHER	21	13	8	131.2	129.0	134.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	169	114	55	87	55	32	82	59	23
UNDER 1	4	1	3	3	0	3	1	1	0
(NEONATAL)	3	1	2	2	0	2	1	1	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	6	3	3	5	2	3	1	1	0
35-44	6	4	2	4	2	2	2	2	0
45-54	13	11	2	6	5	1	7	6	1
55-64	25	16	9	19	15	4	6	1	5
65-74	27	16	11	15	8	7	12	8	4
75-84	40	31	9	19	16	3	21	15	6
85 AND OVER	44	31	13	14	7	7	30	24	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	16,010
WHITE	10,076
NONWHITE	5,934



(HSWWDTCO)

COUNTY: DESOTO

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	549	455	94	6.2	6.1	7.0
MALIGNANT NEOPLASMS	149	119	30	168.2	158.5	222.4
HEART DISEASES	137	122	15	154.7	162.5	111.2
HYPERTENSION	49	30	19	55.3	40.0	140.8
ACCIDENTS	40	37	3	45.2	49.3	22.2
CEREBROVASCULAR DISEASES	38	31	7	42.9	41.3	51.9
EMPHYSEMA AND OTHER COPD	17	15	2	19.2	20.0	14.8
PNEUMONIA AND INFLUENZA	16	13	3	18.1	17.3	22.2
SUICIDE	9	8	1	10.2	10.6	7.4
CONDITIONS ORIG IN PERINATAL PERIOD	7	5	2	5.7	4.8	10.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	4.5	5.3	0.0
HOMICIDE AND LEGAL INTERVENTION	4	4	0	4.5	5.3	0.0
DIABETES MELLITUS	3	3	0	3.4	4.0	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	3.4	4.0	0.0
CONGENITAL ANOMALIES	3	3	0	3.4	4.0	0.0
HIV INFECTION	2	2	0	2.2	2.7	0.0
TUBERCULOSIS	1	0	1	1.1	0.0	7.4
MATERNAL CAUSES	1	0	1	81.4	0.0	534.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	2.2	1.3	7.4
ALL OTHER	64	55	9	72.3	73.3	66.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	549	455	94	316	254	62	233	201	32
UNDER 1	15	11	4	9	6	3	6	5	1
(NEONATAL)	10	7	3	6	4	2	4	3	1
(POSTNEONATAL)	5	4	1	3	2	1	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	10	10	0	7	7	0	3	3	0
25-34	18	14	4	12	10	2	6	4	2
35-44	36	29	7	22	17	5	14	12	2
45-54	44	34	10	26	18	8	18	16	2
55-64	87	70	17	61	49	12	26	21	5
65-74	132	115	17	89	78	11	43	37	6
75-84	118	97	21	57	44	13	61	53	8
85 AND OVER	87	73	14	32	24	8	55	49	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	88,563
WHITE	75,074
NONWHITE	13,489

(HSWWDTCO)

COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	733	531	202	10.1	10.8	8.6
HEART DISEASES	285	207	78	393.5	421.9	333.8
MALIGNANT NEOPLASMS	124	95	29	171.2	193.6	124.1
CEREBROVASCULAR DISEASES	62	43	19	85.6	87.6	81.3
ACCIDENTS	33	25	8	45.6	51.0	34.2
PNEUMONIA AND INFLUENZA	28	25	3	38.7	51.0	12.8
EMPHYSEMA AND OTHER COPD	24	14	10	33.1	28.5	42.8
DIABETES MELLITUS	19	11	8	26.2	22.4	34.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	12	8	4	16.6	16.3	17.1
HOMICIDE AND LEGAL INTERVENTION	9	6	3	12.4	12.2	12.8
HYPERTENSION	7	4	3	9.7	8.2	12.8
HIV INFECTION	7	4	3	9.7	8.2	12.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	8.3	12.2	0.0
SUICIDE	6	6	0	8.3	12.2	0.0
ATHEROSCLEROSIS	5	4	1	6.9	8.2	4.3
CONGENITAL ANOMALIES	4	3	1	5.5	6.1	4.3
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	1.9	1.8	2.1
MATERNAL CAUSES	1	0	1	95.8	0.0	210.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	3	2	6.9	6.1	8.6
ALL OTHER	94	66	28	129.8	134.5	119.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	733	531	202	354	257	97	379	274	105
UNDER 1	6	2	4	4	1	3	2	1	1
(NEONATAL)	4	2	2	3	1	2	1	1	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	5	3	2	3	2	1	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	4	1	3	4	1	3	0	0	0
15-24	7	6	1	4	4	0	3	2	1
25-34	17	5	12	8	3	5	9	2	7
35-44	20	14	6	13	9	4	7	5	2
45-54	41	29	12	18	15	3	23	14	9
55-64	77	50	27	38	26	12	39	24	15
65-74	167	117	50	109	76	33	58	41	17
75-84	217	173	44	93	75	18	124	98	26
85 AND OVER	172	131	41	60	45	15	112	86	26
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	72,427
WHITE	49,061
NONWHITE	23,366

(HSWWDTCO)

COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	76	50	26	9.6	10.3	8.4
HEART DISEASES	29	23	6	364.7	474.6	193.2
MALIGNANT NEOPLASMS	15	9	6	188.6	185.7	193.2
CEREBROVASCULAR DISEASES	6	4	2	75.4	82.5	64.4
ACCIDENTS	5	3	2	62.9	61.9	64.4
PNEUMONIA AND INFLUENZA	3	1	2	37.7	20.6	64.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	37.7	41.3	32.2
EMPHYSEMA AND OTHER COPD	2	1	1	25.2	20.6	32.2
CONGENITAL ANOMALIES	2	0	2	25.2	0.0	64.4
SUICIDE	2	1	1	25.2	20.6	32.2
DIABETES MELLITUS	1	1	0	12.6	20.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	12.6	20.6	0.0
ALL OTHER	7	4	3	88.0	82.5	96.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	76	50	26	37	24	13	39	26	13
UNDER 1	2	0	2	0	0	0	2	0	2
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	2	2	3	2	1	1	0	1
35-44	3	1	2	2	1	1	1	0	1
45-54	5	1	4	5	1	4	0	0	0
55-64	5	2	3	3	1	2	2	1	1
65-74	21	13	8	11	9	2	10	4	6
75-84	17	16	1	7	7	0	10	9	1
85 AND OVER	18	14	4	6	3	3	12	11	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 7,952  
 WHITE 4,846  
 NONWHITE 3,106

(HSWWDTCO)

COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	149	130	19	8.3	8.1	9.9
HEART DISEASES	56	47	9	313.1	294.3	470.0
MALIGNANT NEOPLASMS	33	30	3	184.5	187.9	156.6
ACCIDENTS	15	13	2	83.9	81.4	104.4
CEREBROVASCULAR DISEASES	8	7	1	44.7	43.8	52.2
PNEUMONIA AND INFLUENZA	5	5	0	28.0	31.3	0.0
DIABETES MELLITUS	3	3	0	16.8	18.8	0.0
EMPHYSEMA AND OTHER COPD	3	3	0	16.8	18.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	10.2	11.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	11.2	6.3	52.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	5.6	6.3	0.0
SUICIDE	1	1	0	5.6	6.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.6	6.3	0.0
ALL OTHER	18	15	3	100.6	93.9	156.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	149	130	19	77	71	6	72	59	13
UNDER 1	4	4	0	4	4	0	0	0	0
(NEONATAL)	3	3	0	3	3	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	7	6	1	4	3	1	3	3	0
35-44	4	4	0	3	3	0	1	1	0
45-54	19	19	0	10	10	0	9	9	0
55-64	19	17	2	11	10	1	8	7	1
65-74	30	26	4	19	17	2	11	9	2
75-84	28	25	3	14	13	1	14	12	2
85 AND OVER	33	26	7	9	9	0	24	17	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,884
WHITE	15,969
NONWHITE	1,915

(HSWWDTCO)

COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	112	91	21	10.0	10.4	8.4
HEART DISEASES	32	27	5	285.7	309.7	201.3
MALIGNANT NEOPLASMS	24	21	3	214.3	240.9	120.8
CEREBROVASCULAR DISEASES	9	7	2	80.4	80.3	80.5
PNEUMONIA AND INFLUENZA	7	6	1	62.5	68.8	40.2
EMPHYSEMA AND OTHER COPD	7	5	2	62.5	57.4	80.5
ACCIDENTS	5	5	0	44.6	57.4	0.0
DIABETES MELLITUS	3	1	2	26.8	11.5	80.5
HOMICIDE AND LEGAL INTERVENTION	3	2	1	26.8	22.9	40.2
ATHEROSCLEROSIS	2	2	0	17.8	22.9	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	17.8	22.9	0.0
CONGENITAL ANOMALIES	1	1	0	8.9	11.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.9	0.0	24.4
SUICIDE	1	1	0	8.9	11.5	0.0
---						
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	15	11	4	133.9	126.2	161.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	112	91	21	64	58	6	48	33	15
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	5	4	1	5	4	1	0	0	0
35-44	3	2	1	2	1	1	1	1	0
45-54	4	3	1	4	3	1	0	0	0
55-64	18	15	3	11	10	1	7	5	2
65-74	17	15	2	10	10	0	7	5	2
75-84	33	28	5	19	18	1	14	10	4
85 AND OVER	28	21	7	10	9	1	18	12	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,201
WHITE	8,717
NONWHITE	2,484

(HSWWDTCO)

COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	250	147	103	11.4	11.8	10.9
HEART DISEASES	91	54	37	414.7	432.2	391.6
MALIGNANT NEOPLASMS	39	27	12	177.7	216.1	127.0
CEREBROVASCULAR DISEASES	39	22	17	177.7	176.1	179.9
ACCIDENTS	14	4	10	63.8	32.0	105.8
PNEUMONIA AND INFLUENZA	12	9	3	54.7	72.0	31.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	4	2	27.3	32.0	21.2
EMPHYSEMA AND OTHER COPD	5	4	1	22.8	32.0	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	12.6	0.0	24.1
SUICIDE	4	3	1	18.2	24.0	10.6
HOMICIDE AND LEGAL INTERVENTION	4	1	3	18.2	8.0	31.7
HIV INFECTION	2	0	2	9.1	0.0	21.2
DIABETES MELLITUS	1	0	1	4.6	0.0	10.6
ATHEROSCLEROSIS	1	1	0	4.6	8.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.6	8.0	0.0
INFECTIONS OF KIDNEY	1	1	0	4.6	8.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	13.7	8.0	21.2
ALL OTHER	23	15	8	104.8	120.1	84.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	250	147	103	127	66	61	123	81	42
UNDER 1	6	1	5	2	0	2	4	1	3
(NEONATAL)	4	0	4	1	0	1	3	0	3
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	8	3	5	0	0	0
25-34	12	8	4	6	3	3	6	5	1
35-44	9	1	8	4	1	3	5	0	5
45-54	16	6	10	11	5	6	5	1	4
55-64	31	12	19	16	5	11	15	7	8
65-74	47	30	17	23	13	10	24	17	7
75-84	68	47	21	34	21	13	34	26	8
85 AND OVER	53	39	14	23	15	8	30	24	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	21,942
WHITE	12,493
NONWHITE	9,449

(HSWWDTCO)

COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	409	381	28	11.3	11.9	6.8
HEART DISEASES	165	156	9	456.0	486.9	217.3
MALIGNANT NEOPLASMS	96	92	4	265.3	287.1	96.6
EMPHYSEMA AND OTHER COPD	24	22	2	66.3	68.7	48.3
CEREBROVASCULAR DISEASES	19	17	2	52.5	53.0	48.3
ACCIDENTS	18	15	3	49.7	46.8	72.4
PNEUMONIA AND INFLUENZA	13	12	1	35.9	37.4	24.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	10	0	27.6	31.2	0.0
SUICIDE	9	9	0	24.9	28.1	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	6	1	19.3	18.7	24.1
HIV INFECTION	5	5	0	13.8	15.6	0.0
CONGENITAL ANOMALIES	4	3	1	11.0	9.4	24.1
ATHEROSCLEROSIS	3	3	0	8.3	9.4	0.0
TUBERCULOSIS	1	1	0	2.8	3.1	0.0
DIABETES MELLITUS	1	1	0	2.8	3.1	0.0
HYPERTENSION	1	1	0	2.8	3.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.0	0.0	19.6
HOMICIDE AND LEGAL INTERVENTION	1	0	1	2.8	0.0	24.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	31	28	3	85.7	87.4	72.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	409	381	28	230	213	17	179	168	11
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	2	1	1	1	0	1	1	1	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	2	0	0	0	0	2	2	0
15-24	3	2	1	2	1	1	1	1	0
25-34	7	6	1	3	2	1	4	4	0
35-44	24	23	1	19	18	1	5	5	0
45-54	34	32	2	19	18	1	15	14	1
55-64	53	50	3	40	37	3	13	13	0
65-74	107	104	3	67	65	2	40	39	1
75-84	106	102	4	49	47	2	57	55	2
85 AND OVER	67	59	8	28	25	3	39	34	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	36,182
WHITE	32,040
NONWHITE	4,142

(HSWWDTCO)

COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,632	1,336	296	9.6	10.2	7.4
HEART DISEASES	631	512	119	369.3	390.8	298.7
MALIGNANT NEOPLASMS	378	329	49	221.2	251.1	123.0
ACCIDENTS	80	55	25	46.8	42.0	62.7
CEREBROVASCULAR DISEASES	69	56	13	40.4	42.7	32.6
EMPHYSEMA AND OTHER COPD	67	62	5	39.2	47.3	12.6
SUICIDE	47	41	6	27.5	31.3	15.0
PNEUMONIA AND INFLUENZA	45	37	8	26.3	28.2	20.1
DIABETES MELLITUS	21	18	3	12.3	13.7	7.5
HIV INFECTION	21	16	5	12.3	12.2	12.6
HOMICIDE AND LEGAL INTERVENTION	20	11	9	11.7	8.4	22.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	13	4	10.0	9.9	10.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	12	8	4	7.0	6.1	10.0
CONGENITAL ANOMALIES	11	8	3	6.4	6.1	7.5
CONDITIONS ORIG IN PERINATAL PERIOD	7	3	4	2.4	1.5	4.6
ATHEROSCLEROSIS	5	5	0	2.9	3.8	0.0
HYPERTENSION	3	3	0	1.8	2.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	6	2	4.7	4.6	5.0
ALL OTHER	190	153	37	111.2	116.8	92.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,632	1,336	296	893	734	159	739	602	137
UNDER 1	22	14	8	13	10	3	9	4	5
(NEONATAL)	11	7	4	7	5	2	4	2	2
(POSTNEONATAL)	11	7	4	6	5	1	5	2	3
1-4	8	5	3	4	3	1	4	2	2
5-9	6	1	5	6	1	5	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	27	14	13	17	10	7	10	4	6
25-34	64	45	19	47	33	14	17	12	5
35-44	80	60	20	55	43	12	25	17	8
45-54	99	74	25	70	50	20	29	24	5
55-64	200	166	34	121	103	18	79	63	16
65-74	403	349	54	236	205	31	167	144	23
75-84	430	367	63	232	203	29	198	164	34
85 AND OVER	291	239	52	90	71	19	201	168	33
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	170,862
WHITE	131,020
NONWHITE	39,842



(HSWWDTCO)

COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,421	1,261	1,160	9.6	10.9	8.4
HEART DISEASES	810	450	360	320.0	388.4	262.3
MALIGNANT NEOPLASMS	535	298	237	211.4	257.2	172.7
CEREBROVASCULAR DISEASES	151	89	62	59.7	76.8	45.2
ACCIDENTS	117	57	60	46.2	49.2	43.7
HIV INFECTION	93	31	62	36.7	26.8	45.2
HOMICIDE AND LEGAL INTERVENTION	88	4	84	34.8	3.4	61.2
PNEUMONIA AND INFLUENZA	81	51	30	32.0	44.0	21.8
EMPHYSEMA AND OTHER COPD	71	53	18	28.0	45.7	13.1
DIABETES MELLITUS	43	14	29	17.0	12.1	21.1
SUICIDE	27	14	13	10.7	12.1	9.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	22	10	12	8.7	8.6	8.7
CONDITIONS ORIG IN PERINATAL PERIOD	21	2	19	5.1	1.7	6.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	19	13	6	7.5	11.2	4.4
CONGENITAL ANOMALIES	15	6	9	5.9	5.2	6.6
HYPERTENSION	7	3	4	2.8	2.6	2.9
ATHEROSCLEROSIS	5	3	2	2.0	2.6	1.4
TUBERCULOSIS	3	0	3	1.2	0.0	2.2
INFECTIONS OF KIDNEY	1	1	0	0.4	0.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	19	6	13	7.5	5.2	9.5
ALL OTHER	293	156	137	115.8	134.6	99.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,421	1,261	1,160	1,260	617	643	1,161	644	517
UNDER 1	43	7	36	23	4	19	20	3	17
(NEONATAL)	25	4	21	13	2	11	12	2	10
(POSTNEONATAL)	18	3	15	10	2	8	8	1	7
1-4	12	3	9	5	1	4	7	2	5
5-9	2	2	0	1	1	0	1	1	0
10-14	6	2	4	3	0	3	3	2	1
15-24	78	18	60	63	13	50	15	5	10
25-34	108	21	87	73	15	58	35	6	29
35-44	135	45	90	105	36	69	30	9	21
45-54	200	71	129	121	44	77	79	27	52
55-64	264	126	138	163	85	78	101	41	60
65-74	488	285	203	259	152	107	229	133	96
75-84	598	370	228	287	173	114	311	197	114
85 AND OVER	487	311	176	157	93	64	330	218	112
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	253,096
WHITE	115,854
NONWHITE	137,242

(HSWWDTCO)

COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	251	81	170	12.1	17.4	10.5
HEART DISEASES	73	29	44	351.4	623.1	273.0
MALIGNANT NEOPLASMS	48	15	33	231.1	322.3	204.8
CEREBROVASCULAR DISEASES	35	7	28	168.5	150.4	173.7
ACCIDENTS	18	4	14	86.6	85.9	86.9
PNEUMONIA AND INFLUENZA	8	5	3	38.5	107.4	18.6
HOMICIDE AND LEGAL INTERVENTION	6	2	4	28.9	43.0	24.8
DIABETES MELLITUS	4	2	2	19.2	43.0	12.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	19.2	21.5	18.6
HIV INFECTION	3	0	3	14.4	0.0	18.6
TUBERCULOSIS	2	0	2	9.6	0.0	12.4
CONGENITAL ANOMALIES	2	1	1	9.6	21.5	6.2
HYPERTENSION	1	0	1	4.8	0.0	6.2
ATHEROSCLEROSIS	1	0	1	4.8	0.0	6.2
EMPHYSEMA AND OTHER COPD	1	0	1	4.8	0.0	6.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.7	0.0	3.1
SUICIDE	1	1	0	4.8	21.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	15	4	11	72.2	85.9	68.2
ALL OTHER	28	10	18	134.8	214.9	111.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	251	81	170	124	37	87	127	44	83
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	2	0	2	1	0	1	1	0	1
25-34	8	0	8	5	0	5	3	0	3
35-44	14	2	12	10	2	8	4	0	4
45-54	19	2	17	13	0	13	6	2	4
55-64	33	10	23	16	5	11	17	5	12
65-74	45	16	29	17	8	9	28	8	20
75-84	64	24	40	29	11	18	35	13	22
85 AND OVER	59	27	32	29	11	18	30	16	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	20,771
WHITE	4,654
NONWHITE	16,117

(HSWWDTCO)

COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	118	49	69	10.3	14.1	8.6
HEART DISEASES	42	15	27	366.7	431.6	338.4
MALIGNANT NEOPLASMS	25	11	14	218.3	316.5	175.5
CEREBROVASCULAR DISEASES	10	1	9	87.3	28.8	112.8
ACCIDENTS	9	6	3	78.6	172.7	37.6
PNEUMONIA AND INFLUENZA	4	2	2	34.9	57.6	25.1
EMPHYSEMA AND OTHER COPD	3	1	2	26.2	28.8	25.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	26.2	57.6	12.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	8.7	0.0	12.5
CONGENITAL ANOMALIES	1	1	0	8.7	28.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.3	0.0	6.8
SUICIDE	1	1	0	8.7	28.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	17.5	0.0	25.1
ALL OTHER	16	9	7	139.7	259.0	87.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	118	49	69	72	33	39	46	16	30
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	4	1	4	3	1	1	1	0
25-34	6	2	4	5	2	3	1	0	1
35-44	9	4	5	6	3	3	3	1	2
45-54	10	5	5	6	4	2	4	1	3
55-64	13	2	11	8	2	6	5	0	5
65-74	20	10	10	11	6	5	9	4	5
75-84	27	12	15	20	8	12	7	4	3
85 AND OVER	24	9	15	9	4	5	15	5	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,453
WHITE	3,475
NONWHITE	7,978

(HSWWDTCO)

COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	16	7	9	8.9	9.1	8.7
HEART DISEASES	5	0	5	277.0	0.0	483.6
MALIGNANT NEOPLASMS	4	3	1	221.6	389.1	96.7
EMPHYSEMA AND OTHER COPD	3	2	1	166.2	259.4	96.7
CEREBROVASCULAR DISEASES	1	0	1	55.4	0.0	96.7
ACCIDENTS	1	1	0	55.4	129.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	110.8	129.7	96.7
ALL OTHER	0	0	0	0.0	0.0	0.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	16	7	9	12	6	6	4	1	3
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	3	2	1	2	2	0	1	0	1
65-74	2	1	1	2	1	1	0	0	0
75-84	4	2	2	3	2	1	1	0	1
85 AND OVER	3	0	3	2	0	2	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	1,805
WHITE	771
NONWHITE	1,034

(HSWWDTCO)

COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	266	250	16	13.4	13.6	11.6
HEART DISEASES	87	80	7	439.5	434.4	506.5
MALIGNANT NEOPLASMS	61	58	3	308.1	315.0	217.1
CEREBROVASCULAR DISEASES	31	28	3	156.6	152.0	217.1
EMPHYSEMA AND OTHER COPD	16	16	0	80.8	86.9	0.0
ACCIDENTS	14	13	1	70.7	70.6	72.4
PNEUMONIA AND INFLUENZA	8	8	0	40.4	43.4	0.0
DIABETES MELLITUS	7	7	0	35.4	38.0	0.0
HYPERTENSION	2	2	0	10.1	10.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.1	10.9	0.0
ATHEROSCLEROSIS	1	1	0	5.0	5.4	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	5.0	5.4	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	5.0	5.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	20.2	21.7	0.0
ALL OTHER	31	29	2	156.6	157.5	144.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	266	250	16	148	141	7	118	109	9
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	3	3	0	3	3	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	2	0	2	2	0	0	0	0
25-34	4	3	1	1	1	0	3	2	1
35-44	7	7	0	5	5	0	2	2	0
45-54	17	15	2	8	7	1	9	8	1
55-64	31	30	1	20	19	1	11	11	0
65-74	56	54	2	36	35	1	20	19	1
75-84	82	76	6	41	39	2	41	37	4
85 AND OVER	61	58	3	30	29	1	31	29	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,797
WHITE	18,415
NONWHITE	1,382

(HSWWDTCO)

COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,038	849	189	7.8	8.2	6.3
HEART DISEASES	331	274	57	248.6	265.6	190.1
MALIGNANT NEOPLASMS	256	215	41	192.3	208.4	136.7
ACCIDENTS	67	53	14	50.3	51.4	46.7
CEREBROVASCULAR DISEASES	57	43	14	42.8	41.7	46.7
EMPHYSEMA AND OTHER COPD	42	38	4	31.5	36.8	13.3
PNEUMONIA AND INFLUENZA	35	30	5	26.3	29.1	16.7
DIABETES MELLITUS	17	11	6	12.8	10.7	20.0
SUICIDE	16	16	0	12.0	15.5	0.0
HOMICIDE AND LEGAL INTERVENTION	15	8	7	11.3	7.8	23.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	10	3	9.8	9.7	10.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	11	9	2	8.3	8.7	6.7
HIV INFECTION	9	8	1	6.8	7.8	3.3
CONGENITAL ANOMALIES	8	7	1	6.0	6.8	3.3
ATHEROSCLEROSIS	6	6	0	4.5	5.8	0.0
HYPERTENSION	5	4	1	3.8	3.9	3.3
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	2.3	0.8	5.6
MATERNAL CAUSES	1	0	1	56.7	0.0	188.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	3.0	2.9	3.3
ALL OTHER	141	113	28	105.9	109.6	93.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,038	849	189	564	462	102	474	387	87
UNDER 1	18	11	7	10	7	3	8	4	4
(NEONATAL)	13	8	5	8	5	3	5	3	2
(POSTNEONATAL)	5	3	2	2	2	0	3	1	2
1-4	2	1	1	1	1	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	23	19	4	16	14	2	7	5	2
25-34	30	23	7	22	17	5	8	6	2
35-44	50	33	17	31	23	8	19	10	9
45-54	89	66	23	56	41	15	33	25	8
55-64	150	114	36	94	74	20	56	40	16
65-74	226	190	36	136	114	22	90	76	14
75-84	256	223	33	136	118	18	120	105	15
85 AND OVER	192	167	25	61	52	9	131	115	16
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	133,134
WHITE	103,144
NONWHITE	29,990

(HSWWDTCO)

COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	203	112	91	11.8	13.7	10.0
HEART DISEASES	71	41	30	412.0	502.0	330.8
MALIGNANT NEOPLASMS	46	29	17	266.9	355.1	187.5
CEREBROVASCULAR DISEASES	13	7	6	75.4	85.7	66.2
HOMICIDE AND LEGAL INTERVENTION	8	2	6	46.4	24.5	66.2
PNEUMONIA AND INFLUENZA	7	2	5	40.6	24.5	55.1
ACCIDENTS	7	5	2	40.6	61.2	22.0
EMPHYSEMA AND OTHER COPD	5	2	3	29.0	24.5	33.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	17.4	24.5	11.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	17.4	12.2	22.0
CONGENITAL ANOMALIES	3	1	2	17.4	12.2	22.0
SUICIDE	3	3	0	17.4	36.7	0.0
DIABETES MELLITUS	2	1	1	11.6	12.2	11.0
HYPERTENSION	1	0	1	5.8	0.0	11.0
ATHEROSCLEROSIS	1	1	0	5.8	12.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.6	0.0	5.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	5.8	0.0	11.0
ALL OTHER	28	15	13	162.5	183.7	143.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	203	112	91	112	60	52	91	52	39
UNDER 1	4	1	3	2	1	1	2	0	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	2	2	4	2	2	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	10	5	5	6	2	4	4	3	1
45-54	9	2	7	8	2	6	1	0	1
55-64	20	10	10	13	6	7	7	4	3
65-74	40	20	20	22	11	11	18	9	9
75-84	65	43	22	40	26	14	25	17	8
85 AND OVER	44	26	18	12	8	4	32	18	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 17,235  
 WHITE 8,167  
 NONWHITE 9,068

(HSWWDTCO)

COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	104	14	90	12.5	13.3	12.4
HEART DISEASES	33	5	28	397.8	476.6	386.4
MALIGNANT NEOPLASMS	24	6	18	289.3	572.0	248.4
ACCIDENTS	5	0	5	60.3	0.0	69.0
EMPHYSEMA AND OTHER COPD	3	1	2	36.2	95.3	27.6
HOMICIDE AND LEGAL INTERVENTION	3	0	3	36.2	0.0	41.4
DIABETES MELLITUS	2	0	2	24.1	0.0	27.6
CEREBROVASCULAR DISEASES	2	1	1	24.1	95.3	13.8
PNEUMONIA AND INFLUENZA	2	0	2	24.1	0.0	27.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	13.4	0.0	14.1
HYPERTENSION	1	0	1	12.0	0.0	13.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	12.0	0.0	13.8
CONGENITAL ANOMALIES	1	0	1	12.0	0.0	13.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	0	7	84.4	0.0	96.6
ALL OTHER	18	1	17	217.0	95.3	234.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	104	14	90	54	9	45	50	5	45
UNDER 1	4	0	4	2	0	2	2	0	2
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	6	0	6	5	0	5	1	0	1
45-54	7	1	6	4	0	4	3	1	2
55-64	14	1	13	8	1	7	6	0	6
65-74	27	4	23	20	4	16	7	0	7
75-84	21	4	17	5	1	4	16	3	13
85 AND OVER	23	4	19	9	3	6	14	1	13
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	8,295
WHITE	1,049
NONWHITE	7,246



(HSWWDTCO)

COUNTY: JEFF DAVIS

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	184	90	94	13.6	15.9	12.0
HEART DISEASES	63	37	26	465.7	652.9	330.8
MALIGNANT NEOPLASMS	44	22	22	325.3	388.2	279.9
CEREBROVASCULAR DISEASES	10	7	3	73.9	123.5	38.2
EMPHYSEMA AND OTHER COPD	10	7	3	73.9	123.5	38.2
ACCIDENTS	10	2	8	73.9	35.3	101.8
PNEUMONIA AND INFLUENZA	6	2	4	44.4	35.3	50.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	2	3	37.0	35.3	38.2
DIABETES MELLITUS	3	1	2	22.2	17.6	25.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	13.2	0.0	18.4
ATHEROSCLEROSIS	2	1	1	14.8	17.6	12.7
HOMICIDE AND LEGAL INTERVENTION	2	0	2	14.8	0.0	25.4
HYPERTENSION	1	0	1	7.4	0.0	12.7
SUICIDE	1	1	0	7.4	17.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	14.8	0.0	25.4
ALL OTHER	22	8	14	162.6	141.2	178.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	184	90	94	93	47	46	91	43	48
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	6	2	4	1	0	1	5	2	3
35-44	8	1	7	4	0	4	4	1	3
45-54	9	4	5	7	3	4	2	1	1
55-64	23	11	12	16	7	9	7	4	3
65-74	41	23	18	22	15	7	19	8	11
75-84	51	28	23	24	14	10	27	14	13
85 AND OVER	40	20	20	16	7	9	24	13	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	13,527
WHITE	5,667
NONWHITE	7,860

(HSWWDTCO)

COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	707	536	171	11.4	11.7	10.4
HEART DISEASES	248	201	47	398.4	439.1	285.2
MALIGNANT NEOPLASMS	168	130	38	269.9	284.0	230.6
CEREBROVASCULAR DISEASES	48	37	11	77.1	80.8	66.8
PNEUMONIA AND INFLUENZA	43	31	12	69.1	67.7	72.8
ACCIDENTS	36	28	8	57.8	61.2	48.6
EMPHYSEMA AND OTHER COPD	25	19	6	40.2	41.5	36.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	13	6	7	20.9	13.1	42.5
HOMICIDE AND LEGAL INTERVENTION	13	7	6	20.9	15.3	36.4
SUICIDE	7	6	1	11.2	13.1	6.1
DIABETES MELLITUS	5	4	1	8.0	8.7	6.1
HYPERTENSION	4	1	3	6.4	2.2	18.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	6.4	6.6	6.1
HIV INFECTION	3	2	1	4.8	4.4	6.1
INFECTIONS OF KIDNEY	2	1	1	3.2	2.2	6.1
ATHEROSCLEROSIS	1	1	0	1.6	2.2	0.0
CONGENITAL ANOMALIES	1	1	0	1.6	2.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.2	1.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	3.2	2.2	6.1
ALL OTHER	83	56	27	133.3	122.3	163.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	707	536	171	354	273	81	353	263	90
UNDER 1	4	2	2	2	0	2	2	2	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	3	1	2	2	0	2	1	1	0
1-4	2	2	0	1	1	0	1	1	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	1	1	0	0	0	2	1	1
15-24	14	9	5	9	6	3	5	3	2
25-34	12	5	7	8	4	4	4	1	3
35-44	31	24	7	20	15	5	11	9	2
45-54	59	39	20	37	23	14	22	16	6
55-64	77	52	25	49	37	12	28	15	13
65-74	153	112	41	82	66	16	71	46	25
75-84	178	150	28	91	76	15	87	74	13
85 AND OVER	174	140	34	55	45	10	119	95	24
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	62,251
WHITE	45,773
NONWHITE	16,478

(HSWWDTCO)

COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	93	49	44	8.8	11.4	7.0
HEART DISEASES	40	22	18	379.0	513.5	287.1
MALIGNANT NEOPLASMS	20	12	8	189.5	280.1	127.6
EMPHYSEMA AND OTHER COPD	7	3	4	66.3	70.0	63.8
CEREBROVASCULAR DISEASES	5	2	3	47.4	46.7	47.8
ACCIDENTS	5	2	3	47.4	46.7	47.8
PNEUMONIA AND INFLUENZA	3	2	1	28.4	46.7	15.9
SUICIDE	3	2	1	28.4	46.7	15.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	19.0	23.3	15.9
HOMICIDE AND LEGAL INTERVENTION	2	0	2	19.0	0.0	31.9
HYPERTENSION	1	0	1	9.5	0.0	15.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	5	3	2	47.4	70.0	31.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	93	49	44	53	28	25	40	21	19
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	3	1	2	2	1	1	1	0	1
45-54	8	7	1	6	5	1	2	2	0
55-64	8	2	6	7	1	6	1	1	0
65-74	16	9	7	8	6	2	8	3	5
75-84	26	18	8	15	13	2	11	5	6
85 AND OVER	29	12	17	12	2	10	17	10	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 10,554  
 WHITE 4,284  
 NONWHITE 6,270

COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	234	147	87	6.8	5.9	9.2
HEART DISEASES	68	43	25	197.7	172.5	264.2
MALIGNANT NEOPLASMS	62	38	24	180.3	152.4	253.7
CEREBROVASCULAR DISEASES	21	12	9	61.1	48.1	95.1
ACCIDENTS	14	3	11	40.7	12.0	116.3
EMPHYSEMA AND OTHER COPD	11	9	2	32.0	36.1	21.1
PNEUMONIA AND INFLUENZA	8	8	0	23.3	32.1	0.0
SUICIDE	4	3	1	11.6	12.0	10.6
HOMICIDE AND LEGAL INTERVENTION	4	1	3	11.6	4.0	31.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	8.7	8.0	10.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	8.7	8.0	10.6
DIABETES MELLITUS	2	2	0	5.8	8.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.4	4.2	0.0
HIV INFECTION	1	0	1	2.9	0.0	10.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	5.8	4.0	10.6
ALL OTHER	30	22	8	87.2	88.2	84.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	234	147	87	116	71	45	118	76	42
UNDER 1	3	2	1	3	2	1	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	6	3	3	1	0	1
25-34	4	3	1	2	1	1	2	2	0
35-44	17	4	13	12	3	9	5	1	4
45-54	16	8	8	10	5	5	6	3	3
55-64	15	12	3	10	9	1	5	3	2
65-74	52	34	18	29	19	10	23	15	8
75-84	67	46	21	28	20	8	39	26	13
85 AND OVER	51	35	16	15	9	6	36	26	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	34,388
WHITE	24,927
NONWHITE	9,461

(HSWWDTCO)

COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	233	208	25	7.4	7.6	6.1
HEART DISEASES	73	70	3	232.0	255.7	73.4
MALIGNANT NEOPLASMS	52	45	7	165.3	164.4	171.4
ACCIDENTS	19	19	0	60.4	69.4	0.0
CEREBROVASCULAR DISEASES	17	16	1	54.0	58.4	24.5
EMPHYSEMA AND OTHER COPD	13	12	1	41.3	43.8	24.5
PNEUMONIA AND INFLUENZA	8	8	0	25.4	29.2	0.0
DIABETES MELLITUS	4	3	1	12.7	11.0	24.5
HYPERTENSION	4	2	2	12.7	7.3	49.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	9.5	7.3	24.5
HOMICIDE AND LEGAL INTERVENTION	3	3	0	9.5	11.0	0.0
CONGENITAL ANOMALIES	2	2	0	6.4	7.3	0.0
HIV INFECTION	2	2	0	6.4	7.3	0.0
ATHEROSCLEROSIS	1	1	0	3.2	3.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	3.2	0.0	24.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.2	0.0	15.9
SUICIDE	1	0	1	3.2	0.0	24.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	29	23	6	92.2	84.0	146.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	233	208	25	108	97	11	125	111	14
UNDER 1	2	1	1	1	1	0	1	0	1
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	5	0	1	1	0	4	4	0
25-34	6	4	2	6	4	2	0	0	0
35-44	8	7	1	4	4	0	4	3	1
45-54	15	14	1	7	6	1	8	8	0
55-64	35	26	9	24	19	5	11	7	4
65-74	54	50	4	32	30	2	22	20	2
75-84	53	51	2	19	19	0	34	32	2
85 AND OVER	53	48	5	13	12	1	40	36	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	31,458
WHITE	27,373
NONWHITE	4,085

(HSWWDTCO)

COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	818	527	291	10.7	10.9	10.3
HEART DISEASES	281	185	96	367.4	382.7	341.2
MALIGNANT NEOPLASMS	177	118	59	231.4	244.1	209.7
CEREBROVASCULAR DISEASES	48	30	18	62.8	62.1	64.0
ACCIDENTS	48	32	16	62.8	66.2	56.9
EMPHYSEMA AND OTHER COPD	47	34	13	61.4	70.3	46.2
PNEUMONIA AND INFLUENZA	43	35	8	56.2	72.4	28.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	13	2	11	17.0	4.1	39.1
DIABETES MELLITUS	11	6	5	14.4	12.4	17.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	8	1	11.8	16.6	3.6
SUICIDE	9	8	1	11.8	16.6	3.6
HOMICIDE AND LEGAL INTERVENTION	9	4	5	11.8	8.3	17.8
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	4.4	1.8	6.9
HIV INFECTION	5	0	5	6.5	0.0	17.8
CONGENITAL ANOMALIES	3	0	3	3.9	0.0	10.7
HYPERTENSION	2	1	1	2.6	2.1	3.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	6.5	2.1	14.2
ALL OTHER	103	62	41	134.7	128.3	145.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	818	527	291	389	248	141	429	279	150
UNDER 1	16	2	14	10	2	8	6	0	6
(NEONATAL)	8	0	8	5	0	5	3	0	3
(POSTNEONATAL)	8	2	6	5	2	3	3	0	3
1-4	5	2	3	3	0	3	2	2	0
5-9	3	2	1	2	1	1	1	1	0
10-14	2	1	1	2	1	1	0	0	0
15-24	10	9	1	7	7	0	3	2	1
25-34	25	6	19	19	5	14	6	1	5
35-44	37	21	16	22	13	9	15	8	7
45-54	42	24	18	26	16	10	16	8	8
55-64	86	54	32	48	31	17	38	23	15
65-74	158	104	54	79	55	24	79	49	30
75-84	238	164	74	110	77	33	128	87	41
85 AND OVER	196	138	58	61	40	21	135	98	37
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	76,475
WHITE	48,338
NONWHITE	28,137

(HSWWDTCO)

COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	148	99	49	12.2	12.5	11.6
HEART DISEASES	61	46	15	502.3	579.6	356.5
MALIGNANT NEOPLASMS	23	14	9	189.4	176.4	213.9
ACCIDENTS	14	7	7	115.3	88.2	166.4
CEREBROVASCULAR DISEASES	12	9	3	98.8	113.4	71.3
PNEUMONIA AND INFLUENZA	7	6	1	57.6	75.6	23.8
DIABETES MELLITUS	2	0	2	16.5	0.0	47.5
TUBERCULOSIS	1	1	0	8.2	12.6	0.0
HYPERTENSION	1	0	1	8.2	0.0	23.8
EMPHYSEMA AND OTHER COPD	1	1	0	8.2	12.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	8.2	0.0	23.8
CONGENITAL ANOMALIES	1	1	0	8.2	12.6	0.0
SUICIDE	1	1	0	8.2	12.6	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.2	0.0	23.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	22	13	9	181.2	163.8	213.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	148	99	49	83	54	29	65	45	20
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	2	3	4	2	2	1	0	1
25-34	1	1	0	1	1	0	0	0	0
35-44	9	3	6	6	2	4	3	1	2
45-54	8	4	4	6	3	3	2	1	1
55-64	17	11	6	12	7	5	5	4	1
65-74	36	25	11	19	14	5	17	11	6
75-84	40	26	14	24	17	7	16	9	7
85 AND OVER	30	25	5	10	7	3	20	18	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,143
WHITE	7,936
NONWHITE	4,207

(HSWWDTCO)

COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	219	141	78	11.8	12.9	10.2
HEART DISEASES	81	61	20	436.0	559.3	260.7
MALIGNANT NEOPLASMS	46	27	19	247.6	247.5	247.7
CEREBROVASCULAR DISEASES	12	7	5	64.6	64.2	65.2
ACCIDENTS	12	8	4	64.6	73.3	52.1
PNEUMONIA AND INFLUENZA	10	6	4	53.8	55.0	52.1
EMPHYSEMA AND OTHER COPD	7	7	0	37.7	64.2	0.0
DIABETES MELLITUS	6	3	3	32.3	27.5	39.1
SUICIDE	6	4	2	32.3	36.7	26.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	0	5	26.9	0.0	65.2
HYPERTENSION	3	2	1	16.1	18.3	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	10.8	9.2	13.0
ATHEROSCLEROSIS	1	1	0	5.4	9.2	0.0
CONGENITAL ANOMALIES	1	0	1	5.4	0.0	13.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	5.4	0.0	13.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	10.8	0.0	26.1
ALL OTHER	24	14	10	129.2	128.4	130.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	219	141	78	111	75	36	108	66	42
UNDER 1	3	0	3	1	0	1	2	0	2
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	3	4	3	0	3	4	3	1
25-34	1	1	0	1	1	0	0	0	0
35-44	7	2	5	5	1	4	2	1	1
45-54	13	6	7	8	4	4	5	2	3
55-64	20	13	7	13	10	3	7	3	4
65-74	50	33	17	33	25	8	17	8	9
75-84	66	42	24	27	18	9	39	24	15
85 AND OVER	51	41	10	19	16	3	32	25	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	18,578
WHITE	10,907
NONWHITE	7,671



(HSWWDTCO)

COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	657	524	133	8.9	9.2	8.0
HEART DISEASES	214	177	37	290.2	309.9	222.6
MALIGNANT NEOPLASMS	145	120	25	196.6	210.1	150.4
ACCIDENTS	46	32	14	62.4	56.0	84.2
CEREBROVASCULAR DISEASES	44	36	8	59.7	63.0	48.1
EMPHYSEMA AND OTHER COPD	30	29	1	40.7	50.8	6.0
PNEUMONIA AND INFLUENZA	28	22	6	38.0	38.5	36.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	11	7	4	14.9	12.2	24.1
DIABETES MELLITUS	8	5	3	10.8	8.8	18.0
CONGENITAL ANOMALIES	8	4	4	10.8	7.0	24.1
HIV INFECTION	8	7	1	10.8	12.2	6.0
SUICIDE	7	5	2	9.5	8.8	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	3	3	8.1	5.2	18.0
HOMICIDE AND LEGAL INTERVENTION	6	1	5	8.1	1.8	30.1
HYPERTENSION	5	5	0	6.8	8.8	0.0
ATHEROSCLEROSIS	5	5	0	6.8	8.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	5	2	3	4.2	2.6	7.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	9	2	14.9	15.8	12.0
ALL OTHER	70	55	15	94.9	96.3	90.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	657	524	133	327	254	73	330	270	60
UNDER 1	19	9	10	13	6	7	6	3	3
(NEONATAL)	10	4	6	8	4	4	2	0	2
(POSTNEONATAL)	9	5	4	5	2	3	4	3	1
1-4	3	2	1	3	2	1	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	2	1	1	2	1	1	0	0	0
15-24	11	7	4	8	6	2	3	1	2
25-34	17	9	8	12	5	7	5	4	1
35-44	30	18	12	16	9	7	14	9	5
45-54	35	27	8	26	20	6	9	7	2
55-64	75	59	16	43	33	10	32	26	6
65-74	139	108	31	79	64	15	60	44	16
75-84	161	137	24	71	60	11	90	77	13
85 AND OVER	164	146	18	54	48	6	110	98	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	73,739
WHITE	57,121
NONWHITE	16,618

(HSWWDTCO)

COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	442	179	263	12.0	13.3	11.2
HEART DISEASES	172	73	99	465.2	541.9	421.3
MALIGNANT NEOPLASMS	75	33	42	202.9	245.0	178.7
CEREBROVASCULAR DISEASES	37	13	24	100.1	96.5	102.1
ACCIDENTS	34	16	18	92.0	118.8	76.6
HOMICIDE AND LEGAL INTERVENTION	15	4	11	40.6	29.7	46.8
EMPHYSEMA AND OTHER COPD	14	7	7	37.9	52.0	29.8
DIABETES MELLITUS	12	1	11	32.4	7.4	46.8
PNEUMONIA AND INFLUENZA	8	5	3	21.6	37.1	12.8
HIV INFECTION	5	0	5	13.5	0.0	21.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	10.8	14.8	8.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	5.8	0.0	7.5
SUICIDE	4	3	1	10.8	22.3	4.2
HYPERTENSION	3	1	2	8.1	7.4	8.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	5.4	0.0	8.5
CONGENITAL ANOMALIES	2	0	2	5.4	0.0	8.5
TUBERCULOSIS	1	0	1	2.7	0.0	4.2
ATHEROSCLEROSIS	1	0	1	2.7	0.0	4.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	10.8	14.8	8.5
ALL OTHER	45	19	26	121.7	141.0	110.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	442	179	263	219	80	139	223	99	124
UNDER 1	9	0	9	4	0	4	5	0	5
(NEONATAL)	5	0	5	2	0	2	3	0	3
(POSTNEONATAL)	4	0	4	2	0	2	2	0	2
1-4	3	1	2	3	1	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	0	3	2	0	2	1	0	1
15-24	14	9	5	8	4	4	6	5	1
25-34	13	1	12	10	1	9	3	0	3
35-44	15	4	11	11	3	8	4	1	3
45-54	38	10	28	23	6	17	15	4	11
55-64	52	15	37	33	11	22	19	4	15
65-74	71	24	47	46	16	30	25	8	17
75-84	110	51	59	45	19	26	65	32	33
85 AND OVER	114	64	50	34	19	15	80	45	35
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	36,970
WHITE	13,470
NONWHITE	23,500

(HSWWDTCO)

COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	356	275	81	11.2	12.5	8.2
HEART DISEASES	131	109	22	410.5	494.5	222.9
MALIGNANT NEOPLASMS	77	57	20	241.3	258.6	202.6
ACCIDENTS	21	18	3	65.8	81.7	30.4
DIABETES MELLITUS	20	12	8	62.7	54.4	81.0
CEREBROVASCULAR DISEASES	17	12	5	53.3	54.4	50.6
PNEUMONIA AND INFLUENZA	13	13	0	40.7	59.0	0.0
EMPHYSEMA AND OTHER COPD	13	10	3	40.7	45.4	30.4
ATHEROSCLEROSIS	6	6	0	18.8	27.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	2	3	15.7	9.1	30.4
SUICIDE	4	4	0	12.5	18.1	0.0
HYPERTENSION	3	1	2	9.4	4.5	20.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	9.4	13.6	0.0
HOMICIDE AND LEGAL INTERVENTION	3	1	2	9.4	4.5	20.3
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.6	3.6	6.1
CONGENITAL ANOMALIES	1	1	0	3.1	4.5	0.0
HIV INFECTION	1	1	0	3.1	4.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	36	24	12	112.8	108.9	121.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	356	275	81	178	135	43	178	140	38
UNDER 1	3	2	1	2	2	0	1	0	1
(NEONATAL)	3	2	1	2	2	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	4	4	0	1	0	1
25-34	10	7	3	8	5	3	2	2	0
35-44	13	4	9	9	3	6	4	1	3
45-54	28	22	6	18	15	3	10	7	3
55-64	32	23	9	18	13	5	14	10	4
65-74	65	49	16	36	28	8	29	21	8
75-84	98	82	16	50	39	11	48	43	5
85 AND OVER	100	80	20	32	25	7	68	55	13
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	31,911
WHITE	22,041
NONWHITE	9,870

(HSWWDTCO)

COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	499	315	184	8.1	8.4	7.7
HEART DISEASES	160	102	58	260.2	271.3	242.8
MALIGNANT NEOPLASMS	110	79	31	178.9	210.2	129.8
CEREBROVASCULAR DISEASES	39	29	10	63.4	77.1	41.9
ACCIDENTS	23	9	14	37.4	23.9	58.6
EMPHYSEMA AND OTHER COPD	14	10	4	22.8	26.6	16.7
PNEUMONIA AND INFLUENZA	12	11	1	19.5	29.3	4.2
HYPERTENSION	10	2	8	16.3	5.3	33.5
DIABETES MELLITUS	9	7	2	14.6	18.6	8.4
CONDITIONS ORIG IN PERINATAL PERIOD	8	3	5	8.0	6.0	10.0
HIV INFECTION	8	1	7	13.0	2.7	29.3
SUICIDE	7	6	1	11.4	16.0	4.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	3	3	9.8	8.0	12.6
CONGENITAL ANOMALIES	5	2	3	8.1	5.3	12.6
HOMICIDE AND LEGAL INTERVENTION	5	2	3	8.1	5.3	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	2	2	6.5	5.3	8.4
ATHEROSCLEROSIS	2	1	1	3.2	2.7	4.2
TUBERCULOSIS	1	1	0	1.6	2.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	21	12	9	34.2	31.9	37.7
ALL OTHER	55	33	22	89.5	87.8	92.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	499	315	184	254	155	99	245	160	85
UNDER 1	20	8	12	13	7	6	7	1	6
(NEONATAL)	11	5	6	7	4	3	4	1	3
(POSTNEONATAL)	9	3	6	6	3	3	3	0	3
1-4	2	1	1	1	1	0	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	5	1	4	5	1	4	0	0	0
15-24	6	2	4	4	2	2	2	0	2
25-34	20	8	12	13	5	8	7	3	4
35-44	19	8	11	15	7	8	4	1	3
45-54	36	24	12	23	16	7	13	8	5
55-64	51	31	20	31	20	11	20	11	9
65-74	106	74	32	63	43	20	43	31	12
75-84	135	92	43	60	38	22	75	54	21
85 AND OVER	98	66	32	26	15	11	72	51	21
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	61,480
WHITE	37,591
NONWHITE	23,889

(HSWWDTCO)

COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	514	264	250	7.5	6.6	8.8
HEART DISEASES	187	95	92	274.3	238.1	325.4
MALIGNANT NEOPLASMS	109	63	46	159.9	157.9	162.7
ACCIDENTS	34	14	20	49.9	35.1	70.7
CEREBROVASCULAR DISEASES	28	15	13	41.1	37.6	46.0
PNEUMONIA AND INFLUENZA	19	11	8	27.9	27.6	28.3
DIABETES MELLITUS	12	3	9	17.6	7.5	31.8
EMPHYSEMA AND OTHER COPD	11	5	6	16.1	12.5	21.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	10	4	6	14.7	10.0	21.2
HOMICIDE AND LEGAL INTERVENTION	7	0	7	10.3	0.0	24.8
HIV INFECTION	6	2	4	8.8	5.0	14.1
HYPERTENSION	5	1	4	7.3	2.5	14.1
SUICIDE	3	1	2	4.4	2.5	7.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	2.9	2.5	3.5
TUBERCULOSIS	1	0	1	1.5	0.0	3.5
CONGENITAL ANOMALIES	1	1	0	1.5	2.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	0.8	1.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	1	8	13.2	2.5	28.3
ALL OTHER	69	46	23	101.2	115.3	81.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	514	264	250	268	130	138	246	134	112
UNDER 1	5	1	4	5	1	4	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	4	0	4	4	0	4	0	0	0
1-4	2	0	2	0	0	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	16	4	12	12	1	11	4	3	1
25-34	19	7	12	10	4	6	9	3	6
35-44	22	8	14	16	6	10	6	2	4
45-54	30	9	21	22	7	15	8	2	6
55-64	61	21	40	36	15	21	25	6	19
65-74	88	47	41	45	24	21	43	23	20
75-84	153	79	74	71	36	35	82	43	39
85 AND OVER	118	88	30	51	36	15	67	52	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	68,174
WHITE	39,897
NONWHITE	28,277

(HSWWDTCO)

COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	293	208	85	11.7	12.2	10.7
HEART DISEASES	98	73	25	393.0	428.8	315.8
MALIGNANT NEOPLASMS	62	45	17	248.6	264.3	214.8
CEREBROVASCULAR DISEASES	28	23	5	112.3	135.1	63.2
ACCIDENTS	13	7	6	52.1	41.1	75.8
PNEUMONIA AND INFLUENZA	9	5	4	36.1	29.4	50.5
EMPHYSEMA AND OTHER COPD	9	8	1	36.1	47.0	12.6
ATHEROSCLEROSIS	5	4	1	20.0	23.5	12.6
CONDITIONS ORIG IN PERINATAL PERIOD	5	2	3	13.0	9.3	17.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	16.0	11.7	25.3
SUICIDE	4	4	0	16.0	23.5	0.0
HOMICIDE AND LEGAL INTERVENTION	4	0	4	16.0	0.0	50.5
DIABETES MELLITUS	3	2	1	12.0	11.7	12.6
HIV INFECTION	3	2	1	12.0	11.7	12.6
CONGENITAL ANOMALIES	2	1	1	8.0	5.9	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.0	5.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	43	29	14	172.4	170.4	176.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	293	208	85	138	91	47	155	117	38
UNDER 1	5	2	3	3	2	1	2	0	2
(NEONATAL)	5	2	3	3	2	1	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	0	0	0	2	0	2
15-24	5	1	4	3	1	2	2	0	2
25-34	4	3	1	3	2	1	1	1	0
35-44	14	8	6	11	5	6	3	3	0
45-54	21	16	5	17	12	5	4	4	0
55-64	33	23	10	18	12	6	15	11	4
65-74	73	47	26	39	24	15	34	23	11
75-84	80	63	17	31	23	8	49	40	9
85 AND OVER	56	45	11	13	10	3	43	35	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	24,938
WHITE	17,023
NONWHITE	7,915

(HSWWDTCO)

COUNTY: MARSHALL

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	323	173	150	10.0	10.9	9.0
HEART DISEASES	88	52	36	271.5	328.8	216.9
MALIGNANT NEOPLASMS	71	35	36	219.0	221.3	216.9
ACCIDENTS	25	13	12	77.1	82.2	72.3
CEREBROVASCULAR DISEASES	22	10	12	67.9	63.2	72.3
EMPHYSEMA AND OTHER COPD	21	15	6	64.8	94.8	36.1
PNEUMONIA AND INFLUENZA	18	13	5	55.5	82.2	30.1
HYPERTENSION	11	6	5	33.9	37.9	30.1
HOMICIDE AND LEGAL INTERVENTION	8	3	5	24.7	19.0	30.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	1	4	15.4	6.3	24.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	12.3	6.3	18.1
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	7.3	4.1	9.8
DIABETES MELLITUS	3	1	2	9.2	6.3	12.0
ATHEROSCLEROSIS	2	2	0	6.2	12.6	0.0
SUICIDE	2	2	0	6.2	12.6	0.0
HIV INFECTION	2	1	1	6.2	6.3	6.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	9.2	6.3	12.0
ALL OTHER	34	16	18	104.9	101.2	108.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	323	173	150	169	96	73	154	77	77
UNDER 1	6	2	4	2	0	2	4	2	2
(NEONATAL)	5	2	3	2	0	2	3	2	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	10	4	6	8	4	4	2	0	2
25-34	11	5	6	9	4	5	2	1	1
35-44	23	11	12	19	9	10	4	2	2
45-54	25	15	10	11	7	4	14	8	6
55-64	47	30	17	25	15	10	22	15	7
65-74	62	36	26	37	25	12	25	11	14
75-84	76	39	37	37	21	16	39	18	21
85 AND OVER	61	30	31	19	10	9	42	20	22
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	32,413
WHITE	15,813
NONWHITE	16,600

(HSWWDTCO)

COUNTY: MONROE

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	379	278	101	10.4	11.1	8.7
HEART DISEASES	141	101	40	386.2	405.0	345.5
MALIGNANT NEOPLASMS	70	50	20	191.7	200.5	172.8
CEREBROVASCULAR DISEASES	27	23	4	73.9	92.2	34.6
ACCIDENTS	24	18	6	65.7	72.2	51.8
EMPHYSEMA AND OTHER COPD	21	19	2	57.5	76.2	17.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	15	9	6	41.1	36.1	51.8
PNEUMONIA AND INFLUENZA	11	8	3	30.1	32.1	25.9
DIABETES MELLITUS	7	4	3	19.2	16.0	25.9
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	7.1	5.9	9.0
SUICIDE	3	3	0	8.2	12.0	0.0
HOMICIDE AND LEGAL INTERVENTION	2	2	0	5.5	8.0	0.0
HYPERTENSION	1	0	1	2.7	0.0	8.6
ATHEROSCLEROSIS	1	0	1	2.7	0.0	8.6
HIV INFECTION	1	0	1	2.7	0.0	8.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	16.4	16.0	17.3
ALL OTHER	45	35	10	123.2	140.4	86.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	379	278	101	196	149	47	183	129	54
UNDER 1	7	5	2	3	3	0	4	2	2
(NEONATAL)	4	2	2	1	1	0	3	1	2
(POSTNEONATAL)	3	3	0	2	2	0	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	9	6	3	6	4	2	3	2	1
25-34	12	9	3	8	5	3	4	4	0
35-44	11	8	3	9	7	2	2	1	1
45-54	23	17	6	11	10	1	12	7	5
55-64	38	22	16	18	12	6	20	10	10
65-74	83	64	19	45	35	10	38	29	9
75-84	117	83	34	61	44	17	56	39	17
85 AND OVER	75	62	13	32	27	5	43	35	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	36,514
WHITE	24,937
NONWHITE	11,577



(HSWWDTCO)

COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	153	100	53	12.9	15.8	9.5
HEART DISEASES	50	38	12	420.8	601.6	215.6
MALIGNANT NEOPLASMS	33	25	8	277.7	395.8	143.7
CEREBROVASCULAR DISEASES	16	8	8	134.6	126.7	143.7
PNEUMONIA AND INFLUENZA	11	5	6	92.6	79.2	107.8
ACCIDENTS	6	4	2	50.5	63.3	35.9
DIABETES MELLITUS	4	3	1	33.7	47.5	18.0
EMPHYSEMA AND OTHER COPD	4	2	2	33.7	31.7	35.9
SUICIDE	3	0	3	25.2	0.0	53.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	16.8	15.8	18.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	8.4	0.0	18.0
HIV INFECTION	1	0	1	8.4	0.0	18.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	22	14	8	185.2	221.6	143.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	153	100	53	68	37	31	85	63	22
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	5	2	3	2	1	1	3	1	2
35-44	3	2	1	3	2	1	0	0	0
45-54	9	5	4	5	2	3	4	3	1
55-64	13	10	3	5	4	1	8	6	2
65-74	33	21	12	21	12	9	12	9	3
75-84	46	29	17	21	11	10	25	18	7
85 AND OVER	42	31	11	9	5	4	33	26	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,882
WHITE	6,316
NONWHITE	5,566

(HSWWDTCO)

COUNTY: NESHOPA

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	288	211	77	10.7	11.6	8.8
HEART DISEASES	83	64	19	308.2	352.0	217.1
MALIGNANT NEOPLASMS	50	37	13	185.6	203.5	148.5
CEREBROVASCULAR DISEASES	30	25	5	111.4	137.5	57.1
ACCIDENTS	26	16	10	96.5	88.0	114.3
PNEUMONIA AND INFLUENZA	12	8	4	44.6	44.0	45.7
DIABETES MELLITUS	10	5	5	37.1	27.5	57.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	3	7	37.1	16.5	80.0
EMPHYSEMA AND OTHER COPD	6	6	0	22.3	33.0	0.0
HOMICIDE AND LEGAL INTERVENTION	4	2	2	14.8	11.0	22.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	11.1	16.5	0.0
SUICIDE	3	3	0	11.1	16.5	0.0
CONGENITAL ANOMALIES	2	1	1	7.4	5.5	11.4
HIV INFECTION	2	1	1	7.4	5.5	11.4
ATHEROSCLEROSIS	1	1	0	3.7	5.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.3	0.0	4.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	14.8	11.0	22.8
ALL OTHER	41	34	7	152.2	187.0	80.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	288	211	77	136	92	44	152	119	33
UNDER 1	5	2	3	2	0	2	3	2	1
(NEONATAL)	3	2	1	1	0	1	2	2	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	9	4	5	6	2	4	3	2	1
25-34	8	6	2	5	4	1	3	2	1
35-44	15	7	8	8	5	3	7	2	5
45-54	22	14	8	17	10	7	5	4	1
55-64	28	14	14	16	7	9	12	7	5
65-74	58	44	14	30	22	8	28	22	6
75-84	70	56	14	29	22	7	41	34	7
85 AND OVER	71	64	7	21	20	1	50	44	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	26,934
WHITE	18,182
NONWHITE	8,752

(HSWWDTCO)

COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	285	196	89	13.2	13.6	12.4
HEART DISEASES	115	90	25	531.7	623.5	347.4
MALIGNANT NEOPLASMS	59	40	19	272.8	277.1	264.0
ACCIDENTS	24	11	13	111.0	76.2	180.6
CEREBROVASCULAR DISEASES	11	8	3	50.8	55.4	41.7
DIABETES MELLITUS	7	6	1	32.4	41.6	13.9
PNEUMONIA AND INFLUENZA	7	6	1	32.4	41.6	13.9
EMPHYSEMA AND OTHER COPD	7	6	1	32.4	41.6	13.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	3	4	32.4	20.8	55.6
CONGENITAL ANOMALIES	4	3	1	18.5	20.8	13.9
HOMICIDE AND LEGAL INTERVENTION	4	3	1	18.5	20.8	13.9
HYPERTENSION	2	0	2	9.2	0.0	27.8
ATHEROSCLEROSIS	2	2	0	9.2	13.8	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	9.2	0.0	27.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	6.2	12.2	0.0
SUICIDE	2	1	1	9.2	6.9	13.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	13.9	6.9	27.8
ALL OTHER	27	14	13	124.8	97.0	180.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	285	196	89	163	110	53	122	86	36
UNDER 1	6	4	2	5	3	2	1	1	0
(NEONATAL)	5	4	1	4	3	1	1	1	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	4	2	2	3	1	2	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	2	7	9	2	7	0	0	0
25-34	12	6	6	9	5	4	3	1	2
35-44	12	6	6	9	4	5	3	2	1
45-54	16	9	7	12	6	6	4	3	1
55-64	34	16	18	19	11	8	15	5	10
65-74	58	39	19	43	34	9	15	5	10
75-84	62	52	10	30	25	5	32	27	5
85 AND OVER	71	59	12	23	18	5	48	41	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	21,630
WHITE	14,434
NONWHITE	7,196

(HSWWDTCO)

COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	152	66	86	12.5	20.4	9.7
HEART DISEASES	56	28	28	461.5	864.2	314.8
MALIGNANT NEOPLASMS	33	15	18	272.0	463.0	202.4
CEREBROVASCULAR DISEASES	10	3	7	82.4	92.6	78.7
ACCIDENTS	8	4	4	65.9	123.4	45.0
DIABETES MELLITUS	4	1	3	33.0	30.9	33.7
EMPHYSEMA AND OTHER COPD	4	1	3	33.0	30.9	33.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	24.7	30.9	22.5
PNEUMONIA AND INFLUENZA	2	1	1	16.5	30.9	11.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	16.5	30.9	11.2
CONGENITAL ANOMALIES	2	0	2	16.5	0.0	22.5
HYPERTENSION	1	0	1	8.2	0.0	11.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.7	0.0	6.1
SUICIDE	1	1	0	8.2	30.9	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.2	0.0	11.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	16.5	0.0	22.5
ALL OTHER	22	10	12	181.3	308.6	134.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	152	66	86	89	43	46	63	23	40
UNDER 1	4	0	4	2	0	2	2	0	2
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	3	1	2	2	1	1	1	0	1
25-34	4	1	3	3	1	2	1	0	1
35-44	8	1	7	5	1	4	3	0	3
45-54	7	4	3	5	2	3	2	2	0
55-64	19	7	12	11	4	7	8	3	5
65-74	21	9	12	14	7	7	7	2	5
75-84	50	21	29	28	15	13	22	6	16
85 AND OVER	33	20	13	18	11	7	15	9	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,134
WHITE	3,240
NONWHITE	8,894

(HSWWDTCO)

COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	290	164	126	7.4	6.8	8.4
HEART DISEASES	68	36	32	174.4	149.9	213.6
MALIGNANT NEOPLASMS	46	26	20	118.0	108.3	133.5
HYPERTENSION	34	15	19	87.2	62.5	126.8
CEREBROVASCULAR DISEASES	26	13	13	66.7	54.1	86.8
EMPHYSEMA AND OTHER COPD	17	16	1	43.6	66.6	6.7
DIABETES MELLITUS	15	8	7	38.5	33.3	46.7
ACCIDENTS	13	9	4	33.3	37.5	26.7
PNEUMONIA AND INFLUENZA	9	5	4	23.1	20.8	26.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	7.7	4.2	13.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	7.7	4.2	13.4
CONGENITAL ANOMALIES	3	0	3	7.7	0.0	20.0
SUICIDE	3	2	1	7.7	8.3	6.7
HOMICIDE AND LEGAL INTERVENTION	3	0	3	7.7	0.0	20.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.1	4.2	4.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	5.1	8.3	0.0
ALL OTHER	43	29	14	110.3	120.8	93.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	290	164	126	140	76	64	150	88	62
UNDER 1	6	1	5	3	0	3	3	1	2
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	8	4	4	5	2	3	3	2	1
25-34	6	5	1	6	5	1	0	0	0
35-44	5	1	4	3	1	2	2	0	2
45-54	24	8	16	20	6	14	4	2	2
55-64	44	23	21	21	10	11	23	13	10
65-74	55	28	27	23	15	8	32	13	19
75-84	67	43	24	32	19	13	35	24	11
85 AND OVER	74	51	23	26	18	8	48	33	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	38,994
WHITE	24,015
NONWHITE	14,979

(HSWWDTCO)

COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	350	214	136	10.4	12.2	8.4
HEART DISEASES	111	69	42	329.0	393.2	259.4
MALIGNANT NEOPLASMS	81	52	29	240.1	296.3	179.1
CEREBROVASCULAR DISEASES	32	24	8	94.8	136.8	49.4
ACCIDENTS	20	7	13	59.3	39.9	80.3
PNEUMONIA AND INFLUENZA	16	11	5	47.4	62.7	30.9
EMPHYSEMA AND OTHER COPD	13	10	3	38.5	57.0	18.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	4	5	26.7	22.8	30.9
HOMICIDE AND LEGAL INTERVENTION	9	3	6	26.7	17.1	37.0
CONDITIONS ORIG IN PERINATAL PERIOD	5	2	3	9.1	8.8	9.2
DIABETES MELLITUS	4	2	2	11.8	11.4	12.4
SUICIDE	4	3	1	11.8	17.1	6.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	8.9	17.1	0.0
CONGENITAL ANOMALIES	3	0	3	8.9	0.0	18.5
HYPERTENSION	2	0	2	5.9	0.0	12.4
ATHEROSCLEROSIS	1	1	0	3.0	5.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	8.9	17.1	0.0
ALL OTHER	34	20	14	100.8	114.0	86.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	350	214	136	194	115	79	156	99	57
UNDER 1	9	4	5	4	2	2	5	2	3
(NEONATAL)	7	2	5	4	2	2	3	0	3
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	11	4	7	9	2	7	2	2	0
25-34	8	5	3	6	3	3	2	2	0
35-44	14	2	12	8	2	6	6	0	6
45-54	25	14	11	17	10	7	8	4	4
55-64	48	30	18	27	18	9	21	12	9
65-74	54	35	19	32	21	11	22	14	8
75-84	98	64	34	58	37	21	40	27	13
85 AND OVER	83	56	27	33	20	13	50	36	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	33,738
WHITE	17,547
NONWHITE	16,191

(HSWWDTCO)

COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	420	358	62	10.0	10.2	9.3
HEART DISEASES	149	128	21	355.9	363.6	314.9
MALIGNANT NEOPLASMS	99	85	14	236.5	241.5	210.0
ACCIDENTS	26	22	4	62.1	62.5	60.0
EMPHYSEMA AND OTHER COPD	21	20	1	50.2	56.8	15.0
CEREBROVASCULAR DISEASES	18	16	2	43.0	45.4	30.0
DIABETES MELLITUS	16	13	3	38.2	36.9	45.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	10	9	1	23.9	25.6	15.0
SUICIDE	5	5	0	11.9	14.2	0.0
PNEUMONIA AND INFLUENZA	4	4	0	9.6	11.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	9.6	11.4	0.0
CONGENITAL ANOMALIES	4	4	0	9.6	11.4	0.0
HOMICIDE AND LEGAL INTERVENTION	3	3	0	7.2	8.5	0.0
HIV INFECTION	3	1	2	7.2	2.8	30.0
HYPERTENSION	1	1	0	2.4	2.8	0.0
ATHEROSCLEROSIS	1	1	0	2.4	2.8	0.0
INFECTIONS OF KIDNEY	1	1	0	2.4	2.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.6	1.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	4.8	0.0	30.0
ALL OTHER	52	40	12	124.2	113.6	180.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	420	358	62	237	202	35	183	156	27
UNDER 1	4	3	1	3	3	0	1	0	1
(NEONATAL)	3	2	1	2	2	0	1	0	1
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	12	11	1	10	9	1	2	2	0
25-34	7	6	1	4	3	1	3	3	0
35-44	23	17	6	19	14	5	4	3	1
45-54	23	21	2	20	18	2	3	3	0
55-64	58	48	10	30	23	7	28	25	3
65-74	106	91	15	63	55	8	43	36	7
75-84	114	97	17	66	58	8	48	39	9
85 AND OVER	72	63	9	22	19	3	50	44	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	41,866
WHITE	35,198
NONWHITE	6,668

(HSWWDTCO)

COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	119	95	24	10.5	11.0	8.9
HEART DISEASES	50	37	13	441.6	429.5	480.4
MALIGNANT NEOPLASMS	23	17	6	203.2	197.3	221.7
CEREBROVASCULAR DISEASES	8	8	0	70.7	92.9	0.0
PNEUMONIA AND INFLUENZA	8	8	0	70.7	92.9	0.0
ACCIDENTS	7	6	1	61.8	69.6	37.0
EMPHYSEMA AND OTHER COPD	6	5	1	53.0	58.0	37.0
DIABETES MELLITUS	2	2	0	17.7	23.2	0.0
HOMICIDE AND LEGAL INTERVENTION	2	2	0	17.7	23.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.8	11.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	44.2	46.4	37.0
ALL OTHER	7	5	2	61.8	58.0	73.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	119	95	24	64	52	12	55	43	12
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	5	2	3	4	2	2	1	0	1
45-54	10	6	4	7	4	3	3	2	1
55-64	23	21	2	17	17	0	6	4	2
65-74	24	15	9	9	6	3	15	9	6
75-84	25	23	2	13	12	1	12	11	1
85 AND OVER	27	24	3	11	9	2	16	15	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	11,321
WHITE	8,615
NONWHITE	2,706



(HSWWDTCO)

COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	429	266	163	11.5	13.6	9.2
HEART DISEASES	177	107	70	474.3	546.9	394.2
MALIGNANT NEOPLASMS	92	60	32	246.5	306.7	180.2
CEREBROVASCULAR DISEASES	31	19	12	83.1	97.1	67.6
ACCIDENTS	18	11	7	48.2	56.2	39.4
EMPHYSEMA AND OTHER COPD	15	14	1	40.2	71.6	5.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	11	5	6	29.5	25.6	33.8
DIABETES MELLITUS	6	5	1	16.1	25.6	5.6
SUICIDE	5	4	1	13.4	20.4	5.6
HOMICIDE AND LEGAL INTERVENTION	4	1	3	10.7	5.1	16.9
PNEUMONIA AND INFLUENZA	3	3	0	8.0	15.3	0.0
HIV INFECTION	3	0	3	8.0	0.0	16.9
INFECTIONS OF KIDNEY	2	2	0	5.4	10.2	0.0
TUBERCULOSIS	1	1	0	2.7	5.1	0.0
ATHEROSCLEROSIS	1	0	1	2.7	0.0	5.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	2.7	0.0	5.6
MATERNAL CAUSES	1	0	1	167.5	0.0	268.8
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.7	0.0	2.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	2.7	0.0	5.6
ALL OTHER	56	34	22	150.0	173.8	123.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	429	266	163	229	150	79	200	116	84
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	2	0	2	1	0	1	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	3	2	1	2	2	0	1	0	1
15-24	6	4	2	4	3	1	2	1	1
25-34	6	1	5	5	1	4	1	0	1
35-44	15	4	11	10	4	6	5	0	5
45-54	20	8	12	12	5	7	8	3	5
55-64	58	37	21	35	25	10	23	12	11
65-74	91	59	32	58	39	19	33	20	13
75-84	126	82	44	62	43	19	64	39	25
85 AND OVER	98	67	31	38	27	11	60	40	20
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	37,321
WHITE	19,565
NONWHITE	17,756

(HSWWDTCO)

COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	231	207	24	9.2	9.9	5.9
HEART DISEASES	68	60	8	271.8	286.1	197.6
MALIGNANT NEOPLASMS	59	57	2	235.8	271.8	49.4
ACCIDENTS	18	15	3	71.9	71.5	74.1
PNEUMONIA AND INFLUENZA	16	14	2	63.9	66.8	49.4
EMPHYSEMA AND OTHER COPD	11	11	0	44.0	52.4	0.0
CEREBROVASCULAR DISEASES	9	7	2	36.0	33.4	49.4
SUICIDE	6	6	0	24.0	28.6	0.0
DIABETES MELLITUS	5	5	0	20.0	23.8	0.0
ATHEROSCLEROSIS	3	3	0	12.0	14.3	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	12.0	9.5	24.7
HOMICIDE AND LEGAL INTERVENTION	3	2	1	12.0	9.5	24.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	8.0	9.5	0.0
TUBERCULOSIS	1	1	0	4.0	4.8	0.0
HYPERTENSION	1	1	0	4.0	4.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.7	0.0	15.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	8.0	4.8	24.7
ALL OTHER	23	20	3	91.9	95.4	74.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	231	207	24	117	102	15	114	105	9
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	5	2	3	2	1	4	3	1
25-34	6	5	1	5	4	1	1	1	0
35-44	8	5	3	7	4	3	1	1	0
45-54	14	12	2	7	5	2	7	7	0
55-64	27	24	3	17	16	1	10	8	2
65-74	53	49	4	32	30	2	21	19	2
75-84	62	57	5	29	26	3	33	31	2
85 AND OVER	51	50	1	15	15	0	36	35	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 25,020  
 WHITE 20,971  
 NONWHITE 4,049

(HSWWDTCO)

COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	226	205	21	9.6	10.0	7.1
HEART DISEASES	70	61	9	297.1	296.2	303.2
MALIGNANT NEOPLASMS	44	41	3	186.7	199.1	101.1
ACCIDENTS	20	17	3	84.9	82.6	101.1
EMPHYSEMA AND OTHER COPD	16	16	0	67.9	77.7	0.0
CEREBROVASCULAR DISEASES	11	10	1	46.7	48.6	33.7
PNEUMONIA AND INFLUENZA	8	7	1	34.0	34.0	33.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	6	0	25.5	29.1	0.0
DIABETES MELLITUS	4	3	1	17.0	14.6	33.7
HOMICIDE AND LEGAL INTERVENTION	4	3	1	17.0	14.6	33.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	12.7	14.6	0.0
CONGENITAL ANOMALIES	3	3	0	12.7	14.6	0.0
SUICIDE	2	2	0	8.5	9.7	0.0
HYPERTENSION	1	1	0	4.2	4.8	0.0
HIV INFECTION	1	1	0	4.2	4.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	9	1	42.4	43.7	33.7
ALL OTHER	23	22	1	97.6	106.8	33.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	226	205	21	119	110	9	107	95	12
UNDER 1	3	3	0	1	1	0	2	2	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	9	1	7	6	1	3	3	0
25-34	7	5	2	4	2	2	3	3	0
35-44	6	5	1	2	1	1	4	4	0
45-54	19	13	6	12	10	2	7	3	4
55-64	20	17	3	10	9	1	10	8	2
65-74	46	44	2	29	28	1	17	16	1
75-84	63	60	3	28	28	0	35	32	3
85 AND OVER	52	49	3	26	25	1	26	24	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	23,561
WHITE	20,593
NONWHITE	2,968

(HSWWDTCO)

COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	121	64	57	12.8	19.6	9.2
HEART DISEASES	37	22	15	390.7	673.8	241.7
MALIGNANT NEOPLASMS	26	15	11	274.6	459.4	177.3
ACCIDENTS	11	5	6	116.2	153.1	96.7
CEREBROVASCULAR DISEASES	9	1	8	95.0	30.6	128.9
PNEUMONIA AND INFLUENZA	7	3	4	73.9	91.9	64.5
EMPHYSEMA AND OTHER COPD	5	3	2	52.8	91.9	32.2
DIABETES MELLITUS	3	2	1	31.7	61.2	16.1
HYPERTENSION	2	0	2	21.1	0.0	32.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	21.1	30.6	16.1
HOMICIDE AND LEGAL INTERVENTION	2	1	1	21.1	30.6	16.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	10.6	30.6	0.0
INFECTIONS OF KIDNEY	1	0	1	10.6	0.0	16.1
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.3	0.0	6.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	21.1	30.6	16.1
ALL OTHER	12	9	3	126.7	275.6	48.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	121	64	57	69	33	36	52	31	21
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	7	2	5	2	0	2	5	2	3
35-44	6	3	3	5	2	3	1	1	0
45-54	7	4	3	4	2	2	3	2	1
55-64	15	7	8	6	3	3	9	4	5
65-74	21	12	9	14	8	6	7	4	3
75-84	38	23	15	20	9	11	18	14	4
85 AND OVER	22	12	10	13	8	5	9	4	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	9,470
WHITE	3,265
NONWHITE	6,205

(HSWWDTCO)

COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	756	612	144	7.3	7.2	7.7
HEART DISEASES	282	230	52	273.3	272.3	278.0
MALIGNANT NEOPLASMS	157	134	23	152.2	158.6	122.9
ACCIDENTS	47	42	5	45.6	49.7	26.7
PNEUMONIA AND INFLUENZA	36	30	6	34.9	35.5	32.1
CEREBROVASCULAR DISEASES	31	21	10	30.0	24.9	53.4
EMPHYSEMA AND OTHER COPD	21	19	2	20.4	22.5	10.7
SUICIDE	16	15	1	15.5	17.8	5.3
HOMICIDE AND LEGAL INTERVENTION	14	9	5	13.6	10.6	26.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	12	8	4	11.6	9.5	21.4
DIABETES MELLITUS	8	6	2	7.8	7.1	10.7
HYPERTENSION	8	6	2	7.8	7.1	10.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	5	2	6.8	5.9	10.7
CONDITIONS ORIG IN PERINATAL PERIOD	6	3	3	4.1	2.6	10.3
CONGENITAL ANOMALIES	5	3	2	4.8	3.6	10.7
HIV INFECTION	4	1	3	3.9	1.2	16.0
ATHEROSCLEROSIS	2	2	0	1.9	2.4	0.0
INFECTIONS OF KIDNEY	1	1	0	1.0	1.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	5.8	4.7	10.7
ALL OTHER	93	73	20	90.1	86.4	106.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	756	612	144	401	326	75	355	286	69
UNDER 1	15	8	7	9	4	5	6	4	2
(NEONATAL)	8	4	4	5	2	3	3	2	1
(POSTNEONATAL)	7	4	3	4	2	2	3	2	1
1-4	1	0	1	1	0	1	0	0	0
5-9	2	2	0	0	0	0	2	2	0
10-14	3	2	1	1	1	0	2	1	1
15-24	16	15	1	14	13	1	2	2	0
25-34	28	18	10	19	13	6	9	5	4
35-44	46	33	13	27	20	7	19	13	6
45-54	71	52	19	39	25	14	32	27	5
55-64	107	92	15	73	64	9	34	28	6
65-74	162	144	18	96	86	10	66	58	8
75-84	175	143	32	82	72	10	93	71	22
85 AND OVER	130	103	27	40	28	12	90	75	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	103,176
WHITE	84,469
NONWHITE	18,707

(HSWWDTCO)

COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	266	171	95	11.0	11.7	9.8
HEART DISEASES	96	65	31	395.5	444.8	320.8
MALIGNANT NEOPLASMS	53	37	16	218.3	253.2	165.6
ACCIDENTS	26	15	11	107.1	102.6	113.8
CEREBROVASCULAR DISEASES	16	11	5	65.9	75.3	51.7
PNEUMONIA AND INFLUENZA	13	6	7	53.6	41.1	72.4
EMPHYSEMA AND OTHER COPD	12	7	5	49.4	47.9	51.7
HOMICIDE AND LEGAL INTERVENTION	6	2	4	24.7	13.7	41.4
CONGENITAL ANOMALIES	4	2	2	16.5	13.7	20.7
DIABETES MELLITUS	3	2	1	12.4	13.7	10.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	8.2	6.8	10.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	8.2	13.7	0.0
SUICIDE	2	2	0	8.2	13.7	0.0
HYPERTENSION	1	1	0	4.1	6.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.2	0.0	4.8
HIV INFECTION	1	0	1	4.1	0.0	10.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	8.2	6.8	10.3
ALL OTHER	26	17	9	107.1	116.3	93.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	266	171	95	135	83	52	131	88	43
UNDER 1	8	5	3	4	1	3	4	4	0
(NEONATAL)	4	2	2	3	1	2	1	1	0
(POSTNEONATAL)	4	3	1	1	0	1	3	3	0
1-4	3	1	2	1	0	1	2	1	1
5-9	3	2	1	1	0	1	2	2	0
10-14	2	1	1	1	0	1	1	1	0
15-24	8	5	3	7	4	3	1	1	0
25-34	6	1	5	5	1	4	1	0	1
35-44	15	7	8	12	7	5	3	0	3
45-54	19	8	11	10	4	6	9	4	5
55-64	29	18	11	15	9	6	14	9	5
65-74	53	34	19	29	20	9	24	14	10
75-84	72	52	20	33	24	9	39	28	11
85 AND OVER	48	37	11	17	13	4	31	24	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	24,275
WHITE	14,612
NONWHITE	9,663

(HSWWDTCO)

COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	81	28	53	11.8	14.2	10.8
MALIGNANT NEOPLASMS	25	8	17	363.6	406.7	346.4
HEART DISEASES	25	5	20	363.6	254.2	407.5
CEREBROVASCULAR DISEASES	5	2	3	72.7	101.7	61.1
PNEUMONIA AND INFLUENZA	3	1	2	43.6	50.8	40.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	0	3	43.6	0.0	61.1
ACCIDENTS	3	2	1	43.6	101.7	20.4
EMPHYSEMA AND OTHER COPD	2	2	0	29.1	101.7	0.0
CONGENITAL ANOMALIES	2	2	0	29.1	101.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	14.5	50.8	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	14.5	0.0	20.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	14.5	0.0	20.4
ALL OTHER	10	5	5	145.4	254.2	101.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	81	28	53	38	13	25	43	15	28
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	5	0	5	2	0	2	3	0	3
45-54	7	0	7	5	0	5	2	0	2
55-64	11	5	6	5	2	3	6	3	3
65-74	14	3	11	7	0	7	7	3	4
75-84	19	8	11	8	5	3	11	3	8
85 AND OVER	19	10	9	7	4	3	12	6	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 6,875  
 WHITE 1,967  
 NONWHITE 4,908

(HSWWDTCO)

COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	270	183	87	11.3	11.6	10.7
HEART DISEASES	85	65	20	355.1	410.8	246.5
MALIGNANT NEOPLASMS	49	26	23	204.7	164.3	283.5
CEREBROVASCULAR DISEASES	29	16	13	121.2	101.1	160.2
EMPHYSEMA AND OTHER COPD	15	15	0	62.7	94.8	0.0
PNEUMONIA AND INFLUENZA	9	6	3	37.6	37.9	37.0
DIABETES MELLITUS	8	5	3	33.4	31.6	37.0
ATHEROSCLEROSIS	8	5	3	33.4	31.6	37.0
ACCIDENTS	8	1	7	33.4	6.3	86.3
HOMICIDE AND LEGAL INTERVENTION	5	5	0	20.9	31.6	0.0
HYPERTENSION	4	2	2	16.7	12.6	24.6
SUICIDE	4	4	0	16.7	25.3	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	12.5	6.3	24.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	8.4	12.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.5	0.0	13.5
HIV INFECTION	1	1	0	4.2	6.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	38	29	9	158.8	183.3	110.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	270	183	87	147	98	49	123	85	38
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	3	1	2	2	1	1	1	0	1
5-9	2	1	1	2	1	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	6	4	2	4	3	1	2	1	1
35-44	11	6	5	6	3	3	5	3	2
45-54	17	10	7	9	6	3	8	4	4
55-64	31	23	8	22	16	6	9	7	2
65-74	50	33	17	34	22	12	16	11	5
75-84	76	52	24	41	28	13	35	24	11
85 AND OVER	69	50	19	22	15	7	47	35	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	23,936
WHITE	15,824
NONWHITE	8,112



(HSWWDTCO)

COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	182	149	33	12.3	13.1	9.6
HEART DISEASES	57	46	11	384.8	404.2	320.3
MALIGNANT NEOPLASMS	44	33	11	297.0	290.0	320.3
CEREBROVASCULAR DISEASES	9	9	0	60.8	79.1	0.0
EMPHYSEMA AND OTHER COPD	9	9	0	60.8	79.1	0.0
ACCIDENTS	9	8	1	60.8	70.3	29.1
DIABETES MELLITUS	7	2	5	47.2	17.6	145.6
HYPERTENSION	2	2	0	13.5	17.6	0.0
ATHEROSCLEROSIS	2	2	0	13.5	17.6	0.0
PNEUMONIA AND INFLUENZA	2	2	0	13.5	17.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	13.5	8.8	29.1
SUICIDE	2	2	0	13.5	17.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.8	8.8	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	6.8	0.0	29.1
HIV INFECTION	1	1	0	6.8	8.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	13.5	17.6	0.0
ALL OTHER	32	29	3	216.0	254.8	87.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	182	149	33	111	92	19	71	57	14
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	6	4	2	6	4	2	0	0	0
45-54	11	5	6	6	4	2	5	1	4
55-64	21	16	5	15	11	4	6	5	1
65-74	38	35	3	26	24	2	12	11	1
75-84	58	50	8	33	28	5	25	22	3
85 AND OVER	42	34	8	20	16	4	22	18	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,813
WHITE	11,379
NONWHITE	3,434

(HSWWDTCO)

COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	129	103	26	10.5	10.9	9.2
HEART DISEASES	49	46	3	397.8	485.3	105.7
MALIGNANT NEOPLASMS	27	18	9	219.2	189.9	317.0
ACCIDENTS	11	7	4	89.3	73.8	140.9
EMPHYSEMA AND OTHER COPD	7	5	2	56.8	52.7	70.4
PNEUMONIA AND INFLUENZA	6	5	1	48.7	52.7	35.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	3	1	32.5	31.6	35.2
CEREBROVASCULAR DISEASES	3	3	0	24.4	31.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	11.2	7.6	21.7
DIABETES MELLITUS	1	1	0	8.1	10.6	0.0
HYPERTENSION	1	0	1	8.1	0.0	35.2
CONGENITAL ANOMALIES	1	1	0	8.1	10.6	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.1	0.0	35.2
HIV INFECTION	1	1	0	8.1	10.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	15	12	3	121.8	126.6	105.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	129	103	26	77	63	14	52	40	12
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	5	4	1	3	3	0	2	1	1
35-44	9	4	5	6	3	3	3	1	2
45-54	11	7	4	9	6	3	2	1	1
55-64	22	18	4	12	12	0	10	6	4
65-74	24	21	3	14	12	2	10	9	1
75-84	31	26	5	19	16	3	12	10	2
85 AND OVER	21	20	1	11	10	1	10	10	0
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,318
WHITE	9,479
NONWHITE	2,839

(HSWWDTCO)

COUNTY: SUNFLOWER

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	314	128	186	8.9	11.2	7.8
HEART DISEASES	147	58	89	415.9	507.1	372.3
MALIGNANT NEOPLASMS	64	29	35	181.1	253.6	146.4
CEREBROVASCULAR DISEASES	24	7	17	67.9	61.2	71.1
ACCIDENTS	14	5	9	39.6	43.7	37.6
DIABETES MELLITUS	8	5	3	22.6	43.7	12.5
EMPHYSEMA AND OTHER COPD	7	4	3	19.8	35.0	12.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	11.3	8.7	12.5
HOMICIDE AND LEGAL INTERVENTION	4	0	4	11.3	0.0	16.7
PNEUMONIA AND INFLUENZA	3	1	2	8.5	8.7	8.4
HIV INFECTION	3	1	2	8.5	8.7	8.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.6	8.7	4.2
SUICIDE	2	1	1	5.6	8.7	4.2
HYPERTENSION	1	0	1	2.8	0.0	4.2
ATHEROSCLEROSIS	1	0	1	2.8	0.0	4.2
CONGENITAL ANOMALIES	1	0	1	2.8	0.0	4.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	2.8	0.0	4.2
ALL OTHER	28	15	13	79.2	131.2	54.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	314	128	186	169	63	106	145	65	80
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	2	2	0	2	2	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	7	0	7	6	0	6	1	0	1
25-34	14	4	10	9	4	5	5	0	5
35-44	13	4	9	8	3	5	5	1	4
45-54	24	9	15	16	5	11	8	4	4
55-64	35	12	23	26	10	16	9	2	7
65-74	74	34	40	46	23	23	28	11	17
75-84	75	36	39	31	13	18	44	23	21
85 AND OVER	66	27	39	23	3	20	43	24	19
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	35,345
WHITE	11,437
NONWHITE	23,908

(HSWWDTCO)

COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	172	78	94	12.2	15.5	10.4
HEART DISEASES	55	34	21	390.4	674.5	232.1
MALIGNANT NEOPLASMS	37	16	21	262.6	317.4	232.1
CEREBROVASCULAR DISEASES	13	5	8	92.3	99.2	88.4
ACCIDENTS	13	2	11	92.3	39.7	121.6
DIABETES MELLITUS	7	1	6	49.7	19.8	66.3
EMPHYSEMA AND OTHER COPD	6	4	2	42.6	79.3	22.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	2	4	42.6	39.7	44.2
HOMICIDE AND LEGAL INTERVENTION	5	1	4	35.5	19.8	44.2
PNEUMONIA AND INFLUENZA	3	1	2	21.3	19.8	22.1
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	12.4	0.0	18.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.1	19.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.1	0.0	11.0
ALL OTHER	22	11	11	156.2	218.2	121.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	172	78	94	90	44	46	82	34	48
UNDER 1	5	0	5	2	0	2	3	0	3
(NEONATAL)	5	0	5	2	0	2	3	0	3
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	1	2	1	1	0	2	0	2
25-34	4	1	3	4	1	3	0	0	0
35-44	11	2	9	7	2	5	4	0	4
45-54	18	4	14	8	3	5	10	1	9
55-64	16	11	5	10	8	2	6	3	3
65-74	28	13	15	14	8	6	14	5	9
75-84	41	21	20	27	14	13	14	7	7
85 AND OVER	44	25	19	15	7	8	29	18	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,087
WHITE	5,041
NONWHITE	9,046

(HSWWDTCO)

COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	195	133	62	8.7	9.3	7.7
HEART DISEASES	69	48	21	308.7	334.7	262.2
MALIGNANT NEOPLASMS	39	27	12	174.5	188.2	149.8
CEREBROVASCULAR DISEASES	14	11	3	62.6	76.7	37.4
EMPHYSEMA AND OTHER COPD	12	10	2	53.7	69.7	25.0
ACCIDENTS	12	8	4	53.7	55.8	49.9
PNEUMONIA AND INFLUENZA	7	4	3	31.3	27.9	37.4
HYPERTENSION	2	0	2	8.9	0.0	25.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	8.9	13.9	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	8.9	13.9	0.0
SUICIDE	2	1	1	8.9	7.0	12.5
HIV INFECTION	2	1	1	8.9	7.0	12.5
DIABETES MELLITUS	1	1	0	4.5	7.0	0.0
ATHEROSCLEROSIS	1	1	0	4.5	7.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.8	0.0	6.7
HOMICIDE AND LEGAL INTERVENTION	1	1	0	4.5	7.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.5	7.0	0.0
ALL OTHER	27	15	12	120.8	104.6	149.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	195	133	62	108	74	34	87	59	28
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	6	3	3	4	2	2	2	1	1
35-44	10	5	5	6	3	3	4	2	2
45-54	20	13	7	12	8	4	8	5	3
55-64	29	19	10	22	16	6	7	3	4
65-74	37	28	9	28	21	7	9	7	2
75-84	45	33	12	21	15	6	24	18	6
85 AND OVER	46	31	15	14	9	5	32	22	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	22,352
WHITE	14,342
NONWHITE	8,010

(HSWWDTCO)

COUNTY: TIPPAAH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAAH COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	230	192	38	11.7	11.8	11.1
HEART DISEASES	83	76	7	423.1	469.1	205.1
MALIGNANT NEOPLASMS	53	44	9	270.2	271.6	263.7
CEREBROVASCULAR DISEASES	15	10	5	76.5	61.7	146.5
EMPHYSEMA AND OTHER COPD	14	11	3	71.4	67.9	87.9
ACCIDENTS	11	10	1	56.1	61.7	29.3
DIABETES MELLITUS	7	5	2	35.7	30.9	58.6
PNEUMONIA AND INFLUENZA	5	4	1	25.5	24.7	29.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	15.3	12.3	29.3
HOMICIDE AND LEGAL INTERVENTION	3	1	2	15.3	6.2	58.6
HYPERTENSION	1	0	1	5.1	0.0	29.3
ATHEROSCLEROSIS	1	0	1	5.1	0.0	29.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.1	6.2	0.0
CONGENITAL ANOMALIES	1	1	0	5.1	6.2	0.0
HIV INFECTION	1	1	0	5.1	6.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	30.6	24.7	58.6
ALL OTHER	25	22	3	127.4	135.8	87.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	230	192	38	129	106	23	101	86	15
UNDER 1	3	2	1	1	0	1	2	2	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	1	0	1	0	1
15-24	2	2	0	1	1	0	1	1	0
25-34	6	3	3	4	3	1	2	0	2
35-44	3	3	0	0	0	0	3	3	0
45-54	15	12	3	10	7	3	5	5	0
55-64	24	20	4	18	16	2	6	4	2
65-74	48	41	7	30	26	4	18	15	3
75-84	73	60	13	41	33	8	32	27	5
85 AND OVER	54	48	6	23	19	4	31	29	2
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,615
WHITE	16,202
NONWHITE	3,413

(HSWWDTCO)

COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	246	242	4	13.9	14.3	5.7
HEART DISEASES	89	88	1	503.8	518.7	142.4
MALIGNANT NEOPLASMS	61	60	1	345.3	353.7	142.4
ACCIDENTS	22	22	0	124.5	129.7	0.0
CEREBROVASCULAR DISEASES	16	14	2	90.6	82.5	284.9
EMPHYSEMA AND OTHER COPD	10	10	0	56.6	58.9	0.0
PNEUMONIA AND INFLUENZA	8	8	0	45.3	47.2	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	7	0	39.6	41.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	17.0	17.7	0.0
DIABETES MELLITUS	2	2	0	11.3	11.8	0.0
SUICIDE	2	2	0	11.3	11.8	0.0
HYPERTENSION	1	1	0	5.7	5.9	0.0
ATHEROSCLEROSIS	1	1	0	5.7	5.9	0.0
CONGENITAL ANOMALIES	1	1	0	5.7	5.9	0.0
HOMICIDE AND LEGAL INTERVENTION	1	1	0	5.7	5.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.7	5.9	0.0
ALL OTHER	21	21	0	118.9	123.8	0.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	246	242	4	134	131	3	112	111	1
UNDER 1	3	3	0	3	3	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	2	2	0	2	2	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	1	1	0	2	2	0
25-34	9	9	0	7	7	0	2	2	0
35-44	8	8	0	5	5	0	3	3	0
45-54	13	13	0	8	8	0	5	5	0
55-64	22	22	0	14	14	0	8	8	0
65-74	57	55	2	36	34	2	21	21	0
75-84	77	76	1	40	39	1	37	37	0
85 AND OVER	51	50	1	18	18	0	33	32	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	17,666
WHITE	16,964
NONWHITE	702

(HSWWDTCO)

COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	101	34	67	11.1	14.3	10.0
HEART DISEASES	45	14	31	496.5	590.0	463.4
MALIGNANT NEOPLASMS	18	8	10	198.6	337.1	149.5
ACCIDENTS	10	6	4	110.3	252.8	59.8
CEREBROVASCULAR DISEASES	6	1	5	66.2	42.1	74.7
HYPERTENSION	4	0	4	44.1	0.0	59.8
EMPHYSEMA AND OTHER COPD	4	1	3	44.1	42.1	44.8
HOMICIDE AND LEGAL INTERVENTION	3	0	3	33.1	0.0	44.8
DIABETES MELLITUS	1	1	0	11.0	42.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	11.0	42.1	0.0
CONGENITAL ANOMALIES	1	0	1	11.0	0.0	14.9
SUICIDE	1	1	0	11.0	42.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER	7	1	6	77.2	42.1	89.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	101	34	67	59	18	41	42	16	26
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	2	2	4	2	2	0	0	0
35-44	7	3	4	4	2	2	3	1	2
45-54	11	4	7	9	4	5	2	0	2
55-64	7	2	5	4	1	3	3	1	2
65-74	24	9	15	10	4	6	14	5	9
75-84	24	8	16	15	4	11	9	4	5
85 AND OVER	18	6	12	7	1	6	11	5	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL 9,063  
 WHITE 2,373  
 NONWHITE 6,690



(HSWWDTCO)

COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	245	220	25	10.4	11.1	6.8
HEART DISEASES	95	83	12	405.5	420.2	326.2
MALIGNANT NEOPLASMS	43	41	2	183.5	207.6	54.4
ACCIDENTS	20	19	1	85.4	96.2	27.2
CEREBROVASCULAR DISEASES	19	16	3	81.1	81.0	81.5
PNEUMONIA AND INFLUENZA	18	16	2	76.8	81.0	54.4
EMPHYSEMA AND OTHER COPD	14	14	0	59.8	70.9	0.0
DIABETES MELLITUS	5	4	1	21.3	20.2	27.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	4	0	17.1	20.2	0.0
ATHEROSCLEROSIS	2	2	0	8.5	10.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	8.5	10.1	0.0
CONGENITAL ANOMALIES	2	2	0	8.5	10.1	0.0
HOMICIDE AND LEGAL INTERVENTION	2	2	0	8.5	10.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.1	4.1	0.0
SUICIDE	1	1	0	4.3	5.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	12.8	10.1	27.2
ALL OTHER	14	11	3	59.8	55.7	81.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	245	220	25	119	108	11	126	112	14
UNDER 1	5	4	1	3	2	1	2	2	0
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	3	2	1	2	1	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	2	2	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	7	7	0	4	4	0	3	3	0
25-34	8	6	2	4	3	1	4	3	1
35-44	3	3	0	2	2	0	1	1	0
45-54	5	4	1	5	4	1	0	0	0
55-64	33	31	2	19	17	2	14	14	0
65-74	57	53	4	34	33	1	23	20	3
75-84	58	47	11	26	22	4	32	25	7
85 AND OVER	66	62	4	20	19	1	46	43	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	23,429
WHITE	19,750
NONWHITE	3,679

(HSWWDTCO)

COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	184	104	80	13.0	13.3	12.7
HEART DISEASES	72	43	29	510.8	550.8	461.3
MALIGNANT NEOPLASMS	35	18	17	248.3	230.6	270.4
ACCIDENTS	15	8	7	106.4	102.5	111.3
CEREBROVASCULAR DISEASES	12	4	8	85.1	51.2	127.2
EMPHYSEMA AND OTHER COPD	7	3	4	49.7	38.4	63.6
DIABETES MELLITUS	5	3	2	35.5	38.4	31.8
SUICIDE	5	5	0	35.5	64.0	0.0
PNEUMONIA AND INFLUENZA	3	3	0	21.3	38.4	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	21.3	25.6	15.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	14.2	12.8	15.9
HOMICIDE AND LEGAL INTERVENTION	2	0	2	14.2	0.0	31.8
HIV INFECTION	2	1	1	14.2	12.8	15.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.1	0.0	15.9
ALL OTHER	20	13	7	141.9	166.5	111.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	184	104	80	101	60	41	83	44	39
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	5	4	7	5	2	2	0	2
25-34	2	0	2	1	0	1	1	0	1
35-44	12	8	4	10	7	3	2	1	1
45-54	18	5	13	11	3	8	7	2	5
55-64	15	9	6	10	8	2	5	1	4
65-74	35	19	16	21	14	7	14	5	9
75-84	55	37	18	25	15	10	30	22	8
85 AND OVER	37	21	16	16	8	8	21	13	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	14,094
WHITE	7,807
NONWHITE	6,287

(HSWWDTCO)

COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	554	311	243	11.3	10.7	12.2
HEART DISEASES	189	113	76	385.8	388.1	382.4
MALIGNANT NEOPLASMS	122	67	55	249.0	230.1	276.8
CEREBROVASCULAR DISEASES	57	29	28	116.4	99.6	140.9
ACCIDENTS	25	11	14	51.0	37.8	70.4
EMPHYSEMA AND OTHER COPD	23	16	7	47.0	55.0	35.2
PNEUMONIA AND INFLUENZA	20	10	10	40.8	34.3	50.3
HOMICIDE AND LEGAL INTERVENTION	13	2	11	26.5	6.9	55.4
HYPERTENSION	6	3	3	12.2	10.3	15.1
HIV INFECTION	6	1	5	12.2	3.4	25.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	10.2	10.3	10.1
DIABETES MELLITUS	4	2	2	8.2	6.9	10.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	0	4	8.2	0.0	20.1
SUICIDE	2	1	1	4.1	3.4	5.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.2	0.0	2.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	5	2	14.3	17.2	10.1
ALL OTHER	70	48	22	142.9	164.8	110.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	554	311	243	282	144	138	272	167	105
UNDER 1	10	3	7	5	1	4	5	2	3
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	7	3	4	3	1	2	4	2	2
1-4	3	0	3	2	0	2	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	14	2	12	10	2	8	4	0	4
25-34	17	8	9	14	7	7	3	1	2
35-44	20	6	14	11	4	7	9	2	7
45-54	31	17	14	17	9	8	14	8	6
55-64	62	33	29	33	17	16	29	16	13
65-74	111	69	42	64	36	28	47	33	14
75-84	155	102	53	80	51	29	75	51	24
85 AND OVER	128	69	59	43	15	28	85	54	31
UNKNOWN	1	0	1	1	0	1	0	0	0

1995 POPULATION:

TOTAL	48,988
WHITE	29,116
NONWHITE	19,872

(HSWWDTCO)

COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	699	290	409	9.9	10.2	9.8
HEART DISEASES	300	136	164	426.1	477.2	391.3
MALIGNANT NEOPLASMS	138	55	83	196.0	193.0	198.0
CEREBROVASCULAR DISEASES	48	19	29	68.2	66.7	69.2
ACCIDENTS	36	12	24	51.1	42.1	57.3
EMPHYSEMA AND OTHER COPD	24	16	8	34.1	56.1	19.1
PNEUMONIA AND INFLUENZA	21	11	10	29.8	38.6	23.9
HOMICIDE AND LEGAL INTERVENTION	19	0	19	27.0	0.0	45.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	10	5	5	14.2	17.5	11.9
SUICIDE	8	5	3	11.4	17.5	7.2
DIABETES MELLITUS	4	2	2	5.7	7.0	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	5.7	3.5	7.2
HIV INFECTION	4	3	1	5.7	10.5	2.4
CONGENITAL ANOMALIES	3	0	3	4.3	0.0	7.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	2.4	0.0	3.3
HYPERTENSION	2	0	2	2.8	0.0	4.8
ATHEROSCLEROSIS	2	2	0	2.8	7.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	3	7	14.2	10.5	16.7
ALL OTHER	63	20	43	89.5	70.2	102.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	699	290	409	388	163	225	311	127	184
UNDER 1	14	0	14	9	0	9	5	0	5
(NEONATAL)	7	0	7	4	0	4	3	0	3
(POSTNEONATAL)	7	0	7	5	0	5	2	0	2
1-4	4	0	4	2	0	2	2	0	2
5-9	1	0	1	1	0	1	0	0	0
10-14	3	0	3	3	0	3	0	0	0
15-24	17	6	11	11	4	7	6	2	4
25-34	28	11	17	20	7	13	8	4	4
35-44	29	6	23	22	6	16	7	0	7
45-54	51	22	29	39	17	22	12	5	7
55-64	83	31	52	47	17	30	36	14	22
65-74	135	64	71	85	44	41	50	20	30
75-84	185	83	102	89	39	50	96	44	52
85 AND OVER	149	67	82	60	29	31	89	38	51
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	70,411
WHITE	28,501
NONWHITE	41,910

(HSWWDTCO)

COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*--		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	223	152	71	11.5	12.6	9.8
HEART DISEASES	70	52	18	361.4	429.4	248.0
MALIGNANT NEOPLASMS	46	32	14	237.5	264.3	192.9
CEREBROVASCULAR DISEASES	19	11	8	98.1	90.8	110.2
ACCIDENTS	17	10	7	87.8	82.6	96.4
EMPHYSEMA AND OTHER COPD	6	6	0	31.0	49.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	4	2	31.0	33.0	27.6
DIABETES MELLITUS	5	3	2	25.8	24.8	27.6
PNEUMONIA AND INFLUENZA	4	4	0	20.6	33.0	0.0
ATHEROSCLEROSIS	3	1	2	15.5	8.2	27.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	15.5	16.5	13.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.8	0.0	11.7
SUICIDE	2	2	0	10.3	16.5	0.0
TUBERCULOSIS	1	1	0	5.2	8.2	0.0
HYPERTENSION	1	1	0	5.2	8.2	0.0
CONGENITAL ANOMALIES	1	1	0	5.2	8.2	0.0
HOMICIDE AND LEGAL INTERVENTION	1	0	1	5.2	0.0	13.8
HIV INFECTION	1	1	0	5.2	8.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	15.5	8.2	27.6
ALL OTHER	32	20	12	165.2	165.2	165.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	223	152	71	120	83	37	103	69	34
UNDER 1	6	1	5	5	1	4	1	0	1
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	1	2	2	0	2	1	1	0
25-34	8	4	4	7	3	4	1	1	0
35-44	4	3	1	2	2	0	2	1	1
45-54	12	7	5	9	5	4	3	2	1
55-64	31	24	7	14	12	2	17	12	5
65-74	49	38	11	31	25	6	18	13	5
75-84	56	42	14	29	21	8	27	21	6
85 AND OVER	52	31	21	19	13	6	33	18	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,368
WHITE	12,109
NONWHITE	7,259

(HSWWDTCO)

COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	130	112	18	12.4	14.0	7.4
HEART DISEASES	43	33	10	412.1	412.6	410.3
MALIGNANT NEOPLASMS	29	26	3	277.9	325.1	123.1
CEREBROVASCULAR DISEASES	16	15	1	153.3	187.6	41.0
DIABETES MELLITUS	5	5	0	47.9	62.5	0.0
EMPHYSEMA AND OTHER COPD	4	4	0	38.3	50.0	0.0
ACCIDENTS	4	3	1	38.3	37.5	41.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	28.8	25.0	41.0
SUICIDE	3	2	1	28.8	25.0	41.0
HYPERTENSION	1	1	0	9.6	12.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.6	12.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.6	12.5	0.0
ALL OTHER	20	19	1	191.7	237.6	41.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	130	112	18	59	52	7	71	60	11
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	1	1	0	1	1	0	0	0	0
35-44	2	1	1	1	0	1	1	1	0
45-54	6	3	3	4	2	2	2	1	1
55-64	11	7	4	4	4	0	7	3	4
65-74	32	27	5	16	14	2	16	13	3
75-84	39	36	3	17	16	1	22	20	2
85 AND OVER	36	35	1	14	14	0	22	21	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	10,434
WHITE	7,997
NONWHITE	2,437

(HSWWDTCO)

COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	130	49	81	14.4	19.8	12.3
HEART DISEASES	47	21	26	519.8	846.8	396.3
MALIGNANT NEOPLASMS	26	9	17	287.6	362.9	259.1
ACCIDENTS	9	2	7	99.5	80.6	106.7
DIABETES MELLITUS	6	1	5	66.4	40.3	76.2
CEREBROVASCULAR DISEASES	6	5	1	66.4	201.6	15.2
EMPHYSEMA AND OTHER COPD	5	1	4	55.3	40.3	61.0
PNEUMONIA AND INFLUENZA	4	2	2	44.2	80.6	30.5
SUICIDE	4	1	3	44.2	40.3	45.7
ATHEROSCLEROSIS	2	2	0	22.1	80.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	22.1	0.0	30.5
HIV INFECTION	2	0	2	22.1	0.0	30.5
INFECTIONS OF KIDNEY	1	1	0	11.1	40.3	0.0
CONGENITAL ANOMALIES	1	0	1	11.1	0.0	15.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	8.3	0.0	11.1
HOMICIDE AND LEGAL INTERVENTION	1	0	1	11.1	0.0	15.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	22.1	40.3	15.2
ALL OTHER	11	3	8	121.7	121.0	121.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	130	49	81	60	20	40	70	29	41
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	5	1	4	1	0	1
25-34	5	1	4	3	1	2	2	0	2
35-44	10	2	8	8	1	7	2	1	1
45-54	10	1	9	5	1	4	5	0	5
55-64	13	5	8	4	2	2	9	3	6
65-74	27	15	12	12	8	4	15	7	8
75-84	27	8	19	15	5	10	12	3	9
85 AND OVER	31	16	15	7	1	6	24	15	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	9,041
WHITE	2,480
NONWHITE	6,561

(HSWWDTCO)

COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	243	172	71	12.4	15.8	8.1
HEART DISEASES	109	79	30	556.3	726.3	344.1
MALIGNANT NEOPLASMS	41	29	12	209.2	266.6	137.6
CEREBROVASCULAR DISEASES	20	12	8	102.1	110.3	91.8
ACCIDENTS	12	10	2	61.2	91.9	22.9
PNEUMONIA AND INFLUENZA	9	9	0	45.9	82.7	0.0
DIABETES MELLITUS	6	4	2	30.6	36.8	22.9
SUICIDE	5	5	0	25.5	46.0	0.0
EMPHYSEMA AND OTHER COPD	3	3	0	15.3	27.6	0.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	15.3	9.2	22.9
CONGENITAL ANOMALIES	3	0	3	15.3	0.0	34.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.2	18.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	8.1	0.0	15.5
ATHEROSCLEROSIS	1	1	0	5.1	9.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	3	4	35.7	27.6	45.9
ALL OTHER	20	14	6	102.1	128.7	68.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	243	172	71	115	78	37	128	94	34
UNDER 1	4	0	4	3	0	3	1	0	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	8	5	3	6	4	2	2	1	1
35-44	10	7	3	8	6	2	2	1	1
45-54	13	9	4	8	7	1	5	2	3
55-64	23	6	17	11	4	7	12	2	10
65-74	48	31	17	30	22	8	18	9	9
75-84	59	47	12	28	20	8	31	27	4
85 AND OVER	73	62	11	19	13	6	54	49	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	19,595
WHITE	10,877
NONWHITE	8,718



(HSWWDTCO)

COUNTY: YALOBUSHA

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	148	107	41	12.3	14.7	8.6
HEART DISEASES	71	53	18	589.3	728.5	377.0
MALIGNANT NEOPLASMS	34	21	13	282.2	288.7	272.3
ACCIDENTS	11	6	5	91.3	82.5	104.7
EMPHYSEMA AND OTHER COPD	8	8	0	66.4	110.0	0.0
CEREBROVASCULAR DISEASES	4	3	1	33.2	41.2	20.9
PNEUMONIA AND INFLUENZA	4	3	1	33.2	41.2	20.9
HOMICIDE AND LEGAL INTERVENTION	3	2	1	24.9	27.5	20.9
ATHEROSCLEROSIS	2	2	0	16.6	27.5	0.0
TUBERCULOSIS	1	0	1	8.3	0.0	20.9
DIABETES MELLITUS	1	1	0	8.3	13.7	0.0
SUICIDE	1	1	0	8.3	13.7	0.0
HIV INFECTION	1	1	0	8.3	13.7	0.0
---						
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.3	13.7	0.0
ALL OTHER	6	5	1	49.8	68.7	20.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	148	107	41	77	58	19	71	49	22
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	3	3	0	2	2	0	1	1	0
35-44	6	2	4	5	2	3	1	0	1
45-54	16	8	8	11	8	3	5	0	5
55-64	16	12	4	9	7	2	7	5	2
65-74	25	20	5	12	11	1	13	9	4
75-84	43	34	9	21	17	4	22	17	5
85 AND OVER	36	27	9	16	11	5	20	16	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	12,049
WHITE	7,275
NONWHITE	4,774

(HSWWDTCO)

COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 1995

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	302	151	151	12.0	13.4	10.9
HEART DISEASES	112	65	47	445.6	578.3	338.3
MALIGNANT NEOPLASMS	53	29	24	210.9	258.0	172.7
CEREBROVASCULAR DISEASES	15	10	5	59.7	89.0	36.0
PNEUMONIA AND INFLUENZA	15	6	9	59.7	53.4	64.8
EMPHYSEMA AND OTHER COPD	12	9	3	47.7	80.1	21.6
ACCIDENTS	12	5	7	47.7	44.5	50.4
DIABETES MELLITUS	11	5	6	43.8	44.5	43.2
HYPERTENSION	9	0	9	35.8	0.0	64.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	2	3	19.9	17.8	21.6
HOMICIDE AND LEGAL INTERVENTION	5	1	4	19.9	8.9	28.8
HIV INFECTION	4	0	4	15.9	0.0	28.8
CONGENITAL ANOMALIES	2	1	1	8.0	8.9	7.2
SUICIDE	2	1	1	8.0	8.9	7.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.0	0.0	7.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	19.9	8.9	28.8
ALL OTHER	39	16	23	155.2	142.3	165.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1995 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	302	151	151	156	75	81	146	76	70
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	1	2	2	1	1	1	0	1
1-4	3	0	3	0	0	0	3	0	3
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	8	3	5	6	2	4	2	1	1
35-44	14	2	12	8	0	8	6	2	4
45-54	26	11	15	22	10	12	4	1	3
55-64	35	17	18	18	11	7	17	6	11
65-74	51	29	22	25	13	12	26	16	10
75-84	90	51	39	48	29	19	42	22	20
85 AND OVER	70	37	33	25	9	16	45	28	17
UNKNOWN	0	0	0	0	0	0	0	0	0

1995 POPULATION:

TOTAL	25,134
WHITE	11,240
NONWHITE	13,894