

# SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,549</u>	<u>1,633</u>	<u>916</u>	<u>9.5</u>	<u>9.7</u>	<u>9.2</u>
HEART DISEASES	751	491	260	280.2	291.7	260.8
MALIGNANT NEOPLASMS	568	387	181	211.9	229.9	181.5
CEREBROVASCULAR DISEASE	177	111	66	66.0	65.9	66.2
ACCIDENTS	154	85	69	57.4	50.5	69.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	123	98	25	45.9	58.2	25.1
DIABETES MELLITUS	99	55	44	36.9	32.7	44.1
INFLUENZA AND PNEUMONIA	69	45	24	25.7	26.7	24.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	45	26	19	16.8	15.4	19.0
HOMICIDE	44	14	30	16.4	8.3	30.1
SEPTICEMIA	41	26	15	15.3	15.4	15.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	32	16	16	11.9	9.5	16.0
SUICIDE	32	26	6	11.9	15.4	6.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	31	24	7	11.6	14.2	7.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	27	20	7	10.1	11.9	7.0
ALZHEIMERS DISEASE	21	19	2	7.8	11.3	2.0
CONDITIONS ORIG IN PERINATAL PERIOD	17	3	14	3.9	1.2	7.2
HIV DISEASE	12	4	8	4.5	2.4	8.0
PARKINSONS DISEASE	11	11	0	4.1	6.5	-
AORTIC ANEURYSM AND DISSECTION	10	8	2	3.7	4.8	2.0
VIRAL HEPATITIS	9	6	3	3.4	3.6	3.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	9	9	0	3.4	5.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	9	4	5	3.4	2.4	5.0
ANEMIAS	6	3	3	2.2	1.8	3.0
PEPTIC ULCER	6	5	1	2.2	3.0	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	1	3	1.5	0.6	3.0
ATHEROSCLEROSIS	4	2	2	1.5	1.2	2.0
CHOLELITHIASIS/GALLBLADDER DISORDER	4	2	2	1.5	1.2	2.0
COMPLICATIONS MEDICAL/SURGICAL CARE	4	3	1	1.5	1.8	1.0
TUBERCULOSIS	2	1	1	0.7	0.6	1.0
HERNIA	2	1	1	0.7	0.6	1.0
MATERNAL CAUSES	2	1	1	46.0	41.5	51.6
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	0.6	-
HYPERPLASIA OF PROSTATE	1	0	1	0.4	-	1.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	30	14	16	11.2	8.3	16.0
ALL OTHER CAUSES	192	111	81	71.6	65.9	81.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

# LESS THAN 0.06.

**SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I, 2001, cont.**

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,549</u>	<u>1,633</u>	<u>916</u>	<u>1,287</u>	<u>829</u>	<u>458</u>	<u>1,262</u>	<u>804</u>	<u>458</u>
UNDER 1	39	16	23	20	6	14	19	10	9
(NEONATAL)	19	7	12	7	2	5	12	5	7
(POSTNEONATAL)	20	9	11	13	4	9	7	5	2
1-4	16	8	8	7	3	4	9	5	4
5-9	7	1	6	6	1	5	1	0	1
10-14	7	4	3	5	3	2	2	1	1
15-24	52	23	29	40	17	23	12	6	6
25-34	82	40	42	51	28	23	31	12	19
35-44	122	57	65	80	38	42	42	19	23
45-54	215	131	84	122	75	47	93	56	37
55-64	322	194	128	201	122	79	121	72	49
65-74	498	345	153	271	187	84	227	158	69
75-84	656	465	191	322	244	78	334	221	113
85 AND OVER	533	349	184	162	105	57	371	244	127
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES\*\*

INFANT	9.0	6.6	11.9
NEONATAL	4.4	2.9	6.2
POSTNEONATAL	4.6	3.7	5.7

2000 POPULATION

TOTAL	268,026
WHITE	168,321
NONWHITE	99,705

\*\* DEATHS PER 1,000 LIVE BIRTHS.

## SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>3,482</u>	<u>2,938</u>	<u>544</u>	<u>10.5</u>	<u>11.4</u>	<u>7.3</u>
HEART DISEASES	1,075	927	148	323.3	359.8	197.8
MALIGNANT NEOPLASMS	716	586	130	215.4	227.4	173.7
CEREBROVASCULAR DISEASE	266	223	43	80.0	86.6	57.5
ACCIDENTS	227	194	33	68.3	75.3	44.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	202	190	12	60.8	73.7	16.0
INFLUENZA AND PNEUMONIA	109	98	11	32.8	38.0	14.7
DIABETES MELLITUS	72	57	15	21.6	22.1	20.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	71	51	20	21.4	19.8	26.7
ALZHEIMERS DISEASE	61	58	3	18.3	22.5	4.0
SEPTICEMIA	50	42	8	15.0	16.3	10.7
SUICIDE	43	41	2	12.9	15.9	2.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	35	26	9	10.5	10.1	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	35	31	4	10.5	12.0	5.3
HOMICIDE	27	18	9	8.1	7.0	12.0
AORTIC ANEURYSM AND DISSECTION	26	23	3	7.8	8.9	4.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	25	19	6	7.5	7.4	8.0
PARKINSONS DISEASE	21	20	1	6.3	7.8	1.3
CONDITIONS ORIG IN PERINATAL PERIOD	19	12	7	4.1	3.6	5.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	16	12	4	4.8	4.6	5.3
ATHEROSCLEROSIS	10	9	1	3.0	3.5	1.3
HIV DISEASE	8	6	2	2.4	2.3	2.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	7	6	1	2.1	2.3	1.3
PEPTIC ULCER	7	7	0	2.1	2.7	-
VIRAL HEPATITIS	5	4	1	1.5	1.6	1.3
CHOLELITHIASIS/GALLBLADDER DISORDER	4	4	0	1.2	1.6	-
COMPLICATIONS MEDICAL/SURGICAL CARE	4	2	2	1.2	0.8	2.7
ANEMIAS	3	1	2	0.9	0.4	2.7
HERNIA	3	3	0	0.9	1.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	0.6	0.8	-
MENINGITIS	2	1	1	0.6	0.4	1.3
HYPERPLASIA OF PROSTATE	1	1	0	0.3	0.4	-
LEGAL INTERVENTION	1	1	0	0.3	0.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	41	31	10	12.3	12.0	13.4
ALL OTHER CAUSES	288	232	56	86.6	90.0	74.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

# LESS THAN 0.06.

**SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II, 2001, cont.**

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>3,482</b>	<b>2,938</b>	<b>544</b>	<b>1,743</b>	<b>1,468</b>	<b>275</b>	<b>1,739</b>	<b>1,470</b>	<b>269</b>
UNDER 1	48	32	16	21	11	10	27	21	6
(NEONATAL)	29	19	10	13	5	8	16	14	2
(POSTNEONATAL)	19	13	6	8	6	2	11	7	4
1-4	7	5	2	7	5	2	0	0	0
5-9	7	6	1	4	4	0	3	2	1
10-14	11	8	3	6	4	2	5	4	1
15-24	47	38	9	37	30	7	10	8	2
25-34	69	55	14	45	36	9	24	19	5
35-44	135	96	39	90	65	25	45	31	14
45-54	246	193	53	154	121	33	92	72	20
55-64	402	318	84	257	207	50	145	111	34
65-74	650	535	115	380	319	61	270	216	54
75-84	915	818	97	449	408	41	466	410	56
85 AND OVER	945	834	111	293	258	35	652	576	76
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES\*\*

INFANT	10.4	9.6	12.7
NEONATAL	6.3	5.7	7.9
POSTNEONATAL	4.1	3.9	4.8

2000 POPULATION

TOTAL	332,479
WHITE	257,656
NONWHITE	74,823

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,661</u>	<u>1,158</u>	<u>1,503</u>	<u>10.6</u>	<u>13.1</u>	<u>9.2</u>
HEART DISEASES	918	392	526	365.2	442.9	323.0
MALIGNANT NEOPLASMS	558	260	298	222.0	293.7	183.0
CEREBROVASCULAR DISEASE	190	84	106	75.6	94.9	65.1
ACCIDENTS	123	54	69	48.9	61.0	42.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	96	57	39	38.2	64.4	23.9
INFLUENZA AND PNEUMONIA	81	45	36	32.2	50.8	22.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	76	25	51	30.2	28.2	31.3
DIABETES MELLITUS	59	17	42	23.5	19.2	25.8
ALZHEIMERS DISEASE	38	24	14	15.1	27.1	8.6
HOMICIDE	36	4	32	14.3	4.5	19.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	35	11	24	13.9	12.4	14.7
SEPTICEMIA	34	14	20	13.5	15.8	12.3
CONDITIONS ORIG IN PERINATAL PERIOD	23	1	22	5.8	1.0	7.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	22	7	15	8.8	7.9	9.2
SUICIDE	20	14	6	8.0	15.8	3.7
HIV DISEASE	17	2	15	6.8	2.3	9.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	14	8	6	5.6	9.0	3.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	14	5	9	5.6	5.6	5.5
ATHEROSCLEROSIS	11	9	2	4.4	10.2	1.2
AORTIC ANEURYSM AND DISSECTION IN SITU, BENIGN & UNSPECIFIED	10	5	5	4.0	5.6	3.1
NEOPLASMS	8	3	5	3.2	3.4	3.1
PARKINSONS DISEASE	8	7	1	3.2	7.9	0.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	7	2	5	2.8	2.3	3.1
VIRAL HEPATITIS	5	3	2	2.0	3.4	1.2
CHOLELITHIASIS/GALLBLADDER DISORDER	5	3	2	2.0	3.4	1.2
ANEMIAS	4	2	2	1.6	2.3	1.2
PEPTIC ULCER	4	4	0	1.6	4.5	-
COMPLICATIONS MEDICAL/SURGICAL CARE	4	0	4	1.6	-	2.4
HYPERPLASIA OF PROSTATE	3	1	2	1.2	1.1	1.2
HERNIA	2	1	1	0.8	1.1	0.6
MENINGITIS	1	0	1	0.4	-	0.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	23	6	17	9.2	6.8	10.4
<u>ALL OTHER CAUSES</u>	<u>212</u>	<u>88</u>	<u>124</u>	<u>84.3</u>	<u>99.4</u>	<u>76.1</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

# LESS THAN 0.06.

**SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III, 2001, cont.**

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,661</u>	<u>1,158</u>	<u>1,503</u>	<u>1,321</u>	<u>554</u>	<u>767</u>	<u>1,340</u>	<u>604</u>	<u>736</u>
UNDER 1	42	4	38	27	1	26	15	3	12
(NEONATAL)	28	2	26	18	0	18	10	2	8
(POSTNEONATAL)	14	2	12	9	1	8	5	1	4
1-4	5	0	5	5	0	5	0	0	0
5-9	4	0	4	2	0	2	2	0	2
10-14	4	0	4	3	0	3	1	0	1
15-24	51	9	42	38	6	32	13	3	10
25-34	55	15	40	38	10	28	17	5	12
35-44	141	41	100	90	30	60	51	11	40
45-54	237	74	163	142	52	90	95	22	73
55-64	298	105	193	170	66	104	128	39	89
65-74	454	229	225	243	134	109	211	95	116
75-84	714	358	356	348	166	182	366	192	174
85 AND OVER	655	323	332	214	89	125	441	234	207
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES\*\*

INFANT	10.7	4.1	12.8
NEONATAL	7.1	2.0	8.8
POSTNEONATAL	3.6	2.0	4.0

2000 POPULATION

TOTAL	251,360
WHITE	88,512
NONWHITE	162,848

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,399</u>	<u>1,541</u>	<u>858</u>	<u>9.5</u>	<u>10.5</u>	<u>8.1</u>
HEART DISEASES	809	516	293	321.4	352.6	277.9
MALIGNANT NEOPLASMS	496	326	170	197.0	222.8	161.2
CEREBROVASCULAR DISEASE	161	112	49	64.0	76.5	46.5
ACCIDENTS	153	89	64	60.8	60.8	60.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	105	87	18	41.7	59.4	17.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	73	37	36	29.0	25.3	34.1
DIABETES MELLITUS	55	31	24	21.8	21.2	22.8
INFLUENZA AND PNEUMONIA	53	39	14	21.0	26.6	13.3
SEPTICEMIA	39	28	11	15.5	19.1	10.4
ALZHEIMERS DISEASE	34	28	6	13.5	19.1	5.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	25	8	17	9.9	5.5	16.1
SUICIDE	24	22	2	9.5	15.0	1.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS CONDITIONS ORIG IN PERINATAL PERIOD	21	15	6	8.3	10.2	5.7
HOMICIDE	20	8	12	7.9	5.5	11.4
CHRONIC LIVER DISEASE AND CIRRHOSIS CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	15	5	10	6.0	3.4	9.5
PARKINSONS DISEASE	11	9	2	4.4	6.2	1.9
HIV DISEASE	9	2	7	3.6	1.4	6.6
AORTIC ANEURYSM AND DISSECTION	8	5	3	3.2	3.4	2.8
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	2	3	2.0	1.4	2.8
ANEMIAS	4	2	2	1.6	1.4	1.9
PEPTIC ULCER	3	1	2	1.2	0.7	1.9
CHOLELITHIASIS/GALLBLADDER DISORDER	3	2	1	1.2	1.4	0.9
VIRAL HEPATITIS	2	2	0	0.8	1.4	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	0.8	0.7	0.9
ATHEROSCLEROSIS	2	1	1	0.8	0.7	0.9
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	0.8	1.4	-
DISEASES OF APPENDIX	2	1	1	0.8	0.7	0.9
TUBERCULOSIS	1	0	1	0.4	-	0.9
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.4	0.7	-
HERNIA	1	1	0	0.4	0.7	-
MATERNAL CAUSES	1	0	1	27.9	-	55.3
LEGAL INTERVENTION	1	0	1	0.4	-	0.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	44	27	17	17.5	18.4	16.1
ALL OTHER CAUSES	170	113	57	67.5	77.2	54.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

# LESS THAN 0.06.

**SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV, 2001, cont.**

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,399</u>	<u>1,541</u>	<u>858</u>	<u>1,160</u>	<u>744</u>	<u>416</u>	<u>1,239</u>	<u>797</u>	<u>442</u>
UNDER 1	37	9	28	26	6	20	11	3	8
(NEONATAL)	30	7	23	22	5	17	8	2	6
(POSTNEONATAL)	7	2	5	4	1	3	3	1	2
1-4	6	3	3	2	1	1	4	2	2
5-9	4	1	3	4	1	3	0	0	0
10-14	4	0	4	3	0	3	1	0	1
15-24	46	26	20	35	22	13	11	4	7
25-34	51	22	29	33	17	16	18	5	13
35-44	100	43	57	68	31	37	32	12	20
45-54	182	96	86	116	57	59	66	39	27
55-64	259	154	105	160	97	63	99	57	42
65-74	442	274	168	256	176	80	186	98	88
75-84	604	434	170	267	201	66	337	233	104
85 AND OVER	663	479	184	190	135	55	473	344	129
UNKNOWN	1	0	1	0	0	0	1	0	1

MORTALITY RATES\*\*

INFANT	10.3	5.1	15.5
NEONATAL	8.4	4.0	12.7
POSTNEONATAL	2.0	1.1	2.8

2000 POPULATION

TOTAL	251,750
WHITE	146,326
NONWHITE	105,424

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>5,336</u>	<u>3,060</u>	<u>2,276</u>	<u>9.0</u>	<u>9.9</u>	<u>7.9</u>
HEART DISEASES	1,664	1,006	658	279.3	326.6	228.8
MALIGNANT NEOPLASMS	1,132	675	457	190.0	219.1	158.9
CEREBROVASCULAR DISEASE	359	195	164	60.3	63.3	57.0
ACCIDENTS	246	130	116	41.3	42.2	40.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	213	168	45	35.8	54.5	15.6
INFLUENZA AND PNEUMONIA	142	93	49	23.8	30.2	17.0
DIABETES MELLITUS	112	46	66	18.8	14.9	22.9
SEPTICEMIA	110	49	61	18.5	15.9	21.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	102	48	54	17.1	15.6	18.8
HIV DISEASE	98	11	87	16.4	3.6	30.2
HOMICIDE	82	16	66	13.8	5.2	22.9
SUICIDE	70	59	11	11.8	19.2	3.8
ALZHEIMERS DISEASE	67	48	19	11.2	15.6	6.6
CONDITIONS ORIG IN PERINATAL PERIOD	57	13	44	6.3	3.3	8.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	46	13	33	7.7	4.2	11.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	41	26	15	6.9	8.4	5.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	41	28	13	6.9	9.1	4.5
ATHEROSCLEROSIS	30	21	9	5.0	6.8	3.1
AORTIC ANEURYSM AND DISSECTION	26	15	11	4.4	4.9	3.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	25	11	14	4.2	3.6	4.9
PARKINSONS DISEASE	19	15	4	3.2	4.9	1.4
COMPLICATIONS MEDICAL/SURGICAL CARE	11	4	7	1.8	1.3	2.4
ANEMIAS	10	4	6	1.7	1.3	2.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	9	9	0	1.5	2.9	-
VIRAL HEPATITIS	8	5	3	1.3	1.6	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	8	3	5	1.3	1.0	1.7
CHOLELITHIASIS/GALLBLADDER DISORDER	8	6	2	1.3	1.9	0.7
PEPTIC ULCER	6	3	3	1.0	1.0	1.0
TUBERCULOSIS	4	2	2	0.7	0.6	0.7
MATERNAL CAUSES	4	1	3	44.1	25.4	58.5
MENINGITIS	3	2	1	0.5	0.6	0.3
HERNIA	3	0	3	0.5	-	1.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	0.3	0.6	-
INFECTIONS OF KIDNEY	2	0	2	0.3	-	0.7
HYPERPLASIA OF PROSTATE	2	2	0	0.3	0.6	-
SYPHILIS	1	0	1	0.2	-	0.3
LEGAL INTERVENTION	1	1	0	0.2	0.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	29	14	15	4.9	4.5	5.2
<u>ALL OTHER CAUSES</u>	<u>543</u>	<u>316</u>	<u>227</u>	<u>91.2</u>	<u>102.6</u>	<u>78.9</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

# LESS THAN 0.06.

**SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V, 2001, cont.**

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>5,336</u>	<u>3,060</u>	<u>2,276</u>	<u>2,595</u>	<u>1,438</u>	<u>1,157</u>	<u>2,741</u>	<u>1,622</u>	<u>1,119</u>
UNDER 1	102	27	75	60	22	38	42	5	37
(NEONATAL)	66	18	48	36	14	22	30	4	26
(POSTNEONATAL)	36	9	27	24	8	16	12	1	11
1-4	16	7	9	10	3	7	6	4	2
5-9	9	5	4	6	3	3	3	2	1
10-14	5	2	3	2	1	1	3	1	2
15-24	119	35	84	88	25	63	31	10	21
25-34	150	61	89	101	41	60	49	20	29
35-44	276	106	170	167	67	100	109	39	70
45-54	469	210	259	289	128	161	180	82	98
55-64	606	315	291	341	180	161	265	135	130
65-74	977	582	395	552	340	212	425	242	183
75-84	1,343	900	443	580	393	187	763	507	256
85 AND OVER	1,264	810	454	399	235	164	865	575	290
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES\*\*

INFANT	11.2	6.8	14.6
NEONATAL	7.3	4.6	9.4
POSTNEONATAL	4.0	2.3	5.3

2000 POPULATION

TOTAL	595,675
WHITE	308,033
NONWHITE	287,642

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,758</u>	<u>1,804</u>	<u>954</u>	<u>11.4</u>	<u>12.5</u>	<u>9.9</u>
HEART DISEASES	950	649	301	394.5	449.4	312.4
MALIGNANT NEOPLASMS	573	384	189	238.0	265.9	196.1
CEREBROVASCULAR DISEASE	180	117	63	74.8	81.0	65.4
ACCIDENTS	166	97	69	68.9	67.2	71.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	118	94	24	49.0	65.1	24.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	73	38	35	30.3	26.3	36.3
ALZHEIMERS DISEASE	70	50	20	29.1	34.6	20.8
INFLUENZA AND PNEUMONIA	65	47	18	27.0	32.5	18.7
DIABETES MELLITUS	57	22	35	23.7	15.2	36.3
SEPTICEMIA	40	23	17	16.6	15.9	17.6
CONDITIONS ORIG IN PERINATAL PERIOD	26	8	18	7.0	4.2	10.2
SUICIDE	25	22	3	10.4	15.2	3.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	24	10	14	10.0	6.9	14.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	24	19	5	10.0	13.2	5.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	23	15	8	9.6	10.4	8.3
HOMICIDE	23	8	15	9.6	5.5	15.6
HIV DISEASE	17	3	14	7.1	2.1	14.5
AORTIC ANEURYSM AND DISSECTION	16	15	1	6.6	10.4	1.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	13	8	5	5.4	5.5	5.2
PARKINSONS DISEASE	11	11	0	4.6	7.6	-
ATHEROSCLEROSIS	11	10	1	4.6	6.9	1.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	10	5	5	4.2	3.5	5.2
VIRAL HEPATITIS	5	4	1	2.1	2.8	1.0
COMPLICATIONS MEDICAL/SURGICAL CARE	5	2	3	2.1	1.4	3.1
CHOLELITHIASIS/GALLBLADDER DISORDER	4	2	2	1.7	1.4	2.1
ANEMIAS	3	2	1	1.2	1.4	1.0
MENINGITIS	2	2	0	0.8	1.4	-
TUBERCULOSIS	1	1	0	0.4	0.7	-
SYPHILIS	1	0	1	0.4	-	1.0
PEPTIC ULCER	1	1	0	0.4	0.7	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	0.4	-	1.0
MATERNAL CAUSES	1	1	0	27.2	51.9	-
LEGAL INTERVENTION	1	0	1	0.4	-	1.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	35	23	12	14.5	15.9	12.4
ALL OTHER CAUSES	183	111	72	76.0	76.8	74.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

# LESS THAN 0.06.

**SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI, 2001, cont.**

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>2,758</b>	<b>1,804</b>	<b>954</b>	<b>1,300</b>	<b>855</b>	<b>445</b>	<b>1,458</b>	<b>949</b>	<b>509</b>
UNDER 1	53	17	36	30	10	20	23	7	16
(NEONATAL)	31	11	20	20	7	13	11	4	7
(POSTNEONATAL)	22	6	16	10	3	7	12	3	9
1-4	10	4	6	4	2	2	6	2	4
5-9	2	1	1	2	1	1	0	0	0
10-14	4	1	3	3	0	3	1	1	0
15-24	57	23	34	43	18	25	14	5	9
25-34	52	26	26	32	15	17	20	11	9
35-44	103	57	46	58	35	23	45	22	23
45-54	213	99	114	135	64	71	78	35	43
55-64	301	174	127	171	102	69	130	72	58
65-74	540	351	189	288	201	87	252	150	102
75-84	675	494	181	307	239	68	368	255	113
85 AND OVER	748	557	191	227	168	59	521	389	132
UNKNOWN	0	0	0	0	0	0	0	0	0

**MORTALITY RATES\*\***

INFANT	14.4	8.8	20.5
NEONATAL	8.4	5.7	11.4
POSTNEONATAL	6.0	3.1	9.1

**2000 POPULATION**

TOTAL	240,785
WHITE	144,420
NONWHITE	96,365

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,063</u>	<u>1,161</u>	<u>902</u>	<u>11.6</u>	<u>12.4</u>	<u>10.8</u>
HEART DISEASES	652	387	265	368.4	414.4	317.1
MALIGNANT NEOPLASMS	431	224	207	243.6	239.8	247.7
CEREBROVASCULAR DISEASE	149	82	67	84.2	87.8	80.2
ACCIDENTS	123	70	53	69.5	75.0	63.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	90	67	23	50.8	71.7	27.5
INFLUENZA AND PNEUMONIA	65	39	26	36.7	41.8	31.1
DIABETES MELLITUS	63	27	36	35.6	28.9	43.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	49	21	28	27.7	22.5	33.5
SEPTICEMIA	46	24	22	26.0	25.7	26.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	31	14	17	17.5	15.0	20.3
ALZHEIMERS DISEASE	20	16	4	11.3	17.1	4.8
SUICIDE	16	13	3	9.0	13.9	3.6
AORTIC ANEURYSM AND DISSECTION	15	8	7	8.5	8.6	8.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	15	9	6	8.5	9.6	7.2
CONDITIONS ORIG IN PERINATAL PERIOD	12	0	12	4.8	-	8.6
HOMICIDE	12	3	9	6.8	3.2	10.8
HIV DISEASE	11	0	11	6.2	-	13.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	10	7	3	5.6	7.5	3.6
CHOLELITHIASIS/GALLBLADDER DISORDER	7	4	3	4.0	4.3	3.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	4	3	4.0	4.3	3.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	6	5	1	3.4	5.4	1.2
ANEMIAS	6	3	3	3.4	3.2	3.6
PARKINSONS DISEASE	6	6	0	3.4	6.4	-
VIRAL HEPATITIS	3	1	2	1.7	1.1	2.4
ATHEROSCLEROSIS	3	2	1	1.7	2.1	1.2
PEPTIC ULCER	3	2	1	1.7	2.1	1.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	1.1	1.1	1.2
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	1.1	2.1	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	1.1	-	2.4
TUBERCULOSIS	1	1	0	0.6	1.1	-
MENINGITIS	1	0	1	0.6	-	1.2
HERNIA	1	1	0	0.6	1.1	-
INFECTIONS OF KIDNEY	1	1	0	0.6	1.1	-
MATERNAL CAUSES	1	0	1	39.7	-	71.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	31	17	14	17.5	18.2	16.8
ALL OTHER CAUSES	170	100	70	96.1	107.1	83.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

# LESS THAN 0.06.

**SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII, 2001, cont.**

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,063</u>	<u>1,161</u>	<u>902</u>	<u>1,012</u>	<u>564</u>	<u>448</u>	<u>1,051</u>	<u>597</u>	<u>454</u>
UNDER 1	26	5	21	16	3	13	10	2	8
(NEONATAL)	16	3	13	9	1	8	7	2	5
(POSTNEONATAL)	10	2	8	7	2	5	3	0	3
1-4	6	4	2	2	2	0	4	2	2
5-9	6	2	4	5	1	4	1	1	0
10-14	6	5	1	6	5	1	0	0	0
15-24	24	11	13	16	9	7	8	2	6
25-34	41	16	25	28	13	15	13	3	10
35-44	86	30	56	48	17	31	38	13	25
45-54	146	52	94	88	35	53	58	17	41
55-64	214	101	113	134	62	72	80	39	41
65-74	419	231	188	223	143	80	196	88	108
75-84	561	355	206	274	166	108	287	189	98
85 AND OVER	527	349	178	171	108	63	356	241	115
UNKNOWN	1	0	1	1	0	1	0	0	0

MORTALITY RATES\*\*

INFANT	10.3	4.4	15.1
NEONATAL	6.4	2.7	9.3
POSTNEONATAL	4.0	1.8	5.7

2000 POPULATION

TOTAL	176,959
WHITE	93,395
NONWHITE	83,564

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,824</u>	<u>2,074</u>	<u>750</u>	<u>10.0</u>	<u>10.7</u>	<u>8.4</u>
HEART DISEASES	884	676	208	313.2	349.4	234.2
MALIGNANT NEOPLASMS	581	445	136	205.8	230.0	153.1
CEREBROVASCULAR DISEASE	191	134	57	67.7	69.3	64.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	163	134	29	57.8	69.3	32.6
ACCIDENTS	137	99	38	48.5	51.2	42.8
INFLUENZA AND PNEUMONIA	81	70	11	28.7	36.2	12.4
DIABETES MELLITUS	72	48	24	25.5	24.8	27.0
SEPTICEMIA	62	29	33	22.0	15.0	37.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	59	40	19	20.9	20.7	21.4
ALZHEIMERS DISEASE	43	36	7	15.2	18.6	7.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	35	22	13	12.4	11.4	14.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	31	24	7	11.0	12.4	7.9
HOMICIDE	30	14	16	10.6	7.2	18.0
SUICIDE	24	22	2	8.5	11.4	2.2
CONDITIONS ORIG IN PERINATAL PERIOD	21	10	11	5.1	3.8	7.2
AORTIC ANEURYSM AND DISSECTION	17	15	2	6.0	7.8	2.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	16	11	5	5.7	5.7	5.6
HIV DISEASE	13	2	11	4.6	1.0	12.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	13	8	5	4.6	4.1	5.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	9	5	4	3.2	2.6	4.5
PARKINSONS DISEASE	9	9	0	3.2	4.6	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	7	4	3	2.5	2.1	3.4
COMPLICATIONS MEDICAL/SURGICAL CARE	7	6	1	2.5	3.1	1.1
VIRAL HEPATITIS	5	2	3	1.8	1.0	3.4
ATHEROSCLEROSIS	5	3	2	1.8	1.6	2.2
MENINGITIS	4	1	3	1.4	0.5	3.4
ANEMIAS	3	2	1	1.1	1.0	1.1
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	1.1	1.6	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	0.7	1.0	-
PEPTIC ULCER	2	1	1	0.7	0.5	1.1
HERNIA	2	1	1	0.7	0.5	1.1
TUBERCULOSIS	1	0	1	0.4	-	1.1
DISEASES OF APPENDIX	1	1	0	0.4	0.5	-
INFECTIONS OF KIDNEY	1	1	0	0.4	0.5	-
MATERNAL CAUSES	1	0	1	24.2	-	65.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	22	9	13	7.8	4.6	14.6
ALL OTHER CAUSES	267	185	82	94.6	95.6	92.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

# LESS THAN 0.06.

**SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII, 2001, cont.**

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,824</u>	<u>2,074</u>	<u>750</u>	<u>1,424</u>	<u>1,053</u>	<u>371</u>	<u>1,400</u>	<u>1,021</u>	<u>379</u>
UNDER 1	43	19	24	19	4	15	24	15	9
(NEONATAL)	29	14	15	12	3	9	17	11	6
(POSTNEONATAL)	14	5	9	7	1	6	7	4	3
1-4	11	6	5	5	4	1	6	2	4
5-9	4	1	3	0	0	0	4	1	3
10-14	5	2	3	2	0	2	3	2	1
15-24	45	25	20	29	18	11	16	7	9
25-34	47	29	18	32	19	13	15	10	5
35-44	135	80	55	81	53	28	54	27	27
45-54	208	129	79	127	82	45	81	47	34
55-64	340	240	100	208	152	56	132	88	44
65-74	556	409	147	332	251	81	224	158	66
75-84	742	594	148	382	309	73	360	285	75
85 AND OVER	688	540	148	207	161	46	481	379	102
UNKNOWN	0	0	0	0	0	0	0	0	0

MORTALITY RATES\*\*

INFANT	10.4	7.3	15.7
NEONATAL	7.0	5.4	9.8
POSTNEONATAL	3.4	1.9	5.9

2000 POPULATION

TOTAL	282,249
WHITE	193,442
NONWHITE	88,807

\*\* DEATHS PER 1,000 LIVE BIRTHS.

# SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>4,062</u>	<u>3,405</u>	<u>657</u>	<u>9.1</u>	<u>9.8</u>	<u>6.6</u>
HEART DISEASES	1,307	1,090	217	293.5	315.0	218.4
MALIGNANT NEOPLASMS	878	744	134	197.1	215.0	134.8
CEREBROVASCULAR DISEASE	254	203	51	57.0	58.7	51.3
ACCIDENTS	230	187	43	51.6	54.0	43.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	215	201	14	48.3	58.1	14.1
ALZHEIMERS DISEASE	85	78	7	19.1	22.5	7.0
INFLUENZA AND PNEUMONIA	85	71	14	19.1	20.5	14.1
SUICIDE	73	71	2	16.4	20.5	2.0
SEPTICEMIA	67	58	9	15.0	16.8	9.0
DIABETES MELLITUS	65	51	14	14.6	14.7	14.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	63	55	8	14.1	15.9	8.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	53	46	7	11.9	13.3	7.0
HOMICIDE	51	26	25	11.4	7.5	25.2
AORTIC ANEURYSM AND DISSECTION	27	25	2	6.1	7.2	2.0
ATHEROSCLEROSIS	21	16	5	4.7	4.6	5.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	20	16	4	4.5	4.6	4.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	18	15	3	4.0	4.3	3.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	18	17	1	4.0	4.9	1.0
CONDITIONS ORIG IN PERINATAL PERIOD	17	4	13	2.6	0.8	7.6
HIV DISEASE	15	9	6	3.4	2.6	6.0
VIRAL HEPATITIS	14	14	0	3.1	4.0	-
PARKINSONS DISEASE	13	12	1	2.9	3.5	1.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	12	11	1	2.7	3.2	1.0
ANEMIAS	11	9	2	2.5	2.6	2.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	11	5	6	2.5	1.4	6.0
COMPLICATIONS MEDICAL/SURGICAL CARE	10	10	0	2.2	2.9	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	5	5	0	1.1	1.4	-
CHOLELITHIASIS/GALLBLADDER DISORDER	4	4	0	0.9	1.2	-
LEGAL INTERVENTION	3	3	0	0.7	0.9	-
MENINGOCOCCAL INFECTION	2	2	0	0.4	0.6	-
PEPTIC ULCER	2	2	0	0.4	0.6	-
HERNIA	2	2	0	0.4	0.6	-
MATERNAL CAUSES	2	1	1	31.2	21.2	58.6
MENINGITIS	1	0	1	0.2	-	1.0
INFECTIONS OF KIDNEY	1	1	0	0.2	0.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	39	36	3	8.8	10.4	3.0
ALL OTHER CAUSES	368	305	63	82.6	88.2	63.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2000 CENSUS FIGURES.

# LESS THAN 0.06.

**SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX, 2001, cont.**

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>4,062</b>	<b>3,405</b>	<b>657</b>	<b>2,051</b>	<b>1,721</b>	<b>330</b>	<b>2,011</b>	<b>1,684</b>	<b>327</b>
UNDER 1	53	28	25	29	16	13	24	12	12
(NEONATAL)	29	15	14	15	7	8	14	8	6
(POSTNEONATAL)	24	13	11	14	9	5	10	4	6
1-4	19	8	11	15	6	9	4	2	2
5-9	7	3	4	2	0	2	5	3	2
10-14	14	5	9	8	2	6	6	3	3
15-24	73	57	16	54	43	11	19	14	5
25-34	84	57	27	63	44	19	21	13	8
35-44	225	178	47	152	125	27	73	53	20
45-54	309	221	88	185	139	46	124	82	42
55-64	495	413	82	284	237	47	211	176	35
65-74	856	749	107	493	433	60	363	316	47
75-84	1,083	952	131	523	468	55	560	484	76
85 AND OVER	843	733	110	242	207	35	601	526	75
UNKNOWN	1	1	0	1	1	0	0	0	0

**MORTALITY RATES\*\***

INFANT	8.3	6.0	14.6
NEONATAL	4.5	3.2	8.2
POSTNEONATAL	3.7	2.8	6.4

**2000 POPULATION**

TOTAL	445,375
WHITE	345,994
NONWHITE	99,381

\*\* DEATHS PER 1,000 LIVE BIRTHS.