

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: ADAMS

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	34,340	2,640	1,300	1,340	449
WHITE	15,809	958	468	490	152
NONWHITE	18,531	1,682	832	850	297

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	76	3	24	49	11	0	2	9	65	3	22	40
TEENAGE IMMATURE BIRTHS	12	0	5	7	2	0	0	2	10	0	5	5
TEENAGE PREMATURE BIRTHS	11	1	4	6	2	0	0	2	9	1	4	4
TEENAGE ILLEGITIMATE BIRTHS	70	3	23	44	7	0	1	6	63	3	22	38
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	4	11	1	0	0	1	14	0	4	10
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	4	15	2	0	0	2	17	0	4	13
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	1	0	0	1	7	0	2	5
TEENAGE FERTILITY RATE	28.8	2.3	54.5	(15-19)	11.5	-	22.4	(15-19)	38.6	3.6	72.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	13.2	-	-	20.4	-	-	-	-	15.4	-	-	25.0
TEENAGE INDUCED TERMINATIONS#	12	1	3	8	1	0	0	1	11	1	3	7
TEENAGE INDUCED TERMINATION RATIO	157.9	333.3	125.0	163.3	90.9	-	-	111.1	169.2	333.3	136.4	175.0
TEENAGE PREGNANCIES#	89	4	27	58	12	0	2	10	77	4	25	48
TEENAGE PREGNANCY RATE	33.7	3.1	63.4	(15-19)	12.5	-	24.5	(15-19)	45.8	4.8	85.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: ALCORN

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	34,558	2,217	1,117	1,100	488
WHITE	30,193	1,845	927	918	407
NONWHITE	4,365	372	190	182	81

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	2	16	49	48	0	10	38	19	2	6	11
TEENAGE IMMATURE BIRTHS	8	0	5	3	2	0	1	1	6	0	4	2
TEENAGE PREMATURE BIRTHS	12	1	6	5	5	0	2	3	7	1	4	2
TEENAGE ILLEGITIMATE BIRTHS	36	2	13	21	20	0	7	13	16	2	6	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	2	17	14	0	0	14	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	2	20	16	0	0	16	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	1	0	1	0	1	0	1	1	0	0
TEENAGE FERTILITY RATE		30.2	1.8	59.1 (15-19)	26.0	-	52.3 (15-19)		51.1	10.5	93.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	29.8	-	-	40.8	41.7	-	-	52.6	-	-	-	-
TEENAGE PREGNANCIES#	69	2	16	51	50	0	10	40	19	2	6	11
TEENAGE PREGNANCY RATE	31.1	1.8	60.9 (15-19)		27.1	-	54.5 (15-19)		51.1	10.5	93.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	1	0	1	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	29.9	-	125.0	-	20.8	-	100.0	-	52.6	-	166.7	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: AMITE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	13,599	1,057	506	551	177
WHITE	7,673	476	228	248	90
NONWHITE	5,926	581	278	303	87

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	0	9	12	7	0	3	4	14	0	6	8
TEENAGE IMMATURE BIRTHS	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	15	0	7	8	1	0	1	0	14	0	6	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	3	0	1	2	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	19.9	-	38.1	(15-19)	14.7	-	28.2	(15-19)	24.1	-	46.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	95.2	-	222.2	-	142.8	-	333.3	-	71.4	-	166.7	-
TEENAGE PREGNANCIES#	23	0	11	12	8	0	4	4	15	0	7	8
TEENAGE PREGNANCY RATE	21.8	-	41.7	(15-19)	16.8	-	32.2	(15-19)	25.8	-	49.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: ATTALA

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	19,661	1,475	741	734	284
WHITE	11,470	694	329	365	139
NONWHITE	8,191	781	412	369	145

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	38	3	15	20	15	0	5	10	23	3	10	10
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	7	1	4	2	1	0	1	0	6	1	3	2
TEENAGE ILLEGITIMATE BIRTHS	27	3	12	12	4	0	2	2	23	3	10	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	4	0	0	4	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FERTILITY RATE	25.8	4.0	47.7	(15-19)	21.6	-	41.1	(15-19)	29.4	7.3	54.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	7	0	1	6	3	0	0	3	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	184.2	-	66.7	300.0	200.0	-	-	300.0	173.9	-	100.0	300.0
TEENAGE PREGNANCIES#	45	3	16	26	18	0	5	13	27	3	11	13
TEENAGE PREGNANCY RATE	30.5	4.0	57.2	(15-19)	25.9	-	49.3	(15-19)	34.6	7.3	65.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: BENTON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	8,026	564	278	286	111
WHITE	4,954	292	150	142	65
NONWHITE	3,072	272	128	144	46

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	28	0	7	21	14	0	4	10	14	0	3	11
TEENAGE IMMATURE BIRTHS	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	5	0	2	3	2	0	0	2	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	20	0	6	14	7	0	3	4	13	0	3	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	2	0	0	2	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	2	0	0	2	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	49.6	-	97.9	(15-19)	47.9	-	98.6	(15-19)	51.5	-	97.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	28	0	7	21	14	0	4	10	14	0	3	11
TEENAGE PREGNANCY RATE	49.6	-	97.9	(15-19)	47.9	-	98.6	(15-19)	51.5	-	97.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: BOLIVAR

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	40,633	3,762	1,714	2,048	643
WHITE	13,507	872	344	528	160
NONWHITE	27,126	2,890	1,370	1,520	483

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	153	7	47	99	11	1	2	8	142	6	45	91
TEENAGE IMMATURE BIRTHS	17	1	8	8	1	0	1	0	16	1	7	8
TEENAGE PREMATURE BIRTHS	34	4	8	22	3	1	1	1	31	3	7	21
TEENAGE ILLEGITIMATE BIRTHS	150	7	47	96	9	1	2	6	141	6	45	90
TEENS WHO HAD PREVIOUS LIVE BIRTHS	43	0	7	36	2	0	0	2	41	0	7	34
TEENS WHO HAD PREVIOUS PREGNANCIES	47	0	8	39	2	0	0	2	45	0	8	37
TEENS WITH INADEQUATE* PRENATAL CARE	9	2	5	2	1	0	0	1	8	2	5	1
TEENAGE FERTILITY RATE	40.7	4.1	71.3	(15-19)	12.6	2.9	18.9	(15-19)	49.1	4.4	89.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	6.5	-	-	10.1	-	-	-	-	7.0	-	-	11.0
TEENAGE PREGNANCIES#	154	7	47	100	11	1	2	8	143	6	45	92
TEENAGE PREGNANCY RATE	40.9	4.1	71.8	(15-19)	12.6	2.9	18.9	(15-19)	49.5	4.4	90.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	13.1	-	42.6	-	-	-	-	-	14.1	-	44.4	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: CALHOUN

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	15,069	1,079	533	546	218
WHITE	10,460	628	301	327	144
NONWHITE	4,609	451	232	219	74

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	47	0	19	28	28	0	10	18	19	0	9	10
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	9	0	1	8	5	0	1	4	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	37	0	17	20	18	0	8	10	19	0	9	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	0	9	4	0	0	4	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	0	11	6	0	0	6	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	43.6	-	86.1 (15-19)		44.6	-	85.6 (15-19)		42.1	-	86.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	42.6	-	52.6	35.7	-	-	-	-	105.3	-	111.1	100.0
TEENAGE PREGNANCIES#	49	0	20	29	28	0	10	18	21	0	10	11
TEENAGE PREGNANCY RATE	45.4	-	89.7 (15-19)		44.6	-	85.6 (15-19)		46.6	-	95.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA BY COUNTY OF RESIDENCE AND RACE OF MOTHER MISSISSIPPI, 2001

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,769	782	390	392	107
WHITE	6,749	426	197	229	60
NONWHITE	4,020	356	193	163	47

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	20	0	4	16	9	0	1	8	11	0	3	8
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	16	0	3	13	5	0	0	5	11	0	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	1	0	0	1	0	0	0	0	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	25.6	-	51.0 (15-19)		21.1	-	39.3 (15-19)		30.9	-	67.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	100.0	-	-	125.0	111.1	-	-	125.0	90.9	-	-	125.0
TEENAGE PREGNANCIES#	22	0	4	18	10	0	1	9	12	0	3	9
TEENAGE PREGNANCY RATE	28.1	-	56.1 (15-19)		23.5	-	43.7 (15-19)		33.7	-	73.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: CHICKASAW

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	19,440	1,484	784	700	316
WHITE	11,060	641	335	306	148
NONWHITE	8,380	843	449	394	168

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	66	2	25	39	29	1	12	16	37	1	13	23
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	14	1	6	7	5	0	2	3	9	1	4	4
TEENAGE ILLEGITIMATE BIRTHS	51	1	21	29	17	0	8	9	34	1	13	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	4	10	5	0	2	3	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	4	15	7	0	2	5	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	3	0	0	0	0	0	4	1	3	0
TEENAGE FERTILITY RATE	44.5	2.6	91.4	(15-19)	45.2	3.0	91.5	(15-19)	43.9	2.2	91.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	15.2	-	-	25.6	-	-	-	-	27.0	-	-	43.5
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	1	1	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	60.6	500.0	40.0	51.3	34.5	1000.0	-	-	81.1	-	76.9	87.0
TEENAGE PREGNANCIES#	71	3	26	42	30	2	12	16	41	1	14	26
TEENAGE PREGNANCY RATE	47.8	3.8	97.1	(15-19)	46.8	6.0	91.5	(15-19)	48.6	2.2	101.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	15.2	-	-	25.6	-	-	-	-	27.0	-	-	43.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: CHOCTAW

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	9,758	822	408	414	94
WHITE	6,638	481	240	241	58
NONWHITE	3,120	341	168	173	36

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	19	0	6	13	10	0	4	6	9	0	2	7
TEENAGE IMMATURE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE PREMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	14	0	4	10	5	0	2	3	9	0	2	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	4	0	1	3	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	23.1	-	45.9 (15-19)	20.8	-	41.5 (15-19)	26.4	-	52.0 (15-19)			
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	52.6	-	-	76.9	100.0	-	-	166.7	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	4	0	3	0	3	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	210.5	-	666.7	-	300.0	-	750.0	-	111.1	-	500.0	-
TEENAGE PREGNANCIES#	24	0	10	14	14	0	7	7	10	0	3	7
TEENAGE PREGNANCY RATE	29.2	-	58.0 (15-19)	29.1	-	58.1 (15-19)	29.3	-	57.8 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: CLAIBORNE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	11,831	1,239	461	778	170
WHITE	1,796	74	41	33	19
NONWHITE	10,035	1,165	420	745	151

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	35	0	9	26	1	0	0	1	34	0	9	25
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	34	0	9	25	1	0	0	1	33	0	9	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	0	0	0	0	17	0	3	14
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	3	14	0	0	0	0	17	0	3	14
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FERTILITY RATE	28.2	-	45.0	(15-19)	13.5	-	30.3	(15-19)	29.2	-	45.6	(15-19)
TEENAGE FETAL DEATHS**	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE FETAL DEATH RATIO	85.7	-	333.3	-	-	-	-	-	88.2	-	333.3	-
TEENAGE INDUCED TERMINATIONS#	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE INDUCED TERMINATION RATIO	200.0	-	222.2	192.3	-	-	-	-	205.9	-	222.2	200.0
TEENAGE PREGNANCIES#	45	0	14	31	1	0	0	1	44	0	14	30
TEENAGE PREGNANCY RATE	36.3	-	57.8	(15-19)	13.5	-	30.3	(15-19)	37.8	-	59.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	28.6	-	-	38.5	-	-	-	-	29.4	-	-	40.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: CLARKE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	17,955	1,327	657	670	246
WHITE	11,580	725	377	348	139
NONWHITE	6,375	602	280	322	107

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	46	1	14	31	23	0	6	17	23	1	8	14
TEENAGE IMMATURE BIRTHS	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	6	0	3	3	3	0	1	2	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	35	1	12	22	13	0	4	9	22	1	8	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	3	8	6	0	2	4	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	3	11	8	0	2	6	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FERTILITY RATE		34.7	1.5	67.2 (15-19)	31.7	-	66.1 (15-19)		38.2	3.6	68.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	21.7	-	-	32.2	-	-	-	-	43.5	-	-	71.4
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	108.7	-	214.3	64.5	87.0	-	166.7	58.8	130.4	-	250.0	71.4
TEENAGE PREGNANCIES#	52	1	17	34	25	0	7	18	27	1	10	16
TEENAGE PREGNANCY RATE	39.2	1.5	76.1 (15-19)		34.5	-	71.8 (15-19)		44.8	3.6	80.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: CLAY

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	21,979	1,818	902	916	327
WHITE	9,411	551	280	271	99
NONWHITE	12,568	1,267	622	645	228

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	72	5	27	40	9	0	7	2	63	5	20	38
TEENAGE IMMATURE BIRTHS	17	2	6	9	0	0	0	0	17	2	6	9
TEENAGE PREMATURE BIRTHS	20	4	8	8	2	0	1	1	18	4	7	7
TEENAGE ILLEGITIMATE BIRTHS	67	5	23	39	4	0	3	1	63	5	20	38
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	2	0	1	1	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	4	12	2	0	1	1	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE FERTILITY RATE		39.6	5.5	73.1 (15-19)	16.3	-	33.2 (15-19)		49.7	8.0	89.9 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	27.8	-	37.0	25.0	-	-	-	-	31.7	-	50.0	26.3
TEENAGE INDUCED TERMINATIONS#	13	0	4	9	4	0	0	4	9	0	4	5
TEENAGE INDUCED TERMINATION RATIO	180.6	-	148.1	225.0	444.4	-	-	2000.0	142.8	-	200.0	131.6
TEENAGE PREGNANCIES#	87	5	32	50	13	0	7	6	74	5	25	44
TEENAGE PREGNANCY RATE	47.8	5.5	89.5 (15-19)		23.6	-	48.0 (15-19)		58.4	8.0	107.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	5	0	2	3	0	0	0	0	5	0	2	3
INFANT MORTALITY RATE, TEEN MOMS	69.4	-	74.1	75.0	-	-	-	-	79.4	-	100.0	78.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: COAHOMA

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	30,622	2,815	1,406	1,409	570
WHITE	8,965	550	301	249	88
NONWHITE	21,657	2,265	1,105	1,160	482

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	172	6	62	104	16	0	4	12	156	6	58	92
TEENAGE IMMATURE BIRTHS	18	0	5	13	1	0	0	1	17	0	5	12
TEENAGE PREMATURE BIRTHS	39	2	12	25	3	0	0	3	36	2	12	22
TEENAGE ILLEGITIMATE BIRTHS	168	6	62	100	13	0	4	9	155	6	58	91
TEENS WHO HAD PREVIOUS LIVE BIRTHS	61	0	14	47	2	0	0	2	59	0	14	45
TEENS WHO HAD PREVIOUS PREGNANCIES	70	0	18	52	4	0	1	3	66	0	17	49
TEENS WITH INADEQUATE* PRENATAL CARE	15	0	6	9	1	0	1	0	14	0	5	9
TEENAGE FERTILITY RATE		61.1	4.3	117.8 (15-19)	29.1	-	64.2 (15-19)		68.9	5.4	129.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	5.8	-	-	9.6	-	-	-	-	6.4	-	-	10.9
TEENAGE INDUCED TERMINATIONS#	2	1	0	1	1	0	0	1	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	11.6	166.7	-	9.6	62.5	-	-	83.3	6.4	166.7	-	-
TEENAGE PREGNANCIES#	175	7	62	106	17	0	4	13	158	7	58	93
TEENAGE PREGNANCY RATE	62.2	5.0	119.2 (15-19)		30.9	-	68.3 (15-19)		69.8	6.3	130.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: COPIAH

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	28,757	2,538	1,128	1,410	424
WHITE	13,747	960	432	528	169
NONWHITE	15,010	1,578	696	882	255

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	1	30	46	23	0	10	13	54	1	20	33
TEENAGE IMMATURE BIRTHS	9	0	4	5	3	0	1	2	6	0	3	3
TEENAGE PREMATURE BIRTHS	14	0	8	6	5	0	3	2	9	0	5	4
TEENAGE ILLEGITIMATE BIRTHS	67	1	27	39	13	0	7	6	54	1	20	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	3	0	0	3	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	4	0	0	4	12	0	1	11
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	3	0	2	1	3	0	2	1
TEENAGE FERTILITY RATE	30.3	0.9	53.9	(15-19)	24.0	-	43.6	(15-19)	34.2	1.4	60.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	13.0	-	33.3	-	-	-	-	-	18.5	-	50.0	-
TEENAGE INDUCED TERMINATIONS#	10	0	4	6	4	0	2	2	6	0	2	4
TEENAGE INDUCED TERMINATION RATIO	129.9	-	133.3	130.4	173.9	-	200.0	153.8	111.1	-	100.0	121.2
TEENAGE PREGNANCIES#	88	1	35	52	27	0	12	15	61	1	23	37
TEENAGE PREGNANCY RATE	34.7	0.9	61.7	(15-19)	28.1	-	51.1	(15-19)	38.6	1.4	68.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: COVINGTON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	19,407	1,588	818	770	317
WHITE	12,307	847	450	397	185
NONWHITE	7,100	741	368	373	132

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	62	0	23	39	31	0	10	21	31	0	13	18
TEENAGE IMMATURE BIRTHS	9	0	5	4	4	0	3	1	5	0	2	3
TEENAGE PREMATURE BIRTHS	11	0	4	7	4	0	2	2	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	47	0	18	29	16	0	5	11	31	0	13	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	7	0	1	6	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	2	15	8	0	1	7	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	2	0	1	1	2	0	1	1
TEENAGE FERTILITY RATE	39.0	-	80.5	(15-19)	36.6	-	78.1	(15-19)	41.8	-	83.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	9	1	5	3	3	1	1	1	6	0	4	2
TEENAGE INDUCED TERMINATION RATIO	145.2	&	217.4	76.9	96.8	&	100.0	47.6	193.5	-	307.7	111.1
TEENAGE PREGNANCIES#	71	1	28	42	34	1	11	22	37	0	17	20
TEENAGE PREGNANCY RATE	44.7	1.2	90.9	(15-19)	40.1	2.2	83.1	(15-19)	49.9	-	99.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	16.1	-	-	25.6	-	-	-	-	32.3	-	-	55.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: DESOTO

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	107,199	7,618	4,222	3,396	1,759
WHITE	91,950	6,353	3,529	2,824	1,491
NONWHITE	15,249	1,265	693	572	268

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	202	0	67	135	164	0	50	114	38	0	17	21
TEENAGE IMMATURE BIRTHS	15	0	7	8	14	0	7	7	1	0	0	1
TEENAGE PREMATURE BIRTHS	26	0	10	16	19	0	7	12	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	152	0	58	94	115	0	41	74	37	0	17	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	0	3	37	32	0	2	30	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	55	0	7	48	45	0	5	40	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	13	0	6	7	10	0	4	6	3	0	2	1
TEENAGE FERTILITY RATE	26.5	-	59.5 (15-19)		25.8	-	58.1 (15-19)		30.0	-	66.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.9	-	-	14.8	6.1	-	-	8.8	26.3	-	-	47.6
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	204	0	67	137	165	0	50	115	39	0	17	22
TEENAGE PREGNANCY RATE	26.8	-	60.1 (15-19)		26.0	-	58.4 (15-19)		30.8	-	68.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	3	0	0	3	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	14.9	-	-	22.2	18.3	-	-	26.3	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: FORREST

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	72,604	5,827	2,365	3,462	1,052
WHITE	46,717	3,262	1,252	2,010	578
NONWHITE	25,887	2,565	1,113	1,452	474

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	191	4	62	125	83	0	24	59	108	4	38	66
TEENAGE IMMATURE BIRTHS	26	1	3	22	8	0	1	7	18	1	2	15
TEENAGE PREMATURE BIRTHS	31	1	11	19	12	0	5	7	19	1	6	12
TEENAGE ILLEGITIMATE BIRTHS	155	4	51	100	52	0	15	37	103	4	36	63
TEENS WHO HAD PREVIOUS LIVE BIRTHS	46	0	4	42	18	0	4	14	28	0	0	28
TEENS WHO HAD PREVIOUS PREGNANCIES	50	0	5	45	20	0	4	16	30	0	1	29
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	3	5	1	0	0	1	8	1	3	4
TEENAGE FERTILITY RATE	32.8	1.7	54.0	(15-19)	25.4	-	41.3	(15-19)	42.1	3.6	71.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	33	2	5	26	16	1	2	13	17	1	3	13
TEENAGE INDUCED TERMINATION RATIO	172.8	500.0	80.6	208.0	192.8	&	83.3	220.3	157.4	250.0	78.9	197.0
TEENAGE PREGNANCIES#	224	6	67	151	99	1	26	72	125	5	41	79
TEENAGE PREGNANCY RATE	38.4	2.5	63.0	(15-19)	30.3	0.8	48.8	(15-19)	48.7	4.5	82.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	6	0	0	6	1	0	0	1	5	0	0	5
INFANT MORTALITY RATE, TEEN MOMS	31.4	-	-	48.0	12.0	-	-	16.9	46.3	-	-	75.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: FRANKLIN

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	8,448	725	339	386	117
WHITE	5,305	358	155	203	68
NONWHITE	3,143	367	184	183	49

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	0	12	16	12	0	5	7	16	0	7	9
TEENAGE IMMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	4	0	3	1	2	0	2	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	20	0	8	12	4	0	1	3	16	0	7	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	4	0	2	2	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	6	0	2	4	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE FERTILITY RATE	38.6	-	72.5 (15-19)		33.5	-	59.1 (15-19)		43.6	-	87.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	35.7	-	83.3	-	-	-	-	-	62.5	-	142.8	-
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	107.1	-	-	187.5	83.3	-	-	142.8	125.0	-	-	222.2
TEENAGE PREGNANCIES#	32	0	13	19	13	0	5	8	19	0	8	11
TEENAGE PREGNANCY RATE	44.1	-	82.9 (15-19)		36.3	-	64.0 (15-19)		51.8	-	103.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: GEORGE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	19,144	1,421	714	707	328
WHITE	17,110	1,255	628	627	292
NONWHITE	2,034	166	86	80	36

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	66	1	11	54	55	1	9	45	11	0	2	9
TEENAGE IMMATURE BIRTHS	7	1	1	5	5	1	0	4	2	0	1	1
TEENAGE PREMATURE BIRTHS	11	0	3	8	9	0	2	7	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	40	1	10	29	29	1	8	20	11	0	2	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	1	20	16	0	0	16	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	1	26	21	0	0	21	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	4	6	7	0	4	3	3	0	0	3
TEENAGE FERTILITY RATE	46.4	1.4	91.9	(15-19)	43.8	1.6	86.1	(15-19)	66.3	-	137.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	45.4	-	-	55.6	54.5	-	-	66.7	-	-	-	-
TEENAGE PREGNANCIES#	69	1	11	57	58	1	9	48	11	0	2	9
TEENAGE PREGNANCY RATE	48.6	1.4	96.2	(15-19)	46.2	1.6	90.9	(15-19)	66.3	-	137.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: GREENE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	13,299	853	438	415	145
WHITE	9,681	629	326	303	112
NONWHITE	3,618	224	112	112	33

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	1	7	20	18	0	3	15	10	1	4	5
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	6	1	3	2	0	0	0	0	6	1	3	2
TEENAGE ILLEGITIMATE BIRTHS	17	1	5	11	7	0	1	6	10	1	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	7	0	1	6	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	7	0	1	6	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	32.8	2.3	65.1	(15-19)	28.6	-	59.4	(15-19)	44.6	8.9	80.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	71.4	-	-	100.0	111.1	-	-	133.3	-	-	-	-
TEENAGE PREGNANCIES#	30	1	7	22	20	0	3	17	10	1	4	5
TEENAGE PREGNANCY RATE	35.2	2.3	69.9	(15-19)	31.8	-	66.0	(15-19)	44.6	8.9	80.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: GRENADA

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	23,263	1,801	975	826	285
WHITE	13,474	883	483	400	149
NONWHITE	9,789	918	492	426	136

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	0	22	36	18	0	8	10	40	0	14	26
TEENAGE IMMATURE BIRTHS	7	0	0	7	1	0	0	1	6	0	0	6
TEENAGE PREMATURE BIRTHS	6	0	3	3	1	0	0	1	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	52	0	20	32	12	0	6	6	40	0	14	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	3	0	0	3	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	3	13	3	0	0	3	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FERTILITY RATE	32.2	-	70.2 (15-19)		20.4	-	45.0 (15-19)		43.6	-	93.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	34.5	-	-	55.6	-	-	-	-	50.0	-	-	76.9
TEENAGE PREGNANCIES#	60	0	22	38	18	0	8	10	42	0	14	28
TEENAGE PREGNANCY RATE	33.3	-	72.6 (15-19)		20.4	-	45.0 (15-19)		45.8	-	98.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: HANCOCK

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	42,967	2,971	1,591	1,380	532
WHITE	38,752	2,591	1,390	1,201	488
NONWHITE	4,215	380	201	179	44

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	2	36	52	81	2	32	47	9	0	4	5
TEENAGE IMMATURE BIRTHS	15	0	6	9	11	0	5	6	4	0	1	3
TEENAGE PREMATURE BIRTHS	16	0	8	8	13	0	6	7	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	69	2	30	37	60	2	26	32	9	0	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	4	11	12	0	4	8	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	8	17	22	0	8	14	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	17	0	5	12	14	0	4	10	3	0	1	2
TEENAGE FERTILITY RATE	30.3	1.2	63.8	(15-19)	31.3	1.4	65.8	(15-19)	23.7	-	50.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	11.1	-	-	19.2	12.3	-	-	21.3	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	5	0	1	4	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	55.6	-	27.8	76.9	61.7	-	31.2	85.1	-	-	-	-
TEENAGE PREGNANCIES#	96	2	37	57	87	2	33	52	9	0	4	5
TEENAGE PREGNANCY RATE	32.3	1.2	68.1	(15-19)	33.6	1.4	70.8	(15-19)	23.7	-	50.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	11.1	-	27.8	-	-	-	-	-	111.1	-	250.0	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: HARRISON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	189,601	13,508	6,589	6,919	2,841
WHITE	138,692	8,965	4,377	4,588	1,927
NONWHITE	50,909	4,543	2,212	2,331	914

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	449	9	133	307	258	2	82	174	191	7	51	133
TEENAGE IMMATURE BIRTHS	52	0	13	39	22	0	6	16	30	0	7	23
TEENAGE PREMATURE BIRTHS	69	0	15	54	38	0	8	30	31	0	7	24
TEENAGE ILLEGITIMATE BIRTHS	345	9	110	226	167	2	61	104	178	7	49	122
TEENS WHO HAD PREVIOUS LIVE BIRTHS	85	1	13	71	40	0	9	31	45	1	4	40
TEENS WHO HAD PREVIOUS PREGNANCIES	112	1	22	89	58	0	16	42	54	1	6	47
TEENS WITH INADEQUATE* PRENATAL CARE	29	1	13	15	14	0	9	5	15	1	4	10
TEENAGE FERTILITY RATE	33.2	1.4	63.6	(15-19)	28.8	0.4	55.8	(15-19)	42.0	3.2	78.9	(15-19)
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	6.7	-	15.0	3.2	-	-	-	-	15.7	-	39.2	7.5
TEENAGE INDUCED TERMINATIONS#	63	3	15	45	34	2	10	22	29	1	5	23
TEENAGE INDUCED TERMINATION RATIO	140.3	333.3	112.8	146.6	131.8	1000.0	122.0	126.4	151.8	142.8	98.0	172.9
TEENAGE PREGNANCIES#	515	12	150	353	292	4	92	196	223	8	58	157
TEENAGE PREGNANCY RATE	38.1	1.8	72.7	(15-19)	32.6	0.9	62.8	(15-19)	49.1	3.6	92.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	1	1	3	1	0	0	1	4	1	1	2
INFANT MORTALITY RATE, TEEN MOMS	11.1	111.1	7.5	9.8	3.9	-	-	5.7	20.9	142.9	19.6	15.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: HINDS

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	250,800	20,344	9,513	10,831	3,841
WHITE	93,584	5,725	2,407	3,318	1,002
NONWHITE	157,216	14,619	7,106	7,513	2,839

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	674	25	252	397	69	0	19	50	605	25	233	347
TEENAGE IMMATURE BIRTHS	106	1	44	61	9	0	3	6	97	1	41	55
TEENAGE PREMATURE BIRTHS	161	5	68	88	9	0	2	7	152	5	66	81
TEENAGE ILLEGITIMATE BIRTHS	643	25	246	372	49	0	16	33	594	25	230	339
TEENS WHO HAD PREVIOUS LIVE BIRTHS	184	1	34	149	14	0	0	14	170	1	34	135
TEENS WHO HAD PREVIOUS PREGNANCIES	227	1	51	175	16	0	2	14	211	1	49	161
TEENS WITH INADEQUATE* PRENATAL CARE	76	5	30	41	3	0	2	1	73	5	28	40
TEENAGE FERTILITY RATE	33.1	2.6	59.9	(15-19)	12.0	-	20.8	(15-19)	41.4	3.5	77.2	(15-19)
TEENAGE FETAL DEATHS**	11	3	4	4	2	1	0	1	9	2	4	3
TEENAGE FETAL DEATH RATIO	16.3	120.0	15.9	10.1	29.0	&	-	20.0	14.9	80.0	17.2	8.6
TEENAGE INDUCED TERMINATIONS#	232	16	71	145	40	0	15	25	191	16	56	119
TEENAGE INDUCED TERMINATION RATIO	344.2	640.0	281.7	365.2	579.7	-	789.5	500.0	315.7	640.0	240.3	342.9
TEENAGE PREGNANCIES#	917	44	327	546	111	1	34	76	805	43	293	469
TEENAGE PREGNANCY RATE	45.1	4.6	80.6	(15-19)	19.4	0.4	33.2	(15-19)	55.1	6.0	101.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	8	0	6	2	0	0	0	0	8	0	6	2
INFANT MORTALITY RATE, TEEN MOMS	11.9	-	23.8	5.0	-	-	-	-	13.2	-	25.8	5.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: HOLMES

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	21,609	2,091	920	1,171	386
WHITE	4,424	311	97	214	45
NONWHITE	17,185	1,780	823	957	341

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	97	6	40	51	1	0	0	1	96	6	40	50
TEENAGE IMMATURE BIRTHS	22	3	8	11	0	0	0	0	22	3	8	11
TEENAGE PREMATURE BIRTHS	26	1	14	11	0	0	0	0	26	1	14	11
TEENAGE ILLEGITIMATE BIRTHS	96	6	40	50	1	0	0	1	95	6	40	49
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	1	8	16	0	0	0	0	25	1	8	16
TEENS WHO HAD PREVIOUS PREGNANCIES	31	1	10	20	0	0	0	0	31	1	10	20
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	10	4	0	0	0	0	14	0	10	4
TEENAGE FERTILITY RATE	46.4	6.5	77.7	(15-19)	3.2	-	4.7	(15-19)	53.9	7.3	94.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	13	0	4	9	0	0	0	0	13	0	4	9
TEENAGE INDUCED TERMINATION RATIO	134.0	-	100.0	176.5	-	-	-	-	135.4	-	100.0	180.0
TEENAGE PREGNANCIES#	110	6	44	60	1	0	0	1	109	6	44	59
TEENAGE PREGNANCY RATE	52.6	6.5	88.8	(15-19)	3.2	-	4.7	(15-19)	61.2	7.3	107.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: HUMPHREYS

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	11,206	1,088	503	585	225
WHITE	3,045	193	80	113	35
NONWHITE	8,161	895	423	472	190

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	5	18	53	5	0	1	4	71	5	17	49
TEENAGE IMMATURE BIRTHS	14	1	4	9	0	0	0	0	14	1	4	9
TEENAGE PREMATURE BIRTHS	18	2	5	11	1	0	0	1	17	2	5	10
TEENAGE ILLEGITIMATE BIRTHS	72	5	17	50	1	0	0	1	71	5	17	49
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	2	0	0	2	15	0	3	12
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	3	15	2	0	0	2	16	0	3	13
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	2	5	0	0	0	0	8	1	2	5
TEENAGE FERTILITY RATE		69.8	9.9	121.4 (15-19)	25.9	-	44.2 (15-19)		79.3	11.8	139.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	13.2	-	-	18.9	-	-	-	-	14.1	-	-	20.4
TEENAGE INDUCED TERMINATIONS#	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE INDUCED TERMINATION RATIO	78.9	-	222.2	37.7	-	-	-	-	84.5	-	235.3	40.8
TEENAGE PREGNANCIES#	83	5	22	56	5	0	1	4	78	5	21	52
TEENAGE PREGNANCY RATE	76.3	9.9	133.3 (15-19)		25.9	-	44.2 (15-19)		87.2	11.8	154.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	0	0	0	0	3	0	0	3
INFANT MORTALITY RATE, TEEN MOMS	39.5	-	-	56.6	-	-	-	-	42.3	-	-	61.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001

COUNTY: ISSAQUENA

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 14 columns: TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS**, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, INFANT MORTALITY RATE, TEEN MOMS. Columns are grouped by ALL RACES, WHITE, and NONWHITE.

* ACCORDING TO THE KESSNER INDEX.
** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:
IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS
PREMATURE=GESTATION LESS THAN 37 WEEKS
FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS
PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE
INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: ITAWAMBA

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	22,770	1,713	802	911	270
WHITE	21,055	1,522	742	780	250
NONWHITE	1,715	191	60	131	20

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	42	0	15	27	39	0	13	26	3	0	2	1
TEENAGE IMMATURE BIRTHS	6	0	1	5	5	0	0	5	1	0	1	0
TEENAGE PREMATURE BIRTHS	16	0	7	9	14	0	6	8	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	27	0	13	14	24	0	11	13	3	0	2	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	8	0	0	8	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	10	0	0	10	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	24.5	-	46.1	(15-19)	25.6	-	50.0	(15-19)	15.7	-	22.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	42	0	15	27	39	0	13	26	3	0	2	1
TEENAGE PREGNANCY RATE	24.5	-	46.1	(15-19)	25.6	-	50.0	(15-19)	15.7	-	22.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: JACKSON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	131,420	10,001	5,120	4,881	1,874
WHITE	99,026	7,031	3,612	3,419	1,321
NONWHITE	32,394	2,970	1,508	1,462	553

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	316	4	102	210	196	1	63	132	120	3	39	78
TEENAGE IMMATURE BIRTHS	35	2	18	15	18	1	10	7	17	1	8	8
TEENAGE PREMATURE BIRTHS	47	1	15	31	26	1	7	18	21	0	8	13
TEENAGE ILLEGITIMATE BIRTHS	252	4	92	156	141	1	53	87	111	3	39	69
TEENS WHO HAD PREVIOUS LIVE BIRTHS	77	0	9	68	42	0	7	35	35	0	2	33
TEENS WHO HAD PREVIOUS PREGNANCIES	98	0	12	86	54	0	10	44	44	0	2	42
TEENS WITH INADEQUATE* PRENATAL CARE	24	2	7	15	11	1	2	8	13	1	5	7
TEENAGE FERTILITY RATE	31.6	0.8	63.9	(15-19)	27.9	0.3	57.0	(15-19)	40.4	2.0	80.0	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	6.3	-	-	9.5	5.1	-	-	7.6	8.3	-	-	12.8
TEENAGE INDUCED TERMINATIONS#	62	3	20	39	41	1	15	25	21	2	5	14
TEENAGE INDUCED TERMINATION RATIO	196.2	750.0	196.1	185.7	209.2	1000.0	238.1	189.4	175.0	666.7	128.2	179.5
TEENAGE PREGNANCIES#	380	7	122	251	238	2	78	158	142	5	44	93
TEENAGE PREGNANCY RATE	38.0	1.4	76.4	(15-19)	33.8	0.6	69.0	(15-19)	47.8	3.3	93.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	6.3	-	-	9.5	5.1	-	-	7.6	8.3	-	-	12.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: JASPER

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	18,149	1,430	699	731	279
WHITE	8,433	493	220	273	115
NONWHITE	9,716	937	479	458	164

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	3	13	32	15	0	3	12	33	3	10	20
TEENAGE IMMATURE BIRTHS	7	1	3	3	1	0	0	1	6	1	3	2
TEENAGE PREMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	39	3	12	24	6	0	2	4	33	3	10	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	4	4	3	0	0	3	5	0	4	1
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	5	7	7	0	1	6	5	0	4	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE		33.6	4.3	61.6 (15-19)	30.4	-	54.9 (15-19)		35.2	6.3	65.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	0	0	5	2	0	0	2	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	104.2	-	-	156.2	133.3	-	-	166.7	90.9	-	-	150.0
TEENAGE PREGNANCIES#	53	3	13	37	17	0	3	14	36	3	10	23
TEENAGE PREGNANCY RATE	37.1	4.3	68.4 (15-19)		34.5	-	62.3 (15-19)		38.4	6.3	72.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: JEFFERSON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	9,740	856	423	433	134
WHITE	1,272	67	35	32	8
NONWHITE	8,468	789	388	401	126

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	0	9	25	1	0	0	1	33	0	9	24
TEENAGE IMMATURE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE PREMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	33	0	9	24	0	0	0	0	33	0	9	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	0	0	0	0	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	1	12	0	0	0	0	13	0	1	12
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	39.7	-	78.5	(15-19)	14.9	-	31.2	(15-19)	41.8	-	82.3	(15-19)
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	29.4	&	-	-	-	-	-	-	30.3	&	-	-
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE INDUCED TERMINATION RATIO	235.3	-	333.3	200.0	-	-	-	-	242.4	-	333.3	208.3
TEENAGE PREGNANCIES#	43	1	12	30	1	0	0	1	42	1	12	29
TEENAGE PREGNANCY RATE	50.2	2.4	97.0	(15-19)	14.9	-	31.2	(15-19)	53.2	2.6	102.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	29.4	-	-	40.0	-	-	-	-	30.3	-	-	41.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: JEFF DAVIS

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	13,962	1,167	569	598	171
WHITE	5,816	368	169	199	71
NONWHITE	8,146	799	400	399	100

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	1	11	21	11	0	6	5	22	1	5	16
TEENAGE IMMATURE BIRTHS	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE PREMATURE BIRTHS	5	0	2	3	2	0	1	1	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	24	1	8	15	5	0	3	2	19	1	5	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	2	0	1	1	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	3	7	2	0	1	1	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	28.3	1.8	53.5	(15-19)	29.9	-	55.3	(15-19)	27.5	2.5	52.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	60.6	-	-	95.2	-	-	-	-	90.9	-	-	125.0
TEENAGE PREGNANCIES#	35	1	11	23	11	0	6	5	24	1	5	18
TEENAGE PREGNANCY RATE	30.0	1.8	56.8	(15-19)	29.9	-	55.3	(15-19)	30.0	2.5	57.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	30.3	-	90.9	-	-	-	-	-	45.5	-	200.0	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: JONES

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	64,958	4,911	2,241	2,670	1,004
WHITE	46,192	3,117	1,396	1,721	641
NONWHITE	18,766	1,794	845	949	363

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	186	2	61	123	98	0	25	73	88	2	36	50
TEENAGE IMMATURE BIRTHS	21	1	8	12	9	0	3	6	12	1	5	6
TEENAGE PREMATURE BIRTHS	23	0	13	10	13	0	7	6	10	0	6	4
TEENAGE ILLEGITIMATE BIRTHS	143	2	56	85	60	0	20	40	83	2	36	45
TEENS WHO HAD PREVIOUS LIVE BIRTHS	39	0	6	33	20	0	2	18	19	0	4	15
TEENS WHO HAD PREVIOUS PREGNANCIES	50	0	8	42	26	0	2	24	24	0	6	18
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	5	0	3	2	3	0	0	3
TEENAGE FERTILITY RATE	37.9	0.9	68.9	(15-19)	31.4	-	56.9	(15-19)	49.0	2.4	90.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	5.4	-	-	8.1	10.2	-	-	13.7	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	20	2	5	13	8	1	1	6	12	1	4	7
TEENAGE INDUCED TERMINATION RATIO	107.5	1000.0	82.0	105.7	81.6	&	40.0	82.2	136.4	500.0	111.1	140.0
TEENAGE PREGNANCIES#	207	4	66	137	107	1	26	80	100	3	40	57
TEENAGE PREGNANCY RATE	42.2	1.8	76.0	(15-19)	34.3	0.7	61.6	(15-19)	55.7	3.6	102.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	2	0	2	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	10.8	-	32.8	-	20.4	-	80.0	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: KEMPER

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	10,453	827	346	481	136
WHITE	4,080	258	94	164	43
NONWHITE	6,373	569	252	317	93

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	0	8	17	5	0	0	5	20	0	8	12
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	21	0	7	14	3	0	0	3	18	0	7	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	30.2	-	52.0 (15-19)	19.4	-	30.5 (15-19)	35.1	-	63.1 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	40.0	-	125.0	-	-	-	-	-	50.0	-	125.0	-
TEENAGE PREGNANCIES#	26	0	9	17	5	0	0	5	21	0	9	12
TEENAGE PREGNANCY RATE	31.4	-	54.0 (15-19)	19.4	-	30.5 (15-19)	36.9	-	66.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	40.0	-	-	58.8	-	-	-	-	50.0	-	-	83.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: LAFAYETTE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	38,744	3,261	1,005	2,256	448
WHITE	27,838	2,268	617	1,651	261
NONWHITE	10,906	993	388	605	187

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	54	2	19	33	16	0	7	9	38	2	12	24
TEENAGE IMMATURE BIRTHS	5	1	1	3	2	0	1	1	3	1	0	2
TEENAGE PREMATURE BIRTHS	8	0	2	6	2	0	1	1	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	48	2	17	29	11	0	5	6	37	2	12	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	2	10	2	0	0	2	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	2	0	0	2	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	0	3	1	0	0	1	3	1	0	2
TEENAGE FERTILITY RATE	16.6	2.0	23.0	(15-19)	7.0	-	9.7	(15-19)	38.3	5.2	59.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	55.6	-	52.6	60.6	187.5	-	142.8	222.2	-	-	-	-
TEENAGE PREGNANCIES#	57	2	20	35	19	0	8	11	38	2	12	24
TEENAGE PREGNANCY RATE	17.5	2.0	24.4	(15-19)	8.4	-	11.5	(15-19)	38.3	5.2	59.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: LAMAR

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	39,070	3,114	1,511	1,603	624
WHITE	33,342	2,556	1,232	1,324	515
NONWHITE	5,728	558	279	279	109

	ALL RACES				WHITE				NONWHITE				
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	
TEENAGE BIRTHS	84	1	23	60	68	0	16	52	16	1	7	8	
TEENAGE IMMATURE BIRTHS	9	0	4	5	8	0	3	5	1	0	1	0	
TEENAGE PREMATURE BIRTHS	14	1	5	8	9	0	3	6	5	1	2	2	
TEENAGE ILLEGITIMATE BIRTHS	46	1	14	31	30	0	7	23	16	1	7	8	
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	1	20	19	0	0	19	2	0	1	1	
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	2	22	22	0	1	21	2	0	1	1	
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	5	0	1	4	3	0	1	2	
TEENAGE FERTILITY RATE		27.0	0.7	51.8 (15-19)	26.6	-	51.4 (15-19)		28.7	3.6	53.8 (15-19)		
TEENAGE FETAL DEATHS**		2	0	1	1	0	0	0	2	0	1	1	
TEENAGE FETAL DEATH RATIO		23.8	-	43.5	16.7	-	-	-	125.0	-	142.8	125.0	
TEENAGE INDUCED TERMINATIONS#		7	1	0	6	4	0	4	3	1	0	2	
TEENAGE INDUCED TERMINATION RATIO		83.3	1000.0	-	100.0	58.8	-	76.9	187.5	1000.0	-	250.0	
TEENAGE PREGNANCIES#		93	2	24	67	72	0	16	56	21	2	8	11
TEENAGE PREGNANCY RATE		29.9	1.3	56.8 (15-19)	28.2	-	54.4 (15-19)		37.6	7.2	68.1 (15-19)		
INFANT DEATHS TO TEENAGE MOTHERS		0	0	0	0	0	0	0	0	0	0	0	
INFANT MORTALITY RATE, TEEN MOMS		-	-	-	-	-	-	-	-	-	-	-	

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: LAUDERDALE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	78,161	5,759	2,812	2,947	1,218
WHITE	47,013	2,854	1,421	1,433	602
NONWHITE	31,148	2,905	1,391	1,514	616

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	207	3	68	136	62	0	9	53	145	3	59	83
TEENAGE IMMATURE BIRTHS	29	0	16	13	5	0	1	4	24	0	15	9
TEENAGE PREMATURE BIRTHS	34	0	14	20	9	0	1	8	25	0	13	12
TEENAGE ILLEGITIMATE BIRTHS	170	3	64	103	28	0	5	23	142	3	59	80
TEENS WHO HAD PREVIOUS LIVE BIRTHS	38	0	6	32	9	0	0	9	29	0	6	23
TEENS WHO HAD PREVIOUS PREGNANCIES	52	0	9	43	16	0	1	15	36	0	8	28
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	4	5	2	0	0	2	7	0	4	3
TEENAGE FERTILITY RATE	35.9	1.1	69.2	(15-19)	21.7	-	43.3	(15-19)	49.9	2.2	93.8	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	4.8	-	-	7.4	-	-	-	-	6.9	-	-	12.0
TEENAGE INDUCED TERMINATIONS#	40	4	11	25	12	0	5	7	28	4	6	18
TEENAGE INDUCED TERMINATION RATIO	193.2	1333.3	161.8	183.8	193.5	-	555.6	132.1	193.1	1333.3	101.7	216.9
TEENAGE PREGNANCIES#	248	7	79	162	74	0	14	60	174	7	65	102
TEENAGE PREGNANCY RATE	43.1	2.5	81.8	(15-19)	25.9	-	51.6	(15-19)	59.9	5.0	110.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	0	3	1	1	0	0	1	3	0	3	0
INFANT MORTALITY RATE, TEEN MOMS	19.3	-	44.1	7.4	16.1	-	-	18.9	20.7	-	50.8	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: LAWRENCE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	13,258	1,004	496	508	199
WHITE	8,875	607	299	308	114
NONWHITE	4,383	397	197	200	85

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	1	14	19	19	1	8	10	15	0	6	9
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	8	0	2	6	3	0	1	2	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	26	1	12	13	11	1	6	4	15	0	6	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	2	3	1	0	0	1	4	0	2	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	3	0	2	0	2	0	1	0	1	0
TEENAGE FERTILITY RATE	33.9	2.0	65.0	(15-19)	31.3	3.3	58.4	(15-19)	37.8	-	75.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	88.2	-	71.4	105.3	52.6	-	-	100.0	133.3	-	166.7	111.1
TEENAGE PREGNANCIES#	37	1	15	21	20	1	8	11	17	0	7	10
TEENAGE PREGNANCY RATE	36.8	2.0	70.9	(15-19)	32.9	3.3	61.7	(15-19)	42.8	-	85.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001

COUNTY: LEAKE

Table with 6 columns: RACE, TOTAL POPULATION, FEMALE AGES 10-19, FEMALE AGES 10-14, FEMALE AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 14 columns: TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS**, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, INFANT MORTALITY RATE, TEEN MOMS. Columns are grouped by ALL RACES, WHITE, and NONWHITE.

* ACCORDING TO THE KESSNER INDEX.
** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:
IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS
PREMATURE=GESTATION LESS THAN 37 WEEKS
FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS
PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE
INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001

COUNTY: LEE

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 14 columns: TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS**, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, INFANT MORTALITY RATE, TEEN MOMS. Columns are grouped by ALL RACES, WHITE, and NONWHITE.

* ACCORDING TO THE KESSNER INDEX.
** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS
PREMATURE=GESTATION LESS THAN 37 WEEKS
FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS
PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP
INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE
INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA BY COUNTY OF RESIDENCE AND RACE OF MOTHER MISSISSIPPI, 2001

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,947	3,249	1,534	1,715	579
WHITE	11,384	668	333	335	133
NONWHITE	26,563	2,581	1,201	1,380	446

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	131	6	44	81	18	0	7	11	113	6	37	70
TEENAGE IMMATURE BIRTHS	21	2	9	10	2	0	2	0	19	2	7	10
TEENAGE PREMATURE BIRTHS	32	3	15	14	1	0	1	0	31	3	14	14
TEENAGE ILLEGITIMATE BIRTHS	126	6	42	78	13	0	5	8	113	6	37	70
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	8	28	5	0	2	3	31	0	6	25
TEENS WHO HAD PREVIOUS PREGNANCIES	44	0	9	35	7	0	3	4	37	0	6	31
TEENS WITH INADEQUATE* PRENATAL CARE	18	1	7	10	0	0	0	0	18	1	7	10
TEENAGE FERTILITY RATE	40.3	3.9	72.9	(15-19)	26.9	-	53.7	(15-19)	43.8	5.0	77.5	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	7.6	-	-	12.3	-	-	-	-	8.8	-	-	14.3
TEENAGE INDUCED TERMINATIONS#	13	1	5	7	2	0	1	1	11	1	4	6
TEENAGE INDUCED TERMINATION RATIO	99.2	166.7	113.6	86.4	111.1	-	142.8	90.9	97.3	166.7	108.1	85.7
TEENAGE PREGNANCIES#	145	7	49	89	20	0	8	12	125	7	41	77
TEENAGE PREGNANCY RATE	44.6	4.6	80.5	(15-19)	29.9	-	59.7	(15-19)	48.4	5.8	85.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	1	1	2	0	0	0	0	4	1	1	2
INFANT MORTALITY RATE, TEEN MOMS	30.5	166.7	22.7	24.7	-	-	-	-	35.4	166.7	27.0	28.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: LINCOLN

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	33,166	2,437	1,167	1,270	460
WHITE	23,010	1,528	729	799	298
NONWHITE	10,156	909	438	471	162

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	0	31	42	30	0	10	20	43	0	21	22
TEENAGE IMMATURE BIRTHS	13	0	4	9	5	0	0	5	8	0	4	4
TEENAGE PREMATURE BIRTHS	9	0	4	5	3	0	1	2	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	59	0	28	31	16	0	7	9	43	0	21	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	6	11	6	0	1	5	11	0	5	6
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	7	15	9	0	2	7	13	0	5	8
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE FERTILITY RATE	30.0	-	57.5 (15-19)	19.6	-	37.5 (15-19)	47.3	-	91.3 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	11	0	6	5	5	0	0	5	6	0	6	0
TEENAGE INDUCED TERMINATION RATIO	150.7	-	193.5	119.0	166.7	-	-	250.0	139.5	-	285.7	-
TEENAGE PREGNANCIES#	84	0	37	47	35	0	10	25	49	0	27	22
TEENAGE PREGNANCY RATE	34.5	-	66.1 (15-19)	22.9	-	43.8 (15-19)	53.9	-	104.0 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: LOWNDES

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	61,586	4,879	2,411	2,468	926
WHITE	34,775	2,333	1,109	1,224	468
NONWHITE	26,811	2,546	1,302	1,244	458

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	166	5	55	106	51	0	18	33	115	5	37	73
TEENAGE IMMATURE BIRTHS	26	0	12	14	8	0	4	4	18	0	8	10
TEENAGE PREMATURE BIRTHS	48	1	22	25	13	0	8	5	35	1	14	20
TEENAGE ILLEGITIMATE BIRTHS	139	5	52	82	34	0	15	19	105	5	37	63
TEENS WHO HAD PREVIOUS LIVE BIRTHS	39	0	6	33	9	0	1	8	30	0	5	25
TEENS WHO HAD PREVIOUS PREGNANCIES	49	0	8	41	13	0	3	10	36	0	5	31
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	5	9	3	0	1	2	11	0	4	7
TEENAGE FERTILITY RATE	34.0	2.1	65.2	(15-19)	21.9	-	41.7	(15-19)	45.2	3.8	88.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	6.0	-	18.2	-	-	-	-	-	8.7	-	27.0	-
TEENAGE INDUCED TERMINATIONS#	46	4	15	27	18	0	6	12	28	4	9	15
TEENAGE INDUCED TERMINATION RATIO	277.1	800.0	272.7	254.7	352.9	-	333.3	363.6	243.5	800.0	243.2	205.5
TEENAGE PREGNANCIES#	213	9	71	133	69	0	24	45	144	9	47	88
TEENAGE PREGNANCY RATE	43.6	3.7	82.6	(15-19)	29.6	-	56.4	(15-19)	56.6	6.9	108.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	1	3	1	0	0	0	0	5	1	3	1
INFANT MORTALITY RATE, TEEN MOMS	30.1	200.0	54.5	9.4	-	-	-	-	43.5	200.0	81.1	13.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: MADISON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	74,674	5,793	3,054	2,739	1,269
WHITE	45,021	2,855	1,627	1,228	676
NONWHITE	29,653	2,938	1,427	1,511	593

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	126	4	48	74	24	0	11	13	102	4	37	61
TEENAGE IMMATURE BIRTHS	15	2	4	9	3	0	1	2	12	2	3	7
TEENAGE PREMATURE BIRTHS	26	2	10	14	5	0	2	3	21	2	8	11
TEENAGE ILLEGITIMATE BIRTHS	116	4	45	67	17	0	9	8	99	4	36	59
TEENS WHO HAD PREVIOUS LIVE BIRTHS	28	1	5	22	1	0	0	1	27	1	5	21
TEENS WHO HAD PREVIOUS PREGNANCIES	36	1	6	29	4	0	0	4	32	1	6	25
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	1	9	0	0	0	0	10	0	1	9
TEENAGE FERTILITY RATE		21.8	1.3	44.5 (15-19)	8.4	-	19.5 (15-19)		34.7	2.8	64.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	7.9	-	20.8	-	-	-	-	-	9.8	-	27.0	-
TEENAGE INDUCED TERMINATIONS#	47	3	17	27	19	0	6	13	28	3	11	14
TEENAGE INDUCED TERMINATION RATIO	373.0	750.0	354.2	364.9	791.7	-	545.4	1000.0	274.5	750.0	297.3	229.5
TEENAGE PREGNANCIES#	174	7	66	101	43	0	17	26	131	7	49	75
TEENAGE PREGNANCY RATE	30.0	2.3	61.0 (15-19)		15.1	-	35.0 (15-19)		44.6	4.9	82.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	15.9	-	-	27.0	-	-	-	-	19.6	-	-	32.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: MARION

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	25,595	2,032	966	1,066	338
WHITE	17,138	1,206	558	648	204
NONWHITE	8,457	826	408	418	134

	ALL RACES				WHITE				NONWHITE					
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19		
TEENAGE BIRTHS	64	1	17	46	40	1	11	28	24	0	6	18		
TEENAGE IMMATURE BIRTHS	1	1	0	0	1	1	0	0	0	0	0	0		
TEENAGE PREMATURE BIRTHS	9	0	2	7	5	0	1	4	4	0	1	3		
TEENAGE ILLEGITIMATE BIRTHS	39	1	12	26	15	1	6	8	24	0	6	18		
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	9	0	2	7	6	0	0	6		
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	13	0	2	11	6	0	0	6		
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	2	0	1	1	2	0	1	1		
TEENAGE FERTILITY RATE		31.5	1.0	59.1 (15-19)	33.2	1.8	60.2 (15-19)	29.0	-	57.4 (15-19)				
TEENAGE FETAL DEATHS**	3		0	2	1	2		0	2	0		1		
TEENAGE FETAL DEATH RATIO	46.9		-	117.6	21.7	50.0		-	181.8	-		55.6		
TEENAGE INDUCED TERMINATIONS#	6		1	1	4	2		0	1	1		3		
TEENAGE INDUCED TERMINATION RATIO	93.8	1000.0		58.8	87.0	50.0		-	90.9	35.7	166.7	& - 166.7		
TEENAGE PREGNANCIES#	73		2	20	51	44		1	14	29	29	1	6	22
TEENAGE PREGNANCY RATE	35.9		2.1	66.6 (15-19)	36.5	36.5		1.8	66.4 (15-19)	35.1	2.4	67.0 (15-19)		
INFANT DEATHS TO TEENAGE MOTHERS	1		0	0	1	1		0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	15.6		-	-	21.7	25.0		-	-	35.7	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: MARSHALL

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	34,993	2,716	1,339	1,377	515
WHITE	16,925	1,034	528	506	235
NONWHITE	18,068	1,682	811	871	280

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	112	1	42	69	32	0	9	23	80	1	33	46
TEENAGE IMMATURE BIRTHS	22	0	6	16	6	0	1	5	16	0	5	11
TEENAGE PREMATURE BIRTHS	15	0	4	11	3	0	1	2	12	0	3	9
TEENAGE ILLEGITIMATE BIRTHS	94	1	39	54	16	0	6	10	78	1	33	44
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	8	24	12	0	2	10	20	0	6	14
TEENS WHO HAD PREVIOUS PREGNANCIES	38	0	9	29	17	0	3	14	21	0	6	15
TEENS WITH INADEQUATE* PRENATAL CARE	15	0	10	5	1	0	1	0	14	0	9	5
TEENAGE FERTILITY RATE		41.2	0.7	80.6 (15-19)	30.9	-	63.2 (15-19)		47.6	1.2	90.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	8.9	-	-	14.5	-	-	-	-	12.5	-	-	21.7
TEENAGE PREGNANCIES#	113	1	42	70	32	0	9	23	81	1	33	47
TEENAGE PREGNANCY RATE	41.6	0.7	81.3 (15-19)		30.9	-	63.2 (15-19)		48.2	1.2	91.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	17.9	-	23.8	14.5	31.3	-	-	43.5	12.5	-	30.3	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: MONROE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	38,014	2,887	1,484	1,403	508
WHITE	25,991	1,772	923	849	326
NONWHITE	12,023	1,115	561	554	182

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	78	1	29	48	48	0	16	32	30	1	13	16
TEENAGE IMMATURE BIRTHS	9	0	4	5	5	0	3	2	4	0	1	3
TEENAGE PREMATURE BIRTHS	10	0	6	4	4	0	3	1	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	64	1	26	37	34	0	13	21	30	1	13	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	4	14	10	0	1	9	8	0	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	4	18	14	0	1	13	8	0	3	5
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	1	0	1	0	3	0	2	1
TEENAGE FERTILITY RATE		27.0	0.7	54.9 (15-19)	27.1	-	56.5 (15-19)		26.9	1.8	52.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	13	0	4	9	4	0	0	4	9	0	4	5
TEENAGE INDUCED TERMINATION RATIO	166.7	-	137.9	187.5	83.3	-	-	125.0	300.0	-	307.7	312.5
TEENAGE PREGNANCIES#	91	1	33	57	52	0	16	36	39	1	17	21
TEENAGE PREGNANCY RATE	31.5	0.7	64.1 (15-19)		29.3	-	61.2 (15-19)		35.0	1.8	68.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: MONTGOMERY

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	12,189	958	476	482	151
WHITE	6,613	396	190	206	65
NONWHITE	5,576	562	286	276	86

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	24	1	6	17	6	0	2	4	18	1	4	13
TEENAGE IMMATURE BIRTHS	6	0	3	3	3	0	1	2	3	0	2	1
TEENAGE PREMATURE BIRTHS	9	1	2	6	4	0	1	3	5	1	1	3
TEENAGE ILLEGITIMATE BIRTHS	21	1	4	16	3	0	0	3	18	1	4	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FERTILITY RATE	25.0	2.1	47.7	(15-19)	15.2	-	29.1	(15-19)	32.0	3.5	61.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	83.3	-	166.7	58.8	166.7	-	-	250.0	55.6	-	250.0	-
TEENAGE INDUCED TERMINATIONS#	7	0	0	7	3	0	0	3	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	291.7	-	-	411.8	500.0	-	-	750.0	222.2	-	-	307.7
TEENAGE PREGNANCIES#	33	1	7	25	10	0	2	8	23	1	5	17
TEENAGE PREGNANCY RATE	34.4	2.1	66.4	(15-19)	25.2	-	48.5	(15-19)	40.9	3.5	79.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: NESHOBA

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	28,684	2,259	1,116	1,143	482
WHITE	18,788	1,243	616	627	247
NONWHITE	9,896	1,016	500	516	235

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	91	1	41	49	36	1	11	24	55	0	30	25
TEENAGE IMMATURE BIRTHS	8	0	5	3	1	0	0	1	7	0	5	2
TEENAGE PREMATURE BIRTHS	16	1	5	10	6	1	0	5	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	68	1	33	34	16	1	4	11	52	0	29	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	6	11	4	0	1	3	13	0	5	8
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	9	13	4	0	1	3	18	0	8	10
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	6	1	2	0	1	1	5	0	5	0
TEENAGE FERTILITY RATE	40.3	0.9	78.7	(15-19)	29.0	1.6	55.8	(15-19)	54.1	-	106.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	12	1	6	5	5	0	3	2	7	1	3	3
TEENAGE INDUCED TERMINATION RATIO	131.9	1000.0	146.3	102.0	138.9	-	272.7	83.3	127.3	&	100.0	120.0
TEENAGE PREGNANCIES#	103	2	47	54	41	1	14	26	62	1	33	28
TEENAGE PREGNANCY RATE	45.6	1.8	88.4	(15-19)	33.0	1.6	63.8	(15-19)	61.0	2.0	118.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: NEWTON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	21,838	1,729	787	942	316
WHITE	14,197	991	420	571	183
NONWHITE	7,641	738	367	371	133

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	47	1	11	35	24	0	3	21	23	1	8	14
TEENAGE IMMATURE BIRTHS	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE PREMATURE BIRTHS	8	0	3	5	3	0	0	3	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	31	1	10	20	8	0	2	6	23	1	8	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	8	0	1	7	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	3	12	8	0	1	7	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE		27.2	1.3	48.8 (15-19)	24.2	-	42.0 (15-19)		31.2	2.7	59.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	2	1	1	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	85.1	1000.0	90.9	57.1	83.3	&	333.3	-	87.0	-	-	142.8
TEENAGE PREGNANCIES#	51	2	12	37	26	1	4	21	25	1	8	16
TEENAGE PREGNANCY RATE	29.5	2.5	52.0 (15-19)		26.2	2.4	43.8 (15-19)		33.9	2.7	64.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	42.6	-	-	57.1	-	-	-	-	87.0	-	-	142.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: NOXUBEE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	12,548	1,081	557	524	220
WHITE	3,700	194	95	99	48
NONWHITE	8,848	887	462	425	172

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	44	1	9	34	1	0	1	0	43	1	8	34
TEENAGE IMMATURE BIRTHS	10	0	1	9	0	0	0	0	10	0	1	9
TEENAGE PREMATURE BIRTHS	12	0	1	11	0	0	0	0	12	0	1	11
TEENAGE ILLEGITIMATE BIRTHS	42	1	9	32	1	0	1	0	41	1	8	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	0	0	0	0	13	0	1	12
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	1	14	0	0	0	0	15	0	1	14
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE FERTILITY RATE	40.7	1.8	82.1	(15-19)	5.2	-	10.1	(15-19)	48.5	2.2	98.8	(15-19)
TEENAGE FETAL DEATHS**	3	2	0	1	0	0	0	0	3	2	0	1
TEENAGE FETAL DEATH RATIO	68.2	2000.0	-	29.4	-	-	-	-	69.8	2000.0	-	29.4
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	0	0	0	0	7	1	3	3
TEENAGE INDUCED TERMINATION RATIO	159.1	1000.0	333.3	88.2	-	-	-	-	162.8	1000.0	375.0	88.2
TEENAGE PREGNANCIES#	54	4	12	38	1	0	1	0	53	4	11	38
TEENAGE PREGNANCY RATE	50.0	7.2	95.4	(15-19)	5.2	-	10.1	(15-19)	59.8	8.6	115.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: OKTIBBEHA

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	42,902	3,729	1,239	2,490	550
WHITE	25,167	1,858	485	1,373	240
NONWHITE	17,735	1,871	754	1,117	310

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	1	32	50	16	0	4	12	67	1	28	38
TEENAGE IMMATURE BIRTHS	9	0	1	8	1	0	0	1	8	0	1	7
TEENAGE PREMATURE BIRTHS	13	0	6	7	2	0	0	2	11	0	6	5
TEENAGE ILLEGITIMATE BIRTHS	70	1	27	42	8	0	1	7	62	1	26	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	0	0	0	0	15	0	2	13
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	5	14	1	0	1	0	18	0	4	14
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	3	6	2	0	1	1	7	0	2	5
TEENAGE FERTILITY RATE	22.2	0.8	32.9	(15-19)	8.6	-	11.6	(15-19)	35.8	1.3	59.1	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	24.1	-	31.2	20.0	-	-	-	-	29.8	-	35.7	26.3
TEENAGE INDUCED TERMINATIONS#	27	1	5	21	10	0	4	6	17	1	1	15
TEENAGE INDUCED TERMINATION RATIO	325.3	1000.0	156.2	420.0	625.0	-	1000.0	500.0	253.7	1000.0	35.7	394.7
TEENAGE PREGNANCIES#	112	2	38	72	26	0	8	18	86	2	30	54
TEENAGE PREGNANCY RATE	30.0	1.6	44.2	(15-19)	14.0	-	18.9	(15-19)	46.0	2.6	75.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: PANOLA

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	34,274	2,883	1,406	1,477	614
WHITE	17,302	1,116	550	566	234
NONWHITE	16,972	1,767	856	911	380

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	135	5	54	76	33	1	12	20	102	4	42	56
TEENAGE IMMATURE BIRTHS	18	0	13	5	3	0	2	1	15	0	11	4
TEENAGE PREMATURE BIRTHS	24	2	10	12	5	0	1	4	19	2	9	8
TEENAGE ILLEGITIMATE BIRTHS	119	5	49	65	21	1	7	13	98	4	42	52
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	9	28	8	0	3	5	29	0	6	23
TEENS WHO HAD PREVIOUS PREGNANCIES	43	0	9	34	10	0	3	7	33	0	6	27
TEENS WITH INADEQUATE* PRENATAL CARE	15	3	7	5	3	1	1	1	12	2	6	4
TEENAGE FERTILITY RATE	46.8	3.6	88.0	(15-19)	29.6	1.8	56.5	(15-19)	57.7	4.7	107.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	7.4	-	-	13.2	-	-	-	-	9.8	-	-	17.8
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	136	5	54	77	33	1	12	20	103	4	42	57
TEENAGE PREGNANCY RATE	47.2	3.6	88.7	(15-19)	29.6	1.8	56.5	(15-19)	58.3	4.7	108.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	7.4	-	18.5	-	-	-	-	-	9.8	-	23.8	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: PEARL RIVER

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	48,621	3,817	1,898	1,919	645
WHITE	41,596	3,147	1,576	1,571	531
NONWHITE	7,025	670	322	348	114

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	95	1	25	69	71	0	21	50	24	1	4	19
TEENAGE IMMATURE BIRTHS	12	0	4	8	8	0	3	5	4	0	1	3
TEENAGE PREMATURE BIRTHS	12	0	2	10	6	0	1	5	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	65	1	21	43	43	0	17	26	22	1	4	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	2	19	13	0	1	12	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	3	24	19	0	2	17	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	24.9	0.5	49.0	(15-19)	22.6	-	45.2	(15-19)	35.8	3.1	66.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	21.0	-	80.0	-	28.2	-	95.2	-	-	-	-	-
TEENAGE PREGNANCIES#	97	1	27	69	73	0	23	50	24	1	4	19
TEENAGE PREGNANCY RATE	25.4	0.5	50.0	(15-19)	23.2	-	46.5	(15-19)	35.8	3.1	66.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: PERRY

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	12,138	948	440	508	168
WHITE	9,245	649	292	357	128
NONWHITE	2,893	299	148	151	40

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	0	7	21	22	0	6	16	6	0	1	5
TEENAGE IMMATURE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	0	1	5	4	0	0	4	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	20	0	5	15	14	0	4	10	6	0	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	4	0	2	2	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	5	0	2	3	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	29.5	-	55.1 (15-19)		33.9	-	61.6 (15-19)		20.1	-	39.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	107.1	-	-	142.8	90.9	-	-	125.0	166.7	-	-	200.0
TEENAGE PREGNANCIES#	31	0	7	24	24	0	6	18	7	0	1	6
TEENAGE PREGNANCY RATE	32.7	-	61.0 (15-19)		37.0	-	67.2 (15-19)		23.4	-	46.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: PIKE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	38,940	3,064	1,425	1,639	632
WHITE	19,955	1,281	585	696	258
NONWHITE	18,985	1,783	840	943	374

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	115	2	35	78	39	1	11	27	76	1	24	51
TEENAGE IMMATURE BIRTHS	16	1	8	7	5	0	1	4	11	1	7	3
TEENAGE PREMATURE BIRTHS	21	1	10	10	4	0	1	3	17	1	9	7
TEENAGE ILLEGITIMATE BIRTHS	100	2	30	68	26	1	6	19	74	1	24	49
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	6	17	4	0	2	2	19	0	4	15
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	8	22	6	0	3	3	24	0	5	19
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	3	6	3	0	0	3	6	0	3	3
TEENAGE FERTILITY RATE		37.5	1.4	68.9 (15-19)	30.4	1.7	54.6 (15-19)		42.6	1.2	79.5 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	26.1	-	28.6	25.6	-	-	-	-	39.5	-	41.7	39.2
TEENAGE INDUCED TERMINATIONS#	12	1	3	8	2	0	0	2	10	1	3	6
TEENAGE INDUCED TERMINATION RATIO	104.3	500.0	85.7	102.6	51.3	-	-	74.1	131.6	1000.0	125.0	117.6
TEENAGE PREGNANCIES#	130	3	39	88	41	1	11	29	89	2	28	59
TEENAGE PREGNANCY RATE	42.4	2.1	77.5 (15-19)		32.0	1.7	57.5 (15-19)		49.9	2.4	92.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: PONTOTOC

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	26,726	2,017	1,040	977	353
WHITE	22,557	1,615	845	770	294
NONWHITE	4,169	402	195	207	59

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	2	21	36	42	2	17	23	17	0	4	13
TEENAGE IMMATURE BIRTHS	8	1	3	4	6	1	2	3	2	0	1	1
TEENAGE PREMATURE BIRTHS	14	0	5	9	9	0	3	6	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	45	2	18	25	30	2	14	14	15	0	4	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	5	0	2	3	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	3	7	7	0	3	4	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	1	1	2	1	1	0	1	0	0	1
TEENAGE FERTILITY RATE		29.2	1.9	58.3 (15-19)	26.0	2.4	51.9 (15-19)		42.3	-	82.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	59	2	21	36	42	2	17	23	17	0	4	13
TEENAGE PREGNANCY RATE	29.2	1.9	58.3 (15-19)	26.0	26.0	2.4	51.9 (15-19)	42.3	42.3	-	82.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	33.9	-	-	55.6	47.6	-	-	87.0	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: PRENTISS

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	25,556	1,942	882	1,060	301
WHITE	21,940	1,580	734	846	240
NONWHITE	3,616	362	148	214	61

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	4	13	40	45	3	10	32	12	1	3	8
TEENAGE IMMATURE BIRTHS	6	0	2	4	5	0	2	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	10	0	2	8	8	0	2	6	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	41	3	9	29	31	2	7	22	10	1	2	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	11	0	2	9	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	2	15	13	0	2	11	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	29.4	4.5	50.0	(15-19)	28.5	4.1	49.6	(15-19)	33.1	6.8	51.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	17.5	-	76.9	-	22.2	-	100.0	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	17.5	250.0	-	-	-	-	-	-	83.3	1000.0	-	-
TEENAGE PREGNANCIES#	59	5	14	40	46	3	11	32	13	2	3	8
TEENAGE PREGNANCY RATE	30.4	5.7	50.9	(15-19)	29.1	4.1	50.8	(15-19)	35.9	13.5	51.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	35.1	-	-	50.0	44.4	-	-	62.5	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: QUITMAN

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	10,117	879	465	414	174
WHITE	3,083	164	93	71	24
NONWHITE	7,034	715	372	343	150

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	55	4	17	34	3	0	1	2	52	4	16	32
TEENAGE IMMATURE BIRTHS	13	0	5	8	0	0	0	0	13	0	5	8
TEENAGE PREMATURE BIRTHS	18	2	5	11	1	0	1	0	17	2	4	11
TEENAGE ILLEGITIMATE BIRTHS	51	4	17	30	2	0	1	1	49	4	16	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	2	17	0	0	0	0	19	0	2	17
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	2	19	1	0	0	1	20	0	2	18
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FERTILITY RATE	62.6	8.6	123.2	(15-19)	18.3	-	42.2	(15-19)	72.7	10.8	139.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	55	4	17	34	3	0	1	2	52	4	16	32
TEENAGE PREGNANCY RATE	62.6	8.6	123.2	(15-19)	18.3	-	42.2	(15-19)	72.7	10.8	139.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: RANKIN

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	115,327	8,271	4,154	4,117	1,687
WHITE	93,450	6,384	3,233	3,151	1,344
NONWHITE	21,877	1,887	921	966	343

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	199	1	67	131	149	0	47	102	50	1	20	29
TEENAGE IMMATURE BIRTHS	19	0	7	12	12	0	4	8	7	0	3	4
TEENAGE PREMATURE BIRTHS	35	0	14	21	24	0	11	13	11	0	3	8
TEENAGE ILLEGITIMATE BIRTHS	139	1	54	84	90	0	34	56	49	1	20	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	43	0	10	33	32	0	7	25	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	56	0	14	42	41	0	11	30	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	1	6	5	0	0	5	2	0	1	1
TEENAGE FERTILITY RATE	24.1	0.2	48.1	(15-19)	23.3	-	47.3	(15-19)	26.5	1.1	50.7	(15-19)
TEENAGE FETAL DEATHS**	2	1	0	1	1	0	0	1	1	1	0	0
TEENAGE FETAL DEATH RATIO	10.0	1000.0	-	7.6	6.7	-	-	9.8	20.0	1000.0	-	-
TEENAGE INDUCED TERMINATIONS#	69	1	29	39	49	0	22	27	20	1	7	12
TEENAGE INDUCED TERMINATION RATIO	346.7	1000.0	432.8	297.7	328.8	-	468.1	264.7	400.0	1000.0	350.0	413.8
TEENAGE PREGNANCIES#	270	3	96	171	199	0	69	130	71	3	27	41
TEENAGE PREGNANCY RATE	32.6	0.7	64.8	(15-19)	31.2	-	63.2	(15-19)	37.6	3.2	70.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	6	0	2	4	3	0	1	2	3	0	1	2
INFANT MORTALITY RATE, TEEN MOMS	30.2	-	29.9	30.5	20.1	-	21.3	19.6	60.0	-	50.0	69.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: SCOTT

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	28,423	2,237	1,138	1,099	437
WHITE	16,258	1,126	570	556	256
NONWHITE	12,165	1,111	568	543	181

	ALL RACES				WHITE				NONWHITE					
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19		
TEENAGE BIRTHS	93	7	34	52	49	4	20	25	44	3	14	27		
TEENAGE IMMATURE BIRTHS	15	0	6	9	5	0	3	2	10	0	3	7		
TEENAGE PREMATURE BIRTHS	17	1	6	10	8	0	4	4	9	1	2	6		
TEENAGE ILLEGITIMATE BIRTHS	75	7	27	41	31	4	13	14	44	3	14	27		
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	4	13	9	0	4	5	8	0	0	8		
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	6	17	11	0	5	6	12	0	1	11		
TEENS WITH INADEQUATE* PRENATAL CARE	8	5	2	1	3	2	1	0	5	3	1	1		
TEENAGE FERTILITY RATE		41.6	6.2	78.2 (15-19)	43.5	7.0	80.9 (15-19)		39.6	5.3	75.5 (15-19)			
TEENAGE FETAL DEATHS**	2		0	2	0		1	0	1		1	0		
TEENAGE FETAL DEATH RATIO	21.5		-	58.8	-		20.4	-	50.0	-	22.7	-		
TEENAGE INDUCED TERMINATIONS#	10		0	4	6		6	0	3	3	4	1	3	
TEENAGE INDUCED TERMINATION RATIO	107.5		-	117.6	115.4		122.4	-	150.0	120.0	90.9	-	71.4	111.1
TEENAGE PREGNANCIES#	105		7	40	58		56	4	24	28	49	3	16	30
TEENAGE PREGNANCY RATE	46.9		6.2	89.2 (15-19)	49.7		49.7	7.0	93.5 (15-19)	44.1		5.3	84.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4		0	0	4		2	0	0	2	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	43.0		-	-	76.9		40.8	-	-	80.0	45.5	-	-	74.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: SHARKEY

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	6,580	581	285	296	115
WHITE	1,932	111	50	61	33
NONWHITE	4,648	470	235	235	82

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	21	0	8	13	1	0	0	1	20	0	8	12
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	20	0	8	12	0	0	0	0	20	0	8	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	0	0	0	0	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	36.1	-	70.9	(15-19)	9.0	-	16.4	(15-19)	42.6	-	85.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	95.2	-	125.0	76.9	1000.0	-	-	1000.0	50.0	-	125.0	-
TEENAGE PREGNANCIES#	23	0	9	14	2	0	0	2	21	0	9	12
TEENAGE PREGNANCY RATE	39.6	-	77.7	(15-19)	18.0	-	32.8	(15-19)	44.7	-	89.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: SIMPSON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	27,639	2,064	1,073	991	387
WHITE	17,796	1,145	588	557	227
NONWHITE	9,843	919	485	434	160

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	70	1	24	45	32	1	9	22	38	0	15	23
TEENAGE IMMATURE BIRTHS	9	0	3	6	3	0	2	1	6	0	1	5
TEENAGE PREMATURE BIRTHS	9	0	5	4	4	0	3	1	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	54	1	22	31	16	1	7	8	38	0	15	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	4	0	1	3	12	0	2	10
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	5	15	6	0	3	3	14	0	2	12
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	33.9	0.9	69.6	(15-19)	27.9	1.7	55.6	(15-19)	41.3	-	87.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	14.3	-	-	22.2	31.2	-	-	45.4	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	12	0	4	8	3	0	2	1	9	0	2	7
TEENAGE INDUCED TERMINATION RATIO	171.4	-	166.7	177.8	93.8	-	222.2	45.4	236.8	-	133.3	304.3
TEENAGE PREGNANCIES#	83	1	28	54	36	1	11	24	47	0	17	30
TEENAGE PREGNANCY RATE	40.2	0.9	82.7	(15-19)	31.4	1.7	62.8	(15-19)	51.1	-	108.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: SMITH

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	16,182	1,199	609	590	213
WHITE	12,316	815	415	400	153
NONWHITE	3,866	384	194	190	60

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	36	0	10	26	24	0	6	18	12	0	4	8
TEENAGE IMMATURE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	8	0	4	4	3	0	1	2	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	18	0	7	11	8	0	3	5	10	0	4	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	5	0	0	5	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	0	9	7	0	0	7	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	30.0	-	61.0 (15-19)	29.4	-	60.0 (15-19)	31.2	-	63.2 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	27.8	-	100.0	-	-	-	-	-	83.3	-	250.0	-
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	3	0	1	2	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	111.1	-	200.0	76.9	125.0	-	166.7	111.1	83.3	-	250.0	-
TEENAGE PREGNANCIES#	41	0	13	28	27	0	7	20	14	0	6	8
TEENAGE PREGNANCY RATE	34.2	-	69.5 (15-19)	33.1	-	67.5 (15-19)	36.4	-	73.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: STONE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	13,622	1,121	522	599	190
WHITE	10,818	824	407	417	145
NONWHITE	2,804	297	115	182	45

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	26	0	10	16	19	0	9	10	7	0	1	6
TEENAGE IMMATURE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE PREMATURE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	21	0	6	15	14	0	5	9	7	0	1	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	4	0	1	3	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	6	0	2	4	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	23.2	-	43.4	(15-19)	23.0	-	45.6	(15-19)	23.6	-	38.5	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	76.9	-	-	125.0	52.6	-	-	100.0	142.8	-	-	166.7
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	5	0	1	4	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	192.3	-	100.0	250.0	263.2	-	111.1	400.0	-	-	-	-
TEENAGE PREGNANCIES#	33	0	11	22	25	0	10	15	8	0	1	7
TEENAGE PREGNANCY RATE	29.4	-	55.1	(15-19)	30.3	-	60.0	(15-19)	26.9	-	44.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: SUNFLOWER

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	34,369	2,862	1,276	1,586	490
WHITE	9,927	574	228	346	87
NONWHITE	24,442	2,288	1,048	1,240	403

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	138	3	56	79	8	0	2	6	130	3	54	73
TEENAGE IMMATURE BIRTHS	19	0	8	11	0	0	0	0	19	0	8	11
TEENAGE PREMATURE BIRTHS	30	2	16	12	1	0	0	1	29	2	16	11
TEENAGE ILLEGITIMATE BIRTHS	135	3	56	76	6	0	2	4	129	3	54	72
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	7	30	1	0	0	1	36	0	7	29
TEENS WHO HAD PREVIOUS PREGNANCIES	45	0	8	37	2	0	0	2	43	0	8	35
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	2	6	0	0	0	0	9	1	2	6
TEENAGE FERTILITY RATE	48.2	2.4	85.1	(15-19)	13.9	-	23.1	(15-19)	56.8	2.9	102.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	0	0	0	0	7	1	3	3
TEENAGE INDUCED TERMINATION RATIO	50.7	333.3	53.6	38.0	-	-	-	-	53.8	333.3	55.6	41.1
TEENAGE PREGNANCIES#	145	4	59	82	8	0	2	6	137	4	57	76
TEENAGE PREGNANCY RATE	50.7	3.1	88.9	(15-19)	13.9	-	23.1	(15-19)	59.9	3.8	107.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: TALLAHATCHIE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	14,903	1,291	661	630	208
WHITE	5,904	361	182	179	57
NONWHITE	8,999	930	479	451	151

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	63	3	21	39	9	0	4	5	54	3	17	34
TEENAGE IMMATURE BIRTHS	10	0	3	7	1	0	1	0	9	0	2	7
TEENAGE PREMATURE BIRTHS	11	1	4	6	0	0	0	0	11	1	4	6
TEENAGE ILLEGITIMATE BIRTHS	57	3	20	34	4	0	3	1	53	3	17	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	1	0	0	1	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	0	10	2	0	0	2	8	0	0	8
TEENS WITH INADEQUATE* PRENATAL CARE	4	2	2	0	0	0	0	0	4	2	2	0
TEENAGE FERTILITY RATE		48.8	4.5	95.2 (15-19)	24.9	-	50.3 (15-19)		58.1	6.3	113.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	63	3	21	39	9	0	4	5	54	3	17	34
TEENAGE PREGNANCY RATE	48.8	4.5	95.2 (15-19)	24.9	-	50.3 (15-19)		58.1	6.3	113.1 (15-19)		
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	31.7	-	47.6	25.6	-	-	-	-	37.0	-	58.8	29.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: TATE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	25,370	2,161	1,023	1,138	375
WHITE	17,211	1,255	617	638	254
NONWHITE	8,159	906	406	500	121

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	66	1	19	46	26	0	10	16	40	1	9	30
TEENAGE IMMATURE BIRTHS	8	0	2	6	3	0	1	2	5	0	1	4
TEENAGE PREMATURE BIRTHS	9	1	4	4	2	0	2	0	7	1	2	4
TEENAGE ILLEGITIMATE BIRTHS	55	1	15	39	15	0	6	9	40	1	9	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	5	13	7	0	2	5	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	5	15	8	0	2	6	12	0	3	9
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE FERTILITY RATE	30.5	1.0	57.1	(15-19)	20.7	-	40.8	(15-19)	44.2	2.5	78.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	66	1	19	46	26	0	10	16	40	1	9	30
TEENAGE PREGNANCY RATE	30.5	1.0	57.1	(15-19)	20.7	-	40.8	(15-19)	44.2	2.5	78.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: TIPPAH

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	20,826	1,585	784	801	318
WHITE	17,046	1,214	611	603	265
NONWHITE	3,780	371	173	198	53

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	0	14	32	35	0	9	26	11	0	5	6
TEENAGE IMMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	5	0	4	1	3	0	2	1	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	23	0	9	14	13	0	4	9	10	0	5	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	8	0	2	6	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	4	9	11	0	4	7	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	29.0	-	57.4	(15-19)	28.8	-	58.0	(15-19)	29.6	-	55.6	(15-19)
TEENAGE FETAL DEATHS**	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE FETAL DEATH RATIO	65.2	-	-	93.8	57.1	-	-	76.9	90.9	-	-	166.7
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	21.7	-	-	31.2	-	-	-	-	90.9	-	-	166.7
TEENAGE PREGNANCIES#	50	0	14	36	37	0	9	28	13	0	5	8
TEENAGE PREGNANCY RATE	31.5	-	62.4	(15-19)	30.5	-	61.4	(15-19)	35.0	-	65.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: TISHOMINGO

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	19,163	1,204	625	579	211
WHITE	18,192	1,140	598	542	204
NONWHITE	971	64	27	37	7

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	32	1	15	16	31	0	15	16	1	1	0	0
TEENAGE IMMATURE BIRTHS	6	0	3	3	6	0	3	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	13	0	5	8	13	0	5	8	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	19	1	10	8	18	0	10	8	1	1	0	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	5	0	1	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	6	0	1	5	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FERTILITY RATE	26.6	1.6	53.5	(15-19)	27.2	-	57.2	(15-19)	15.6	37.0	-	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	31.2	-	-	62.5	32.2	-	-	62.5	-	-	-	-
TEENAGE PREGNANCIES#	33	1	15	17	32	0	15	17	1	1	0	0
TEENAGE PREGNANCY RATE	27.4	1.6	55.3	(15-19)	28.1	-	59.0	(15-19)	15.6	37.0	-	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: TUNICA

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	9,227	804	429	375	185
WHITE	2,541	119	58	61	21
NONWHITE	6,686	685	371	314	164

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	1	22	34	6	0	1	5	51	1	21	29
TEENAGE IMMATURE BIRTHS	11	0	1	10	1	0	0	1	10	0	1	9
TEENAGE PREMATURE BIRTHS	12	1	1	10	2	0	0	2	10	1	1	8
TEENAGE ILLEGITIMATE BIRTHS	55	1	22	32	4	0	1	3	51	1	21	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	2	10	3	0	0	3	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	3	14	4	0	0	4	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FERTILITY RATE		70.9	2.3	149.3 (15-19)	50.4	-	98.4 (15-19)		74.4	2.7	159.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	17.5	-	45.4	-	-	-	-	-	19.6	-	47.6	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	58	1	23	34	6	0	1	5	52	1	22	29
TEENAGE PREGNANCY RATE	72.1	2.3	152.0 (15-19)		50.4	-	98.4 (15-19)		75.9	2.7	162.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	35.1	-	-	58.8	-	-	-	-	39.2	-	-	69.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: UNION

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	25,362	1,703	877	826	367
WHITE	21,156	1,396	705	691	289
NONWHITE	4,206	307	172	135	78

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	1	21	46	47	0	13	34	21	1	8	12
TEENAGE IMMATURE BIRTHS	14	0	5	9	8	0	2	6	6	0	3	3
TEENAGE PREMATURE BIRTHS	11	0	6	5	7	0	3	4	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	41	1	15	25	21	0	7	14	20	1	8	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	3	17	12	0	3	9	8	0	0	8
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	14	0	3	11	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE		39.9	1.1	81.1 (15-19)	33.7	-	68.0 (15-19)		68.4	5.8	148.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	29.4	-	47.6	21.7	21.3	-	-	29.4	47.6	-	125.0	-
TEENAGE PREGNANCIES#	70	1	22	47	48	0	13	35	22	1	9	12
TEENAGE PREGNANCY RATE	41.1	1.1	83.5 (15-19)		34.4	-	69.5 (15-19)		71.7	5.8	155.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	14.7	-	-	21.7	-	-	-	-	47.6	-	-	83.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: WALTHALL

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	15,156	1,202	599	603	211
WHITE	8,277	524	251	273	100
NONWHITE	6,879	678	348	330	111

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	0	7	23	10	0	2	8	20	0	5	15
TEENAGE IMMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	23	0	7	16	6	0	2	4	17	0	5	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	1	0	0	1	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	1	0	0	1	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	25.0	-	49.8	(15-19)	19.1	-	36.6	(15-19)	29.5	-	60.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	33.3	-	-	43.5	-	-	-	-	50.0	-	-	66.7
TEENAGE PREGNANCIES#	31	0	7	24	10	0	2	8	21	0	5	16
TEENAGE PREGNANCY RATE	25.8	-	51.4	(15-19)	19.1	-	36.6	(15-19)	31.0	-	63.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	33.3	-	142.9	-	100.0	-	500.0	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: WARREN

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	49,644	3,899	1,912	1,987	740
WHITE	27,288	1,829	912	917	324
NONWHITE	22,356	2,070	1,000	1,070	416

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	133	2	38	93	47	0	10	37	86	2	28	56
TEENAGE IMMATURE BIRTHS	19	1	7	11	5	0	2	3	14	1	5	8
TEENAGE PREMATURE BIRTHS	22	1	10	11	3	0	1	2	19	1	9	9
TEENAGE ILLEGITIMATE BIRTHS	116	2	38	76	31	0	10	21	85	2	28	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	4	28	4	0	0	4	28	0	4	24
TEENS WHO HAD PREVIOUS PREGNANCIES	35	0	5	30	4	0	0	4	31	0	5	26
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	2	2	1	0	1	0	4	1	1	2
TEENAGE FERTILITY RATE		34.1	1.0	65.9 (15-19)	25.7	-	51.2 (15-19)		41.5	2.0	78.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	7.5	-	26.3	-	-	-	-	-	11.6	-	35.7	-
TEENAGE INDUCED TERMINATIONS#	27	0	9	18	5	0	1	4	22	0	8	14
TEENAGE INDUCED TERMINATION RATIO	203.0	-	236.8	193.5	106.4	-	100.0	108.1	255.8	-	285.7	250.0
TEENAGE PREGNANCIES#	161	2	48	111	52	0	11	41	109	2	37	70
TEENAGE PREGNANCY RATE	41.3	1.0	80.0 (15-19)		28.4	-	56.7 (15-19)		52.6	2.0	100.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	15.0	-	-	21.5	21.3	-	-	27.0	11.6	-	-	17.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: WASHINGTON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	62,977	5,461	2,632	2,829	1,070
WHITE	21,393	1,328	635	693	253
NONWHITE	41,584	4,133	1,997	2,136	817

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	263	12	92	159	37	0	12	25	226	12	80	134
TEENAGE IMMATURE BIRTHS	31	4	12	15	5	0	2	3	26	4	10	12
TEENAGE PREMATURE BIRTHS	57	3	17	37	8	0	3	5	49	3	14	32
TEENAGE ILLEGITIMATE BIRTHS	249	12	88	149	27	0	9	18	222	12	79	131
TEENS WHO HAD PREVIOUS LIVE BIRTHS	69	0	10	59	10	0	0	10	59	0	10	49
TEENS WHO HAD PREVIOUS PREGNANCIES	75	0	11	64	12	0	0	12	63	0	11	52
TEENS WITH INADEQUATE* PRENATAL CARE	20	0	12	8	2	0	1	1	18	0	11	7
TEENAGE FERTILITY RATE	48.2	4.6	88.7	(15-19)	27.9	-	53.4	(15-19)	54.7	6.0	100.2	(15-19)
TEENAGE FETAL DEATHS**	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FETAL DEATH RATIO	19.0	-	10.9	25.2	-	-	-	-	22.1	-	12.5	29.8
TEENAGE INDUCED TERMINATIONS#	19	2	4	13	3	0	1	2	16	2	3	11
TEENAGE INDUCED TERMINATION RATIO	72.2	166.7	43.5	81.8	81.1	-	83.3	80.0	70.8	166.7	37.5	82.1
TEENAGE PREGNANCIES#	287	14	97	176	40	0	13	27	247	14	84	149
TEENAGE PREGNANCY RATE	52.6	5.3	96.5	(15-19)	30.1	-	57.7	(15-19)	59.8	7.0	109.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	7.6	-	21.7	-	-	-	-	-	8.9	-	25.0	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: WAYNE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	21,216	1,749	834	915	314
WHITE	13,004	924	459	465	170
NONWHITE	8,212	825	375	450	144

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	3	22	48	29	1	7	21	44	2	15	27
TEENAGE IMMATURE BIRTHS	9	2	2	5	1	0	0	1	8	2	2	4
TEENAGE PREMATURE BIRTHS	14	3	4	7	5	1	1	3	9	2	3	4
TEENAGE ILLEGITIMATE BIRTHS	59	3	17	39	17	1	3	13	42	2	14	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	1	2	14	7	0	1	6	10	1	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	21	1	3	17	7	0	1	6	14	1	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	1	9	3	0	0	3	7	0	1	6
TEENAGE FERTILITY RATE		41.7	3.6	76.5 (15-19)	31.4	2.2	60.2 (15-19)	53.3	5.3	93.3 (15-19)		
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	13.7	-	45.4	-	-	-	-	-	22.7	-	66.7	-
TEENAGE INDUCED TERMINATIONS#	9	0	5	4	2	0	2	0	7	0	3	4
TEENAGE INDUCED TERMINATION RATIO	123.3	-	227.3	83.3	69.0	-	285.7	-	159.1	-	200.0	148.1
TEENAGE PREGNANCIES#	83	3	28	52	31	1	9	21	52	2	19	31
TEENAGE PREGNANCY RATE	47.4	3.6	87.4 (15-19)	33.6	2.2	64.5 (15-19)	63.0	5.3	111.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	13.7	-	-	20.8	-	-	-	-	22.7	-	-	37.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: WEBSTER

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	10,294	760	348	412	150
WHITE	7,983	518	237	281	114
NONWHITE	2,311	242	111	131	36

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	0	11	21	19	0	5	14	13	0	6	7
TEENAGE IMMATURE BIRTHS	5	0	1	4	4	0	1	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	4	0	2	2	4	0	2	2	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	15	0	7	8	5	0	1	4	10	0	6	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	2	0	1	1	2	0	1	1
TEENAGE FERTILITY RATE	42.1	-	77.7 (15-19)		36.7	-	67.6 (15-19)		53.7	-	99.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	31.2	-	-	47.6	52.6	-	-	71.4	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	62.5	-	-	95.2	105.3	-	-	142.8	-	-	-	-
TEENAGE PREGNANCIES#	35	0	11	24	22	0	5	17	13	0	6	7
TEENAGE PREGNANCY RATE	46.0	-	85.0 (15-19)		42.5	-	78.3 (15-19)		53.7	-	99.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	31.3	-	90.9	-	-	-	-	-	76.9	-	166.7	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEN)

TEENAGE VITAL STATISTICS DATA BY COUNTY OF RESIDENCE AND RACE OF MOTHER MISSISSIPPI, 2001

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,312	769	365	404	138
WHITE	3,219	169	86	83	35
NONWHITE	7,093	600	279	321	103

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	36	1	15	20	6	0	1	5	30	1	14	15
TEENAGE IMMATURE BIRTHS	7	1	3	3	0	0	0	0	7	1	3	3
TEENAGE PREMATURE BIRTHS	7	1	4	2	0	0	0	0	7	1	4	2
TEENAGE ILLEGITIMATE BIRTHS	31	1	15	15	2	0	1	1	29	1	14	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	1	0	0	1	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	46.8	2.7	86.6 (15-19)	35.5	-	72.3 (15-19)	50.0	3.6	90.3 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	27.8	1000.0	-	-	-	-	-	-	33.3	1000.0	-	-
TEENAGE PREGNANCIES#	37	2	15	20	6	0	1	5	31	2	14	15
TEENAGE PREGNANCY RATE	48.1	5.5	86.6 (15-19)	35.5	-	72.3 (15-19)	51.7	7.2	90.3 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	27.8	-	-	50.0	-	-	-	-	33.3	-	-	66.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: WINSTON

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	20,160	1,505	755	750	271
WHITE	11,141	636	330	306	126
NONWHITE	9,019	869	425	444	145

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	3	18	33	13	0	4	9	41	3	14	24
TEENAGE IMMATURE BIRTHS	7	2	3	2	1	0	0	1	6	2	3	1
TEENAGE PREMATURE BIRTHS	9	1	3	5	1	0	0	1	8	1	3	4
TEENAGE ILLEGITIMATE BIRTHS	45	3	14	28	7	0	1	6	38	3	13	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	3	0	0	3	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	3	11	4	0	1	3	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	5	2	2	1	0	0	0	0	5	2	2	1
TEENAGE FERTILITY RATE		35.9	4.0	68.0 (15-19)	20.4	-	42.5 (15-19)		47.2	7.0	85.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	37.0	-	55.6	30.3	76.9	-	250.0	-	24.4	-	-	41.7
TEENAGE PREGNANCIES#	56	3	19	34	14	0	5	9	42	3	14	25
TEENAGE PREGNANCY RATE	37.2	4.0	70.7 (15-19)		22.0	-	45.8 (15-19)		48.3	7.0	87.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	37.0	-	55.6	30.3	-	-	-	-	48.8	-	71.4	41.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: YALOBUSHA

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	13,051	947	445	502	177
WHITE	7,891	455	214	241	92
NONWHITE	5,160	492	231	261	85

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	1	14	29	14	0	6	8	30	1	8	21
TEENAGE IMMATURE BIRTHS	9	0	3	6	1	0	0	1	8	0	3	5
TEENAGE PREMATURE BIRTHS	10	1	4	5	2	0	1	1	8	1	3	4
TEENAGE ILLEGITIMATE BIRTHS	39	1	11	27	9	0	3	6	30	1	8	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	2	9	4	0	1	3	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	5	0	2	3	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	46.5	2.2	85.6	(15-19)	30.8	-	58.1	(15-19)	61.0	4.3	111.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	44	1	14	29	14	0	6	8	30	1	8	21
TEENAGE PREGNANCY RATE	46.5	2.2	85.6	(15-19)	30.8	-	58.1	(15-19)	61.0	4.3	111.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

**TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2001**

COUNTY: YAZOO

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	28,149	2,195	1,100	1,095	414
WHITE	12,593	735	365	370	142
NONWHITE	15,556	1,460	735	725	272

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	101	8	38	55	20	0	4	16	81	8	34	39
TEENAGE IMMATURE BIRTHS	9	0	4	5	3	0	2	1	6	0	2	4
TEENAGE PREMATURE BIRTHS	27	1	10	16	3	0	0	3	24	1	10	13
TEENAGE ILLEGITIMATE BIRTHS	90	8	37	45	10	0	4	6	80	8	33	39
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	11	16	5	0	0	5	22	0	11	11
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	12	17	5	0	0	5	24	0	12	12
TEENS WITH INADEQUATE* PRENATAL CARE	14	1	7	6	4	0	2	2	10	1	5	4
TEENAGE FERTILITY RATE		46.0	7.3	84.9 (15-19)	27.2	-	54.0 (15-19)		55.5	10.9	100.7 (15-19)	
TEENAGE FETAL DEATHS**	2		0	0	2	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	19.8		-	-	36.4	-	-	-	24.7	-	-	51.3
TEENAGE INDUCED TERMINATIONS#	12	1	3	8	3	0	1	2	9	1	2	6
TEENAGE INDUCED TERMINATION RATIO	118.8	125.0	78.9	145.4	150.0	-	250.0	125.0	111.1	125.0	58.8	153.8
TEENAGE PREGNANCIES#	115	9	41	65	23	0	5	18	92	9	36	47
TEENAGE PREGNANCY RATE	52.4	8.2	96.8 (15-19)		31.3	-	62.2 (15-19)		63.0	12.2	114.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	9.9	-	26.3	-	50.0	-	250.0	-	-	-	-	-

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP